Section 1 **Chemical Product and Company Identification** 

Innovating Science® by Aldon Corporation "cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177

**CHEMTREC 24 Hour Emergency USA** Phone Number (800) 424-9300 1 703-741-5500 (from anywhere in the world). For laboratory and industrial use only

Not for drug, food or household use.

Page E1 of E2

Product COPPER(II) SULFATE, PENTAHYDRATE

Synonyms Cupric Sulfate, 5-Hydrate

Section 2 Hazards Identification

Signal word: WARNING Pictograms: GHS07 / GHS09

Target organs: Liver, Kidneys, Lungs, Spleen.





GHS Classification:

Acute toxicity-oral (Category 4) Skin irritation (Category 2) Eye irritation (Category 2A) Aquatic acute toxicity (Category 1) Aquatic chronic toxicity (Category 1)

GHS Label information: Hazard statement:

H302: Harmful if swallowed. H315: Causes skin irritation.

H319: Causes serious eve irritation.

H410: Very toxic to aquatic life with long lasting effects

### Precautionary statement:

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention. P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in

accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3	Composition / Information on Ingredients								
Chemical Name		CAS#	%	EINECS					
Cupric sulfate		7758-99-8	>99%	231-847-6 (anhydrous)					
·									
o :: 4	F1 4 41 1 14								

#### Section 4 **First Aid Measures**

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention

EYE CONTACT: CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

#### Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

### Section 6 **Accidental Release Measures**

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Partition coefficient: Data not available

**Viscosity:** Data not available. **Molecular formula:** CuSO<sub>4</sub>•5H<sub>2</sub>O

Molecular weight: 249.68

Auto-ignition temperature: Data not available

**Decomposition temperature:** 560°C (1040°F)

Evaporation rate ( = 1): Not applicable

Flammability (solid/gas): Not applicable

Vapor pressure (mm Hg): 20 torr @ 22.5°C

Vapor density (Air = 1): Data not available Relative density (Specific gravity): 2.284

Solubility(ies): 31.6 g/100 ml water @ 0°C

Explosion limits: Lower / Upper: Not applicable

### Section 9 Physical & Chemical Properties

Appearance: Blue, crystalline solid

Odor: Odorless

Odor threshold: Data not available

pH: 3.7-4.2 (10% solution)
Melting / Freezing point: 150°C (302°F)

Boiling point: Decomposes

Flash point: Non-flammable

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Hygroscopic material. Stable when kept dry, under normal temperature and pressure. Avoid high temperatures, exposure to air and incompatible materials

Incompatible materials: Reducing agents, acetylene or nitromethane, magnesium, strong bases, alkalines, phosphates, hydrazine, zirconium. Can corrode aluminum, steel and

iron.

Hazardous decomposition products: Oxides of sulfur and copper fumes.

## Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 300 mg/kg [Copper sulfate anhydrous]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause irritation to the mucous membranes and upper respiratory tract. Ingestion: Ingestion can cause irritation to the digestive tract and abdominal pain.

Skin: Contact with skin causes slight irritation. Excessive exposure may cause allergic dermatitis. May cause irritation or burns on wet skin.

Eyes: Can cause severe irritation and may result in irreversible eye damage.

Signs and symptoms of exposure: Note to physician: Probable mucosal damage may contradict the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Wilson's disease can be aggravated by excessive exposure. Symptoms include nausea, vomiting, gastrointestinal pain, diarrhea, dizziness, jaundice, and general debility.

Additional information: RTECS #: GL8900000
Section 12 Ecological Information

Toxicity to fish: Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 mg/L [Copper sulfate anhydrous]

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

# Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN3077 Shipping name: Environmentally hazardous substances, solid, n.o.s., (Cupric sulfate)

Hazard class: 9 Packing group: III Reportable Quantity: 10 lbs (4.54 kg) Marine pollutant: Yes Exceptions: Non regulated equal to or less than 4.539 Kg; Reportable quantity equal to or more than 4.54 Kg 2016 ERG Guide # 171

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Cupric sulfate	Listed	10 lbs (4.54 kg)	Not listed	Not listed	Not listed

# Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.