

## Section 1 Identification

Page E1 of E2

# INNOVATING SCIENCE® by Aldon

"Cutting edge science for the classroom"

221 Rochester Street  
Avon, NY 14414-9409  
(585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>BORIC ACID , 10% IN METHANOL</b>
----------------	-------------------------------------

<b>Synonyms</b>	None
-----------------	------

## Section 2 Hazards identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS06 / GHS08**Target organs:** Central nervous system, Liver, Kidneys, Heart, Circulatory system**GHS Classification:**

Flammable liquid (Category 2)

Acute toxicity, oral (Category 3)

Acute toxicity, dermal (Category 3)

Acute toxicity, inhalation (Category 3)

STOT-SE (Category 1)

Reproductive toxicity (Category 1B)

**GHS Label information: Hazard statement:**

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H360: May damage fertility or the unborn child.

H370: Causes damage to organs.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Methanol	67-56-1	90%	200-659-6
Boric acid	10043-35-3	10%	233-139-2

## Section 4 First aid measures

**INGESTION:** MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** VAPOR HARMFUL. HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Fires involving a small amount of combustibles may be smothered by dry chemical. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Closed containers exposed to heat may explode. Burns with a clear, almost invisible flame. Contact with strong oxidizers may cause fire.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Methanol	TWA: 262 mg/m <sup>3</sup> / STEL: 328 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup> / STEL: 325 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Clear, colorless liquid.	<b>Evaporation rate ( Butyl acetate = 1):</b> Data not available	<b>Partition coefficient:</b> (n-octanol / water): Data not available
<b>Odor:</b> Pungent odor.	<b>Flammability (solid/gas):</b> Data not available	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> Data not available	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> Data not available	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> Data not available	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> Mixture
<b>Boiling point:</b> Data not available	<b>Relative density (Specific gravity):</b> Data not available	<b>Molecular weight:</b> Mixture
<b>Flash point:</b> Data not available	<b>Solubility(ies):</b> Data not available	

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizing agents, strong acids, zinc, aluminum and magnesium, reducers, alkalies, acetic anhydride, potassium and heat sources.

**Hazardous decomposition products:** Oxides of carbon and formaldehyde.

## Section 11 Toxicological information

**Acute toxicity:** Inhalation-rat LC50: 64,000 mg/kg/4hours ; Skin-rabbit LD50: 15,800 mg/kg (Methanol) Oral-rat LD50: 2,500 mg/kg (Boric Acid)

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

**NTP:** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**IARC:** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**CA Prop 65:** ⚠️ **WARNING!** : This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 1 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

**Inhalation:** Inhalation of this material may cause irritation of the respiratory tract, nausea, shortness of breath and headache.

**Ingestion:** Ingestion may cause headache, dizziness, weakness, euphoria, drowsiness, shortness of breath, vomiting and incoordination. Can also cause blindness and death.

Cannot be made nonpoisonous.

**Skin:** Contact with skin can cause moderate irritation, defatting, cracking and dermatitis. Skin absorption may contribute to overall exposure.

**Eyes:** Contact with eyes can cause severe irritation, even corneal burns. High concentrations of vapors may cause irritation.

**Signs and symptoms of exposure:** Animal feeding studies in rat, mouse and dog, at high doses, have demonstrated effects on fertility and testes. Studies with the chemically related boric acid in the rat, mouse and rabbit, at high doses, demonstrate developmental effects on the fetus, including fetal weight loss and minor skeletal variations. The doses administered were many times in excess of those to which humans would normally be exposed. Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid dust and sodium borate dust. A recent epidemiological study under the conditions of normal occupational exposure to borate dusts indicated no effect on fertility. (Boric Acid)

**Additional information:** RTECS #: PC1400000 [Methanol], ED4550000 [Boric Acid]

## Section 12 Ecological information

**Toxicity to fish:** Lepomis macrochirus (fish, fresh water), LC50 = 15,400 mg/l/96 hours (Methanol), Carassius auratus (goldfish) LC50: 0.63 g/L/3 day (Boric Acid)

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Water flea) LC50: 1085-1402 mg/L/48 hours (Boric Acid)

**Toxicity to algae:** Scenedesmus subspicatus (algae) EC50: 158 mg/L/96 hours (Boric Acid)

**Persistence and degradability:** Readily biodegradable

**Bioaccumulative potential:** Not expected to bioaccumulate

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN1230

**Shipping name:** Methanol, (solution)

**Hazard class:** Domestic: 3 International: 3, (6.1)

**Packing group:** II

**Reportable Quantity:** Yes

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2024 ERG Guide #** 131

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Methanol	Listed	5,000 lbs. (2270 kg)	U154	Listed	Not listed	⚠️ <b>WARNING -</b> Reproductive Harm - www.P65Warnings.ca.gov.
Boric acid	Listed	Not listed	Not listed	Listed	Not listed	

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

# INNOVATING SCIENCE<sup>®</sup> by Aldon

"Cutting edge science for the classroom"

221 Rochester Street  
Avon, NY 14414-9409  
(585) 226-6177

**CHEMTREC 24 Hour Emergency  
Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	SAND, (FINE)
<b>Synonyms</b>	Silicon Dioxide / Quartz / Crystalline Silica

## Section 2 Hazards identification

**Signal word:** WARNING  
**Pictograms:** GHS08  
**Target organs:** Lungs



**GHS Classification:**  
\*STOT-RE (Category 2)

**GHS Label information: Hazard statement:**  
\*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

\* *Respirable dust particles containing silicon dioxide may be generated by crushing. There are no known hazards associated with this material when used as recommended.*

**Precautionary statement:**

P260: Do not breathe dust.  
P314: Get medical advice/attention if you feel unwell.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Sand	14808-60-7	>99%	238-878-4

## Section 4 First aid measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** RESPIRABLE CRYSTALLINE SILICA MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE CORNEAL ABRASIONS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Sand will not burn or support fire. Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

**Specific Hazards:** None known.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

