Page E1 of E2

Innovating Science® by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Product SULFURIC ACID SOLUTION, 0.5M / 1.0N

Synonyms Sulfuric Acid, Water Solution

Section 2 Hazards Identification

Signal word: DANGER Pictograms: GHS05

Target organs: Respiratory system, skin, eyes, teeth.



GHS Classification:

Skin corrosion (Catagory 1A) Eye damage (Catagory 1)

GHS Label information: Hazard statement(s):

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

Precautionary statement(s):

P260: Do not breathe mist/vapours/spray. P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

ciotning. Rinse skin with water/snower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This chemical is known to the State of California to cause cancer (Strong inorganic acid mists containing sulfuric acid).

Section 3	Composition / Information on Ingredients						
Chemical Name		CAS#	%	EINECS			
Water		7732-18-5	97.38%	231-791-2			
Sulfuric acid		7664-93-9	2.62%	231-639-5			

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Product is a water reactive material, DO NOT USE WATER! Use dry chemicals only for extinguishing

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water on combustibles burning in vicinity of acid but use care as water applied to the acid results in severe generation of heat and may cause boiling and splattering. Sulfuric acid will not burn, but is capable of igniting finely divided combustible materials on contact. May react violently with organic materials and water with the evolution of heat. Contact with reactive metals, e.g. aluminum, may result in the generation of flammable hydrogen gas.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Hygroscopic material. Never add water to this solution, always add acid, slowly and in small amounts to water to avoid splattering.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Sulfuric acid	TWA: 0.2 mg/m ³ (A2)	TWA: 1 mg/m ³	TWA: 1 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Partition coefficient: Data not available

Viscosity: Data not available.

Molecular formula: Mixture

Molecular weight: Mixture

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available.

Respiratory protection: Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Clear to slightly cloudy liquid.

Odor: Slightly pungent odor.

Odor threshold: Data not available

pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water)

Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available Solubility(ies): Complete in water. Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Avoid contact with water and heat. Avoid temperatures above 250°C (482°F). Incompatible materials: Alkalies, amines, anhydrides, combustibles, organics, oxidizers, powdered metals. Hazardous decomposition products: Sulfur trioxide and/or sulfur dioxide. Hydrogen gas by reaction with metals.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 2140 mg/kg; Inhalation-rat LC50: 510 mg/m3/2 hours (Sulfuric acid)

Skin corrosion/irritation: Skin-rabbit - causes burns (Sulfuric acid)

Serious eye damage/irritation: Eyes-rabbit - causes burns (Sulfuric acid)

Respiratory or skin sensitization: Data not available Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: This product contains a chemical known to be a human carcinogen. (Sulfuric acid)

IARC classified: Group 1: Carcinogenic to humans. [Acid mists, strong inorganic]
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Evaporation rate (Water = 1): <1

Vapor pressure (mm Hg): 14 (water)

Vapor density (Air = 1): 0.7 (water)

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Relative density (Specific gravity): Approximately 1.0 (water)

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of this material is irritating and/or corrosive to the nose, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations may result in permanent lung damage. Repeated inhalation may cause bronchitis, and also etching of dental enamel followed by the erosion of the enamel and dentine with loss of tooth substance. Ingestion: Ingestion may cause irritation and/or burns to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration.

Skin: Skin contact can cause severe irritation and/or burns characterized by redness, swelling and scab formation.

Eyes: Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.

Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Additional information: RTECS #: WS5600000 (Sulfuric acid)

Section 12 **Ecological Information**

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h (Sulfuric acid)

Toxicity to daphnia and other aquatic invertebrates: Crangon crangon (crustacea) 70-80 mg/l/48 hours (Sulfuric acid)

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 **Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: UN2796 Shipping name: Sulfuric acid

Hazard class: 8 Packing group: || Reportable Quantity: 1,000 lbs (454 kg) Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L 2016 ERG Guide # 157

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Sulfuric acid	Listed	1000 lbs (454 kg)	D002	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

CORROSIVE STORAGE CODE WHITE

Section 1 Chemical Product and Company Identification

CHEMTREC 24 Hour Emergency

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Innovating Science® by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177

Product IODINE WATER SOLUTION
Synonyms None assigned

Section 2 Hazards Identification

Signal word: WARNING Pictograms: GHS07 / GHS09

Target organs: Thyroid, kidneys, endocrine system, skin, eyes,

reproductive system, central nervous system.



GHS Classification:

Acute toxicity, oral (Category 4)
Acute toxicity, inhalation (Category 4)
Acute (Category 1)

Aquatic Acute (Category 1)

GHS Label information: Hazard statement(s):

H312: Harmful in contact with skin. H332: Harmful if inhaled. H400: Very toxic to aquatic life. Precautionary statement(s):

P261: Avoid breathing mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap. P312: Call a POISON CENTER or doctor if you feel unwell.

P362+P364: Take off contaminated clothing and wash it before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3	Composition / Information on	Composition / Information on Ingredients						
Chemical Name		CAS#	%	EINECS				
Water		7732-18-5	99%	231-791-2				
lodine		7553-56-2	1%	231-442-4				

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Harmful if inhaled.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention. Harmful in contact with skin.

Section 5 Fire Fighting Measures

Extinguishing Media: Use any media suitable for extinguishing supporting fire.

General information: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E1 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, mist or spray. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Pro	otection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Iodine CAS # 7553-56-2	TWA: 0.01 ppm ^(IFV) / STEL: 0.1 ppm ^(V)	STEL: C 0.1 ppm/C 1 mg/m ³	STEL: C 0.1 ppm/C 1 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Deep amber liquid. Odor: Characteristic odor. Odor threshold: Not applicable. pH: Data not available

Melting / Freezing point: ~ 0°C (~ 32°F) [water] Boiling point: ~ 100°C (212°F) [water]

Flash point: Not flammable.

Evaporation rate (Water = 1): < 1 Flammability (solid/gas): Not applicable. Explosion limits: Lower / Upper: Not applicable

Vapor pressure (mm Hg): 14 [water] Vapor density (Air = 1): 0.7 [water] Relative density (Specific gravity): 1.0 [water]

Solubility(ies): Complete in water.

Partition coefficient: (n-octanol / water): Not applicable

Auto-ignition temperature: Not applicable Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Stable under recommended storage conditions. Excessive temperatures which cause evaporation.

Incompatibilities with other materials: Metals or unsaturated organic compounds, ammonia solutions or alkaline solutions of ammonia salts. Will form explosive nitrogen

iodides when reacted with gaseous ammonia.

Hazardous decomposition products: Toxic iodide fumes.

Toxicological Information Section 11

Acute toxicity: Oral-Rat LD50: 14,000 mg/kg [lodine CAS # 7553-56-2]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Inhalation-rat 3.1 mg/m³ / 24 hour / 13 weeks - continuous [lodine CAS # 7553-56-2]

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTF OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Symptoms include cough, wheezing, and labored breathing. Symptoms may be delayed.

Ingestion: Causes abdominal pain, diarrhea, nausea, and vomiting. Ingestion of levels of 2-3 grams of iodine may cause death.

Skin: Contact may cause redness and pain.

Eyes: Contact causes watering of the eyes, redness and pain.

Signs and symptoms of exposure: Effects of short-term exposure: Lachrymator. The substance is severely irritating to the eyes and the respiratory tract, and is irritating to the skin. Inhalation of the vapor may cause asthma-like reactions. Inhalation of the vapor may cause lung edema. The effects may be delayed. Effects of long-term exposure: Repeated or prolonged contact may cause skin sensitization in rate cases. Repeated or prolonged inhalation exposure may cause asthma-like syndrome. The substance may have effects on the thyroid. Specific data not available for this mixture. Exercise appropriate procedures to minimize potential hazards...

Additional information: RTECS #: NN1575000 [lodine CAS # 7553-56-2]

Section 12 **Ecological Information**

Toxicity to fish: Very toxic to aquatic life.

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: None assigned Shipping name: Not Regulated.

Hazard class: None assigned Marine pollutant: No Packing group: None assigned Reportable Quantity: No Exceptions: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
lodine	Listed	Not listed	Not listed	Listed	Not listed
Potassium iodide	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Form 06/2015 **Revision Date:** February 15, 2016 Supercedes: January 29, 2013

Page E1 of E2

Innovating Science® by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 **CHEMTREC 24 Hour Emergency** Phone Number (800) 424-9300

For laboratory use only Not for drug, food or household use.

Product **CHLORINE WATER, SATURATED**

Synonyms Chlorine Test Solution

Section 2 Hazards Identification

Signal word: DANGER Pictograms: GHS06 / GHS09

Target organs: Digestive and respiratory tracts



GHS Classification:

Skin irritation (Category 2) Eye irritation (Category 2B) Acute toxicity, inhalation (Category 3) STOT-SE (Category 3) Aquatic acute (Category 1)

GHS Label information: Hazard statement:

H315: Causes skin irritation.

H319: Causes serious eve irritation.

H331: Toxic if inhaled

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

Precautionary statement:

P261: Avoid breathing mist/vapours/spray. P264: Wash hands thoroughly after handling. P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap. P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P311: Call a POISON CENTER or doctor.

P391: Collect spillage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in

accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3	Composition / Information on Ingredients						
Chemical Name		CAS#	%	EINECS			
Water Chlorine gas		7732-18-5 7782-50-5	99.4% 0.6%	231-791-2 231-959-5			
0	First Aid Manager						

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: TOXIC IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Liberates toxic chlorine gas when heated above 20°C (68°F).

Section 6 **Accidental Release Measures**

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Chlorine	TWA: 0.5 ppm / 1.5 mg/m ³ (A4)	STEL: C 1 ppm / C 3 mg/m ³	STEL: C 0.5 ppm / C 1.45 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Liquid. Pale yellow **Odor:** Chlorine odor

Odor threshold: Data not available

pH: Data not available Melting / Freezing point: 0°C (32°F)

Boiling point: Decomposes
Flash point: Data not available

Evaporation rate (Ether = 1): >1
Flammability (solid/gas): Data not available

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): Unknown Vapor density (Air = 1): Unknown Relative density (Specific gravity): 1.02

Solubility(ies): Soluble in water

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available

Viscosity: Data not available Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures and heat.

Incompatible materials: Hydrogen, may form explosive mixtures. Ether, ammonia, turpentine, hydrocarbons and powdered metals.

Hazardous decomposition products: Chlorine gas.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Harmful if inhaled. Can cause fatal pulmonary edema.

Ingestion: Harmful if swallowed.
Skin: Causes skin irritation.
Eves: Causes serious eve irritation.

Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: FO2100000 [Chlorine gas]

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Mobility in soil: No data available

Bioaccumulative potential: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1760 **Shipping name:** Corrosive liquids, n.o.s., (Chlorine water solution)

Hazard class: 8 Packing group: III Reportable Quantity: 10 lbs. (4.54 kg) Marine pollutant: Listed

Exceptions: Limited quantity equal to or less than 5 L 2016 ERG Guide # 154

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Chlorine	Listed	10 lbs. (4.54 kg)	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: November 23, 2016 Supercedes: December 8, 2015

Page E1 of E2

Innovating Science® by Aldon Corporation

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

"cutting edge science for the classroom"

Product MINERAL OIL

Synonyms White Mineral Oil / Light Paraffin Oil

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required Pictograms: No symbol required Target organs: None known

GHS Classification: None required

GHS Label information: Hazard statement: None required

Precautionary statement: None required

Supplemental information:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition /	Composition / Information on Ingredients						
Chemical Name	CAS#	%	EINECS				
Mineral oil	8042-47-5	100%	232-455-8				

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam. Do not use streams of water as this will scatter the liquid and spread the fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. If container is not peoperly cooled, it can rupture in the heat of a fire. Slight fire hazard. Material must be preheated before ignition will occur (OSHA IIIB).

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Mineral oil, pure, highly refined	TWA: 5 mg/m ³ (A4)	Not established	Not established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Oily, colorless liquid

Odor: No odor

Odor threshold: Data not available

pH: Data not available

Melting / Freezing point: Data not available

Boiling point: Data not available

Flash point: Minimum 138°C (280°F) COC

Evaporation rate (Butyl acetate = 1): <1 Flammability (solid/gas): Data not available Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): <1 @ 20°C (68°F) Vapor density (Air = 1): >1

Relative density (Specific gravity): 0.818-0.880 @ 25/25°F

Solubility(ies): Negligible in water

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available

Viscosity: Data not available. Molecular formula: CH₃[CH₂]_nCH₃ Molecular weight: Variable

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive heat and open flame.

Incompatible materials: Chlorine, fluorine, and other strong oxidizers.

Hazardous decomposition products: None identified.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: >5000 mg/kg Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Repeated exposure to levels of oil mists in excess of the exposure limits may result in accumulation of oil droplets in pulmonary tissue and may lead to irritation of

the nose and throat.

Ingestion: Negligible effect. May act as a laxative causing diarrhea.

Skin: No significant health hazards identified. Eyes: No significant health hazards identified.

Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: PY8047000 Section 12 **Ecological Information**

Toxicity to fish: Lepomis macrochirus (fish, fresh water), LC50 = >10 g/L/96 hours

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: Not applicable Shipping name: Not Regulated

Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No

Exceptions: Not applicable 2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Mineral oil	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: December 8, 2016 Supercedes: December 7, 2015 Form 06/2015

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

Page E1 of E2

For laboratory use only.

Not for drug, food or household use.

Innovating Science® by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177

Product POTASSIUM BROMIDE, 1.O MOLAR SOLUTION

Synonyms Potassium Bromide, Water Solution

Section 2 Hazards Identification

Signal word: WARNING
Pictograms: No symbol required
Target organs: None known

GHS Classification: Eye irritation (Category 2B)

GHS Label information: Hazard statement:

H320: Causes eye irritation.

Precautionary statement:

P264: Wash hands thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS#	%	EINECS	
Water Potassium bromide		7732-18-5 7758-02-3	88.1% 11.9%	231-791-2 231-830-3	

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Potassium bromide	Not established	Not established	Not established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Clear, colorless liquid.

Odor: No odor.

Section 10

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Stability & Reactivity

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation. Incompatible materials: Strong oxidizers, acids, aluminum and its alloys.

Hazardous decomposition products: Hydrogen bromide gas and/or bromine gas.

Section 11 **Toxicological Information**

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Ingestion: May be harmful if swallowed.

Skin: Contact with skin may cause irritation and/or dermatitis.

Eyes: Contact with eyes may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is

not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: Data not available

Section 12 **Ecological Information**

Toxicity to fish: Pimephales promelas (fish, fresh water), LC50 = >30,000 ug/L/96 hours [Potassium bromide]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = >30,000 ug/L/96 hours [Potassium bromide]

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: Not applicable Shipping name: Not Regulated

Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No

Exceptions: Not applicable 2012 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Potassium bromide	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: February 15, 2016 Supercedes: June 3, 2014 Form 06/2015

Innovating Science® by Aldon Corporation "cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Page E1 of E2

Product POTASSIUM CHLORIDE, 1 MOLAR SOLUTION

Synonyms Potassium Chloride, Water Solution

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: WARNING Pictograms: No symbol required Target organs: None known

GHS Classification:

Acute toxicity, oral (Category 5)

GHS Label information: Hazard statement(s):

H303: May be harmful if swallowed.

Precautionary statement(s):

P312: Call a POISON CENTER or doctor if you feel unwell.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3	Composition / Information on Ingredients					
Chemical Name		CAS#	%	EINECS		
Water Potassium chloride		7732-18-5 7447-40-7	92.55% 7.45%	231-791-2 231-211-8		

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Potassium chloride	None established.	None established.	None established.

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Clear, colorless liquid.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available

Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available.

Marine pollutant: No

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatibilities with other materials: Strong acids. Hazardous decomposition products: Hydrochloric acid.

Section 11 **Toxicological Information**

Acute toxicity: Potassium chloride: Oral-rat LD50: 2,600 mg/kg

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Ingestion: May be harmful if swallowed. Skin: May cause mild irritation. Eyes: May cause mild irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is

not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: TS8050000 [Potassium chloride]

Section 12 **Ecological Information**

Toxicity to fish: Gambusia affinis (fish, fresh water), LC50 = 10,000 mg/L/24 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC100 = 1,010 mg/L/24 hours

Toxicity to algae: Scenedesmus subspicatus (Algae), EC50 = 2,500 mg/L/72 hours

Persistence and degradability: No data available Bioaccumulative potential: No data available PBT and vPvB assessment: No data available Mobility in soil: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Reportable Quantity: No

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable

2016 ERG Guide # Not applicable

Exceptions: Not applicable Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Potassium chloride	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Innovating Science® by Aldon Corporation

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 "cutting edge science for the classroom"

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only Not for drug, food or household use.

Page E1 of E2

Product POTASSIUM IODIDE, 1.0 MOLAR SOLUTION

Synonyms Potassium Iodide, Aqueous Solution

Section 2 Hazards Identification

Signal word: WARNING Pictograms: GHS07 Target organs: Thyroid



GHS Classification:

Acute toxicity, oral (Category 5) Skin sensitization (Category 1A)

GHS Label information: Hazard statement:

H303: May be harmful if swallowed. H317: May cause an allergic skin reaction.

Precautionary statement:

P261: Avoid breathing mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap. P333+P313: If skin irritation or rash occurs: Get medical attention. P312: Call a POISON CENTER or doctor if you feel unwell. P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to a licensed chemical disposal agency in

accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3	Composition / Information on Ingredients					
Chemical Name		CAS#	%	EINECS		
Water Potassium iodide		7732-18-5 7681-11-0	83.4% 16.6%	231-791-2 231-659-4		

Section 4 **First Aid Measures**

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with strong oxidizers may cause fire or explosion.

Section 6 **Accidental Release Measures**

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Prof	ection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Particulates not otherwise classified	None established	TWA: 15 ppm total dust	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Clear, colorless liquid.

Odor: No odor

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available.

Marine pollutant: No

Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Protect from light, air, moisture and excessive temperatures which cause evaporation.

Incompatible materials: Reacts violently with alkaline metals, diazonium salts, oxidants, bromine and chlorine trifluorides, and fluorine perchlorate, and may cause explosion

and/or fire. NOTE: Solutions of this product are corrosive to most metals.

Hazardous decomposition products: Yields iodine when in contact with air. Releases iodine, potassium monoxide, and hydrogen iodide, when in contact with moist air.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 4800 mg/kg [Potassium iodide]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause irritation of respiratory tract.

Ingestion: Large doses may cause gastrointestinal upset and weakness. Skin: May cause mild irritation and redness on prolonged contact.

Eyes: Can be irritating with redness and pain.

Signs and symptoms of exposure: Hypothyroidism with possibility of goitre (hypertrophy of the throid gland), possible sensitization of skin. Chronic ingestion of iodides may produce "iodism" which may be characterized by skin rash, running nose, headache, and irritation of mucous membranes. Weakness, anemia, loss of weight, and general depression may also occur. Additional information: RTECS #: NN1575000 [Potassium iodide]

Ecological Information Section 12

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Reportable Quantity: No

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable

2012 ERG Guide # Not applicable

Exceptions: Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Potassium iodide	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: January 11, 2016 Supercedes: January 4, 2012

Innovating Science® by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Page E1 of E2

 Product
 MAGNESIUM NITRATE, 1.0 MOLAR SOLUTION

 Synonyms
 Magnesium Nitrate, 1M Aqueous Solution / Magnesium Nitrate, Aqueous Solution

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required Pictograms: No symbol required Target organs: None known

GHS Classification: None required

GHS Label information: Hazard statement: None required

Precautionary statement: None required

Supplemental information:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information or	n Ingredients			
Chemical Name	CAS#	%	EINECS	
Water Magnesium nitrate, hexahydrate	7732-18-5 13446-18-9	74.4% 25.6%	231-791-2 233-826-7 [anhydrous]	

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Magnesium nitrate	Not established	Not established	Not established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Clear, colorless liquid. Odor: Mild characteristic odor. Odor threshold: Data not available.

pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available.

Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Reducing agents, oxidizers, organic and combustible materials.

Hazardous decomposition products: Nitric acid fumes and sometimes nitrogen tetroxide are reported.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 5440 mg/kg [Magnesium nitrate]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause mild respiratory tract irritation. Symptoms may include coughing and shortness of breath.

Ingestion: Ingestion of large doses can cause abdominal pain, cyanosis (blue lips, fingernails and skin), confusion, convulsions, dizziness, headache, nausea, and unconsciousness.

Skin: Can cause mild irritation. Eyes: Can cause mild irritation.

Signs and symptoms of exposure: Under some circumstances methemoglobinemia occurs in individuals when the nitrate is converted by bacteria in the stomach to the

nitrite. Exercise appropriate procedures to minimize potential hazards. Additional information: RTECS #: OM3756000 [Magnesium nitrate]

Section 12 **Ecological Information**

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: Not applicable Shipping name: Not Regulated

Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No

Exceptions: Not applicable 2012 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Magnesium nitrate, anhydrous	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: February 15, 2016 Supercedes: May 1, 2014

GENERAL STORAGE CODE GREEN

Section 1 Chemical Product and Company Identification

Page E1 of E2

Innovating Science® by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Product	CALCIUM NITRATE, 1 MOLAR SOLUTION
Synonyme	Calaium Nitrata, Water Solution

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: WARNING Pictograms: GHS07 Target organs: Blood



GHS Classification:

Acute toxicity, oral (Category 5) Skin irritation (Category 2) Eye irritation (Category 2B)

GHS Label information: Hazard statement(s):

H303: May be harmful if swallowed. H315: Causes skin irritation. H320: Causes eve irritation.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P361+P364: Take off immediately all contaminated clothing and wash it before reuse. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical attention. P312: Call a POISON CENTER or doctor if you feel unwell.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients								
Chemical Name	CAS#	%	EINECS					
Water Calcium nitrate, tetrahydrate	7732-18-5 13477-34-4	76.42% 23.58%	231-791-2 233-332-1					

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits.	Calcium nitrate	None established	None established	None established			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Clear, liquid.

Odor: No odor

Odor threshold: Data not available

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water) **Boiling point:** Approximately 100°C (212°F) (water)

Flash point: Data not available

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Incompatible materials: Ammonia, hydrozine and other reducing agents.

Hazardous decomposition products: Nitrogen oxides.

Conditions to avoid: Excessive temperatures to cause evaporation.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 3,900 mg/kg [Calcium nitrate]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Evaporation rate (Water = 1): <1

Vapor pressure (mm Hg): 14 (water)

Vapor density (Air = 1): 0.7 (water)

Solubility(ies): Complete in water.

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Relative density (Specific gravity): Approximately 1.0 (water)

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Ingestion: May be harmful if swallowed. Skin: Contact with skin may cause irritation. Eyes: Contact with eyes may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is

not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: EW3000000 [Calcium nitrate]

Section 12 **Ecological Information**

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable

Reportable Quantity: No Marine pollutant: No

Partition coefficient: Data not available

Viscosity: Data not available.

Molecular formula: Mixture

Molecular weight: Mixture

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available.

Exceptions: Not applicable 2012 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Calcium nitrate (solid)	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: February 15, 2016 Supercedes: December 31, 2012

Innovating Science® by Aldon Corporation "cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 Page E1 of E2

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only Not for drug, food or household use.

Product STRONTIUM NITRATE, 1.0 MOLAR SOLUTION

Synonyms Strontium Nitrate, Water Solution

Section 2 Hazards Identification

Signal word: DANGER Pictograms: GHS07

Target organs: Liver, Kidneys, Blood, Heart, Spleen, Central nervous system, Lungs



GHS Classification:

Acute toxicity, oral (Category 4) Skin irritation (Category 2) Eye irritation (Category 2A) STOT-SE (Category 3)

GHS Label information: Hazard statement:

H302: Harmful if swallowed. H315: Causes skin irritation. H319: Causes serious eve irritation. H335: May cause respiratory irritation.

Precautionary statement:

P261: Avoid breathing mist/vapours/spray. P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of water and soap. P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing

P312: Call a POISON CENTER or doctor if you feel unwell.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients							
Chemical Name	CAS#	%	EINECS				
Water Strontium nitrate	7732-18-5 10042-76-9	82.53% 17.47%	231-791-2 233-131-9				

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 **Accidental Release Measures**

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits.	Strontium nitrate	Not established	Not established	Not established			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water)

Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Reducing agents, combustible materials, organic materials, metals and alloys

Hazardous decomposition products: Nitrogen oxides and carbon dioxide gas.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 2750 mg/kg [Strontium nitrate]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause respiratory irritation.

Ingestion: Harmful if swallowed. Skin: Causes skin irritation. Eyes: Causes serious eye irritation.

Signs and symptoms of exposure: May cause nausea, vomiting, diarrhea, difficulty breathing, irregular heartbeat, headache, drowsiness, dizziness, bluish skin color and

coma. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: WK9800000 [Strontium nitrate]

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Mobility in soil: No data available

Bioaccumulative potential: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable Shipping name: Not Regulated

Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No

Exceptions: Not applicable 2012 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Strontium nitrate	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: October 16, 2015 Supercedes: June 26, 2014

Page E1 of E2

Innovating Science® by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Product BARIUM NITRATE, 0.2 MOLAR SOLUITON

Synonyms Barium Nitrate, Aqueous Solution

Section 2 Hazards Identification

Signal word: WARNING Pictograms: None required

Target organs: Central nervous system, Kidneys.

GHS Classification:

Acute toxicity, oral (Category 5)
Acute toxicity, inhalation (Category 5)

GHS Label information: Hazard statement:

H303: May be harmful if swallowed. H333: May be harmful if inhaled.

Precautionary statement:

P304+P312: IF INHALED: Call a POISON CENTER or doctor if you feel unwell.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients						
Chemical Name	CAS#	%	EINECS			
Water Barium nitrate	7732-18-5 10022-31-8	97.78% 5.22%	231-791-2 233-020-5			

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection							
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)				
Exposure Limits.	Barium and soluble compounds, as Ba	TWA: 0.5 mg/m ³ (A4)	TWA: 0.5 mg/m ³	TWA: 0.5 mg/m ³				

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid.

Odor: No odor.

Section 10

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water)
Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Stability & Reactivity

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available.
Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.

Marine pollutant: No

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Barium oxides, magnesium and zinc, reducing agents and combustible materials.

Hazardous decomposition products: Nitrogen oxides, barium oxide, barium dust and/or fume.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 355 mg/kg [Baryum nitrate]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause cough, shortness of breath, sore throat.

Ingestion: Ingestion causes excessive salivation, abdominal cramps, abdominal pain, diarrhea, nausea, vomiting, shortness of breath, weakness.

Skin: Contact with skin may cause irritation. Eyes: Contact with eyes causes irritation.

Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: CQ9625000 [Baryum nitrate]

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (water flea, age <24 neonate), EC50 = 0.512 mM/24 hours [Baryum nitrate]

Toxicity to algae: No data available

Persistence and degradability: No data available

Mobility in soil: No data available

Bioaccumulative potential: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number:Not applicableShipping name:Not RegulatedHazard class:Not applicablePacking group:Not applicable

Packing group: Not applicable Reportable Quantity: No 2012 ERG Guide # Not applicable

Exceptions: Not applicable 2012 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Barium nitrate	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: February 15, 2016 Supercedes: May 8, 2012

Page E1 of E2

Section 1 **Chemical Product and Company Identification**

Innovating Science® by Aldon Corporation "cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

For laboratory use only Not for drug, food or household use.

Product SULFURIC ACID, 1 Molar (2 NORMAL) SOLUTION

Synonyms Sulfuric Acid, Water Solution (1M / 2N)

Section 2 **Hazards Identification**

Signal word: DANGER Pictograms: GHS08 / GHS05

Target organs: Respiratory system, skin, eyes, teeth.





GHS Classification:

Corrosive to metals (Category 1) Skin corrosion (Category 1A) Eye damage (Category 1) Carcinogenicity (Category 1A)

GHS Label information: Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H350: May cause cancer.

Precautionary statement(s):

P260: Do not breathe mist/vapours/spray P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This chemical is known to the State of California to cause cancer (Strong inorganic acid mists containing sulfuric acid).

Section 3 Composition / Information on Ingredients					
Chemical Name		CAS#	%	EINECS	
Water Sulfuric acid		7732-18-5 7664-93-9	94.76% 5.23%	231-791-2 231-639-5	
o	F: (A:184				

Section 4 **First Aid Measures**

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Product is a water reactive material, DO NOT USE WATER! Use dry chemicals only for extinguishing.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water on combustibles burning in vicinity of acid but use care as water applied to the acid results in severe generation of heat and may cause boiling and splattering. Sulfuric acid will not burn, but is capable of igniting finely divided combustible materials on contact. May react violently with organic materials and water with the evolution of heat. Contact with reactive metals, e.g. aluminum, may result in the generation of flammable hydrogen gas

Section 6 **Accidental Release Measures**

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Hygroscopic material. Never add water to this solution, always add acid, slowly and in small amounts to water to avoid splattering.

Section 8	Exposure Controls / Personal Protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits.	Sulfuric acid	TWA: 0.2 mg/m ³ (A2)	TWA: 1 mg/m ³	TWA: 1 mg/m ³			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Clear to slightly cloudy liquid.

Odor: Slightly pungent odor. Odor threshold: Data not available

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water)

Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Avoid contact with water and heat. Avoid temperatures above 250°C (482°F). Incompatible materials: Alkalies, amines, anhydrides, combustibles, organics, oxidizers, powdered metals. Hazardous decomposition products: Sulfur trioxide and/or sulfur dioxide. Hydrogen gas by reaction with metals.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 2140 mg/kg; Inhalation-rat LC50: 510 mg/m3/2 hours (Sulfuric acid)

Skin corrosion/irritation: Skin-rabbit - causes burns (Sulfuric acid)

Serious eye damage/irritation: Eyes-rabbit - causes burns (Sulfuric acid)

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: This product contains a chemical known to be a human carcinogen. (Sulfuric acid)

IARC classified: Group 1: Carcinogenic to humans. [Acid mists, strong inorganic]
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of this material is irritating and/or corrosive to the nose, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations may result in permanent lung damage. Repeated inhalation may cause bronchitis, and also etching of dental enamel followed by the erosion of the enamel and dentine with loss of tooth substance. Ingestion: Ingestion may cause irritation and/or burns to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration.

Skin: Skin contact can cause severe irritation and/or burns characterized by redness, swelling and scab formation.

Eyes: Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.

Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Additional information: RTECS #: WS5600000 (Sulfuric acid)

Section 12 **Ecological Information**

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h (Sulfuric acid)

Toxicity to daphnia and other aquatic invertebrates: Crangon crangon (crustacea) 70-80 mg/l/48 hours (Sulfuric acid)

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 **Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: UN2796 Shipping name: Sulfuric acid

Hazard class: 8 Packing group: || Reportable Quantity: 1,000 lbs (454 kg) Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L 2016 ERG Guide # 157

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Sulfuric acid	Listed	1000 lbs (454 kg)	D002	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: December 19, 2016 Supercedes: April 28, 2016 Form 06/2015

Innovating Science® by Aldon Corporation "cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

Page E1 of E2

For laboratory use only.

Not for drug, food or household use.

Product SODIUM CARBONATE, 1 MOLAR (2N) SOLUTION

Synonyms | Sodium Carbonate, Water Solution

Section 2 Hazards Identification

Signal word: WARNING
Pictograms: No symbol required
Target organs: None known

GHS Classification: Eye irritation (Category 2B)

GHS Label information: Hazard statement:

H320: Causes eye irritation.

Precautionary statement:

P264: Wash hands thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients				
Chemical Name	CAS#	%	EINECS	
Water	7732-18-5	89.4%	231-791-2	
Sodium carbonate	497-19-8	10.6%	207-838-8	

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection				
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)	
Exposure Limits.	Sodium carbonate	None established.	None established.	None established.	

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water) **Boiling point:** Approximately 100°C (212°F) (water)

Flash point: Data not available

Section 10 Stability & Reactivity

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available.
Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water)

Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.

Marine pollutant: No

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures. Hygroscopic material, avoid moisture.

Incompatibilities with other materials: Acids cause decompostion liberating gaseous carbon dioxide. When mixed with lime dust and water, corrosive and caustic soda may

be produced

Hazardous decomposition products: Carbon dioxide.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 4090 mg/kg; Inhalation-rat LC50: 2.3 mg/l/2 hours; Dermal-rat LD50: 2210 mg/kg [Sodium carbonate]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available. STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation. Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting.

Additional information: RTECS #: VZ4050000 [Sodium carbonate]

Section 12 Ecological Information

Toxicity to fish: LC50 - Lepomis macrochirus (Bluegill) - 300 mg/l - 96 h [Sodium carbonate]

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - 265 mg/l - 48 h [Sodium carbonate]

Toxicity to algae: No data available

Persistence and degradability: No data available

Mobility in soil: No data available

Bioaccumulative potential: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Reportable Quantity: No

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Hazard class: Not applicable

Shipping name: Not Regulated
Packing group: Not applicable

Exceptions: Not applicable 2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Sodium carbonate	Listed	Not listed	Not listed	Not listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: February 22, 2017 Supercedes: May 24, 2016

Innovating Science® by Aldon Corporation

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 "cutting edge science for the classroom"

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only Not for drug, food or household use.

Product **AMMONIUM OXALATE, 0.25 MOLAR SOLUTION**

Synonyms Ammonium Oxalate, Water Solution

Section 2 Hazards Identification

Signal word: WARNING Pictograms: GHS07

Target organs: Cardiovascular system, Central nervous system, Liver, Kidneys



GHS Classification:

Acute toxicity, oral (Category 4) Acute toxicity, dermal (Category 4)

GHS Label information: Hazard statement:

H302: Harmful if swallowed. H312: Harmful in contact with skin.

Precautionary statement:

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P330: Rinse mouth.

P302+P352: IF ON SKIN: Wash with plenty of water and soap. P312: Call a POISON CENTER or doctor if you feel unwell.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to a licensed chemical disposal agency in

accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information	on Ingredients			
Chemical Name	CAS#	%	EINECS	
Water Ammonium oxalate	7732-18-5 6009-70-7	96.45% 3.55%	231-791-2 214-202-3 (anhydrous)	

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 **Accidental Release Measures**

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E1 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection				
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)	
Exposure Limits.	Ammonium oxalate	Not established	Not established	Not established	

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical & Chemical Properties

Appearance: Liquid. Clear, colorless.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water) **Boiling point:** Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available.

Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Strong oxidizers and acids

Hazardous decomposition products: Ammonia and nitrogen oxides.

Section 11 **Toxicological Information**

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Symptoms may include cough and sore throat.

Ingestion: Harmful if swallowed. Symptoms may include abdominal pain, vomiting, convulsions, drowsiness, dullness, shock or collapse.

Skin: Contact with skin may cause redness, burning sensation, and pain.

Eyes: Contact with eyes may cause redness, pain and burns.

Signs and symptoms of exposure: This substance may cause effects on the kidneys and calcium balance after ingestion. This may result in impaired functions. Exposure to

high concentrations could cause death. The substance may have effects on the kidneys. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: RO2750000 [anhydrous]

Section 12 **Ecological Information**

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: Not applicable Shipping name: Not Regulated

Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No

Exceptions: Not applicable 2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Ammonium oxalate	Listed	Not listed	Not listed	Not listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: February 15, 2016 Supercedes: August 17, 2015 Form 06/2015

Page E1 of E2

Innovating Science® by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only Not for drug, food or household use.

Product	POTASSIUM IODATE, 0.2 MOLAR SOLUTION
---------	--------------------------------------

Synonyms Potassium Iodate, Water Solution

Section 2 Hazards Identification

Signal word: DANGER Pictograms: GHS05

Target organs: Respiratory system, skin, eyes, teeth.



GHS Classification:

Skin corrosion (Catagory 1A) Eye damage (Catagory 1)

GHS Label information: Hazard statement(s):

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

Precautionary statement(s):

P260: Do not breathe mist/vapours/spray. P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause cancer or reproductive toxicity. (strong inorganic acid mists containing sulfuric acid)

Section 3 Composition / Int	formation on Ingredients			
Chemical Name	CAS#	%	EINECS	
Water	7732-18-5	95.2%	231-791-2	
Potassium iodate	7758-05-6	4.4%	231-831-9	
Sulfuric acid	7664-93-9	0.5%	231-639-5	

Section 4 **First Aid Measures**

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Fire Fighting Measures

Suitable Extinguishing Media: Product is a water reactive material, DO NOT USE WATER! Use dry chemicals only for extinguishing

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water on combustibles burning in vicinity of acid but use care as water applied to the acid results in severe generation of heat and may cause boiling and splattering. Sulfuric acid will not burn, but is capable of igniting finely divided combustible materials on contact. May react violently with organic materials and water with the evolution of heat. Contact with reactive metals, e.g. aluminum, may result in the generation of flammable hydrogen gas

Section 6 **Accidental Release Measures**

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Hygroscopic material. Never add water to this solution, always add acid, slowly and in small amounts to water to avoid splattering.

Section 8	Exposure Controls / Personal Protection				
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)	
Exposure Limits.	Sulfuric acid	TWA: 0.2 mg/m ³ (A2)	TWA: 1 mg/m ³	TWA: 1 mg/m ³	

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Clear to slightly cloudy liquid.

Odor: Slightly pungent odor.

Odor threshold: Data not available

pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water)

Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water)

Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Evaporation rate (Water = 1): <1

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Avoid contact with water and heat. Avoid temperatures above 250°C (482°F). Incompatible materials: Alkalies, amines, anhydrides, combustibles, organics, oxidizers, powdered metals. Hazardous decomposition products: Sulfur trioxide and/or sulfur dioxide. Hydrogen gas by reaction with metals.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 2140 mg/kg; Inhalation-rat LC50: 510 mg/m3/2 hours (Sulfuric acid)

Skin corrosion/irritation: Skin-rabbit - causes burns (Sulfuric acid)

Serious eye damage/irritation: Eyes-rabbit - causes burns (Sulfuric acid)

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: This product contains a chemical known to be a human carcinogen. (Sulfuric acid)

IARC classified: Group 1: Carcinogenic to humans. [Acid mists, strong inorganic]
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of this material is irritating and/or corrosive to the nose, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations may result in permanent lung damage. Repeated inhalation may cause bronchitis, and also etching of dental enamel followed by the erosion of the enamel and dentine with loss of tooth substance. Ingestion: Ingestion may cause irritation and/or burns to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration.

Skin: Skin contact can cause severe irritation and/or burns characterized by redness, swelling and scab formation.

Eyes: Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.

Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Additional information: RTECS #: WS5600000 (Sulfuric acid)

Section 12 **Ecological Information**

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h (Sulfuric acid)

Toxicity to daphnia and other aquatic invertebrates: Crangon crangon (crustacea) 70-80 mg/l/48 hours (Sulfuric acid)

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 **Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: UN2796 Shipping name: Sulfuric acid

Hazard class: 8 Packing group: || Reportable Quantity: 1,000 lbs (454 kg) Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L 2016 ERG Guide # 157

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Sulfuric acid	Listed	1000 lbs (454 kg)	D002	Listed	Not listed
Potassium iodate	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: March 23, 2017 Supercedes: August 19, 2016 Form 06/2015

Page E1 of E2

Innovating Science® by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.

Product	POTASSIUM BROMATE
Synonyms	Bromic Acid, Potassium Salt

Section 2 Hazards Identification
Signal word: DANGER

Pictograms: GHS03 / GHS06 / GHS08

Target organs: Auditory and Central nervous systems, Liver, Kidneys



GHS Classification:

Oxidizing solid (Category 1)
Acute toxicity, inhalation (Category 3)
Carcinogenicity (Category 1B)

GHS Label information: Hazard statement:

H271: May cause fire or explosion; strong oxidizer.

H301: Toxic if swallowed. H350: May cause cancer.

Precautionary statement:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220: Keep away from clothing/incompatible/combustible materials.

P221: Take any precaution to avoid mixing with combustibles and incompatible materials.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P283: Wear fire/flame resistant/retardant clothing.

P301+P310+P330: IF SWALLOWED: Immediately call a POISON CENTER or

doctor. Rinse mouth.

P306+P360: IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P308+P313: IF exposed or concerned: Get medical attention.

P370+P378: In case of fire: Use water to extinguish.

P371+P380+P375: In case of fire and large quantities: Evacuate area. Fight fire

remotely due to the risk of explosion.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in

accordance with local/regional/national regulations.

Ca Prop 65: This chemical is known to the State of California to cause cancer or reproductive toxicity.

Section 3 Comp	osition / Information on	Ingredients			
Chemical Name		CAS#	%	EINECS	
Potassium bromate		7758-01-2	100%	231-829-8	

Section 4 First Aid Measures

INGESTION: TOXIC IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use water. Do not use dry chemicals or foams. CO₂ or Halon[®] may provide limited control.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Strong oxidizing agent. Non-combustible, however, oxygen is liberated when involved in fire, which increases the rate of burning. Mixing with acids, ammonium compounds, combustible materials or readily oxidizable substances may explode when subjected to slight friction.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E2 of E2 Section 7 **Handling & Storage**

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Potassium bromate	Not established	Not established	Not established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. White crystalline powder

Odor: No odor

Odor threshold: Data not available

pH: Data not available

Melting / Freezing point: Data not available

Boiling point: Data not available

Flash point: Data not available

Evaporation rate (= 1): Data not available Flammability (solid/gas): Data not available Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 3.27 g/cm³ Solubility(ies): 133 g/L water @ 40°C

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available

Viscosity: Data not available Molecular formula: KBrO₃ Molecular weight: 167.00

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers, reducing agents, metals powders, ammonuim compounds, combustible materials and oxidizable substances. Selenium reacts violently with aqueous bromates. Mixing with disulfur dibromide and water ignites @ 20°C and without water it ignites @125°C. Violent reaction and gas evolution with aluminum dinitrotoluene

Hazardous decomposition products: Potassium oxides, hydrogen bromide gas, oxygen,

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 157 mg/kg Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 2B: Possibly carcinogenic to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This chemical is known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation causes cough and sore throat.

Ingestion: Ingestion causes abdominal pain, diarrhea, nausea, and vomiting.

Skin: Contact causes redness.

Eyes: Contact causes redness and pain.

Signs and symptoms of exposure: The substance is irritating to the eyes, skin and respiratory tract. Ingestion could cause effects on the kidneys and central nervous system. This may result in renal failure, respiratory depression and hearing loss. The effects may be delayed. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: EF8725000 Section 12 **Ecological Information**

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: UN1484 Shipping name: Potassium bromate

Hazard class: 5.1 Packing group: || Reportable Quantity: No Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 Kg 2016 ERG Guide # 140

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Potassium bromate	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: December 12, 2016 Supercedes: December 9, 2015 Form 06/2015

Page E1 of E2

Innovating Science® by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory use only Not for drug, food or household use.

Product POTASSIUM BROMIDE Synonyms None

Section 2 Hazards Identification

Signal word: WARNING Pictograms: GHS07 Target organs: None known



GHS Classification: Eye irritation (Category 2B)

GHS Label information: Hazard statement:

H319: Causes serious eve irritation.

Precautionary statement:

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3	Composition / Information on	Ingredients			
Chemical Name		CAS#	%	EINECS	
Potassium bromide		7758-02-3	100%	231-830-3	
Continu 4	First Aid Massures				

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E2 of E2 Section 7 **Handling & Storage**

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure Controls / Personal Pro	tection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Limits.	Potassium bromide	Not established	Not established	Not established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Partition coefficient: Data not available

Viscosity: Data not available

Molecular formula: KBr

Molecular weight: 119.01

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available

Section 9 Physical & Chemical Properties

Appearance: Solid. White crystalline powder

Odor: No odor

Section 10

Odor threshold: Data not available

pH: Data not available

Melting / Freezing point: 760°C (1400°F)

Boiling point: 1435°C (2615°F) Flash point: Data not available

Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Contact with strong acids can liberate hydrogen bromide, strong oxidizers can liberate bromine. Avoid heating above 800°C (1472°F).

Evaporation rate (= 1): Data not available

Flammability (solid/gas): Data not available

Vapor pressure (mm Hg): 1 mm @ 795°C

Solubility(ies): 53 g/100 ml water @ 20°C

Vapor density (Air = 1): 4.12

Explosion limits: Lower / Upper: Data not available

Relative density (Specific gravity): 2.749 @ 25°C

Incompatible materials: Strong oxidizers, acids, aluminum and its alloys.

Hazardous decomposition products: Hydrogen bromide gas and/or bromine gas.

Section 11 **Toxicological Information**

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause sore throat, coughing, shortness of breath.

Ingestion: Ingestion may cause pain in swallowing, abdominal pain, nausea, and drowsiness.

Skin: Contact with skin may cause irritation and/or dermatitis.

Eyes: Contact with eyes may cause severe irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: Data not available

Section 12 **Ecological Information**

Toxicity to fish: Pimephales promelas (fish, fresh water), LC50 = >30,000 ug/L/96 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = >30,000 ug/L/96 hours

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: Not applicable Shipping name: Not Regulated

Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No

Exceptions: Not applicable 2016 ERG Guide # Not applicable

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Potassium bromide	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: December 12, 2016 Supercedes: December 9, 2015