

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product ACETAMINOPHEN**Synonyms** 4-Acetamidophenol / Paracetamol**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Liver, Kidneys**GHS Classification:**

Acute toxicity, oral (Category 4)

Skin irritation (Category 2)

Eye irritation (Category 2A)

STOT-SE (Category 3)

Acute aquatic (Category 2)

GHS Label information: Hazard statement(s):

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H401: Toxic to aquatic life.

Precautionary statement(s):

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with all local, state and federal regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Acetaminophen	103-90-2	100%	203-157-5

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Acetaminophen	None established	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. White powder	Evaporation rate (Butyl acetate = 1): Data not available
Odor: No odor.	Flammability (solid/gas): Data not available.
Odor threshold: Data not available.	Explosion limits: Lower / Upper: Data not available
pH: Data not available.	Vapor pressure (mm Hg): Data not available
Melting / Freezing point: 168-172°C (334-342°F)	Vapor density (Air = 1): Data not available
Boiling point: Data not available	Relative density (Specific gravity): Data not available
Flash point: Data not available	Solubility(ies): 14 g/L water (slight)

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.
Viscosity: Data not available.
Molecular formula: C₉H₉NO₂
Molecular weight: 151.16

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures and heat.

Incompatible materials: Strong oxidizers.

Hazardous decomposition products: Carbon oxides, nitrogen oxides.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 2400 mg/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion: Harmful if swallowed.

Skin: Contact with skin may cause irritation.

Eyes: Contact with eyes may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: AE4200000

Section 12 Ecological Information

Toxicity to fish: Pimephales promelas (Fathead minnow), LC50 = 814 mg/L/96 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = 9.2 mg/L/48 hours

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Acetaminophen	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTRAC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit ACÉTAMINOPHÈNE

Synonymes 4-Acetamidophenol / Paracétamol

Section 2 Identification De Risques

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS07

Les organes cibles: Le foie et les reins

**Classification par le GHS:**

Acute toxicity, oral (Catégorie 4)

Skin irritation (Catégorie 2)

Eye irritation (Catégorie 2A)

STOT-SE (Catégorie 3)

Acute aquatic (Catégorie 2)

Renseignements sur l'étiquette GHS: Mention de danger(s):

H302: Nocif en cas d'ingestion.

H315: Provoque une irritation cutanée.

H319: Provoque une sévère irritation des yeux.

H335: Peut irriter les voies respiratoires.

H401: Toxique pour les organismes aquatiques.

Déclarations de précaution(s):

P261: Éviter de respirer les poussières.

P264: Se laver les mains après avoir manipulé.

P270: Ne pas manger, boire ou fumer en manipulant ce produit.

P271: Utilisez uniquement de l'extérieur ou dans un endroit bien aéré.

P273: Éviter le rejet dans l'environnement.

P280: Porter des gants / des vêtements de protection / protection pour les yeux / du visage.

P301+P312: EN CAS D'INGESTION: appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P302+P352: EN CAS DE CONTACT AVEC LA PEAU: laver abondamment à l'eau et au savon.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire. Continuer à rincer.

P304+P340: EN CAS D'INHALATION: Transporter la victime à l'air frais et la garder au repos dans une position confortable pour la respiration.

P312: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P332+P313: En cas d'irritation cutanée: consulter un médecin.

P337+P313: Si l'irritation oculaire persiste: consulter un médecin.

P362+P364: **Enlever les vêtements contaminés et les laver avant réutilisation.**

P403+P233: Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.

P405: Garder sous clef.

P501: Éliminer le contenu / récipient dans une agence élimination des produits chimiques sous licence conformément à toutes les réglementations locales, provinciales et fédérales.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Acétaminophène	103-90-2	100%	203-157-5

Section 4 Mesures De Premiers Soins

INGESTION: NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médical. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT ÊTRE NOCIF EN CAS D'INHALATION. PEUT PROVOQUER UNE IRRITATION LES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: CAUSE L'IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Bayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Acétaminophène	Aucun établi	Aucun établi	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloient, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Poudre blanche

Odeur: No odor

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: 168-172°C (334-342°F)

Point d'ébullition: Données non disponibles

Point d'éclair: Données non disponibles

Taux d'évaporation (Acetate de butylique = 1): Négligeable

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): Données non disponibles

Densité de vapeur (Air = 1): Données non disponibles

Densité relative (gravité spécifique): Données non disponibles

Solubilité (s): 14 g/L l'eau (légère)

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: C₈H₉NO₂

Poids moléculaire: 151.16

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives et la chaleur.

Matières incompatibles: Comburante fortes.

Produits dangereux de décomposition: Oxydes de carbones, oxydes d'azote.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 2400 mg/kg

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC classés: Group 3: L'agent est inclassable quant à sa cancérogénicité pour l'homme.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets respiratoire.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation. Provoque une irritation des voies respiratoires.

Ingestion: Nocif en cas d'ingestion.

Peau: Le contact avec la peau peut provoquer une irritation.

Yeux: Contact avec les yeux peut provoquer une irritation.

Les signes et les symptômes de l'exposition: Au meilleur de notre connaissance les propriétés chimiques, physiques et toxicologiques n'ont pas été à fond étudiées. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques.

Informations complémentaires: RTECS #: AE4200000

Section 12 L'Information Écologique

Toxicité pour les poissons: Pimephales promelas (Fathead minnow), LC50 = 814 mg/L/96 hours

Toxicité pour les daphnies et autres invertébrés aquatiques: Daphnia magna (Crustacea), EC50 = 9.2 mg/L/48 hours

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Acétaminophène	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation 221 Rochester Street
 "cutting edge science for the classroom" Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	ALANINE CONTROL
Synonyms	None

Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required

Pictograms: No symbol required

Target organs: None known

GHS Classification: None required

GHS Label information: Hazard statement: None required

Precautionary statement: None required

Supplemental information:

Do not breathe vapors, spray or mist. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	98.9%	231-791-2
β-Alanine	107-95-9	1.0%	203-536-5
Methylparaben	99-76-3	0.1%	202-785-7

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. For laboratory use only. Not for drug, food or household use. Keep out of reach of children.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, spray or mist. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Not applicable.	None established.	None established.	None established.

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Liquid. Clear colorless. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available	Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water.	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
--	---	---

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatibilities with other materials: Strong oxidizers.

Hazardous decomposition products: Carbon oxides.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

Skin: Prolonged contact may cause irritation.

Eyes: Contact may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: DH2450000 [Methylparaben]

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

All chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
All components listed with TSCA.					

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit ALANINE CONTRÔLE

Synonymes Aucun

Section 2 Identification De Risques

Cette substance ou un mélange n'a pas été classé comme dangereux à ce selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Mention d'avertissement: Aucune requise

Pictogrammes: Aucun symbole n'est demandé

Les organes cibles: Aucun connu

Classification par le GHS: Aucune requise

Renseignements sur l'étiquette GHS: Mention de danger: Aucune requise

Déclarations de précaution: Aucune requise

Informations supplémentaires:

Ne pas respirer les vapeurs, les embruns ou le brouillard. Ne pas mettre dans les yeux, la peau ou les vêtements. Porter des gants de protection / des vêtements de protection / protection des yeux / du visage. Se laver les mains après avoir manipulé. Consulter un médecin en cas de malaise.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau	7732-18-5	98.9%	231-791-2
β-Alanine	107-95-9	1.0%	203-536-5
Methylparaben	99-76-3	0.1%	202-785-7

Section 4 Mesures De Premiers Soins

INGESTION: Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utiliser un agent extincteur approprié au type de feu environnant.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas de feu, de l'eau peut s'évaporer à partir de cette solution, qui peut causer les produits dangereux de décomposition à être formée comme poussière ou vapeur.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorber avec un matériau inerte, balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Étiquette lue sur le récipient avant utilisation. Ne portez pas les verres de contact en travaillant avec des produits chimiques. Récipient de subsistance étroitement fermé. Pour l'usage de laboratoire seulement. Pas pour l'usage de drogue, de nourriture ou de ménage. Subsistance hors de portée des enfants.

Manipulation: Utilisation avec à ventilation proportionnée. Évitez le contact avec les yeux, la peau et l'habillement. Évitez l'ingestion. N'inhalez pas les vapeurs, le jet ou la brume. Lavage complètement après manipulation. Habillement de lavage avant réutilisation.

Stockage: Magasin dans un secteur frais, bien-aéré loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Non applicable.	Aucun établi.	Aucun établi.	Aucun établi.

Commandes de technologie: Des équipements stockant ou utilisant ce matériel devraient être équipés d'un service d'eyewash et une douche et un feu de sûreté s'éteignant le matériel. Personnel devraient porter des verres de sûreté, des lunettes, ou le masque de protection, le manteau de laboratoire ou le tablier, gants protecteurs appropriés, le feu s'éteignant le matériel. Employez à ventilation proportionnée pour maintenir des concentrations aéroportées basses.

Protection respiratoire: Aucun ne devrait être nécessaire dans la gestion normale de laboratoire à température ambiante. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Liquide. Clair incolore.

Odeur: Aucun odeur.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: Environ 0°C (32°F) (eau)

Point d'ébullition: Environ 100°C (212°F) (eau)

Point d'éclair: Données non disponibles

Taux d'évaporation (Eau = 1): <1

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): 14 (eau)

Densité de vapeur (Air = 1): 0.7 (eau)

Densité relative (gravité spécifique): Environ 1.0 (eau)

Solubilité (s): Complet dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives qui causent l'évaporation.

Incompatibilités avec d'autres matériaux: Comburante fortes.

Produits dangereux de décomposition: Oxyde de carbones.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par le IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Un contact prolongé peut provoquer une irritation.

Yeux: Contact peut causer une irritation.

Les signes et les symptômes de l'exposition: Au meilleur de notre connaissance les propriétés chimiques, physiques et toxicologiques n'ont pas été à fond étudiées. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques.

Informations complémentaires: RTECS #: DH2450000 [Methylparaben]

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponibles

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponibles

Persistante et dégradabilité: Pas de données disponibles

Potentiel de bioaccumulation: Pas de données disponibles

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Tous les composants répertoriés à la TSCA.					

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177
CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	SIMULATED LEAD SOLUTION
Synonyms	Ammonium Molybdate, 0.1M

Section 2 Hazards Identification

Signal word: WARNING
Pictograms: GHS07
Target organs: None known



GHS Classification:
 Acute toxicity, oral (Category 4)
 Skin irritation (Category 2)
 Eye irritation (Category 2A)
 STOT SE (Category 3)

GHS Label information: Hazard statement:
 H302: Harmful if swallowed.
 H315: Causes skin irritation.
 H319: Causes serious eye irritation.
 H335: May cause respiratory irritation.

Precautionary statement:
 P261: Avoid breathing mist/vapours/spray.
 P264: Wash hands thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P271: Use only outdoors or in a well-ventilated area.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.
 P302+P352: IF ON SKIN: Wash with plenty of water and soap.
 P332+P313: If skin irritation occurs: Get medical attention.
 P362+P364: Take off contaminated clothing and wash it before reuse.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313: If eye irritation persists: Get medical attention.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312: Call a POISON CENTER or doctor if you feel unwell.
 P403+P233: Store in a well-ventilated place. Keep container tightly closed.
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	88.36%	231-791-2
Ammonium molybdate	12054-85-2	11.64%	236-031-3

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY CAUSE RESPIRATORY IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale mist/vapours/spray. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ammonium molybdate	Not established	Not established	Not established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available	Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water.	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
---	---	---

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Strong oxidizers, acids.

Hazardous decomposition products: Carbon oxides, nitrogen oxides, ammonia fumes.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 333 mg/kg (anhydrous) [Ammonium molybdate]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful by inhalation.

Ingestion: May be harmful if swallowed.

Skin: Causes skin irritation.

Eyes: Causes serious eye irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: QA5076000 [Ammonium molybdate]

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Ammonium molybdate	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTRIC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit	SIMULATED LEAD SOLUTION
Synonymes	Molybdate d'ammonium, 0.1M

Section 2 Identification De Risques

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS07

Les organes cibles: Aucun connu



Classification par le GHS:

Skin irritation (Catégorie 2)

Eye irritation (Catégorie 2A)

STOT SE (Catégorie 3)

Renseignements sur l'étiquette GHS: Mention de danger:

H302: Nocif en cas d'ingestion.

H315: Provoque une irritation cutanée.

H319: Provoque une sévère irritation des yeux.

H335: Peut irriter les voies respiratoires.

Déclarations de précaution:

P261: Éviter de respirer les brouillards/vapeurs/aérosols.
 P264: Se laver les mains soigneusement après manipulation.
 P270: Ne pas manger, boire ou fumer en manipulant ce produit.
 P271: Utiliser seulement en plein air ou dans un endroit bien ventilé.
 P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.
 P301+P330+P312: EN CAS D'INGESTION: Rincer la bouche. Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.
 P302+P352: EN CAS DE CONTACT AVEC LA PEAU: Laver abondamment à l'eau et du savon.
 P332+P313: En cas d'irritation cutanée: Obtenir des soins médicaux.
 P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.
 P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.
 P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.
 P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.
 P312: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.
 P403+P233: Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.
 P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau Molybdate d'ammonium	7732-18-5 12054-85-2	88.36% 11.64%	231-791-2 236-031-3

Section 4 Mesures De Premiers Soins

INGESTION: NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT IRRITER LES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PROVOQUE UNE SÉVÈRE IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PROVOQUE UNE IRRITATION CUTANÉE. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Récupèrent pour s'il n'est pas contaminé. Balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les brouillards/vapeurs/aérosols. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Molybdate d'ammonium	Aucun établi	Aucun établi	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Clair, liquide incolore.

Odeur: Aucun odeur.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: Environ 0°C (32°F) (eau)

Point d'ébullition: Environ 100°C (212°F) (eau)

Point d'éclair: Données non disponibles

Taux d'évaporation (Eau = 1): <1

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): 14 (eau)

Densité de vapeur (Air = 1): 0.7 (eau)

Densité relative (gravité spécifique): Environ 1.0 (eau)

Solubilité (s): Complet dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives qui causent l'évaporation.

Matières incompatibles: Comburante forts, les acides.

Produits dangereux de décomposition: Des oxydes de carbone, oxydes d'azote, les vapeurs d'ammoniac.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 333 mg/kg (anhydrous) [Molybdate d'ammonium]

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: May be harmful by inhalation.

Ingestion: May be harmful if swallowed.

Skin: Causes skin irritation.

Eyes: Causes serious eye irritation.

Les signes et les symptômes de l'exposition: Au meilleur de notre connaissance les propriétés chimiques, physiques et toxicologiques n'ont pas été à fond étudiées. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques.

Informations complémentaires: RTECS #: QA5076000 [Molybdate d'ammonium]

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistante et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Molybdate d'ammonium	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	CHROMATOGRAPHY SOLVENT
---------	------------------------

Synonyms	None
----------	------

Section 2 Hazards Identification

Signal word: DANGER

Pictograms: GHS02 / GHS07

Target organs: Central nervous system, Liver, Kidneys.



GHS Classification:

Flammable liquid (Category 2)

Skin irritation (Category 2)

Eye irritation (Category 2)

STOT-SE (Category 3)

GHS Label information: Hazard statement(s):

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Precautionary statement(s):

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P337+P313: If eye irritation persists: Get medical attention.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Isopropyl alcohol	67-63-0	65.9%	200-661-7
Water	7732-18-5	17.6%	231-791-2
Acetic acid	64-19-7	16.5%	200-580-7

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. This chemical reacts violently with strong oxidizers, generating a fire and explosion hazard. Reacts violently with strong bases, strong acids and many other compounds. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m ³	TWA: 400 ppm / STEL: 500 ppm

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid.

Odor: Alcohol-vinegar odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: 16.7°C (62°F)*

Boiling point: Approximately 85-100°C (185-212°F)†

Flash point: 21.7°C (71°F) TCC†

Evaporation rate (Butyl acetate = 1): 0.97*

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: 2% / 12% [Pure IPA]†

Vapor pressure (mm Hg): 33 mm @20°C [Pure IPA]†

Vapor density (Air = 1): 2.07*

Relative density (Specific gravity): 1.049 @ 20/4°C*

Solubility(ies): Complete in water.

Partition coefficient: (n-octanol / water): Data not available

Auto-ignition temperature: 399°C (750°F) ASTM-E659-78 [Pure IPA]†

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Mixture

Molecular weight: Mixture

* Glacial acetic acid

† Isopropyl alcohol

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Bases, strong oxidizers, chromic acid, nitric acid, sodium peroxide, carbonates, hydroxides, phosphates, caustics, aluminums, metals, nitroform, oleum, chlorinated compounds. Potentially violent reaction with acetaldehyde and acetic anhydride. Ignites on contact with potassium-tert-butoxide.

Hazardous decomposition products: Carbon oxides and other harmful gases or vapors.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 3,310 mg/kg ; Inhalation-rat LC50: 11.4 mg/L/4 hours ; Dermal-rabbit LD50: 1,060 mg/kg [Acetic acid, glacial]

Skin corrosion/irritation: Skin-rabbit - Severe irritant. [Acetic acid, glacial]

Serious eye damage/irritation: Eyes-rabbit - Severe irritant. [Acetic acid, glacial]

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Yes

Potential health effects:

Inhalation: Inhalation of high vapor concentrations may cause central nervous system depression resulting in dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat. Continued inhalation may result in unconsciousness and death.

Ingestion: Aspiration hazard. Liquid can directly enter the lungs (aspirated) when swallowed or vomited. Serious lung damage and possible fatal chemical pneumonia can develop if this occurs.

Skin: Prolonged or repeated contact may cause irritation and drying, cracking and defatting of the skin which can lead to dermatitis.

Eyes: Contact causes burning sensation, redness, swelling, and/or blurred vision.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: NT8050000 [Isopropanol] / AF1225000 [Acetic acid, glacial]

Section 12 Ecological Information

Toxicity to fish: Gambusia affinis (fish, fresh water), LC50 = 251 mg/L/24 hours [Acetic acid, glacial]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = 95 mg/L/24 hours [Acetic acid, glacial]

Toxicity to algae: Euglena gracilis (Algae), EC100 = 720 mg/L [Acetic acid, glacial]

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN2924

Shipping name: Flammable liquids, corrosive, n.o.s., (Isopropyl alcohol, Acetic acid)

Hazard class: 3, (8)

Packing group: III

Reportable Quantity: No

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 5 L

ERG Guide #: 132

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Isopropyl alcohol	Listed	Not listed	Not listed	Listed	Not listed
Acetic acid, glacial	Listed	5,000 lbs (2270 kg)	D001, D002	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®by Aldon Corporation
"cutting edge science for the classroom"221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTRIC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit	CHROMATOGRAPHIE SOLVANT
Synonymes	Aucun

Section 2 Identification De Risques

Mention d'avertissement: DANGER

Pictogrammes: GHS02 / GHS07

Les organes cibles: Le système nerveux central, le foie et les reins.



Classification par le GHS:

Flammable liquid (Catégorie 2)

Skin irritation (Catégorie 2)

Eye irritation (Catégorie 2)

STOT-SE (Catégorie 3)

Renseignements sur l'étiquette GHS: Mention de danger(s):

H225: Liquide et vapeurs très inflammables.

H315: Provoque une irritation cutanée.

H319: Provoque une sévère irritation des yeux.

H336: Peut provoquer somnolence ou des vertiges.

Déclarations de précaution(s):

P210: Tenir à l'écart la chaleur/des étincelles/des flammes nues/des surfaces chaudes. Ne pas fumer.

P233: Maintenir le récipient fermé de manière étanche.

P240: Mise à la terre/liaison équivalente du récipient et du matériel de réception.

P241: Utiliser du matériel électrique/de ventilation/d'éclairage antidiéflagrant.

P242: Ne pas utiliser d'outils produisant des étincelles.

P243: Prendre des mesures de précaution contre les décharges électrostatiques.

P261: Éviter de respirer les brouillards/vapeurs/aérosols.

P264: Se laver les mains soigneusement après manipulation.

P271: Utiliser seulement en plein air ou dans un endroit bien ventilé.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P302+P352: EN CAS DE CONTACT AVEC LA PEAU: Laver abondamment à l'eau et du savon.

P332+P313: En cas d'irritation cutanée: Obtenir des soins médicaux.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

P303+P361+P353: EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux): Enlever immédiatement tout vêtement souillé ou éclaboussé. Rincer la peau à l'eau/se doucher.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P312: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P370+P378: En cas d'incendie: Utiliser un produit chimique sec, mousse anti-alcool, dioxyde de carbone ou eau pulvérisée pour l'extinction.

P403+P235: Tenir au frais.

P405: Garder sous clef.
P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Alcool isopropylique	67-63-0	65.9%	200-661-7
L'eau	7732-18-5	17.6%	231-791-2
Acide acétique	64-19-7	16.5%	200-580-7

Section 4 Mesures De Premiers Soins

INGESTION: PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médical. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT ÊTRE NOCIF EN CAS D'INHALATION. IRRITE LES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PROVOQUE UNE SÉVÈRE IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. PROVOQUE UNE IRRITATION CUTANÉE. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Dioxyde de carbone, produit chimique sec, du sable sec, mousse anti-alcool.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir l'incendie refroidi les contenants exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Ce produit chimique qui réagit violemment avec les oxydants puissants, générant un risque d'incendie ou d'explosion. Réagit violemment avec les bases fortes, acides fortes et de nombreux autres composés. Les vapeurs formées de ce produit sont plus lourdes que l'air et peuvent voyager le long de la terre à une source d'ignition et voyagez dos immédiatement. La flamme peut ne pas être évidente en jour.

Section 6 Mesures De Décharge Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorbez avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhalez les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais et bien aéré, loin des substances incompatibles. Subsistance loin des sources d'allumage.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m ³	TWA: 400 ppm / STEL: 500 ppm

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. En cas de conditions brumeux, travaillez dans le capot de vapeur ou portez un respirateur de NIOSH/MSHA-approved.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Clair, liquide incolore.

Odeur: Alcool odeur de vinaigre

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: 16.7°C (62°F)*

Point d'ébullition: Environ 85-100°C (185-212°F)†

Point d'éclair: 21.7°C (71°F) TCC†

Taux d'évaporation (Acetate de butylique = 1): 0.97*

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: 2% / 12% [Pure IPA]†

Pression de vapeur (mm Hg): 33 mm @20°C [Pure IPA]†

Densité de vapeur (Air = 1): 2.07*

Densité relative (gravité spécifique): 1.049 @ 20/4°C*

Solubilité (s): Complet dans l'eau.

Coefficient de partage: (n-octanol / eau): Données non disponibles

Auto-inflammation: 399°C (750°F) ASTM-E659-78 [Pure IPA]†

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

* Acide acétique glacial

† Alcool isopropylique

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives, la chaleur, étincelles, flamme nue et d'autres sources d'allumage.

Matières incompatibles: Bases, oxydants puissants, acide chromique, acide nitrique, le peroxyde de sodium, les carbonates, les hydroxydes, les phosphates, caustiques, aluminiums, métaux, nitroformé, oleum, composés chlorés. Réaction potentiellement violente avec l'acétaldéhyde et de l'anhydride acétique. Enflamme au contact avec le potassium-tert-butoxide.

Produits dangereux de décomposition: Oxydes de carbone et d'autres gaz nocifs ou de vapeurs.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 3,310 mg/kg ; Inhalation-rat LC50: 11.4 mg/L/4 hours ; Dermal-rabbit LD50: 1,060 mg/kg [Acide acétique glaciaire]

La corrosion de la peau et l'irritation: Peau de lapin - Irritant sévère. [Acide acétique glaciaire]

Des lésions oculaires graves / irritation: Yeux-lapin - Irritant sévère. [Acide acétique glaciaire]

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénérité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Yes

Effets d'une surexposition:

Inhalation: L'inhalation de concentrations élevées de vapeurs peut causer une dépression du système nerveux entraînant des étourdissements, de la somnolence, des nausées, des vomissements, incapacité à se concentrer et l'irritation de la gorge. Inhalation prolongée peut entraîner une perte de conscience et la mort.

Ingestion: Risque d'aspiration. Le liquide peut entrer directement dans les poumons (aspiration) en cas d'ingestion ou de vomissements. Dommages pulmonaires graves et une pneumonie chimique fatale possible peut se développer si cela se produit.

Peau: Un contact prolongé ou répété peut causer une irritation et sécheresse, des gercures et le dégraissage de la peau qui peut entraîner une dermatite.

Yeux: Le contact provoque une sensation de brûlure, une rougeur, un gonflement et / ou une vision trouble.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus.

Informations complémentaires: RTECS #: NT8050000 [Isopropanol] / AF1225000 [Acide acétique glaciaire]

Section 12 L'Information Écologique

Toxicité pour les poissons: Gambusia affinis (fish, fresh water), LC50 = 251 mg/L/24 hours [Acide acétique glaciaire]

Toxicité pour les daphnies et autres invertébrés aquatiques: Daphnia magna (Crustacea), EC50 = 95 mg/L/24 hours [Acide acétique glaciaire]

Toxicité pour les algues: Euglena gracilis (Algae), EC100 = 720 mg/L [Acide acétique glaciaire]

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: UN2924 **Nom d'expédition:** Liquides inflammables, corrosif, n.o.s., (Alcool isopropylique, Acide acétique)

Classe de danger: 3, (8)

Groupe d'emballage: III

Quantité à déclarer: No

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 5 L

ERG Guide #: 132

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
L'alcool isopropylique	Listed	Not listed	Not listed	Listed	Not listed
Acide acétique, glaciaire	Listed	5,000 lbs (2270 kg)	D001, D002	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177
CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	ETHYL ALCOHOL, DENATURED, 95% (190 PROOF)
---------	--

Synonyms	Ethanol, Denatured, 95%
----------	-------------------------

Section 2 Hazards Identification

Signal word: DANGER**Pictograms:** GHS02 / GHS07 / GHS08 / GHS06**Target organs:** Eyes, Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)

Acute toxicity, inhalation (Category 3)

Skin irritation (Category 2)

Eye irritation (Category 2B)

STOT-SE (Category 2)

STOT-SE (Category 3)

GHS Label information: Hazard statement:

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness.

H371: May cause damage to organs.

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Ethyl alcohol	64-17-5	80.75 - 81.51%	200-578-6
Isopropyl alcohol	67-63-0	8.55%	200-661-7
Water	7732-18-5	5.00%	231-791-2
Methanol	67-56-1	3.80 - 4.08%	200-659-6
Methyl isobutyl ketone	108-10-1	0.85 - 0.95%	203-550-1

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m ³ (A3)	TWA: 1000 ppm / 1900 mg/m ³	TWA: 1000 ppm / 1900 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid. Odor: Mild characteristic odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: -114°C (-173°F)* Boiling point: 74-80°C (165.2-176°F)* Flash point: 5°C (41°F)*	Evaporation rate (Butyl acetate = 1): Ca 2* Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: 4.0%(V) / 20.0%(V)* Vapor pressure (mm Hg): Ca 50 @ 20°C* Vapor density (Air = 1): Ca 1.5* Relative density (Specific gravity): 0.7919-0.7955°C @ 60/60°F* Solubility(ies): Soluble in water.	Partition coefficient: (n-octanol / water): Low Pow: -.32* Auto-ignition temperature: 400°C (752°F)* Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
*[200 Proof Ethanol]		

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers, inorganic acids and halogens.

Hazardous decomposition products: Oxides of carbon.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

Skin corrosion/irritation: Skin-rabbit - Slight irritant.

Serious eye damage/irritation: Eyes-rabbit - Severe irritant.

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: KQ6300000 [Ethanol]

Section 12 Ecological Information

Toxicity to fish: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

Toxicity to algae: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1170 **Shipping name:** Ethanol

Hazard class: 3

Packing group: II

Reportable Quantity: 5,000 lbs (2270 kg)

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L

ERG Guide # 127

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Ethanol	Listed	Not listed	D001	Listed	Not listed
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit	ALCOOL ÉTHYLIQUE, DÉNATURÉ, 95% (190 TENEUR)
Synonymes	Éthanol, Dénatré, 95%

Section 2 Identification De Risques

Mention d'avertissement: DANGER

Pictogrammes: GHS02 / GHS07 / GHS08 / GHS06

Les organes cibles: Les yeux, le système nerveux central, le foie et les reins.



Classification par le GHS:

Liquide inflammable (Catégorie 2)

Acute toxicity, inhalation (Catégorie 3)

Skin irritation (Catégorie 2)

Eye irritation (Catégorie 2B)

STOT-SE (Catégorie 2)

STOT-SE (Catégorie 3)

Renseignements sur l'étiquette GHS: Mention de danger:

H225: Liquide et vapeurs très inflammables.

H315: Provoque une irritation cutanée.

H319: Provoque une sévère irritation des yeux.

H331: Toxicité par inhalation.

H336: Peut provoquer somnolence ou des vertiges.

H371: Risque présumé d'effets graves pour les organes.

Déclarations de précaution:

P210: Tenir à l'écart la chaleur/des étincelles/des flammes nues/des surfaces chaudes. Ne pas fumer.

P240: Mise à la terre/liaison équivalente du récipient et du matériel de réception.

P241: Utiliser du matériel électrique/de ventilation/d'éclairage antidiéflagrant.

P242: Ne pas utiliser d'outils produisant des étincelles.

P243: Prendre des mesures de précaution contre les décharges électrostatiques.

P260: Ne pas respirer les brouillards/vapeurs/aérosols.

P264: Se laver les mains soigneusement après manipulation.

P271: Utiliser seulement en plein air ou dans un endroit bien ventilé.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P303+P361+P353: EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux):

Enlever immédiatement tout vêtement souillé ou éclaboussé. Rincer la peau à l'eau/ se doucher.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P312: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P332+P313: En cas d'irritation cutanée: Obtenir des soins médicaux.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

P403+P233: Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

California Proposition 65: Ce produit contient un produit chimique connu dans l'état de Californie pour provoquer une toxicité sur la reproduction (Méthanol, développement).

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Alcool éthylique	64-17-5	80,75 - 81,51%	200-578-6
Alcool isopropylique	67-63-0	8,55%	200-661-7
L'eau	7732-18-5	5,00%	231-791-2
Méthanol	67-56-1	3,80 - 4,08%	200-659-6
Cétone isobutylique méthylique	108-10-1	0,85 - 0,95%	203-550-1

Section 4 Mesures De Premiers Soins

INGESTION: PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médical. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT ÊTRE NOCIF EN CAS D'INHALATION. IRRITE LES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: CAUSE L'IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Dioxyde de carbone, produit chimique sec, du sable sec, mousse anti-alcool.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les vapeurs formées de ce produit sont plus lourdes que l'air et peuvent voyager le long de la terre à une source d'ignition et voyagez dos immédiatement. La flamme peut ne pas être évidente en jour.

Section 6 Mesures De Décharge Accidentel

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorbez avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Subsistance loin des sources d'allumage.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Éthanol	STEL: 1000 ppm / 1880 mg/m ³ (A3)	TWA: 1000 ppm / 1900 mg/m ³	TWA: 1000 ppm / 1900 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. En cas de conditions brumeux, travaillez dans le capot de vapeur ou portez un respirateur de NIOSH/MSHA-approved.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Clair, liquide incolore.

Odeur: Odeur caractéristique douce.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: -114°C (-173°F)*

Point d'ébullition: 74-80°C (165.2-176°F)*

Point d'éclair: 5°C (41°F)*

Taux d'évaporation (Acetate de butylique = 1): Ca 2*

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: 4.0%(V) / 20.0%(V)*

Pression de vapeur (mm Hg): Ca 50 @ 20°C*

Densité de vapeur (Air = 1): Ca 1.5*

Densité relative (gravité spécifique): 0.7919-0.7955°C @ 60/60°F*

Solubilité (s): Soluble dans l'eau.

Coefficient de partage: (n-octanol / eau): Low Pow: -.32*

Auto-inflammation: 400°C (752°F)*

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

*[200 Proof Éthanol]

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives, la chaleur, étincelles, flamme nue et d'autres sources d'allumage.

Matières incompatibles: Comburantes fortes, acides inorganiques et l'halogènes.

Produits dangereux de décomposition: Oxydes de carbones.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4 heures [Éthanol]

La corrosion de la peau et l'irritation: Peau de lapin - Légèrement irritant.

Des lésions oculaires graves / irritation: Yeux-lapin - Irritant sévère.

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC classés: Group 3: L'agent est inclassable quant à sa cancérogénicité pour l'homme. [Isopropanol]

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation peut causer des étourdissements, somnolence, nausées, vomissements, incapacité à se concentrer et l'irritation de la gorge.

Ingestion: L'ingestion provoque des étourdissements, la somnolence, la réaction a diminué, l'euphorie, des nausées, des vomissements, démarche titubante et le coma.

Peau: Contact avec la peau cause une irritation délipidation au contact prolongé.

Yeux: Contact avec les yeux peut causer la cécité.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus.

Informations complémentaires: RTECS #: KQ6300000 [Éthanol]

Section 12 L'Information Écologique

Toxicité pour les poissons: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Éthanol]

Toxicité pour les daphnies et autres invertébrés aquatiques: Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Éthanol, 99.8% pure]

Toxicité pour les algues: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Éthanol, absolute]

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: UN1170 **Nom d'expédition:** Éthanol

Classe de danger: 3 **Groupe d'emballage:** II

Exceptions: Quantité limitée égale à ou moins de 1 L

Quantité à déclarer: 5,000 lbs. (2270 kg)

Polluant marin: No

ERG Guide #: 127

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Éthanol	Listed	Not listed	D001	Listed	Not listed
Méthanol	Listed	5,000 lbs.	U154	Listed	Not listed
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	SIMULATED VAN URK REAGENT
Synonyms	Ferric Chloride, 0.1 Molar Solution

Section 2 Hazards Identification

Signal word: DANGER

Pictograms: GHS05 / GHS07

Target organs: Eyes, Skin, Respiratory system, Liver, Gastrointestinal tract



GHS Classification:

Corrosive to metals (Category 1)

Acute toxicity, oral (Category 4)

Skin irritation (Category 2)

Eye damage (Category 1)

GHS Label information: Hazard statement:

H290: May be corrosive to metals.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

Precautionary statement:

P234: Keep only in original container.

P406: Store in corrosive resistant container with a resistant inner liner.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water Ferric chloride, hexahydrate	7732-18-5 10025-77-1	97.297% 2.703%	231-791-2 231-729-4 [anhydrous]

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. MAY CAUSE LIVER OR KIDNEYS DAMAGE. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Iron salts, soluble, as Fe	TWA: 1 mg/m ³	No listing	TWA: 1 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Liquid. Yellow-orange Odor: No odor. Odor threshold: Data not available. pH: 2 (0.1M solution) Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available	Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water.	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
--	---	---

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Water, oxidizing agents, metals, strong bases, reducing agents, alcohols.

Hazardous decomposition products: Hydrogen gas on contact with metals.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 1,872 mg/kg [Ferric chloride, hexahydrate]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be corrosive or irritating to the nose, throat and respiratory tract. Symptoms may include burning sensation, coughing, shortness of breath, lung inflammation and pulmonary edema.

Ingestion: May cause severe liver or kidneys damage. May also cause gastrointestinal damage.

Skin: May cause severe irritation and/or burns.

Eyes: May cause severe irritation, tearing, blurred vision, burns, severe damage, and permanent blindness.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: LJ9100000 (Anhydrous)

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available **Bioaccumulative potential:** No data available

Mobility in soil: No data available **PBT and vPvB assessment:** No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN2582

Shipping name: Ferric chloride, solution

Hazard class: 8

Packing group: III

Reportable Quantity: 1,000 lbs (454 kg)

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 5 Lt

2012 ERG Guide # 154

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Ferric chloride, anhydrous	Listed	1,000 lbs (454 kg)	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit SIMULATED REAGENT VAN URK**Synonymes** Chlorure ferrique, soluton de 0.1 molaire**Section 2 Identification De Risques****Mention d'avertissement:** DANGER**Pictogrammes:** GHS05 / GHS07**Les organes cibles:** Les yeux, la peau, le système respiratoire, le foie, l'appareil gastrointestinale**Classification par le GHS:**

Corrosive to metals (Catégorie 1)
 Acute toxicity, oral (Catégorie 4)
 Skin irritation (Catégorie 2)
 Eye damage (Catégorie 1)

Renseignements sur l'étiquette GHS: Mention de danger:

H290: Peut être corrosif pour les métaux.
 H302: Nocif en cas d'ingestion.
 H315: Provoque une irritation cutanée.
 H318: Provoque des lésions oculaires graves.

Déclarations de précaution:

P234: Conserver uniquement dans le récipient d'origine.
 P406: Stocker dans un récipients résistant à la corrosion avec doublure intérieure résistant à la corrosion.
 P264: Se laver les mains soigneusement après manipulation.
 P270: Ne pas manger, boire ou fumer en manipulant ce produit.
 P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.
 P301+P330+P312: EN CAS D'INGESTION: Rincer la bouche.
 Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.
 P302+P352: EN CAS DE CONTACT AVEC LA PEAU: Laver abondamment à l'eau et du savon.
 P332+P313: En cas d'irritation cutanée: Obtenir des soins médicaux.
 P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.
 P310: Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.
 P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.
 P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau Chlorure ferrique, hexahydrate	7732-18-5 10025-77-1	97,297% 2,703%	231-791-2 231-729-4 [anhydre]

Section 4 Mesures De Premiers Soins

INGESTION: NOCIF EN CAS D'INGESTION. PEUT PROVOQUER DES DOMMAGES FOIE OU DES REINS. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT ÊTRE NOCIF EN CAS D'INHALATION. PEUT CAUSER UNE IRRITATION DE LA VOIES RESPIRATOIRE. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUVENT PROVOQUER DES LÉSIONS OCULAIRES. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas de feu, de l'eau peut s'évaporer à partir de cette solution, qui peut causer les produits dangereux de décomposition à être formée comme poussière ou vapeur.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorber avec un matériau inerte, balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Les sels de fer, solubles, comme Fe	TWA: 1 mg/m ³	Aucun liste	TWA: 1 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Liquide. Jaune-orange.

Odeur: Aucun odeur.

Seuil de l'odeur: Données non disponibles.

pH: 2 (0.1M solution)

Point de fusion / congélation: Environ 0°C (32°F) (eau)

Point d'ébullition: Environ 100°C (212°F) (eau)

Point d'éclair: Données non disponibles

Taux d'évaporation (Eau = 1): <1

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): 14 (eau)

Densité de vapeur (Air = 1): 0.7 (eau)

Densité relative (gravité spécifique): Environ 1.0 (eau)

Solubilité (s): Complet dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives qui causent l'évaporation.

Matières incompatibles: L'eau, les agents oxydants, les métaux, les bases fortes, agents réducteurs, alcools.

Produits dangereux de décomposition: Le gaz hydrogène au contact de métaux.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 1,872 mg/kg [Chlorure de fer, hexahydrate]

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénérité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peuvent être corrosifs ou irritants pour le nez, la gorge et les voies respiratoires. Les symptômes peuvent inclure une sensation de brûlure, de la toux, de l'essoufflement, une inflammation des poumons et un œdème pulmonaire.

Ingestion: Peut causer des lésions hépatiques graves ou des dommages des reins. Peut aussi causer des lésions gastro-intestinales.

Peau: Peut causer une irritation sévère et / ou des brûlures.

Yeux: Peut causer une irritation sévère, larmoiement, vision floue, brûlures, blessures graves et la cécité permanente.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus. Procédures appropriées d'exercice pour réduire au minimum des risques

Informations complémentaires: RTECS #: LJ9100000 (Anhydrous)

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: UN2582

Nom d'expédition: Chlorure de fer, solution

Classe de danger: 8

Groupe d'emballage: III

Quantité à déclarer: 1,000 lbs. (454 kg)

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 15 Lt

2012 ERG Guide #: 154

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Chlorure ferrique, anhydre	Listed	1,000 lbs (454 kg)	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	FERRIC NITRATE, 0.2 MOLAR SOLUTION
Synonyms	Iron(III) Nitrate, Water Solution

Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS07

Target organs: Blood

**GHS Classification:**

Acute toxicity (Category 5)

Skin irritation (Category 2)

Eye irritation (Category 2B)

GHS Label information: Hazard statement(s):

H303: May be harmful if swallowed.

H315: Causes skin irritation.

H320: Causes eye irritation.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash before reuse.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water Ferric nitrate, nonahydrate	7732-18-5 7782-61-8	91.9% 8.1%	231-791-2 233-899-5 (anhydrous CAS # 10421-48-4)

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Iron salts, soluble, as Fe	TWA: 1 mg/m ³	None	TWA: 1 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, yellowish liquid. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available	Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water.	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
---	---	---

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.
Conditions to avoid: Excessive temperatures to cause evaporation.
Incompatible materials: Aluminum, cyanides, phosphorous, stannous chloride, thiocyanate. Oxidizable materials including sulfur, organic materials and sodium hypophosphite.
Hazardous decomposition products: Nitrogen oxides.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 3,250 mg/kg [Ferric nitrate]
Skin corrosion/irritation: Data not available
Serious eye damage/irritation: Data not available
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Data not available
Aspiration hazard: Data not available
Potential health effects:
Inhalation: May be harmful if inhaled.
Ingestion: May be harmful if swallowed.
Skin: Contact with skin may cause irritation.
Eyes: Contact with eyes may cause irritation.
Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.
Additional information: RTECS #: NO7175000 [Ferric nitrate]

Section 12 Ecological Information

Toxicity to fish: No data available
Toxicity to daphnia and other aquatic invertebrates: No data available
Toxicity to algae: No data available
Persistence and degradability: No data available **Bioaccumulative potential:** No data available
Mobility in soil: No data available **PBT and vPvB assessment:** No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable	Shipping name: Not Regulated	Reportable Quantity: No	Marine pollutant: No
Hazard class: Not applicable	Packing group: Not applicable		
Exceptions: Not applicable	2012 ERG Guide # Not applicable		

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Ferric nitrate (solid)	Listed	1,000 lbs (454 kg)	D001	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit NITRATE FERRIQUE, SOLUTION DE 0,2 MOLAIRE

Synonymes Nitrate de fer(III), solution de l'eau

Section 2 Identification De Risques

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS07

Les organes cibles: La sang



Classification par le GHS:

Acute toxicity (Catégorie 5)

Skin irritation (Catégorie 2)

Eye irritation (Catégorie 2B)

Renseignements sur l'étiquette GHS: Mention de danger(s):

H303: Peut être nocif en cas d'ingestion.

H315: Provoque une irritation cutanée.

H320: Provoque une irritation des yeux.

Déclarations de précaution(s):

P264: Se laver les mains après avoir manipulé.

P280: Porter des gants / des vêtements de protection / protection pour les yeux / du visage.

P302+P352: EN CAS DE CONTACT AVEC LA PEAU: laver abondamment à l'eau et au savon.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire. Continuer à rincer.

P312: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P332+P313: En cas d'irritation cutanée: consulter un médecin.

P337+P313: Si l'irritation oculaire persiste: consulter un médecin.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau Nitrate ferrique, nonhydrate	7732-18-5 7782-61-8	91,9% 8,1%	231-791-2 233-899-5 (anhydre CAS # 10421-48-4)

Section 4 Mesures De Premiers Soins

INGESTION: PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT ÊTRE NOCIF EN CAS D'INHALATION. PEUT PROVOQUER UNE IRRITATION LES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: CAUSE L'IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En états dul feu, l'eau peut s'évaporer de cette solution, qui peut causer les produits dangereux de décomposition d'être formée comme poussière ou vapeur.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorbez avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Les sels de fer, solubles, comme Fe	TWA: 1 mg/m ³	Aucun	TWA: 1 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Liquide clair, jaunâtre.

Odeur: Aucun odeur.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: Environ 0°C (32°F) (eau)

Point d'ébullition: Environ 100°C (212°F) (eau)

Point d'éclair: Données non disponibles

Taux d'évaporation (Eau = 1): <1

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): 14 (eau)

Densité de vapeur (Air = 1): 0.7 (eau)

Densité relative (gravité spécifique): Environ 1.0 (eau)

Solubilité (s): Complet dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives pour causer l'évaporation.

Matières incompatibles: Aluminium, cyanures, chlorure phosphoreux et stanneux, sulfocyanate. Matériaux oxydables comprenant le soufre, matériaux organiques et hypophosphite de sodium.

Produits dangereux de décomposition: Oxydes d'azote.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 3,250 mg/kg [Nitrate ferrique]

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénérité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Le contact avec la peau peut provoquer une irritation.

Yeux: Contact avec les yeux peut provoquer une irritation.

Les signes et les symptômes de l'exposition: Au meilleur de notre connaissance les propriétés chimiques, physiques et toxicologiques n'ont pas été à fond étudiées. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques.

Informations complémentaires: RTECS #: NO7175000 [Nitrate ferrique]

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Nitrate ferrique (solide)	Listed	1,000 lbs (454 kg)	D001	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	SIMULATED POTASSIUM CHROMATE
Synonyms	None

Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS07

Target organs: Blood



GHS Classification:

Acute toxicity (Category 5)

Skin irritation (Category 2)

Eye irritation (Category 2B)

GHS Label information: Hazard statement(s):

H303: May be harmful if swallowed.

H315: Causes skin irritation.

H320: Causes eye irritation.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash before reuse.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	91.9%	231-791-2
Ferric nitrate, nonahydrate	7782-61-8	8.1%	233-899-5 (anhydrous CAS # 10421-48-4)

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Iron salts, soluble, as Fe	TWA: 1 mg/m ³	None	TWA: 1 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, yellowish liquid. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available	Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water.	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
---	---	---

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.
Conditions to avoid: Excessive temperatures to cause evaporation.
Incompatible materials: Aluminum, cyanides, phosphorous, stannous chloride, thiocyanate. Oxidizable materials including sulfur, organic materials and sodium hypophosphite.
Hazardous decomposition products: Nitrogen oxides.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 3,250 mg/kg [Ferric nitrate]
Skin corrosion/irritation: Data not available
Serious eye damage/irritation: Data not available
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Data not available
Aspiration hazard: Data not available
Potential health effects:
Inhalation: May be harmful if inhaled.
Ingestion: May be harmful if swallowed.
Skin: Contact with skin may cause irritation.
Eyes: Contact with eyes may cause irritation.
Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.
Additional information: RTECS #: NO7175000 [Ferric nitrate]

Section 12 Ecological Information

Toxicity to fish: No data available
Toxicity to daphnia and other aquatic invertebrates: No data available
Toxicity to algae: No data available
Persistence and degradability: No data available **Bioaccumulative potential:** No data available
Mobility in soil: No data available **PBT and vPvB assessment:** No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable	Shipping name: Not Regulated	Reportable Quantity: No	Marine pollutant: No
Hazard class: Not applicable	Packing group: Not applicable		
Exceptions: Not applicable	2012 ERG Guide # Not applicable		

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Ferric nitrate (solid)	Listed	1,000 lbs (454 kg)	D001	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit	SIMULATED CHROMATE DE POTASSIUM
---------	---------------------------------

Synonymes	Aucun
-----------	-------

Section 2 Identification De Risques

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS07

Les organes cibles: La sang



Classification par le GHS:

Acute toxicity (Catégorie 5)

Skin irritation (Catégorie 2)

Eye irritation (Catégorie 2B)

Renseignements sur l'étiquette GHS: Mention de danger(s):

H303: Peut être nocif en cas d'ingestion.

H315: Provoque une irritation cutanée.

H320: Provoque une irritation des yeux.

Déclarations de précaution(s):

P264: Se laver les mains après avoir manipulé.

P280: Porter des gants / des vêtements de protection / protection pour les yeux / du visage.

P302+P352: EN CAS DE CONTACT AVEC LA PEAU: laver abondamment à l'eau et au savon.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire. Continuer à rincer.

P312: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P332+P313: En cas d'irritation cutanée: consulter un médecin.

P337+P313: Si l'irritation oculaire persiste: consulter un médecin.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau Nitrate ferrique, nonhydrate	7732-18-5 7782-61-8	91,9% 8,1%	231-791-2 233-899-5 (anhydre CAS # 10421-48-4)

Section 4 Mesures De Premiers Soins

INGESTION: PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT ÊTRE NOCIF EN CAS D'INHALATION. PEUT PROVOQUER UNE IRRITATION LES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: CAUSE L'IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En états dul feu, l'eau peut s'évaporer de cette solution, qui peut causer les produits dangereux de décomposition d'être formée comme poussière ou vapeur.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorbez avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Les sels de fer, solubles, comme Fe	TWA: 1 mg/m ³	Aucun	TWA: 1 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Liquide clair, jaunâtre.

Odeur: Aucun odeur.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: Environ 0°C (32°F) (eau)

Point d'ébullition: Environ 100°C (212°F) (eau)

Point d'éclair: Données non disponibles

Taux d'évaporation (Eau = 1): <1

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): 14 (eau)

Densité de vapeur (Air = 1): 0.7 (eau)

Densité relative (gravité spécifique): Environ 1.0 (eau)

Solubilité (s): Complet dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives pour causer l'évaporation.

Matières incompatibles: Aluminium, cyanures, chlorure phosphoreux et stanneux, sulfocyanate. Matériaux oxydables comprenant le soufre, matériaux organiques et hypophosphite de sodium.

Produits dangereux de décomposition: Oxydes d'azote.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 3,250 mg/kg [Nitrate ferrique]

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénérité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Le contact avec la peau peut provoquer une irritation.

Yeux: Contact avec les yeux peut provoquer une irritation.

Les signes et les symptômes de l'exposition: Au meilleur de notre connaissance les propriétés chimiques, physiques et toxicologiques n'ont pas été à fond étudiées. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques.

Informations complémentaires: RTECS #: NO7175000 [Nitrate ferrique]

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Nitrate ferrique (solide)	Listed	1,000 lbs (454 kg)	D001	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

Product	GLYCINE CONTROL
Synonyms	None

Section 2 Hazards Identification

Signal word: WARNING**Pictograms:** Not applicable.**Target organs:** None known.**GHS Classification:**

Skin irrit. (Category 3)

Eye irrit. (Category 2B)

GHS Label information: Hazard statement(s):

H316: Causes mild skin irritation.

H320: Causes eye irritation.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	98.9%	231-791-2
Glycine	56-40-6	1.0%	200-272-2
Methylparaben	99-76-3	0.1%	202-785-7

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. For laboratory use only. Not for drug, food or household use. Keep out of reach of children.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, spray or mist. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Not applicable.	None established.	None established.	None established.

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Liquid. Clear colorless. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available	Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water.	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
--	--	---

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatibilities with other materials: Strong oxidizers.

Hazardous decomposition products: Carbon oxides.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

Skin: Prolonged contact may cause irritation.

Eyes: Contact may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: DH2450000 [Methylparaben]

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

All chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
All components listed with TSCA.					

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

**CHEMTRAC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300**
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit GLYCINE CONTRÔLE**Synonymes** Aucun**Section 2 Identification De Risques****Mention d'avertissement:** AVERTISSEMENT**Pictogrammes:** Non applicable.**Les organes cibles:** Aucun connu.**Classification par le GHS:**

Skin irrit. (Catégorie 3)

Eye irrit. (Catégorie 2B)

Déclarations de précaution(s):

P264: Se laver les mains après avoir manipulé.

P332+P313: En cas d'irritation cutanée: consulter un médecin.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: consulter un médecin.

Renseignements sur l'étiquette GHS: Mention de danger(s):

H316: Provoque une légère irritation cutanée.

H320: Provoque une irritation des yeux.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau	7732-18-5	98.9%	231-791-2
Glycine	56-40-6	1.0%	200-272-2
Methylparaben	99-76-3	0.1%	202-785-7

Section 4 Mesures De Premiers Soins**INGESTION:** Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.**INHALATION:** Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.**CONTACT AVEC LES YEUX:** Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.**ABSORPTION PAR LA PEAU:** Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.**Section 5 Mesures De Lutte Contre l'Incendie****Moyens d'extinction:** Utiliser un agent extincteur approprié au type de feu environnant.**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.**Dangers spécifiques:** En cas de feu, de l'eau peut s'évaporer à partir de cette solution, qui peut causer les produits dangereux de décomposition à être formée comme poussière ou vapeur.**Section 6 Mesures De Déchargement Accidental****Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.**Confinement et de nettoyage:** Absorber avec un matériau inerte, balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Étiquette lue sur le récipient avant utilisation. Ne portez pas les verres de contact en travaillant avec des produits chimiques. Récipient de subsistance étroitement fermé. Pour l'usage de laboratoire seulement. Pas pour l'usage de drogue, de nourriture ou de ménage. Subsistance hors de portée des enfants.

Manipulation: Utilisation avec à ventilation proportionnée. Évitez le contact avec les yeux, la peau et l'habillement. Évitez l'ingestion. N'inhalez pas les vapeurs, le jet ou la brume. Lavage complètement après manipulation. Habillement de lavage avant réutilisation.

Stockage: Magasin dans un secteur frais, bien-aéré loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Non applicable.	Aucun établi.	Aucun établi.	Aucun établi.

Commandes de technologie: Des équipements stockant ou utilisant ce matériel devraient être équipés d'un service d'eyewash et une douche et un feu de sûreté s'éteignant le matériel. Personnel devraient porter des verres de sûreté, des lunettes, ou le masque de protection, le manteau de laboratoire ou le tablier, gants protecteurs appropriés, le feu s'éteignant le matériel. Employez à ventilation proportionnée pour maintenir des concentrations aéroportées basses.

Protection respiratoire: Aucun ne devrait être nécessaire dans la gestion normale de laboratoire à température ambiante. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Liquide. Clair incolore.

Odeur: Aucun odeur.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: Environ 0°C (32°F) (eau)

Point d'ébullition: Environ 100°C (212°F) (eau)

Point d'éclair: Données non disponibles

Taux d'évaporation (Eau = 1): <1

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): 14 (eau)

Densité de vapeur (Air = 1): 0.7 (eau)

Densité relative (gravité spécifique): Environ 1.0 (eau)

Solubilité (s): Complet dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives qui causent l'évaporation.

Incompatibilités avec d'autres matériaux: Comburante fortes.

Produits dangereux de décomposition: Oxyde de carbones.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par le IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Un contact prolongé peut provoquer une irritation.

Yeux: Contact peut causer une irritation.

Les signes et les symptômes de l'exposition: Au meilleur de notre connaissance les propriétés chimiques, physiques et toxicologiques n'ont pas été à fond étudiées. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques.

Informations complémentaires: RTECS #: DH2450000 [Methylparaben]

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponibles

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponibles

Persistante et dégradabilité: Pas de données disponibles

Potentiel de bioaccumulation: Pas de données disponibles

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Tous les composants répertoriés à la TSCA.					

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation 221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory use only.
 Not for drug, food or household use.

Product	HYDROCHLORIC ACID, 0.5 MOLAR (0.5 NORMAL) SOLUTION
Synonyms	0.5M Hydrochloric Acid

Section 2 Hazards Identification

The dilution of this chemical has not been classified according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: WARNING

Pictograms: None required

Target organs: Respiratory system, skin, eyes, lungs.

GHS Classification:

Skin irritant (Category 3)

Eye irritant (Category 2B)

GHS Label information:

Hazard statement(s):

H316: Causes mild skin irritation.

H320: Causes eye irritation.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	98.44%	231-791-2
Hydrochloric acid	7647-01-0	1.56%	231-595-7

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with metals produce hydrogen, which is flammable and may produce explosive mixtures with air.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Neutralize spill with sodium bicarbonate or calcium hydroxide, absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hydrogen chloride	STEL: C 2 ppm / C 2.98 mg/m ³	STEL: C 5 ppm / C 7 mg/m ³	STEL: C 5 ppm / C 7 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid. Odor: Pungent odor. Odor threshold: Data not available. pH: N/A Melting / Freezing point: Approx. 0°C (32°F) [water] Boiling point: Approx. 100°C (212°F) [water] Flash point: Not flammable.	Evaporation rate (= 1): Data not available. Flammability (solid/gas): Data not available. Explosion limits: Upper/Lower: Data not available. Vapor pressure (mm Hg): 14 [water] Vapor density (Air = 1): 0.7 [water] Relative density (Specific gravity): 1.0 [water] Solubility(ies): Soluble in water.	Partition coefficient: (n-octanol / water): Data not available. Auto-ignition temperature: Data not available. Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
--	---	--

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Containers may burst when heated. Avoid contact with water.

Incompatible materials: Metals, bases, active metals, alkali metals, oxidizing agents, hydroxides, amines, carbonates, cyanides, sulfides, sulfites, formaldehyde.

Hazardous decomposition products: Hydrogen chloride gas.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available at this dilution.

Serious eye damage/irritation: Data not available at this dilution.

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

IARC: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available at this dilution.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Inhalation: May be harmful if inhaled. Material may cause irritation to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation and/or burns.

Eyes: May cause irritation and/or burns.

Signs and symptoms of exposure: Data not available at this dilution.

Additional information: RTECS #: MW4025000 [Hydrochloric acid]

Section 12 Ecological Information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h (Hydrochloric acid)

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1789

Shipping name: Hydrochloric acid

Hazard class: 8 **Packing group:** III **Reportable Quantity:** No **Marine pollutant:** No **Exceptions:** Limited quantity equal to or less than 5 Lt.

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Hydrochloric acid	Listed	Not listed	D002	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit	ACIDE CHLORHYDRIQUE, SOLUTION DE 0,5 MOLAIRE (0,5 NORMALE)
---------	--

Synonymes	0.5M Acide chlorhydrique
-----------	--------------------------

Section 2 Identification De Risques

La dilution de ce produit chimique n'a pas été classés selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: Aucune requise

Les organes cibles: Le système respiratoire, la peau, les yeux et les poumons.

Classification par le GHS:

Skin irritant (Category 3)

Eye irritant (Category 2B)

Renseignements sur l'étiquette GHS:

Mention de danger(s):

H316: Provoque une légère irritation cutanée.

H320: Provoque une irritation des yeux.

Déclarations de précaution(s):

P264: Se laver les mains après avoir manipulé.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire. Continuer à rincer.

P332+P313: En cas d'irritation cutanée: Obtenir des soins médicaux.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau Acide chlorhydrique	7732-18-5 7647-01-0	98,44% 1,56%	231-791-2 231-595-7

Section 4 Mesures De Premiers Soins

INGESTION: PEUT ETRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT ETRE NOCIF EN CAS D'INHALATION. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT CAUSER UNE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT CAUSER UNE IRRITATION. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Dioxyde de carbone, produit chimique sec, du sable sec, mousse anti-alcool.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Contact avec des métaux produire de l'hydrogène, qui est inflammable et peut produire des mélanges explosifs avec l'air.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Neutraliser le déversement avec du bicarbonate de sodium ou l'hydroxyde de calcium, l'absorber avec un matériau inerte, balayer à sec ou sous vide et placer dans un récipient approprié pour une élimination appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Acide chlorhydrique	STEL: C 2 ppm / C 2.98 mg/m ³	STEL: C 5 ppm / C 7 mg/m ³	STEL: C 5 ppm / C 7 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucune ne devrait être nécessaire dans la gestion normale de laboratoire à température ambiante. Si les conditions brumeux prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA..

Section 9 Propriétés Physiques Et Chimiques

Apparence: Clair, liquide incolore.

Odeur: Odeur piquante.

Seuil de l'odeur: Sans objet.

pH: Approximately 1

Point de fusion / congélation: Approx. 0°C (32°F) [l'eau]

Point d'ébullition: Approx. 100°C (212°F) [l'eau]

Point d'éclair: Non inflammable.

Taux d'évaporation (= 1): Sans objet.

Inflammabilité (solide / gaz): Sans objet.

Limites d'explosivité: Max: Sans objet. **Bas:** Sans objet.

Pression de vapeur (mm Hg): 14 [l'eau]

Densité de vapeur (Air = 1): 0.7 [l'eau]

Densité relative (gravité spécifique): 1.0 [l'eau]

Solubilité (s): Soluble dans l'eau.

Coefficient de partage: (n-octanol / eau): Sans objet.

Auto-inflammation: Sans objet.

Température de décomposition: Sans objet.

Viscosité: Sans objet.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les récipients peuvent éclater une fois de chauffage. Évitez le contact avec de l'eau.

Matières incompatibles: Métaux, bases, métaux actifs, métaux d'alcali, oxydants, hydroxydes, amines, carbonates, cyanures, sulfures, sulfites, formaldéhyde.

Produits dangereux de décomposition: Chlorure d'hydrogène gazeux.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles à cette dilution.

Des lésions oculaires graves / irritation: Données non disponibles à cette dilution.

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénérité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par le NTP.

IARC: Group 3: L'agent est inclassable quant à sa cancérogénité pour l'homme.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par le OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles à cette dilution.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition: Au meilleur de notre connaissance les propriétés chimiques, physiques et toxicologiques n'ont pas été à fond étudiées. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques.

Inhalation: Peut être nocif en cas d'inhalation. Le matériel peut provoquer une irritation des tissus des muqueuses et des voies respiratoires supérieures.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Peut causer une irritation et / ou des brûlures.

Yeux: Peut causer une irritation et / ou des brûlures.

Les signes et les symptômes de l'exposition: Données non disponibles à cette dilution.

Informations complémentaires: RTECS #: MW4025000 [Acide chlorhydrique]

Section 12 L'Information Écologique

Toxicité pour les poissons: LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h (Hydrochloric acid)

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistante et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numeró UN / NA: UN1789

Nom d'expédition: Acide chlorhydrique

Classe de danger: 8 **Groupe d'emballage:** III **Quantité à déclarer:** 5000 lbs. (2270 kg) **Polluant marin:** No **Exceptions:** Quantité limitée égale à ou moins de 5 Lt.

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Acide chlorhydrique	Listed	Non listed.	D002	Listed	Non listed.

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	NINHYDRIN
Synonyms	1,2,3-Indantrione Monohydrate

Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS07

Target organs: Eyes, Skin, Respiratory system

**GHS Classification:**

Acute tox. (Category 4)

Skin irrit. (Category 2)

Eye irrit. (Category 2A)

STOT-SE (Category 3)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Precautionary statement:

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with all local, state and federal regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Ninhydrin	485-47-2	100%	207-618-1

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particles not otherwise classified	None established	TWA: 5 mg/m ³ respirable fraction	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. Yellow-white crystalline powder.

Odor: Characteristic odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Data not available

Boiling point: Data not available

Flash point: Data not available

Evaporation rate (= 1): Data not available

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): Data not available

Solubility(ies): Soluble in water.

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: 240-250°C (464-482°F)

Viscosity: Data not available.

Molecular formula: C₂H₄O₃•H₂O

Molecular weight: 178.14

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures. Protect from light. Turns red at 125°C (257°F). Swells at 139°C (282.2°F).

Incompatible materials: Amines, caustic and other alkalies.

Hazardous decomposition products: Oxides of carbon.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

Skin: Causes irritation.

Eyes: Causes irritation.

Signs and symptoms of exposure: To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: NK5425000

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Ninhydrin	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®by Aldon Corporation
"cutting edge science for the classroom"221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit	NINHYDRIN
Synonymes	Monohydrate 1,2,3-Indantrione

Section 2 Identification De Risques

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS07

Les organes cibles: Les yeux, la peau et le système respiratoire



Classification par le GHS:

Acute tox. (Catégorie 4)

Skin irrit. (Catégorie 2)

Eye irrit. (Catégorie 2A)

STOT-SE (Catégorie 3)

Renseignements sur l'étiquette GHS: Mention de danger:

H302: Nocif en cas d'ingestion.

H315: Provoque une irritation cutanée

H319: Provoque une sévère irritation des yeux.

H335: Peut irriter les voies respiratoires

Déclarations de précaution:

P261: Éviter de respirer les poussières.

P264: Se laver les mains après avoir manipulé.

P270: Ne pas manger, boire ou fumer en manipulant ce produit.

P271: Utilisez uniquement de l'extérieur ou dans un endroit bien aéré.

P280: Porter des gants / des vêtements de protection / protection pour les yeux / du visage.

P302+P352: EN CAS DE CONTACT AVEC LA PEAU: laver abondamment à l'eau et au savon.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire.

Continuer à rincer.

P304+P340: EN CAS D'INHALATION: Transporter la victime à l'air frais et la garder au repos dans une position confortable pour la respiration.

P301+ P330+P312: EN CAS D'INGESTION: rincer la bouche. Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P332+P313: En cas d'irritation cutanée: consulter un médecin.

P337+P313: Si l'irritation oculaire persiste: consulter un médecin.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

P403+P233: Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.

P405: Garder sous clef.

P501: Éliminer le contenu / récipient dans une agence élimination des produits chimiques sous licence conformément à toutes les réglementations locales, provinciales et fédérales.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Ninhydrin	485-47-2	100%	207-618-1

Section 4 Mesures De Premiers Soins

INGESTION: NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médical. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT ÊTRE NOCIF EN CAS D'INHALATION. PEUT IRRITER LES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: CAUSE L'IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT ÊTRE CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Dioxyde de carbone, produit chimique sec, du sable sec, mousse anti-alcool. Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Bayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particules non classées ailleurs	Aucun établi	TWA: 5 mg/m ³ fraction respirable	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloient, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solid. Yellow-white crystalline powder.

Odeur: Odeur caractéristique.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: Données non disponibles

Point d'ébullition: Données non disponibles

Point d'éclair: Données non disponibles

Taux d'évaporation (= 1): Données non disponibles

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): Données non disponibles

Densité de vapeur (Air = 1): Données non disponibles

Densité relative (gravité spécifique): Données non disponibles

Solubilité (s): Soluble dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: 240-250°C (464-482°F)

Viscosité: Données non disponibles.

Formule moléculaire: C₉H₄O₃•H₂O

Poids moléculaire: 178.14

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives. Protégez contre la lumière. Tourne le rouge à 125°C (257°F). Gonfle à 139°C (282.2°F).

Matières incompatibles: Amines, caustique et d'autres alcalins.

Produits dangereux de décomposition: Oxydes de carbones.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénérité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Provoque une irritation.

Yeux: Provoque une irritation.

Les signes et les symptômes de l'exposition: Au meilleur de notre connaissance, au dénué chimique, physique et toxicologique de propriétés à fond étudié. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques.

Informations complémentaires: RTECS #: NK5425000

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponible

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Ninhydrin	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation 221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	SIMULATED COCAINE
----------------	--------------------------

Synonyms	Potash / Carbonic Acid, Dipotassium Salt / Potassium Carbonate, Anhydrous
-----------------	---

Section 2	Hazards Identification
------------------	-------------------------------

Signal word: WARNING

Pictograms: GHS07

Target organs: None known

**GHS Classification:**

Acute toxicity, oral (Category 4)

Eye irritation (Category 2A)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

Precautionary statement:

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3	Composition / Information on Ingredients
------------------	---

Chemical Name	CAS #	%	EINECS
Potassium carbonate	584-08-7	100%	209-529-3

Section 4	First Aid Measures
------------------	---------------------------

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5	Fire Fighting Measures
------------------	-------------------------------

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Concentrated solutions of potassium carbonate present a greater hazard than the granular form. Solution is strongly alkaline and should be handled with care.

Section 6	Accidental Release Measures
------------------	------------------------------------

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale dusts. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Potassium carbonate	None established.	None established.	None established.

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid, white granular powder.

Odor: No odor.

Odor threshold: Data not available.

pH: 11.6 (3% solution)

Melting / Freezing point: 891°C (1635°F)

Boiling point: Data not available

Flash point: Not flammable

Evaporation rate (= 1): Data not available

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Not flammable

Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 2.428 @ 19°C

Solubility(ies): Soluble in water

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: >950°C (1742°F)

Viscosity: Data not available.

Molecular formula: K₂CO₃

Molecular weight: 138.21

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures. Avoid moisture. Avoid contact with lime. Potassium carbonate and lime will react in the presence of water to form caustic potash.

Incompatibilities with other materials: Acids, strong oxidizers.

Hazardous decomposition products: Carbon oxides, potassium oxides.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 1870 mg/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Causes respiratory irritation with sore throat and cough.

Ingestion: Harmful if swallowed with burning sensation in the throat and chest.

Skin: Causes irritation with redness and pain.

Eyes: Causes serious irritation with redness and pain.

Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: TS7750000

Section 12 Ecological Information

Toxicity to fish: LC50 - Pimephales promelas (Fathead minnow) 940,000 µg/L/24 hours

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) 670,000 µg/L/24 hours

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Potassium carbonate	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit COCAÏNE SIMULATED**Synonymes** Potash / Acide carbonique, sel dipotassique / Carbonate de potassium, anhydre**Section 2 Identification De Risques****Mention d'avertissement:** AVERTISSEMENT**Pictogrammes:** GHS07**Les organes cibles:** Aucun connu**Classification par le GHS:**

Acute toxicity, oral (Category 4)

Eye irritation (Catégorie 2A)

Renseignements sur l'étiquette GHS: Mention de danger:

H302: Nocif en cas d'ingestion.

H319: Provoque une sévère irritation des yeux.

Déclarations de précaution:

P264: Se laver les mains après avoir manipulé.

P270: Ne pas manger, boire ou fumer en manipulant ce produit.

P280: Porter des gants / des vêtements de protection / protection pour les yeux / du visage.

P301+P330+P312: EN CAS D'INGESTION: Rincer la bouche. Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: consulter un médecin.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Carbonate de potassium	497-19-8	100%	209-529-3

Section 4 Mesures De Premiers Soins**INGESTION:** Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.**INHALATION:** Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.**CONTACT AVEC LES YEUX:** Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.**ABSORPTION PAR LA PEAU:** Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.**Section 5 Mesures De Lutte Contre l'Incendie****Moyens d'extinction:** Utilisez des supports adaptés pour éteindre le feu à l'appui.**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.**Dangers spécifiques:** En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les solutions concentrées de carbonate de potassium présentent un plus grand risque que la forme granulaire. Solution est fortement alcaline et doit être manipulé avec soin.**Section 6 Mesures De Déchargement Accidental****Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.**Confinement et de nettoyage:** Récupérent pour s'il n'est pas contaminé. Balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornéennes lorsque vous travaillez avec des produits chimiques. Conserver le récipient bien fermé. Tenir hors de portée des enfants. Utiliser avec une ventilation adéquate. Bien se laver après la manipulation.

Manipulation: Utiliser avec une ventilation adéquate. Éviter tout contact avec les yeux, la peau et les vêtements. Éviter l'ingestion. Ne pas inhale les poussières. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Stockage: Conserver dans un endroit frais, sec et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Carbonate de potassium	Aucun établi	Aucun établi	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucune ne devrait être nécessaire dans la gestion normale de laboratoire à température ambiante. Si les conditions poussiéreuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide, poudre granuleuse blanche.	Taux d'évaporation (= 1): Données non disponibles	Coefficient de partage: Données non disponibles
Odeur: Aucun odeur.	Inflammabilité (solide / gaz): Données non disponibles.	Auto-inflammation: Données non disponibles
Seuil de l'odeur: Données non disponibles.	Limites d'explosivité: Bas / Max: Données non disponibles	Température de décomposition: >950°C (1742°F)
pH: 11.6 (3% solution)	Pression de vapeur (mm Hg): Données non disponibles	Viscosité: Données non disponibles.
Point de fusion / congélation: 891°C (1635°F)	Densité de vapeur (Air = 1): Données non disponibles	Formule moléculaire: K ₂ CO ₃
Point d'ébullition: Se décompose	Densité relative (gravité spécifique): 2.428 @ 19°C	Poids moléculaire: 138.21
Point d'éclair: Ininflammable	Solubilité (s): Soluble dans l'eau.	

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives. Éviter l'humidité. Eviter le contact avec de la chaux. Le carbonate de potassium et de la chaux vont réagir en présence d'eau pour former de la potasse caustique.

Incompatibilités avec d'autres matériaux: Acides, comburant forts.

Produits de décomposition dangereux: Oxydes de carbones, oxydes de potassium.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 1870 mg/kg

La corrosion de la peau et l'irritation: Données non disponibles.

Des lésions oculaires graves / irritation: Données non disponibles.

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénérité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation. Provoque une irritation des voies respiratoires mal de gorge et la toux.

Ingestion: Nocif en cas d'ingestion avec sensation de brûlure dans la gorge et la poitrine.

Peau: Provoque une irritation avec rougeur et douleur.

Yeux: Provoque une irritation grave avec une rougeur et douleur.

Les signes et les symptômes de l'exposition: Procédures appropriées d'exercice pour réduire au minimum des risques.

Informations complémentaires: RTECS #: TS7750000

Section 12 L'Information Écologique

Toxicité pour les poissons: LC50 - Pimephales promelas (Fathead minnow) 940,000 µg/L/24 hours

Toxicité pour les daphnies et autres invertébrés aquatiques: EC50 - Daphnia magna (Water flea) 670,000 µg/L/24 hours

Toxicité pour les algues: Pas de données disponibles

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponibles

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Carbonate de potassium	Listed	Non listed	Non listed	Listed	Non listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	ASPIRIN
Synonyms	None

Section 2 Hazards Identification

Signal word: WARNING**Pictograms:** GHS07**Target organs:** Central nervous system, Kidneys, Pancreas**GHS Classification:**

Acute toxicity, oral (Category 4)

Eye irritation (Category 2B)

STOT SE (Category 3)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Precautionary statement:

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Salicylic acid	69-72-7	100%	200-712-3

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dusts may form flammable and explosive mixtures in air.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Light sensitive. Protect from light and moisture.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Salicylic acid	Not listed	Not listed	Not listed

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. White, crystalline powder.

Odor: No odor.

Odor threshold: Data not available.

pH: 2.4

Melting / Freezing point: 158-160°C (316-320°F)

Boiling point: 211°C (412°F)

Flash point: 157°C (315°F)

Evaporation rate (Butyl acetate = 1): <1

Flammability (solid/gas): Data not available.

Explosion limits: Lower: Ca. 1.1% @ 20°C Upper: N/A

Vapor pressure (mm Hg): 1 mm @ 114°C

Vapor density (Air = 1): 4.8

Relative density (Specific gravity): 1.443 (20°/4°)

Solubility(ies): Slightly soluble in water.

Partition coefficient: Data not available

Auto-ignition temperature: 540°C (1004°F)

Decomposition temperature: 540°C (1004°F)

Viscosity: Data not available.

Molecular formula: C₇H₆O₃

Molecular weight: 138.12

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures and heat. Light and moisture sensitive.

Incompatible materials: Strong oxidizers, iron salts, spirit nitrous ether, lead acetate and iodine.

Hazardous decomposition products: Oxides of carbon and phenol.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 891 mg/kg ; Inhalation-rat LC50: 0.9 mg/L/1 hour

Skin corrosion/irritation: Skin-rabbit - draize test 500 mg/24H - Mild irritant

Serious eye damage/irritation: Eyes-rabbit - draize test 100 mg - Severe

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation causes irritation of the mucous membrane and upper respiratory tract.

Ingestion: Ingestion causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause 'salicylism', characterized by headache, dizziness, ringing in the ears, hearing difficulty, visual disturbance, mental confusion, drowsiness, sweating, thirst, hyperventilation, nausea, vomiting and diarrhea. Severe salicylate intoxication may cause CNS disturbances such as convulsions and coma. skin eruptions, and alteration in the acid-base balance.

Skin: Contact causes irritation and possible burns, especially if the skin is wet or moist. May cause rash and eruptions.

Eyes: Contact causes severe irritation. May result in corneal injury.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: VO0525000

Section 12 Ecological Information

Toxicity to fish: Leuciscus idus (fish, fresh water), LC50 = 90 mg/L/48 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = 230 mg/L/24 hours

Toxicity to algae: Haematococcus pluvialis (Algae), EC10 = 165 mg/L/4 hours

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide #: Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Salicylic acid	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit ASPIRIN**Synonymes** Aucun**Section 2 Identification De Risques****Mention d'avertissement:** AVERTISSEMENT**Pictogrammes:** GHS07**Les organes cibles:** Le système nerveux central, les reins et le pancréas.**Classification par le GHS:**

Acute toxicity, oral (Catégorie 4)

Eye irritation (Catégorie 2B)

STOT-SE (Catégorie 3)

Renseignements sur l'étiquette GHS: Mention de danger:

H302: Nocif en cas d'ingestion.

H319: Provoque une sévère irritation des yeux.

H335: Peut irriter les voies respiratoires.

Déclarations de précaution:

P261: Éviter de respirer les poussières.

P264: Se laver les mains soigneusement après manipulation.

P270: Ne pas manger, boire ou fumer en manipulant ce produit.

P271: Utiliser seulement en plein air ou dans un endroit bien ventilé.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P301+P330+P312: EN CAS D'INGESTION: Rincer la bouche. Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P403+P233: Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.

P405: Garder sous clef.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.**Section 3 Composition / Information Sur Des Ingrédients**

Nommé Chimique	# CAS	%	EINECS
Acide salicylique	69-72-7	100%	200-712-3

Section 4 Mesures De Premiers Soins**INGESTION:** PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.**INHALATION:** PEUT ÊTRE NOCIF EN CAS D'INHALATION. PEUT CAUSER UNE IRRITATION DE LA VOIES RESPIRATOIRE. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.**CONTACT AVEC LES YEUX:** PEUT CAUSER UNE IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.**ABSORPTION PAR LA PEAU:** PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. PEUT CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.**Section 5 Mesures De Lutte Contre l'Incendie****Moyens d'extinction:** Utilisez des supports adaptés pour éteindre le feu à l'appui.**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.**Dangers spécifiques:** En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les poussières peuvent former un mélange explosif avec l'air.**Section 6 Mesures De Déchargement Accidental****Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.**Confinement et de nettoyage:** Récupèrent pour s'il n'est pas contaminé. Enlever toute source d'ignition. Balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Subsistance loin des sources d'allumage. Sensible à la lumière. Protéger de la lumière et de l'humidité.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Acide salicylique	Not listed	Not listed	Not listed

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloient, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Poudre cristalline blanche

Taux d'évaporation (Acetate de butylique = 1): <1

Odeur: Aucun connu

Inflammabilité (solide / gaz): Données non disponibles.

Seuil de l'odeur: Données non disponibles.

Limites d'explosivité: Bas: Ca. 1.1% @ 20°C **Max:** N/A

pH: 2.4

Pression de vapeur (mm Hg): 1 mm @ 114°C

Point de fusion / congélation: 158-160°C (316-320°F)

Densité de vapeur (Air = 1): 4.8

Point d'ébullition: 211°C (412°F)

Densité relative (gravité spécifique): 1.443 (20°/4°)

Point d'éclair: 157°C (315°F)

Solubilité (s): Légèrement soluble dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: 540°C (1004°F)

Température de décomposition: 540°C (1004°F)

Viscosité: Données non disponibles.

Formule moléculaire: C₇H₆O₃

Poids moléculaire: 138.12

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives et la chaleur. Lumière et humidité sensibles.

Matières incompatibles: Comburante fortes, sels de fer, d'azote éther d'esprit, acétate de plomb.

Produits dangereux de décomposition: Oxydes de carbones et phénol.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 891 mg/kg ; Inhalation-rat LC50: 0.9 mg/L/1 hour

La corrosion de la peau et l'irritation: Peau-lapin - draize test 500 mg/24H - Faiblement irritant

Des lésions oculaires graves / irritation: Yeux-lapin - draize test 100 mg - Sévère

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation provoque une irritation des muqueuses et des voies respiratoires supérieures.

Ingestion: L'ingestion provoque une irritation gastro-intestinale accompagnée de nausées, vomissements et diarrhée. Peut causer »salicylisme», caractérisée par des maux de tête, vertiges, bourdonnements d'oreilles, de la difficulté, de troubles visuels, confusion mentale, somnolence, transpiration, soif, hyperventilation, des nausées, des vomissements et de la diarrhée auditive. Intoxication salicylate sévère peut causer des troubles du SNC tels que des convulsions et le coma. Éruptions cutanées et une altération de l'équilibre acido-basique.

Peau: Le contact provoque une irritation et des brûlures possibles, surtout si la peau est mouillée ou humide. Peut causer des rougeurs et des éruptions.

Yeux: Le contact provoque une irritation sévère. Peut causer une lésion cornéenne.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus. Procédures appropriées d'exercice pour réduire au minimum des risques

Informations complémentaires: RTECS #: VO0525000

Section 12 L'Information Écologique

Toxicité pour les poissons: Leuciscus idus (fish, fresh water), LC50 = 90 mg/L/48 hours

Toxicité pour les daphnies et autres invertébrés aquatiques: Daphnia magna (Crustacea), EC50 = 230 mg/L/24 hours

Toxicité pour les algues: Haematococcus pluvialis (Algae), EC10 = 165 mg/L/4 hours

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Acide salicylique	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	SIMULATED LSD
Synonyms	2-Hydroxybenzoic acid / Salicylic Acid

Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS07

Target organs: Central nervous system, Kidneys, Pancreas

**GHS Classification:**

Acute toxicity, oral (Category 4)

Eye irritation (Category 2B)

STOT SE (Category 3)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Precautionary statement:

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Salicylic acid	69-72-7	100%	200-712-3

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dusts may form flammable and explosive mixtures in air.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Light sensitive. Protect from light and moisture.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Salicylic acid	Not listed	Not listed	Not listed

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. White, crystalline powder.

Odor: No odor.

Odor threshold: Data not available.

pH: 2.4

Melting / Freezing point: 158-160°C (316-320°F)

Boiling point: 211°C (412°F)

Flash point: 157°C (315°F)

Evaporation rate (Butyl acetate = 1): <1

Flammability (solid/gas): Data not available.

Explosion limits: Lower: Ca. 1.1% @ 20°C Upper: N/A

Vapor pressure (mm Hg): 1 mm @ 114°C

Vapor density (Air = 1): 4.8

Relative density (Specific gravity): 1.443 (20°/4°)

Solubility(ies): Slightly soluble in water.

Partition coefficient: Data not available

Auto-ignition temperature: 540°C (1004°F)

Decomposition temperature: 540°C (1004°F)

Viscosity: Data not available.

Molecular formula: C₇H₆O₃

Molecular weight: 138.12

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures and heat. Light and moisture sensitive.

Incompatible materials: Strong oxidizers, iron salts, spirit nitrous ether, lead acetate and iodine.

Hazardous decomposition products: Oxides of carbon and phenol.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 891 mg/kg ; Inhalation-rat LC50: 0.9 mg/L/1 hour

Skin corrosion/irritation: Skin-rabbit - draize test 500 mg/24H - Mild irritant

Serious eye damage/irritation: Eyes-rabbit - draize test 100 mg - Severe

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation causes irritation of the mucous membrane and upper respiratory tract.

Ingestion: Ingestion causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause 'salicylism', characterized by headache, dizziness, ringing in the ears, hearing difficulty, visual disturbance, mental confusion, drowsiness, sweating, thirst, hyperventilation, nausea, vomiting and diarrhea. Severe salicylate intoxication may cause CNS disturbances such as convulsions and coma. skin eruptions, and alteration in the acid-base balance.

Skin: Contact causes irritation and possible burns, especially if the skin is wet or moist. May cause rash and eruptions.

Eyes: Contact causes severe irritation. May result in corneal injury.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: VO0525000

Section 12 Ecological Information

Toxicity to fish: Leuciscus idus (fish, fresh water), LC50 = 90 mg/L/48 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = 230 mg/L/24 hours

Toxicity to algae: Haematococcus pluvialis (Algae), EC10 = 165 mg/L/4 hours

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide #: Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Salicylic acid	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®by Aldon Corporation
"cutting edge science for the classroom"221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit LSD SIMULATED**Synonymes** Acide 2-Hydroxybenzoïque / Acide salicylique**Section 2 Identification De Risques****Mention d'avertissement:** AVERTISSEMENT**Pictogrammes:** GHS07**Les organes cibles:** Le système nerveux central, les reins et le pancréas.**Classification par le GHS:**

Acute toxicity, oral (Catégorie 4)

Eye irritation (Catégorie 2B)

STOT-SE (Catégorie 3)

Renseignements sur l'étiquette GHS: Mention de danger:

H302: Nocif en cas d'ingestion.

H319: Provoque une sévère irritation des yeux.

H335: Peut irriter les voies respiratoires.

Déclarations de précaution:

P261: Éviter de respirer les poussières.

P264: Se laver les mains soigneusement après manipulation.

P270: Ne pas manger, boire ou fumer en manipulant ce produit.

P271: Utiliser seulement en plein air ou dans un endroit bien ventilé.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P301+P330+P312: EN CAS D'INGESTION: Rincer la bouche. Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P403+P233: Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.

P405: Garder sous clef.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Acide salicylique	69-72-7	100%	200-712-3

Section 4 Mesures De Premiers Soins**INGESTION:** PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.**INHALATION:** PEUT ÊTRE NOCIF EN CAS D'INHALATION. PEUT CAUSER UNE IRRITATION DE LA VOIES RESPIRATOIRE. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.**CONTACT AVEC LES YEUX:** PEUT CAUSER UNE IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.**ABSORPTION PAR LA PEAU:** PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. PEUT CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.**Section 5 Mesures De Lutte Contre l'Incendie****Moyens d'extinction:** Utilisez des supports adaptés pour éteindre le feu à l'appui.**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.**Dangers spécifiques:** En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les poussières peuvent former un mélange explosif avec l'air.**Section 6 Mesures De Déchargement Accidental****Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.**Confinement et de nettoyage:** Récupérent pour s'il n'est pas contaminé. Enlever toute source d'ignition. Balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Subsistance loin des sources d'allumage. Sensible à la lumière. Protéger de la lumière et de l'humidité.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Acide salicylique	Not listed	Not listed	Not listed

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloient, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Poudre cristalline blanche

Taux d'évaporation (Acetate de butylique = 1): <1

Odeur: Aucun connu

Inflammabilité (solide / gaz): Données non disponibles.

Seuil de l'odeur: Données non disponibles.

Limites d'explosivité: Bas: Ca. 1.1% @ 20°C **Max:** N/A

pH: 2.4

Pression de vapeur (mm Hg): 1 mm @ 114°C

Point de fusion / congélation: 158-160°C (316-320°F)

Densité de vapeur (Air = 1): 4.8

Point d'ébullition: 211°C (412°F)

Densité relative (gravité spécifique): 1.443 (20°/4°)

Point d'éclair: 157°C (315°F)

Solubilité (s): Légèrement soluble dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: 540°C (1004°F)

Température de décomposition: 540°C (1004°F)

Viscosité: Données non disponibles.

Formule moléculaire: C₇H₆O₃

Poids moléculaire: 138.12

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives et la chaleur. Lumière et humidité sensibles.

Matières incompatibles: Comburante fortes, sels de fer, d'azote éther d'esprit, acétate de plomb.

Produits dangereux de décomposition: Oxydes de carbones et phénol.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 891 mg/kg ; Inhalation-rat LC50: 0.9 mg/L/1 hour

La corrosion de la peau et l'irritation: Peau-lapin - draize test 500 mg/24H - Faiblement irritant

Des lésions oculaires graves / irritation: Yeux-lapin - draize test 100 mg - Sévère

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation provoque une irritation des muqueuses et des voies respiratoires supérieures.

Ingestion: L'ingestion provoque une irritation gastro-intestinale accompagnée de nausées, vomissements et diarrhée. Peut causer »salicylisme», caractérisée par des maux de tête, vertiges, bourdonnements d'oreilles, de la difficulté, de troubles visuels, confusion mentale, somnolence, transpiration, soif, hyperventilation, des nausées, des vomissements et de la diarrhée auditive. Intoxication salicylate sévère peut causer des troubles du SNC tels que des convulsions et le coma. Éruptions cutanées et une altération de l'équilibre acido-basique.

Peau: Le contact provoque une irritation et des brûlures possibles, surtout si la peau est mouillée ou humide. Peut causer des rougeurs et des éruptions.

Yeux: Le contact provoque une irritation sévère. Peut causer une lésion cornéenne.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus. Procédures appropriées d'exercice pour réduire au minimum des risques

Informations complémentaires: RTECS #: VO0525000

Section 12 L'Information Écologique

Toxicité pour les poissons: Leuciscus idus (fish, fresh water), LC50 = 90 mg/L/48 hours

Toxicité pour les daphnies et autres invertébrés aquatiques: Daphnia magna (Crustacea), EC50 = 230 mg/L/24 hours

Toxicité pour les algues: Haematococcus pluvialis (Algae), EC10 = 165 mg/L/4 hours

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Acide salicylique	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency

Phone Number (800) 424-9300

For laboratory use only.

Not for drug, food or household use.

Product	UNKNOWN #2
Synonyms	None

Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS07

Target organs: Central nervous system, Kidneys, Pancreas



GHS Classification:

Acute toxicity, oral (Category 4)

Eye irritation (Category 2B)

STOT SE (Category 3)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Precautionary statement:

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Salicylic acid	69-72-7	100%	200-712-3

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dusts may form flammable and explosive mixtures in air.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Light sensitive. Protect from light and moisture.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Salicylic acid	Not listed	Not listed	Not listed

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. White, crystalline powder.

Odor: No odor.

Odor threshold: Data not available.

pH: 2.4

Melting / Freezing point: 158-160°C (316-320°F)

Boiling point: 211°C (412°F)

Flash point: 157°C (315°F)

Evaporation rate (Butyl acetate = 1): <1

Flammability (solid/gas): Data not available.

Explosion limits: Lower: Ca. 1.1% @ 20°C Upper: N/A

Vapor pressure (mm Hg): 1 mm @ 114°C

Vapor density (Air = 1): 4.8

Relative density (Specific gravity): 1.443 (20°/4°)

Solubility(ies): Slightly soluble in water.

Partition coefficient: Data not available

Auto-ignition temperature: 540°C (1004°F)

Decomposition temperature: 540°C (1004°F)

Viscosity: Data not available.

Molecular formula: C₇H₆O₃

Molecular weight: 138.12

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures and heat. Light and moisture sensitive.

Incompatible materials: Strong oxidizers, iron salts, spirit nitrous ether, lead acetate and iodine.

Hazardous decomposition products: Oxides of carbon and phenol.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 891 mg/kg ; Inhalation-rat LC50: 0.9 mg/L/1 hour

Skin corrosion/irritation: Skin-rabbit - draize test 500 mg/24H - Mild irritant

Serious eye damage/irritation: Eyes-rabbit - draize test 100 mg - Severe

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation causes irritation of the mucous membrane and upper respiratory tract.

Ingestion: Ingestion causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause 'salicylism', characterized by headache, dizziness, ringing in the ears, hearing difficulty, visual disturbance, mental confusion, drowsiness, sweating, thirst, hyperventilation, nausea, vomiting and diarrhea. Severe salicylate intoxication may cause CNS disturbances such as convulsions and coma. skin eruptions, and alteration in the acid-base balance.

Skin: Contact causes irritation and possible burns, especially if the skin is wet or moist. May cause rash and eruptions.

Eyes: Contact causes severe irritation. May result in corneal injury.

Signs and symptoms of exposure: See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: VO0525000

Section 12 Ecological Information

Toxicity to fish: Leuciscus idus (fish, fresh water), LC50 = 90 mg/L/48 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = 230 mg/L/24 hours

Toxicity to algae: Haematococcus pluvialis (Algae), EC10 = 165 mg/L/4 hours

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide #: Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Salicylic acid	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit	UNKNOWN #2
Synonymes	Aucun

Section 2 Identification De Risques

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS07

Les organes cibles: Le système nerveux central, les reins et le pancréas.



Classification par le GHS:

Acute toxicity, oral (Catégorie 4)

Eye irritation (Catégorie 2B)

STOT-SE (Catégorie 3)

Renseignements sur l'étiquette GHS: Mention de danger:

H302: Nocif en cas d'ingestion.

H319: Provoque une sévère irritation des yeux.

H335: Peut irriter les voies respiratoires.

Déclarations de précaution:

P261: Éviter de respirer les poussières.

P264: Se laver les mains soigneusement après manipulation.

P270: Ne pas manger, boire ou fumer en manipulant ce produit.

P271: Utiliser seulement en plein air ou dans un endroit bien ventilé.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P301+P330+P312: EN CAS D'INGESTION: Rincer la bouche. Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P403+P233: Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.

P405: Garder sous clef.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Acide salicylique	69-72-7	100%	200-712-3

Section 4 Mesures De Premiers Soins

INGESTION: PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: PEUT ÊTRE NOCIF EN CAS D'INHALATION. PEUT CAUSER UNE IRRITATION DE LA VOIES RESPIRATOIRE. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PEUT CAUSER UNE IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. PEUT CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les poussières peuvent former un mélange explosif avec l'air.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Récupérent pour s'il n'est pas contaminé. Enlever toute source d'ignition. Balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Subsistance loin des sources d'allumage. Sensible à la lumière. Protéger de la lumière et de l'humidité.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Acide salicylique	Not listed	Not listed	Not listed

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloient, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Poudre cristalline blanche

Taux d'évaporation (Acetate de butylique = 1): <1

Odeur: Aucun connu

Inflammabilité (solide / gaz): Données non disponibles.

Seuil de l'odeur: Données non disponibles.

Limites d'explosivité: Bas: Ca. 1.1% @ 20°C **Max:** N/A

pH: 2.4

Pression de vapeur (mm Hg): 1 mm @ 114°C

Point de fusion / congélation: 158-160°C (316-320°F)

Densité de vapeur (Air = 1): 4.8

Point d'ébullition: 211°C (412°F)

Densité relative (gravité spécifique): 1.443 (20°/4°)

Point d'éclair: 157°C (315°F)

Solubilité (s): Légèrement soluble dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: 540°C (1004°F)

Température de décomposition: 540°C (1004°F)

Viscosité: Données non disponibles.

Formule moléculaire: C₇H₆O₃

Poids moléculaire: 138.12

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives et la chaleur. Lumière et humidité sensibles.

Matières incompatibles: Comburante fortes, sels de fer, d'azote éther d'esprit, acétate de plomb.

Produits dangereux de décomposition: Oxydes de carbones et phénol.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 891 mg/kg ; Inhalation-rat LC50: 0.9 mg/L/1 hour

La corrosion de la peau et l'irritation: Peau-lapin - draize test 500 mg/24H - Faiblement irritant

Des lésions oculaires graves / irritation: Yeux-lapin - draize test 100 mg - Sévère

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation provoque une irritation des muqueuses et des voies respiratoires supérieures.

Ingestion: L'ingestion provoque une irritation gastro-intestinale accompagnée de nausées, vomissements et diarrhée. Peut causer »salicylisme», caractérisée par des maux de tête, vertiges, bourdonnements d'oreilles, de la difficulté, de troubles visuels, confusion mentale, somnolence, transpiration, soif, hyperventilation, des nausées, des vomissements et de la diarrhée auditive. Intoxication salicylate sévère peut causer des troubles du SNC tels que des convulsions et le coma. Éruptions cutanées et une altération de l'équilibre acido-basique.

Peau: Le contact provoque une irritation et des brûlures possibles, surtout si la peau est mouillée ou humide. Peut causer des rougeurs et des éruptions.

Yeux: Le contact provoque une irritation sévère. Peut causer une lésion cornéenne.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus. Procédures appropriées d'exercice pour réduire au minimum des risques

Informations complémentaires: RTECS #: VO0525000

Section 12 L'Information Écologique

Toxicité pour les poissons: Leuciscus idus (fish, fresh water), LC50 = 90 mg/L/48 hours

Toxicité pour les daphnies et autres invertébrés aquatiques: Daphnia magna (Crustacea), EC50 = 230 mg/L/24 hours

Toxicité pour les algues: Haematococcus pluvialis (Algae), EC10 = 165 mg/L/4 hours

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Acide salicylique	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation 221 Rochester Street
 "cutting edge science for the classroom" Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	SIMULATED MARIJUANA
Synonyms	None

Section 2 Hazards Identification

Signal word: WARNING**Pictograms:** No symbol required**Target organs:** None known**GHS Classification:**

Eye irrit. (Category 2B)

GHS Label information: Hazard statement:

H320: Causes eye irritation.

Precautionary statement:

P264: Wash hands thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Oregano flakes, dried Sodium carbonate	None assigned 497-19-8	76% 24%	None assigned 207-838-8

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Sodium carbonate reacts with hydrated lime to form caustic soda. Special care should be taken where lime and sodium carbonate are handled in the same area.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium carbonate	None established.	None established.	None established.

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. Greenish-brown dried leaves.

Odor: Camphorous, spicy odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Data not available

Boiling point: Data not available

Flash point: Data not available

Evaporation rate (= 1): Data not available

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Not flammable

Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): <1

Solubility(ies): Partially soluble in water

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available

Viscosity: Data not available.

Molecular formula: Mixture

Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures. Avoid moisture.

Incompatibilities with other materials: Acids cause decomposition liberating gaseous carbon dioxide.

Hazardous decomposition products: Carbon dioxide.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 4090 mg/kg ; Inhalation-rat LC50: 2.3 mg/l/2 hours ; Dermal-rat LD50: 2210 mg/kg [Sodium carbonate]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation.

Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting.

Additional information: RTECS #: VZ4050000 [Sodium carbonate]

Section 12 Ecological Information

Toxicity to fish: LC50 - Lepomis macrochirus (Bluegill) - 300 mg/l - 96 h [Sodium carbonate]

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - 265 mg/l - 48 h [Sodium carbonate]

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Sodium carbonate	Listed	Not listed	Not listed	Not listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit	MARIJUANA SIMULATED
Synonymes	Aucun

Section 2 Identification De Risques

Mention d'avertissement: AVERTISSEMENT**Pictogrammes:** Aucun symbole n'est demandé**Les organes cibles:** Aucun connu**Classification par le GHS:**

Eye irrit. (Catégorie 2B)

Renseignements sur l'étiquette GHS: Mention de danger:

H320: Provoque une irritation des yeux.

Déclarations de précaution:

P264: Se laver les mains après avoir manipulé.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: consulter un médecin.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Flocons d'origan, séché	Non attribué	76%	Non attribué
Carbonate de sodium	497-19-8	24%	207-838-8

Section 4 Mesures De Premiers Soins

INGESTION: Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.**INHALATION:** Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.**CONTACT AVEC LES YEUX:** Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.**ABSORPTION PAR LA PEAU:** Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utiliser un agent extincteur approprié au type de feu environnant.**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.**Dangers spécifiques:** En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Le carbonate de sodium réagit avec la chaux hydratée à la soude caustique de forme. Le soin spécial devrait être pris où le carbonate de chaux et de sodium sont manipulés dans le même secteur.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.**Confinement et de nettoyage:** Récupèrent pour s'il n'est pas contaminé. Enlever toute source d'ignition. Balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Subsistance loin des sources d'allumage.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Carbonate de sodium	Non établi.	Non établi.	Non établi.

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloient, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Feuilles séchées brun verdâtre.

Odeur: Camphrée, odeur épicee.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: Données non disponibles

Point d'ébullition: Données non disponibles

Point d'éclair: Données non disponibles

Taux d'évaporation (= 1): Données non disponibles

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): Données non disponibles

Densité de vapeur (Air = 1): Données non disponibles

Densité relative (gravité spécifique): <1

Solubilité (s): Partiellement soluble dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives. Éviter l'humidité.

Incompatibilités avec d'autres matériaux: Décomposition de cause d'acides libérant l'anhydride carbonique gazeux.

Produits de décomposition dangereux: Anhydride carbonique.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 4090 mg/kg ; Inhalation-rat LC50: 2.3 mg/l/2 hours ; Dermal-rat LD50: 2210 mg/kg [Carbonate de sodium]

La corrosion de la peau et l'irritation: Données non disponibles.

Des lésions oculaires graves / irritation: Données non disponibles.

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation. Provoque une irritation des voies respiratoires.

Ingestion: Peut provoquer une irritation du tube digestif. Peut être nocif en cas d'ingestion.

Peau: Peut être nocif en cas d'absorption par la peau. Provoque une irritation cutanée.

Yeux: Provoque une irritation des yeux.

Les signes et les symptômes de l'exposition: Sensation de brûlure, une toux, une respiration sifflante, laryngite, essoufflement, maux de tête, des nausées, des vomissements.

Informations complémentaires: RTECS #: VZ4050000 [Carbonate de sodium]

Section 12 L'Information Écologique

Toxicité pour les poissons: LC50 - Lepomis macrochirus (Bluegill) - 300 mg/l - 96 h [Carbonate de sodium]

Toxicité pour les daphnies et autres invertébrés aquatiques: EC50 - Daphnia magna (Water flea) - 265 mg/l - 48 h [Carbonate de sodium]

Toxicité pour les algues: Pas de données disponibles

Persistance et dégradabilité: Pas de données disponibles

Potentiel de bioaccumulation: Pas de données disponibles

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Carbonate de sodium	Listed	Pas listed	Pas listed	Pas listed	Pas listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation 221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory use only.
 Not for drug, food or household use.

Product	SIMULATED EFFERVESCENT ANTACID
---------	--------------------------------

Synonyms	Effervescent Antacid
----------	----------------------

Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS07

Target organs: None known



GHS Classification:

Eye irritation (Category 2)

GHS Label information: Hazard statement(s):

H319: Causes serious eye irritation.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Sodium bicarbonate Citric acid, anhydrous	144-55-8 77-92-9	70% 30%	205-633-8 201-069-1

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for use if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Minimize dust generation. Store away from acids.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Citric acid	Not listed	Not listed	Not listed

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. White, crystalline powder

Odor: No odor.

Odor threshold: Data not available

pH: Data not available

Melting / Freezing point: Data not available

Boiling point: Data not available

Flash point: Non-flammable

Evaporation rate (= 1): Not applicable

Flammability (solid/gas): Not applicable

Explosion limits: Lower / Upper: Not applicable

Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): Data not available

Solubility(ies): Data not available

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available

Viscosity: Not applicable

Molecular formula: Mixture

Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperature and heat. Avoid dust formation. High temperature causes decomposition to sodium carbonate, water and carbon dioxide

Incompatible materials: Strong bases and oxidizing materials. Reacts with acids to yield acid salts, water and carbon dioxide

Hazardous decomposition products: Carbon oxides.

Section 11 Toxicological Information

Acute toxicity: Citric acid: Oral-rat LD50: 12,000 mg/kg **Sodium bicarbonate:** Oral-rat LD50: 4220-4400 mg/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Citric acid: Rabbit-highly irritating

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause irritation to mucous membranes causing sore throat, coughing and shortness of breath.

Ingestion: Ingestion may cause acute gastrointestinal irritation with abdominal pain.

Skin: Contact may cause irritation.

Eyes: Contact with eyes may cause irritation with redness, pain, possible eye burns, conjunctivitis, ulceration and permanent cloudiness.

Signs and symptoms of exposure: Long term over-exposure may cause damage to tooth enamel.

Additional information: RTECS #: Citric acid: GE7350000 Sodium bicarbonate: VZ0950000

Section 12 Ecological Information

Toxicity to fish: Citric acid: Lepomis macrochirus (Fish, Fresh water) LC50: 1,516 mg/l/96 hours

Toxicity to daphnia and other aquatic invertebrates: Citric acid: Daphnia magna (Crustacean) EC50: ca. 120 mg/l/72 hours

Toxicity to algae: Citric acid: Scenedesmus quadricauda (Algae) EC3: 640 mg/l/7 days

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Sodium bicarbonate	Listed	Not listed	Not listed	Listed	Not listed
Citric acid, anhydrous	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit	ANTACID EFFERVESCENT SIMULATED
Synonymes	Effervescent Antacid

Section 2 Identification De Risques

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS07

Les organes cibles: Aucun connu



Classification par le GHS:

Eye irritation (Catégorie 2)

Renseignements sur l'étiquette GHS: Mention de danger(s):

H319: Provoque une sévère irritation des yeux.

Déclarations de précaution(s):

P264: Se laver les mains après avoir manipulé.

P280: Porter des gants / des vêtements de protection / protection pour les yeux / du visage.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: consulter un médecin.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Bicarbonate de sodium Acide citrique, anhydre	144-55-8 77-92-9	70% 30%	205-633-8 201-069-1

Section 4 Mesures De Premiers Soins

INGESTION: Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PROVOQUE UNE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Récupérez pour l'usage si non souillé. Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Minimiser la production de poussière. Stocker à l'écart des acides.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Acide citrique	Non listed	Non listed	Non listed

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloient, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Blancs, poudre cristalline

Odeur: Sans odeur.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles

Point de fusion / congélation: Données non disponibles

Point d'ébullition: Données non disponibles

Point d'éclair: Ininflammable

Taux d'évaporation (= 1): Non applicable

Inflammabilité (solide / gaz): Non applicable

Limites d'explosivité: Bas / Max: Non applicable

Pression de vapeur (mm Hg): Données non disponibles

Densité de vapeur (Air = 1): Données non disponibles

Densité relative (gravité spécifique): Données non disponibles

Solubilité (s): Données non disponibles

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles

Viscosité: Non applicable

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Température excessive et de la chaleur. Eviter la formation de poussière. La température élevées cause la décomposition au carbonate de sodium, à l'eau et à l'anhydride carbonique.

Matières incompatibles: Des bases fortes et les produits oxydants. Réagit avec des acides aux sels de rendement, à l'eau et à l'anhydride carbonique acides.

Produits dangereux de décomposition: Oxydes de carbones.

Section 11 L'Information Toxicologique

Toxicité aiguë: Acide citrique: Oral-rat LD50: 12,000 mg/kg **Bicarbonate de sodium:** Oral-rat LD50: 4220-4400 mg/kg

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Acide citrique: Rabbit-très irritant

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation peut causer l'irritation aux muqueuses causant la gorge endolorie, la toux et la brièveté du souffle. .

Ingestion: L'ingestion peut causer l'irritation gastro-intestinale aiguë avec douleur abdominale. .

Peau: Le contact peut causer une irritation.

Yeux: Le contact avec des yeux peut causer l'irritation avec la rougeur, la douleur, les brûlures possibles d'oeil, la conjonctivite, l'ulcération et l'opacité permanente.

Les signes et les symptômes de l'exposition: La surexposition à long terme peut endommager l'émail des dents.

Informations complémentaires: RTECS #: Acide citrique: GE7350000 Bicarbonate de sodium: VZ0950000

Section 12 L'Information Écologique

Toxicité pour les poissons: Acide citrique: Lepomis macrochirus (Fish, Fresh water) LC50: 1,516 mg/l/96 hours

Toxicité pour les daphnies et autres invertébrés aquatiques: Acide citrique: Daphnia magna (Crustacea) EC50: ca. 120 mg/l/72 hours

Toxicité pour les algues: Acide citrique: Scenedesmus quadricauda (Algae) EC3: 640 mg/l/7 days

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Bicarbonate de sodium	Listed	Not listed	Not listed	Listed	Not listed
Acide citrique, anhydre	Listed	Non listed	Non listed	Listed	Non listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	UNKNOWN #1
Synonyms	None

Section 2 Hazards Identification

Signal word: WARNING

Pictograms: GHS07

Target organs: None known



GHS Classification:

Eye irritation (Category 2)

GHS Label information: Hazard statement(s):

H319: Causes serious eye irritation.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Sodium bicarbonate Citric acid, anhydrous	144-55-8 77-92-9	70% 30%	205-633-8 201-069-1

Section 4 First Aid Measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for use if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Minimize dust generation. Store away from acids.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Citric acid	Not listed	Not listed	Not listed

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid. White, crystalline powder

Odor: No odor.

Odor threshold: Data not available

pH: Data not available

Melting / Freezing point: Data not available

Boiling point: Data not available

Flash point: Non-flammable

Evaporation rate (= 1): Not applicable

Flammability (solid/gas): Not applicable

Explosion limits: Lower / Upper: Not applicable

Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): Data not available

Solubility(ies): Data not available

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available

Viscosity: Not applicable

Molecular formula: Mixture

Molecular weight: Mixture

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperature and heat. Avoid dust formation. High temperature causes decomposition to sodium carbonate, water and carbon dioxide

Incompatible materials: Strong bases and oxidizing materials. Reacts with acids to yield acid salts, water and carbon dioxide

Hazardous decomposition products: Carbon oxides.

Section 11 Toxicological Information

Acute toxicity: Citric acid: Oral-rat LD50: 12,000 mg/kg **Sodium bicarbonate:** Oral-rat LD50: 4220-4400 mg/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Citric acid: Rabbit-highly irritating

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause irritation to mucous membranes causing sore throat, coughing and shortness of breath.

Ingestion: Ingestion may cause acute gastrointestinal irritation with abdominal pain.

Skin: Contact may cause irritation.

Eyes: Contact with eyes may cause irritation with redness, pain, possible eye burns, conjunctivitis, ulceration and permanent cloudiness.

Signs and symptoms of exposure: Long term over-exposure may cause damage to tooth enamel.

Additional information: RTECS #: Citric acid: GE7350000 Sodium bicarbonate: VZ0950000

Section 12 Ecological Information

Toxicity to fish: Citric acid: Lepomis macrochirus (Fish, Fresh water) LC50: 1,516 mg/l/96 hours

Toxicity to daphnia and other aquatic invertebrates: Citric acid: Daphnia magna (Crustacean) EC50: ca. 120 mg/l/72 hours

Toxicity to algae: Citric acid: Scenedesmus quadricauda (Algae) EC3: 640 mg/l/7 days

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide #: Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Sodium bicarbonate	Listed	Not listed	Not listed	Listed	Not listed
Citric acid, anhydrous	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit UNKNOWN #1

Synonymes Aucun

Section 2 Identification De Risques

Mention d'avertissement: AVERTISSEMENT

Pictogrammes: GHS07

Les organes cibles: Aucun connu



Classification par le GHS:

Eye irritation (Catégorie 2)

Renseignements sur l'étiquette GHS: Mention de danger(s):

H319: Provoque une sévère irritation des yeux.

Déclarations de précaution(s):

P264: Se laver les mains après avoir manipulé.

P280: Porter des gants / des vêtements de protection / protection pour les yeux / du visage.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire.

Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: consulter un médecin.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Bicarbonate de sodium Acide citrique, anhydre	144-55-8 77-92-9	70% 30%	205-633-8 201-069-1

Section 4 Mesures De Premiers Soins

INGESTION: Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PROVOQUE UNE IRRITATION. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Récupérez pour l'usage si non souillé. Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Minimiser la production de poussière. Stocker à l'écart des acides.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Acide citrique	Non listed	Non listed	Non listed

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloient, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide. Blancs, poudre cristalline

Odeur: Sans odeur.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles

Point de fusion / congélation: Données non disponibles

Point d'ébullition: Données non disponibles

Point d'éclair: Ininflammable

Taux d'évaporation (= 1): Non applicable

Inflammabilité (solide / gaz): Non applicable

Limites d'explosivité: Bas / Max: Non applicable

Pression de vapeur (mm Hg): Données non disponibles

Densité de vapeur (Air = 1): Données non disponibles

Densité relative (gravité spécifique): Données non disponibles

Solubilité (s): Données non disponibles

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles

Viscosité: Non applicable

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Température excessive et de la chaleur. Eviter la formation de poussière. La température élevées cause la décomposition au carbonate de sodium, à l'eau et à l'anhydride carbonique.

Matières incompatibles: Des bases fortes et les produits oxydants. Réagit avec des acides aux sels de rendement, à l'eau et à l'anhydride carbonique acides.

Produits dangereux de décomposition: Oxydes de carbones.

Section 11 L'Information Toxicologique

Toxicité aiguë: Acide citrique: Oral-rat LD50: 12,000 mg/kg **Bicarbonate de sodium:** Oral-rat LD50: 4220-4400 mg/kg

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Acide citrique: Rabbit-très irritant

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation peut causer l'irritation aux muqueuses causant la gorge endolorie, la toux et la brièveté du souffle. .

Ingestion: L'ingestion peut causer l'irritation gastro-intestinale aiguë avec douleur abdominale. .

Peau: Le contact peut causer une irritation.

Yeux: Le contact avec des yeux peut causer l'irritation avec la rougeur, la douleur, les brûlures possibles d'oeil, la conjonctivite, l'ulcération et l'opacité permanente.

Les signes et les symptômes de l'exposition: La surexposition à long terme peut endommager l'émail des dents.

Informations complémentaires: RTECS #: Acide citrique: GE7350000 Bicarbonate de sodium: VZ0950000

Section 12 L'Information Écologique

Toxicité pour les poissons: Acide citrique: Lepomis macrochirus (Fish, Fresh water) LC50: 1,516 mg/l/96 hours

Toxicité pour les daphnies et autres invertébrés aquatiques: Acide citrique: Daphnia magna (Crustacea) EC50: ca. 120 mg/l/72 hours

Toxicité pour les algues: Acide citrique: Scenedesmus quadricauda (Algae) EC3: 640 mg/l/7 days

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Bicarbonate de sodium	Listed	Not listed	Not listed	Listed	Not listed
Acide citrique, anhydre	Listed	Non listed	Non listed	Listed	Non listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation 221 Rochester Street
 "cutting edge science for the classroom" Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	SODIUM BICARBONATE ANTACID
----------------	-----------------------------------

Synonyms	Baking Soda / Sodium Hydrogen Carbonate / Carbonic Acid Sodium (1:1)
-----------------	--

Section 2	Hazards Identification
------------------	-------------------------------

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: Not classified

Pictograms: Not classified

Target organs: None known

GHS Classification: Not classified

GHS Label information: Hazard statement(s): Not classified

Precautionary statement(s):

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3	Composition / Information on Ingredients
------------------	---

Chemical Name	CAS #	%	EINECS
Sodium bicarbonate	144-55-8	100%	205-633-8

Section 4	First Aid Measures
------------------	---------------------------

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5	Fire Fighting Measures
------------------	-------------------------------

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. This material is commonly used to extinguish fires.

Section 6	Accidental Release Measures
------------------	------------------------------------

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Store away from acids.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium bicarbonate	None established	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Solid, white crystalline powder.

Odor: No odor.

Odor threshold: Data not available.

pH: 8.2 (1% solution)

Melting / Freezing point: Data not available

Boiling point: Decomposes

Flash point: Non combustible

Evaporation rate (= 1): Data not available

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): Negligible

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 2.16 @ 20°C

Solubility(ies): 8.6 g/100 ml water at 20°C

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available

Viscosity: Data not available.

Molecular formula: NaHCO₃

Molecular weight: 84.01

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: High temperature causes decomposition to sodium carbonate, water and carbon dioxide.

Incompatible materials: Reacts with acids to yield acid salts, water and carbon dioxide.

Hazardous decomposition products: Gaseous carbon dioxide.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 4220-4400 mg/kg

Skin corrosion/irritation: Skin-rabbit - not irritating

Serious eye damage/irritation: Eye-rabbit - not irritating

Respiratory or skin sensitization: Non sensitizing

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Excessive dust may irritate respiratory tract.

Ingestion: Ingestion may cause gastrointestinal disturbance if ingested.

Skin: No hazard known.

Eyes: Contact with eyes may cause very slight irritation.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: VZ0950000

Section 12 Ecological Information

Toxicity to fish: Gambusia affinis (fish, freshwater) LC50: 7550 mg/l/24 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea) EC50: 2350 mg/l/48 hours

Toxicity to algae: Nitzchia linearis (Algae) LC50: 650 mg/l/5 day

Persistence and degradability: No data available **Bioaccumulative potential:** No data available

Mobility in soil: No data available **PBT and vPvB assessment:** No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Sodium bicarbonate	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science® by Aldon Corporation
"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit BICARBONATE DE SODIUM ANTACID

Synonymes Bicarbonate de soude / Carbonate d'hydrogène de sodium / Soude acide carbonique (1:1)

Section 2 Identification De Risques

Cette substance ou un mélange n'a pas été classé comme dangereux à ce selon le Système général harmonisé (SGH) de classification et d'étiquetage des produits chimiques.

Signal word: Non classé

Pictograms: Non classé

Target organs: Aucun connu.

GHS Classification: Non classé

GHS Label information: Hazard statement(s): Non classé

Déclarations de précaution(s):

Ne pas respirer les poussières. Éviter tout contact avec les yeux, la peau ou les vêtements. Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage. Se laver les mains soigneusement après manipulation. Consulter un médecin en cas de malaise.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Bicarbonate de sodium	144-55-8	100%	205-633-8

Section 4 Mesures De Premiers Soins

INGESTION: Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Utilisez des supports adaptés pour éteindre le feu à l'appui.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Ce matériau est couramment utilisé pour éteindre les incendies.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les poussières. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Stocker à l'écart des acides.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Bicarbonate de sodium	Aucun établi	Aucun établi	Aucun établi

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions poussiéreuses prévaloient, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Solide, poudre cristalline blanche.

Odeur: Aucune odeur.

Seuil de l'odeur: Données non disponibles.

pH: 8.2 (Solution de 1%)

Point de fusion / congélation: Données non disponibles

Point d'ébullition: Se décompose

Point d'éclair: Non combustible

Taux d'évaporation (= 1): Données non disponibles

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): Négligeable

Densité de vapeur (Air = 1): Données non disponibles

Densité relative (gravité spécifique): 2.16 @ 20°C

Solubilité(s): 8.6 g/100 ml water at 20°C

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles

Viscosité: Données non disponibles

Formule moléculaire: NaHCO₃

Poids moléculaire: 84.01

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: La température élevées cause la décomposition au carbonate de sodium, à l'eau et à l'anhydride carbonique.

Matières incompatibles: Réagit avec des acides aux sels de rendement, à l'eau et à l'anhydride carbonique acides.

Produits dangereux de décomposition: Anhydride carbonique gazeux.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 4220-4400 mg/kg

La corrosion de la peau et l'irritation: Skin-rabbit - non irritant

Des lésions oculaires graves / irritation: Eye-rabbit - non irritant

Respiratoire ou sensibilisation de la peau: Non sensibilisant

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Excessive aux poussières peut irriter les voies respiratoires.

Ingestion: L'ingestion peut provoquer des troubles gastrointestinaux.

Peau: Aucun danger connu.

Yeux: Contact avec les yeux peut provoquer une irritation très légère.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus.

Informations complémentaires: RTECS #: VZ0950000

Section 12 L'Information Écologique

Toxicité pour les poissons: Gambusia affinis (fish, freshwater) LC50: 7550 mg/l/24 hours

Toxicité pour les daphnies et autres invertébrés aquatiques: Daphnia magna (Crustacea) EC50: 2350 mg/l/48 hours

Toxicité pour les algues: Nitochloris linearis (Algae) LC50: 650 mg/l/5 day

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Bicarbonate de sodium	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory use only.
Not for drug, food or household use.

Product	SIMULATED MERCURY SOLUTION
Synonyms	Sodium Hydroxide, 1 Molar Solution

Section 2 Hazards Identification**Signal word:** DANGER**Pictograms:** GHS05**Target organs:** Respiratory tract, gastrointestinal tract, eyes, skin.**GHS Classification:**

Skin. Corr. (Category 1B)

GHS Label information: Hazard statement:

H314: Causes severe skin burns and eye damage.

Precautionary statement:

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304+P340: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	96%	231-791-2
Sodium hydroxide	1310-73-2	4%	215-185-5

Section 4 First Aid Measures**INGESTION:** MAY BE FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** CAUSES SEVERE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** CAUSES SEVERE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.**Section 5 Fire Fighting Measures****Suitable Extinguishing Media:** Dry chemical, water spray, alcohol foam. Can react with carbon dioxide to form sodium carbonate.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume. Contact with metals can generate hydrogen gas.**Section 6 Accidental Release Measures****Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium hydroxide	STEL: C 2 mg/m ³	TWA: 2 mg/m ³	STEL: C 2 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid.	Evaporation rate (Water = 1): < 1	Partition coefficient: (n-octanol / water): Not applicable
Odor: No odor.	Flammability (solid/gas): Not applicable.	Auto-ignition temperature: Not applicable
Odor threshold: Not applicable.	Explosion limits: Lower / Upper: Not applicable	Decomposition temperature: Data not available.
pH: Data not available.	Vapor pressure (mm Hg): 14 [water]	Viscosity: Data not available.
Melting / Freezing point: ~ 0°C (~ 32°F) [water]	Vapor density (Air = 1): 0.7 [water]	Molecular formula: Mixture
Boiling point: ~ 100°C (212°F) [water]	Relative density (Specific gravity): 1.0 [water]	Molecular weight: Mixture
Flash point: Not flammable.	Solubility(ies): Complete in water.	

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Can react with carbon dioxide to form sodium carbonate.

Incompatible materials: Metals, acids, organic compounds, organic nitro compounds.

Hazardous decomposition products: Sodium oxide. Reacts with metals to form flammable and explosive hydrogen gas.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Skin - rabbit - Causes severe burns. - 24 h [Sodium hydroxide]

Serious eye damage/irritation: Eyes - rabbit - Severe eye irritation - 24 h [Sodium hydroxide]

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. Causes skin burns.

Eyes: Causes eye burns. Causes severe eye burns.

Signs and symptoms of exposure: Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Additional information: RTECS #: WB4900000 [Sodium hydroxide]

Section 12 Ecological Information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h [Sodium hydroxide]

Toxicity to daphnia and other aquatic invertebrates: Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h [Sodium hydroxide]

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1824

Shipping name: Sodium hydroxide solution

Hazard class: 8

Packing group: II

Reportable Quantity: 1,000 lbs (454 kg)

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L

2012 ERG Guide # 154

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Sodium hydroxide	Listed	1,000 lbs (454 kg)	D002	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

**CHEMTRAC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300**
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit SIMULATED MERCURY SOLUTION**Synonymes** Hydroxyde de sodium, solution de 1 molaire**Section 2 Identification De Risques****Mention d'avertissement:** DANGER**Pictogrammes:** GHS05**Les organes cibles:** L'appareil respiratoire, l'appareil gastrointestinale, les yeux et la peau.**Classification par le GHS:**

Skin Corr. (Catégorie 1B)

Renseignements sur l'étiquette GHS: Mention de danger:

H314: Provoque des brûlures de la peau et des lésions oculaires graves.

Déclarations de précaution:

P260: Ne pas respirer les brouillards/vapeurs/aérosols.

P264: Se laver les mains soigneusement après manipulation.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P301+P330+P331: EN CAS D'INGESTION: Rincer la bouche. Ne PAS faire vomir.

P303+P361+P353: EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux):

Enlever immédiatement tout vêtement souillé ou éclaboussé. Rincer la peau à l'eau/ se doucher.

P363: Laver les vêtements contaminés avant réutilisation.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P310: Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P405: Garder sous clef.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau	7732-18-5	96%	231-791-2
Hydroxyde de sodium	1310-73-2	4 %	215-185-5

Section 4 Mesures De Premiers Soins**INGESTION:** PEUT ÊTRE MORTEL EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.**INHALATION:** Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.**CONTACT AVEC LES YEUX:** PROVOQUE DE GRAVES DOMMAGES. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.**ABSORPTION PAR LA PEAU:** PROVOQUE DE GRAVES BRÛLURES. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.**Section 5 Mesures De Lutte Contre l'Incendie****Moyens d'extinction:** Produit chimique sec, jet d'eau, mousse d'alcool. Peuvent réagir avec le dioxyde de carbone pour former du carbonate de sodium.**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.**Dangers spécifiques:** En états dul feu, l'eau peut s'évaporer de cette solution, qui peut causer les produits dangereux de décomposition d'être formée comme poussière ou vapeur. Le contact avec des métaux peut produire du gaz d'hydrogène.**Section 6 Mesures De Déchargement Accidental****Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.**Confinement et de nettoyage:** Absorbez avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Secteur de plaque de lavage avec de l'eau le savon et.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les vapeurs, les embruns ou de brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hydroxyde de sodium	STEL: C 2 mg/m ³	TWA: 2 mg/m ³	STEL: C 2 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Liquide clair, incolore.

Odeur: Aucune odeur.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion/congélation: ~ 0°C (~ 32°F) [l'eau]

Point d'ébullition: ~ 100°C (212°F) [l'eau]

Point d'éclair: Ininflammable.

Taux d'évaporation (L'eau = 1): < 1

Inflammabilité (solide / gaz): Non applicable

Limites d'explosivité: Bas / Max: Non applicable

Pression de vapeur (mm Hg): 14 [water]

Densité de vapeur (Air = 1): 0.7 [water]

Densité relative (gravité spécifique): 1.0 [water]

Solubilité (s): Complet dans l'eau.

Coefficient de partage: (n-octanol/eau): Non applicable

Auto-inflammation: Non applicable

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Peuvent réagir avec le dioxyde de carbone pour former du carbonate de sodium.

Matières incompatibles: Métaux, acides, composés organiques, dérivés nitrés organiques.

Produits dangereux de décomposition: Oxyde de sodium. Réagit avec des métaux au gaz inflammable et explosif de forme d'hydrogène.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Peau - lapin - Provoque de graves brûlures. - 24 h [Hydroxyde de sodium]

Des lésions oculaires graves / irritation: Yeux - lapin - Irritation sévère des yeux - 24 h [Hydroxyde de sodium]

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par le IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation. Le produit est extrêmement destructeur pour le tissu des muqueuses et des voies respiratoires supérieures.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Peut être nocif en cas d'absorption par la peau. Provoque des brûlures de la peau.

Yeux: Provoque des brûlures des yeux. Provoque des brûlures graves des yeux.

Les signes et les symptômes de l'exposition: Spasme, inflammation et oedème du larynx, spasme, inflammation et oedème des bronches, une pneumonite, pulmonaire œdème, sensation de brûlure, une toux, une respiration sifflante, laryngite, essoufflement, maux de tête, des nausées, des vomissements. Le produit est extrêmement destructeur pour le tissu des muqueuses et des voies respiratoires supérieures, des yeux et de la peau.

Informations complémentaires: RTECS #: WB490000 [Hydroxyde de sodium]

Section 12 L'Information Écologique

Toxicité pour les poissons: LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h [Hydroxyde de sodium]

Toxicité pour les daphnies et autres invertébrés aquatiques: Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h [Hydroxyde de sodium]

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: UN1824

Nom d'expédition: Solution d'hydroxyde de sodium

Classe de danger: 8

Groupe d'emballage: II

Quantité à déclarer: 1,000 lbs (454 kg)

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 1 L

2012 ERG Guide #: 154

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Hydroxyde de sodium	Listed	1,000 lbs (454 kg)	D002	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	UNKNOWN POISON
Synonyms	None

Section 2 Hazards Identification

Signal word: DANGER**Pictograms:** GHS05**Target organs:** Respiratory tract, gastrointestinal tract, eyes, skin.**GHS Classification:**

Skin. Corr. (Category 1B)

GHS Label information: Hazard statement:

H314: Causes severe skin burns and eye damage.

Precautionary statement:

P260: Do not breathe mist/vapours/spray.
 P264: Wash hands thoroughly after handling.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P363: Wash contaminated clothing before reuse.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P310: Immediately call a POISON CENTER or doctor.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P405: Store locked up.
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	96%	231-791-2
Sodium hydroxide	1310-73-2	4%	215-185-5

Section 4 First Aid Measures

INGESTION: MAY BE FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SEVERE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Dry chemical, water spray, alcohol foam. Can react with carbon dioxide to form sodium carbonate.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume. Contact with metals can generate hydrogen gas.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium hydroxide	STEL: C 2 mg/m ³	TWA: 2 mg/m ³	STEL: C 2 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid.	Evaporation rate (Water = 1): < 1	Partition coefficient: (n-octanol / water): Not applicable
Odor: No odor.	Flammability (solid/gas): Not applicable.	Auto-ignition temperature: Not applicable
Odor threshold: Not applicable.	Explosion limits: Lower / Upper: Not applicable	Decomposition temperature: Data not available.
pH: Data not available.	Vapor pressure (mm Hg): 14 [water]	Viscosity: Data not available.
Melting / Freezing point: ~ 0°C (~ 32°F) [water]	Vapor density (Air = 1): 0.7 [water]	Molecular formula: Mixture
Boiling point: ~ 100°C (212°F) [water]	Relative density (Specific gravity): 1.0 [water]	Molecular weight: Mixture
Flash point: Not flammable.	Solubility(ies): Complete in water.	

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Can react with carbon dioxide to form sodium carbonate.

Incompatible materials: Metals, acids, organic compounds, organic nitro compounds.

Hazardous decomposition products: Sodium oxide. Reacts with metals to form flammable and explosive hydrogen gas.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Skin - rabbit - Causes severe burns. - 24 h [Sodium hydroxide]

Serious eye damage/irritation: Eyes - rabbit - Severe eye irritation - 24 h [Sodium hydroxide]

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. Causes skin burns.

Eyes: Causes eye burns. Causes severe eye burns.

Signs and symptoms of exposure: Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Additional information: RTECS #: WB4900000 [Sodium hydroxide]

Section 12 Ecological Information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h [Sodium hydroxide]

Toxicity to daphnia and other aquatic invertebrates: Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h [Sodium hydroxide]

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1824

Shipping name: Sodium hydroxide solution

Hazard class: 8

Packing group: II

Reportable Quantity: 1,000 lbs (454 kg)

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L

2012 ERG Guide # 154

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Sodium hydroxide	Listed	1,000 lbs (454 kg)	D002	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

**CHEMTRAC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300**
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit POISON INCONNU**Synonymes** Aucun**Section 2 Identification De Risques****Mention d'avertissement:** DANGER**Pictogrammes:** GHS05**Les organes cibles:** L'appareil respiratoire, l'appareil gastrointestinale, les yeux et la peau.**Classification par le GHS:**

Skin Corr. (Catégorie 1B)

Renseignements sur l'étiquette GHS: Mention de danger:

H314: Provoque des brûlures de la peau et des lésions oculaires graves.

Déclarations de précaution:

P260: Ne pas respirer les brouillards/vapeurs/aérosols.

P264: Se laver les mains soigneusement après manipulation.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P301+P330+P331: EN CAS D'INGESTION: Rincer la bouche. Ne PAS faire vomir.

P303+P361+P353: EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux):

Enlever immédiatement tout vêtement souillé ou éclaboussé. Rincer la peau à l'eau/ se doucher.

P363: Laver les vêtements contaminés avant réutilisation.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P310: Appeler immédiatement un CENTRE ANTIPOISON ou un médecin.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P405: Garder sous clef.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

CA Prop 65 - Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer, des malformations congénitales, ou toute autre atteinte à la reproduction.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau	7732-18-5	96%	231-791-2
Hydroxyde de sodium	1310-73-2	4 %	215-185-5

Section 4 Mesures De Premiers Soins

INGESTION: PEUT ÊTRE MORTEL EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.

INHALATION: Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.

CONTACT AVEC LES YEUX: PROVOQUE DE GRAVES DOMMAGES. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.

ABSORPTION PAR LA PEAU: PROVOQUE DE GRAVES BRÛLURES. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.

Section 5 Mesures De Lutte Contre l'Incendie

Moyens d'extinction: Produit chimique sec, jet d'eau, mousse d'alcool. Peuvent réagir avec le dioxyde de carbone pour former du carbonate de sodium.

Actions de protection pour les sapeurs-pompiers: En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.

Dangers spécifiques: En états dul feu, l'eau peut s'évaporer de cette solution, qui peut causer les produits dangereux de décomposition d'être formée comme poussière ou vapeur. Le contact avec des métaux peut produire du gaz d'hydrogène.

Section 6 Mesures De Déchargement Accidental

Précautions personnelles: Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.

Précautions environnementales: Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.

Confinement et de nettoyage: Absorbez avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Secteur de plaque de lavage avec de l'eau et du savon et.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les vapeurs, les embruns ou de brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais et bien aéré, loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hydroxyde de sodium	STEL: C 2 mg/m ³	TWA: 2 mg/m ³	STEL: C 2 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Liquide clair, incolore.

Odeur: Aucune odeur.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion/congélation: ~ 0°C (~ 32°F) [l'eau]

Point d'ébullition: ~ 100°C (212°F) [l'eau]

Point d'éclair: Ininflammable.

Taux d'évaporation (L'eau = 1): < 1

Inflammabilité (solide / gaz): Non applicable

Limites d'explosivité: Bas / Max: Non applicable

Pression de vapeur (mm Hg): 14 [water]

Densité de vapeur (Air = 1): 0.7 [water]

Densité relative (gravité spécifique): 1.0 [water]

Solubilité (s): Complet dans l'eau.

Coefficient de partage: (n-octanol/eau): Non applicable

Auto-inflammation: Non applicable

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Peuvent réagir avec le dioxyde de carbone pour former du carbonate de sodium.

Matières incompatibles: Métaux, acides, composés organiques, dérivés nitrés organiques.

Produits dangereux de décomposition: Oxyde de sodium. Réagit avec des métaux au gaz inflammable et explosif de forme d'hydrogène.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Peau - lapin - Provoque de graves brûlures. - 24 h [Hydroxyde de sodium]

Des lésions oculaires graves / irritation: Yeux - lapin - Irritation sévère des yeux - 24 h [Hydroxyde de sodium]

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par le IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation. Le produit est extrêmement destructeur pour le tissu des muqueuses et des voies respiratoires supérieures.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Peut être nocif en cas d'absorption par la peau. Provoque des brûlures de la peau.

Yeux: Provoque des brûlures des yeux. Provoque des brûlures graves des yeux.

Les signes et les symptômes de l'exposition: Spasme, inflammation et oedème du larynx, spasme, inflammation et oedème des bronches, une pneumonite, pulmonaire œdème, sensation de brûlure, une toux, une respiration sifflante, laryngite, essoufflement, maux de tête, des nausées, des vomissements. Le produit est extrêmement destructeur pour le tissu des muqueuses et des voies respiratoires supérieures, des yeux et de la peau.

Informations complémentaires: RTECS #: WB490000 [Hydroxyde de sodium]

Section 12 L'Information Écologique

Toxicité pour les poissons: LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h [Hydroxyde de sodium]

Toxicité pour les daphnies et autres invertébrés aquatiques: Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h [Hydroxyde de sodium]

Toxicité pour les algues: Pas de données disponible

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: UN1824

Nom d'expédition: Solution d'hydroxyde de sodium

Classe de danger: 8

Groupe d'emballage: II

Quantité à déclarer: 1,000 lbs (454 kg)

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 1 L

2012 ERG Guide #: 154

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Hydroxyde de sodium	Listed	1,000 lbs (454 kg)	D002	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177
CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	SIMULATED SCOTT REAGENT
Synonyms	Thymolphthalein Solution, 0.04%

Section 2 Hazards Identification

Signal word: DANGER**Pictograms:** GHS02 / GHS07 / GHS08 / GHS06**Target organs:** Eyes, Central nervous system, Liver, Kidneys.**GHS Classification:**

Flam. liq. (Category 2)

Acute tox. (Category 3)

Skin irrit. (Category 2)

Eye irrit. (Category 2B)

STOT-SE (Category 2)

STOT-SE (Category 3)

GHS Label information: Hazard statement:

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness.

H371: May cause damage to organs.

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Ethyl alcohol	64-17-5	85.0 - 85.8%	200-578-6
Isopropyl alcohol	67-63-0	9.0%	200-661-7
Methanol	67-56-1	4.0 - 4.3%	200-659-6
Methyl isobutyl ketone	108-10-1	0.9 - 1.0%	203-550-1
Thymolphthalein	125-20-2	0.04%	204-729-7

Section 4 First Aid Measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m ³ (A3)	TWA: 1000 ppm / 1900 mg/m ³	TWA: 1000 ppm / 1900 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, colorless liquid.

Odor: Mild characteristic odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: -114°C (-173°F)*

Boiling point: 74-80°C (165.2-176°F)*

Flash point: 14.4°C (58°F) TCC*

Evaporation rate (Butyl acetate = 1): Ca 2*

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: 3.28% / 36%*

Vapor pressure (mm Hg): Ca 50 @ 20°C*

Vapor density (Air = 1): Ca 1.5*

Relative density (Specific gravity): 0.7919-0.7955°C @ 60/60°F*

Solubility(ies): Soluble in water.

Partition coefficient: (n-octanol / water): Low Pow: -.32*

Auto-ignition temperature: 383°C (721°F)*

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Mixture

Molecular weight: Mixture

* [200 Proof Ethanol]

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers, inorganic acids and halogens.

Hazardous decomposition products: Oxides of carbon.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

Skin corrosion/irritation: Skin-rabbit - Slight irritant.

Serious eye damage/irritation: Eyes-rabbit - Severe irritant.

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: KQ6300000 [Ethanol]

Section 12 Ecological Information

Toxicity to fish: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

Toxicity to algae: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1170

Shipping name: Ethanol solution

Hazard class: 3

Packing group: II

Reportable Quantity: 5,000 lbs (2270 kg)

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L

2012 ERG Guide # 127

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Ethanol	Listed	Not listed	D001	Listed	Not listed
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®by Aldon Corporation
"cutting edge science for the classroom"221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit SIMULATED SCOTT REAGENT**Synonymes** Solution thymolphthaléine, 0.04%**Section 2 Identification De Risques****Mention d'avertissement:** DANGER**Pictogrammes:** GHS02 / GHS07 / GHS08 / GHS06**Les organes cibles:** Les yeux, le système nerveux central, le foie et les reins.**Classification par le GHS:**

Flam. liq. (Catégorie 2)

Acute tox. (Catégorie 3)

Skin irrit. (Catégorie 2)

Eye irrit. (Catégorie 2B)

STOT-SE (Catégorie 2)

STOT-SE (Catégorie 3)

Renseignements sur l'étiquette GHS: Mention de danger:

H225: Liquide et vapeurs très inflammables.

H315: Provoque une irritation cutanée.

H319: Provoque une sévère irritation des yeux.

H331: Toxicité par inhalation.

H336: Peut provoquer somnolence ou des vertiges.

H371: Risque présumé d'effets graves pour les organes.

Déclarations de précaution:

P210: Tenir à l'écart la chaleur/des étincelles/des flammes nues/des surfaces chaudes. Ne pas fumer.

P240: Mise à la terre/liaison équivalente du récipient et du matériel de réception.

P241: Utiliser du matériel électrique/de ventilation/d'éclairage antidiéflagrant.

P242: Ne pas utiliser d'outils produisant des étincelles.

P243: Prendre des mesures de précaution contre les décharges électrostatiques.

P260: Ne pas respirer les brouillards/vapeurs/aérosols.

P264: Se laver les mains soigneusement après manipulation.

P271: Utiliser seulement en plein air ou dans un endroit bien ventilé.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P303+P361+P353: EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux):

Enlever immédiatement tout vêtement souillé ou éclaboussé. Rincer la peau à l'eau/se doucher.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P312: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P332+P313: En cas d'irritation cutanée: Obtenir des soins médicaux.

P337+P361: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

P403+P233: Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

California Proposition 65: Ce produit contient un produit chimique connu dans l'état de Californie pour provoquer une toxicité sur la reproduction (Méthanol, développement).

Section 3 Composition / Information Sur Des Ingrédients

Nomme Chimique	# CAS	%	EINECS
Alcool éthylique	64-17-5	85,0 - 85,8%	200-578-6
Alcool isopropylique	67-63-0	9,0%	200-661-7
Méthanol	67-56-1	4,0 - 4,3%	200-659-6
Cetone isobutylique méthylique	108-10-1	0,9 - 1,0%	203-550-1
Thymolphthaléine	125-20-2	0,04%	204-729-7

Section 4 Mesures De Premiers Soins**INGESTION:** PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médical. Ne jamais rien donner par la bouche à une personne inconsciente.**INHALATION:** PEUT ÊTRE NOCIF EN CAS D'INHALATION. IRRITE LES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.**CONTACT AVEC LES YEUX:** CAUSE L'IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.**ABSORPTION PAR LA PEAU:** PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.**Section 5 Mesures De Lutte Contre l'Incendie****Moyens d'extinction:** Dioxyde de carbone, produit chimique sec, du sable sec, mousse anti-alcool.**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.**Dangers spécifiques:** En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les vapeurs formées de ce produit sont plus lourdes que l'air et peuvent voyager le long de la terre à une source d'ignition et voyagez dos immédiatement. La flamme peut ne pas être évidente en jour.**Section 6 Mesures De Décharge Accidentel****Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.**Confinement et de nettoyage:** Absorbez avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Subsistance loin des sources d'allumage.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Éthanol	STEL: 1000 ppm / 1880 mg/m ³ (A3)	TWA: 1000 ppm / 1900 mg/m ³	TWA: 1000 ppm / 1900 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. En cas de conditions brumeux, travaillez dans le capot de vapeur ou portez un respirateur de NIOSH/MSHA-approved.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Clair, liquide incolore.

Odeur: Odeur caractéristique douce.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: -114°C (-173°F)*

Point d'ébullition: 74-80°C (165.2-176°F)*

Point d'éclair: 14,4°C (58°F)*

Taux d'évaporation (Acetate de butylique = 1): Ca 2*

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: 3.28% / 36%*

Pression de vapeur (mm Hg): Ca 50 @ 20°C*

Densité de vapeur (Air = 1): Ca 1.5*

Densité relative (gravité spécifique): 0.7919-0.7955°C @ 60/60°F*

Solubilité (s): Soluble dans l'eau.

Coefficient de partage: (n-octanol / eau): Low Pow: -.32*

Auto-inflammation: 383°C (721°F)*

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

*[200 Proof Éthanol]

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives, la chaleur, étincelles, flamme nue et d'autres sources d'allumage.

Matières incompatibles: Comburantes fortes, acides inorganiques et l'halogènes.

Produits dangereux de décomposition: Oxydes de carbones.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4 heures [Éthanol]

La corrosion de la peau et l'irritation: Peau de lapin - Légèrement irritant.

Des lésions oculaires graves / irritation: Yeux-lapin - Irritant sévère.

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC classés: Group 3: L'agent est inclassable quant à sa cancérogénicité pour l'homme. [Isopropanol]

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation peut causer des étourdissements, somnolence, nausées, vomissements, incapacité à se concentrer et l'irritation de la gorge.

Ingestion: L'ingestion provoque des étourdissements, la somnolence, la réaction a diminué, l'euphorie, des nausées, des vomissements, démarche titubante et le coma.

Peau: Contact avec la peau cause une irritation délipidation au contact prolongé.

Yeux: Contact avec les yeux peut causer la cécité.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus.

Informations complémentaires: RTECS #: KQ6300000 [Éthanol]

Section 12 L'Information Écologique

Toxicité pour les poissons: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Éthanol]

Toxicité pour les daphnies et autres invertébrés aquatiques: Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Éthanol, 99.8% pure]

Toxicité pour les algues: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Éthanol, absolute]

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: UN1170

Nom d'expédition: Solution d'éthanol

Classe de danger: 3

Groupe d'emballage: II

Quantité à déclarer: 5,000 lbs. (2270 kg)

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 1 L

2012 ERG Guide #: 127

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Éthanol	Listed	Not listed	D001	Listed	Not listed
Méthanol	Listed	5,000 lbs.	U154	Listed	Not listed
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177
CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	UNIVERAL INDICATOR SOLUTION
----------------	------------------------------------

Synonyms	Universal Indicator
-----------------	---------------------

Section 2	Hazards Identification
------------------	-------------------------------

Signal word: DANGER**Pictograms:** GHS02 / GHS07 / GHS08 / GHS06**Target organs:** Eyes, Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)

Acute toxicity, inhalation (Category 3)

Skin irritation (Category 2)

Eye irritation (Category 2B)

STOT-SE (Category 2)

STOT-SE (Category 3)

GHS Label information: Hazard statement:

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness.

H371: May cause damage to organs.

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

Section 3	Composition / Information on Ingredients
------------------	---

Chemical Name	CAS #	%	EINECS
Ethyl alcohol	64-17-5	64.50 - 65.11%	200-578-6
Water	7732-18-5	23.96%	231-791-2
Isopropyl alcohol	67-63-0	6.83%	200-661-7
Methanol	67-56-1	3.03 - 3.26%	200-659-6
Methyl isobutyl ketone	108-10-1	0.68 - 0.76%	203-550-1
Bromothymol blue	76-59-5	0.06%	200-971-2
Phenolphthalein	77-19-8	0.06%	201-004-7
Methyl red	845-10-3	0.02%	212-682-9
Thymol blue	62625-21-2	0.005%	263-650-6

Section 4	First Aid Measures
------------------	---------------------------

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5	Fire Fighting Measures
------------------	-------------------------------

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6	Accidental Release Measures
------------------	------------------------------------

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m ³ (A3)	TWA: 1000 ppm / 1900 mg/m ³	TWA: 1000 ppm / 1900 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Clear, green liquid.

Odor: Mild characteristic odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: -114°C (-173°F)*

Boiling point: 75-80°C (173-174°F)*

Flash point: Approximately 21°C (70°F)

Evaporation rate (Butyl acetate = 1): 4.1*

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: 4.0%(V) / 20.0%(V)*

Vapor pressure (mm Hg): 44.6 @ 20°C (68°F)*

Vapor density (Air = 1): 1.59*

Relative density (Specific gravity): 0.794 @ 60°F*

Solubility(ies): Soluble in water.

Partition coefficient: Data not available

Auto-ignition temperature: 400°C (752°F)*

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Mixture

Molecular weight: Mixture

*[Pure Ethanol]

Section 10 Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers, inorganic acids and halogens.

Hazardous decomposition products: Oxides of carbon.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

Skin corrosion/irritation: Skin-rabbit - Slight irritant.

Serious eye damage/irritation: Eyes-rabbit - Severe irritant.

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: KQ6300000 [Ethanol]

Section 12 Ecological Information

Toxicity to fish: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

Toxicity to algae: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1170

Shipping name: Ethanol solution

Hazard class: 3

Packing group: II

Reportable Quantity: 5,000 lbs (2270 kg)

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L

ERG Guide # 127

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Ethanol	Listed	Not listed	D001	Listed	Not listed
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300
 Pour l'usage de laboratoire seulement.
 Pas pour l'usage de drogue, de nourriture
 ou de ménage.

Produit UNIVERSAL INDICATEUR SOLUTION**Synonymes** Indicateur universel**Section 2 Identification De Risques****Mention d'avertissement:** DANGER**Pictogrammes:** GHS02 / GHS07 / GHS08 / GHS06**Les organes cibles:** Les yeux, le système nerveux central, le foie et les reins.**Classification par le GHS:**

Liquide inflammable (Catégorie 2)

Acute toxicity, inhalation (Catégorie 3)

Skin irritation (Catégorie 2)

Eye irritation (Catégorie 2B)

STOT-SE (Catégorie 2)

STOT-SE (Catégorie 3)

Renseignements sur l'étiquette GHS: Mention de danger:

H225: Liquide et vapeurs très inflammables.

H315: Provoque une irritation cutanée.

H319: Provoque une sévère irritation des yeux.

H331: Toxicité par inhalation.

H336: Peut provoquer somnolence ou des vertiges.

H371: Risque présumé d'effets graves pour les organes.

Déclarations de précaution:

P210: Tenir à l'écart la chaleur/des étincelles/des flammes nues/des surfaces chaudes. Ne pas fumer.

P240: Mise à la terre/liaison équivalente du récipient et du matériel de réception.

P241: Utiliser du matériel électrique/de ventilation/d'éclairage antidiéflagrant.

P242: Ne pas utiliser d'outils produisant des étincelles.

P243: Prendre des mesures de précaution contre les décharges électrostatiques.

P260: Ne pas respirer les brouillards/vapeurs/aérosols.

P264: Se laver les mains soigneusement après manipulation.

P271: Utiliser seulement en plein air ou dans un endroit bien ventilé.

P280: Porter des gants de protection / des vêtements de protection / un équipement de protection des yeux / du visage.

P305+P351+P338: EN CAS DE CONTACT AVEC LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles de contact si la victime en porte et si elles peuvent être facilement enlevées. Continuer à rincer.

P303+P361+P353: EN CAS DE CONTACT AVEC LA PEAU (ou les cheveux):

Enlever immédiatement tout vêtement souillé ou éclaboussé. Rincer la peau à l'eau/ se doucher.

P304+P340: EN CAS D'INHALATION: Transporter la personne à l'extérieur et la maintenir dans une position où elle peut confortablement respirer.

P312: Appeler un CENTRE ANTIPOISON ou un médecin en cas de malaise.

P332+P313: En cas d'irritation cutanée: Obtenir des soins médicaux.

P337+P313: Si l'irritation oculaire persiste: Obtenir des soins médicaux.

P362+P364: Enlever les vêtements contaminés et les laver avant réutilisation.

P403+P233: Stocker dans un endroit bien ventilé. Maintenir le récipient fermé de manière étanche.

P501: Éliminer le contenu / récipient dans une agence agréée d'élimination chimique conformément à la réglementation locale / régionale / nationale.

California Proposition 65: Ce produit contient un produit chimique connu dans l'état de Californie pour provoquer une toxicité sur la reproduction (Méthanol, développement).

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
Alcool éthylique	64-17-5	64.50 - 65.11%	200-578-6
L'eau	7732-18-5	23.96%	231-791-2
Alcool isopropylique	67-63-0	6.83%	200-661-7
Méthanol	67-56-1	3.03 - 3.26%	200-659-6
Cétone isobutylique méthylique	108-10-1	0.68 - 0.76%	203-550-1
Bleu de bromophénol	76-59-5	0.06%	200-971-2
Phénolphthaléine	77-19-8	0.06%	201-004-7
Rouge de méthyle	845-10-3	0.02%	212-682-9
Bleu de thymol	62625-21-2	0.005%	263-650-6

Section 4 Mesures De Premiers Soins**INGESTION:** PEUT ÊTRE NOCIF EN CAS D'INGESTION. Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médical. Ne jamais rien donner par la bouche à une personne inconsciente.**INHALATION:** PEUT ÊTRE NOCIF EN CAS D'INHALATION. IRRITE LES VOIES RESPIRATOIRES. Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.**CONTACT AVEC LES YEUX:** CAUSE L'IRRITATION DES YEUX. Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.**ABSORPTION PAR LA PEAU:** PEUT ÊTRE NOCIF EN CAS D'ABSORPTION PAR LA PEAU. CAUSER UNE IRRITATION DE LA PEAU. Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.**Section 5 Mesures De Lutte Contre l'Incendie****Moyens d'extinction:** Dioxyde de carbone, produit chimique sec, du sable sec, mousse anti-alcool.**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.**Dangers spécifiques:** En cas d'incendie, des gaz irritants et très toxiques peuvent être générés par la décomposition thermique ou la combustion. Les vapeurs formées de ce produit sont plus lourdes que l'air et peuvent voyager le long de la terre à une source d'ignition et voyagez dos immédiatement. La flamme peut ne pas être évidente en jour.**Section 6 Mesures De Décharge Accidentel****Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.**Confinement et de nettoyage:** Absorbez avec le matériel sec inerte, balayez ou nettoyez à l'aspirateur vers le haut et placez dans un récipient approprié pour la disposition appropriée. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Page F2 of F2

Précautions pour la manutention en toute sécurité: Lire l'étiquette sur le contenant avant d'utiliser. Ne pas porter de lentilles cornées lorsque vous travaillez avec des produits chimiques. Tenir hors de portée des enfants. Éviter tout contact avec les yeux, la peau et les vêtements. Ne pas inhale les vapeurs, les embruns ou le brouillard. Utiliser avec une ventilation adéquate. Éviter l'ingestion. Bien se laver après la manipulation. Retirer et laver les vêtements avant de les réutiliser.

Conditions de stockage: Stocker dans un endroit frais, sec et bien aéré, loin des substances incompatibles. Subsistance loin des sources d'allumage.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Éthanol	STEL: 1000 ppm / 1880 mg/m ³ (A3)	TWA: 1000 ppm / 1900 mg/m ³	TWA: 1000 ppm / 1900 mg/m ³

Contrôles d'ingénierie: Les installations d'entreposage ou d'utilisation de ce matériel doit être équipé d'une douche oculaire et une douche de sécurité et le matériel d'extinction d'incendie. Le personnel doit porter des lunettes de sécurité, des lunettes, ou un écran facial, une blouse de laboratoire ou tablier, des gants protecteurs appropriés. Utiliser une ventilation adéquate pour maintenir les concentrations atmosphériques faible.

Protection respiratoire: Aucun ne devrait être nécessaire dans le laboratoire normal manipulant aux températures ambiantes. En cas de conditions brumeux, travaillez dans le capot de vapeur ou portez un respirateur de NIOSH/MSHA-approved.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Clair, liquide vert.

Odeur: Odeur caractéristique douce.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: -114°C (-173°F)*

Point d'ébullition: 75-80°C (173-174°F)*

Point d'éclair: Environ 21°C (70°F)

Taux d'évaporation (Acetate de butylique = 1): 4.1*

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: 4.0%(V) / 20.0%(V)*

Pression de vapeur (mm Hg): 44.6 @ 20°C (68°F)*

Densité de vapeur (Air = 1): 1.59*

Densité relative (gravité spécifique): 0.794 @ 60°F*

Solubilité (s): Soluble dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: 400°C (752°F)*

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

*[Éthanol pur]

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives, la chaleur, étincelles, flamme nue et d'autres sources d'allumage.

Matières incompatibles: Comburantes fortes, acides inorganiques et l'halogènes.

Produits dangereux de décomposition: Oxydes de carbone.

Section 11 L'Information Toxicologique

Toxicité aiguë: Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4 heures [Éthanol]

La corrosion de la peau et l'irritation: Peau de lapin - Légèrement irritant.

Des lésions oculaires graves / irritation: Yeux-lapin - Irritant sévère.

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC classés: Group 3: L'agent est inclassable quant à sa cancérogénicité pour l'homme. [Isopropanol]

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: La substance ou le mélange est classé comme toxique pour certains organes cibles, exposition unique, catégorie 3 avec des effets narcotiques.

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: L'inhalation peut causer des étourdissements, somnolence, nausées, vomissements, incapacité à se concentrer et l'irritation de la gorge.

Ingestion: L'ingestion provoque des étourdissements, la somnolence, la réaction a diminué, l'euphorie, des nausées, des vomissements, démarche titubante et le coma.

Peau: Contact avec la peau cause une irritation délipidation au contact prolongé.

Yeux: Contact avec les yeux peut causer la cécité.

Les signes et les symptômes de l'exposition: Voir les effets sanitaires potentiels ci-dessus.

Informations complémentaires: RTECS #: KQ6300000 [Éthanol]

Section 12 L'Information Écologique

Toxicité pour les poissons: Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Éthanol]

Toxicité pour les daphnies et autres invertébrés aquatiques: Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Éthanol, 99.8% pure]

Toxicité pour les algues: Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Éthanol, absolute]

Persistance et dégradabilité: Pas de données disponible

Potentiel de bioaccumulation: Pas de données disponible

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: UN1170

Nom d'expédition: Solution d'éthanol

Classe de danger: 3

Groupe d'emballage: II

Quantité à déclarer: 5,000 lbs. (2270 kg)

Polluant marin: No

Exceptions: Quantité limitée égale à ou moins de 1 L

ERG Guide #: 127

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Éthanol	Listed	Not listed	D001	Listed	Not listed
Méthanol	Listed	5,000 lbs.	U154	Listed	Not listed
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1

Chemical Product and Company Identification

Page E1 of E2

Innovating Science®

by Aldon Corporation 221 Rochester Street
 "cutting edge science for the classroom" Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300
 For laboratory use only.
 Not for drug, food or household use.

Product	SIMULATED URINE SAMPLE
Synonyms	Simulated Urine with Glycine

Section 2 Hazards Identification**Signal word:** WARNING**Pictograms:** Not applicable.**Target organs:** None known.**GHS Classification:**

Skin irrit. (Category 3)

Eye irrit. (Category 2B)

GHS Label information: Hazard statement(s):

H316: Causes mild skin irritation.

H320: Causes eye irritation.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	>98.8%	231-791-2
Glycine	56-40-6	1.0%	200-272-2
Methylparaben	99-76-3	0.1%	202-785-7
Alizarin Yellow R (C.I. No. 14095)	1718-34-9	0.0033%	217-002-4

Section 4 First Aid Measures**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.**Section 5 Fire Fighting Measures****Suitable Extinguishing Media:** Use extinguishing agent suitable for type of surrounding fire.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.**Section 6 Accidental Release Measures****Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Page E2 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. For laboratory use only. Not for drug, food or household use. Keep out of reach of children.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, spray or mist. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Not applicable.	None established.	None established.	None established.

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical & Chemical Properties

Appearance: Liquid. Clear yellow. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available	Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water.	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture
---	---	---

Section 10 Stability & Reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatibilities with other materials: Strong oxidizers.

Hazardous decomposition products: Carbon oxides.

Section 11 Toxicological Information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

Skin: Prolonged contact may cause irritation.

Eyes: Contact may cause irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: DH2450000 [Methylparaben]

Section 12 Ecological Information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Exceptions: Not applicable

2012 ERG Guide # Not applicable

Reportable Quantity: No

Marine pollutant: No

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
All components listed with TSCA.					

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 L'identification de produit chimique et de compagnie

Page F1 of F2

Innovating Science®

by Aldon Corporation

"cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

**CHEMTRAC 24 Numéros De Téléphone
De Secours D'Heure (800) 424-9300**
Pour l'usage de laboratoire seulement.
Pas pour l'usage de drogue, de nourriture
ou de ménage.

Produit SIMULATED ÉCHANTILLON D'URINE**Synonymes** Urine simulée avec Glycine**Section 2 Identification De Risques****Mention d'avertissement:** AVERTISSEMENT**Pictogrammes:** Non applicable.**Les organes cibles:** Aucun connu.**Classification par le GHS:**

Skin irrit. (Catégorie 3)

Eye irrit. (Catégorie 2B)

Déclarations de précaution(s):

P264: Se laver les mains après avoir manipulé.

P332+P313: En cas d'irritation cutanée: consulter un médecin.

P305+P351+P338: SI DANS LES YEUX: Rincer avec précaution à l'eau pendant plusieurs minutes. Enlever les lentilles cornéennes, si présentes et facile à faire. Continuer à rincer.

P337+P313: Si l'irritation oculaire persiste: consulter un médecin.

Renseignements sur l'étiquette GHS: Mention de danger(s):

H316: Provoque une légère irritation cutanée.

H320: Provoque une irritation des yeux.

CA Prop 65: Ce produit ne contient pas de produits chimiques connus à l'État de Californie pour causer le cancer ou de toxicité reproductive.

Section 3 Composition / Information Sur Des Ingrédients

Nommé Chimique	# CAS	%	EINECS
L'eau	7732-18-5	>98.8%	231-791-2
Glycine	56-40-6	1.0%	200-272-2
Methylparaben	99-76-3	0.1%	202-785-7
Alizarine Jaune R (C.I. No. 14095)	1718-34-9	0.0033%	217-002-4

Section 4 Mesures De Premiers Soins**INGESTION:** Appeler un médecin ou un centre antipoison immédiatement. Provoquer le vomissement seulement si elle est informée par le personnel compétent médicaux. Ne jamais rien donner par la bouche à une personne inconsciente.**INHALATION:** Sortir au grand air. Si elle ne respire pas, pratiquer la respiration artificielle. Si la respiration est difficile, donner de l'oxygène. Obtenir des soins médicaux.**CONTACT AVEC LES YEUX:** Vérifier et enlever les lentilles de contact. Rincer abondamment à l'eau pendant au moins 15 minutes, en soulevant les paupières inférieures et supérieures de temps en temps. Obtenez une attention médicale immédiate.**ABSORPTION PAR LA PEAU:** Enlever les vêtements contaminés. Rincer soigneusement avec du savon doux et d'eau. En cas d'irritation, consulter un médecin.**Section 5 Mesures De Lutte Contre l'Incendie****Moyens d'extinction:** Utiliser un agent extincteur approprié au type de feu environnant.**Actions de protection pour les sapeurs-pompiers:** En cas d'incendie, porter un appareil respiratoire NIOSH / MSHA approuvé autonome et un équipement complet de protection. Utiliser un jet d'eau pour maintenir incendie refroidir les conteneurs exposés.**Dangers spécifiques:** En cas de feu, de l'eau peut s'évaporer à partir de cette solution, qui peut causer les produits dangereux de décomposition à être formée comme poussière ou vapeur.**Section 6 Mesures De Déchargement Accidental****Précautions personnelles:** Évacuer le personnel vers la zone sûre. Utiliser un équipement de protection personnelle comme indiqué dans la Section 8. Assurer une ventilation adéquate.**Précautions environnementales:** Éviter tout ruissellement vers les égouts pluviaux et les fossés qui aboutissent aux voies navigables.**Confinement et de nettoyage:** Absorber avec un matériau inerte, balayer à sec ou sous vide et placer dans un récipient approprié pour l'élimination. Laver la zone de déversement avec du savon et de l'eau.

Section 7 Manipulation Et Stockage

Étiquette lue sur le récipient avant utilisation. Ne portez pas les verres de contact en travaillant avec des produits chimiques. Récipient de subsistance étroitement fermé. Pour l'usage de laboratoire seulement. Pas pour l'usage de drogue, de nourriture ou de ménage. Subsistance hors de portée des enfants.

Manipulation: Utilisation avec à ventilation proportionnée. Évitez le contact avec les yeux, la peau et l'habillement. Évitez l'ingestion. N'inhalez pas les vapeurs, le jet ou la brume. Lavage complètement après manipulation. Habillement de lavage avant réutilisation.

Stockage: Magasin dans un secteur frais, bien-aéré loin des substances incompatibles.

Section 8 Commandes D'Exposition / Protection Personnelle

Limites d'exposition:	Nommé Chimique	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Non applicable.	Aucun établi.	Aucun établi.	Aucun établi.

Commandes de technologie: Des équipements stockant ou utilisant ce matériel devraient être équipés d'un service d'eyewash et une douche et un feu de sûreté s'éteignant le matériel. Personnel devraient porter des verres de sûreté, des lunettes, ou le masque de protection, le manteau de laboratoire ou le tablier, gants protecteurs appropriés, le feu s'éteignant le matériel. Employez à ventilation proportionnée pour maintenir des concentrations aéroportées basses.

Protection respiratoire: Aucun ne devrait être nécessaire dans la gestion normale de laboratoire à température ambiante. Si les conditions brumeuses prévaloir, travailler dans la hotte ou de porter un masque respiratoire approuvé NIOSH / MSHA.

Section 9 Propriétés Physiques Et Chimiques

Apparence: Liquide. Clair jaune.

Odeur: Aucun odeur.

Seuil de l'odeur: Données non disponibles.

pH: Données non disponibles.

Point de fusion / congélation: Environ 0°C (32°F) (eau)

Point d'ébullition: Environ 100°C (212°F) (eau)

Point d'éclair: Données non disponibles

Taux d'évaporation (Eau = 1): <1

Inflammabilité (solide / gaz): Données non disponibles.

Limites d'explosivité: Bas / Max: Données non disponibles

Pression de vapeur (mm Hg): 14 (eau)

Densité de vapeur (Air = 1): 0.7 (eau)

Densité relative (gravité spécifique): Environ 1.0 (eau)

Solubilité (s): Complet dans l'eau.

Coefficient de partage: Données non disponibles

Auto-inflammation: Données non disponibles

Température de décomposition: Données non disponibles.

Viscosité: Données non disponibles.

Formule moléculaire: Mélange

Poids moléculaire: Mélange

Section 10 Stabilité Et Réactivité

Stabilité chimique: Stable

Polymérisation dangereuse: N'aura pas lieu.

Conditions à éviter: Les températures excessives qui causent l'évaporation.

Incompatibilités avec d'autres matériaux: Comburante fortes.

Produits dangereux de décomposition: Oxyde de carbones.

Section 11 L'Information Toxicologique

Toxicité aiguë: Données non disponibles

La corrosion de la peau et l'irritation: Données non disponibles

Des lésions oculaires graves / irritation: Données non disponibles

Respiratoire ou sensibilisation de la peau: Données non disponibles

Mutagénicité des cellules germinales: Données non disponibles

Cancérogène: Données non disponibles

NTP: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène reconnu ou présumé par NTP.

IARC: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène probable, possible ou confirmé par le IARC.

OSHA: Aucun composant de ce produit présent à des niveaux supérieurs ou égaux à 0,1% n'a été identifié comme cancérogène ni comme cancérogène possible par OSHA.

Reproductive toxicity: Données non disponibles

STOT-exposition unique: Données non disponibles

STOT-une exposition répétée: Données non disponibles

Risque d'aspiration: Données non disponibles

Effets d'une surexposition:

Inhalation: Peut être nocif en cas d'inhalation.

Ingestion: Peut être nocif en cas d'ingestion.

Peau: Un contact prolongé peut provoquer une irritation.

Yeux: Contact peut causer une irritation.

Les signes et les symptômes de l'exposition: Au meilleur de notre connaissance les propriétés chimiques, physiques et toxicologiques n'ont pas été à fond étudiées. Les données spécifiques ne sont pas disponibles. Procédures appropriées d'exercice pour réduire au minimum des risques.

Informations complémentaires: RTECS #: DH2450000 [Methylparaben]

Section 12 L'Information Écologique

Toxicité pour les poissons: Pas de données disponibles

Toxicité pour les daphnies et autres invertébrés aquatiques: Pas de données disponible

Toxicité pour les algues: Pas de données disponibles

Persistante et dégradabilité: Pas de données disponibles

Potentiel de bioaccumulation: Pas de données disponibles

Mobilité dans le sol: Pas de données disponibles

Évaluation PBT et vPvB: Pas de données disponibles

Autres effets indésirables: Un danger pour l'environnement ne peut pas être exclu dans l'éventualité d'une manipulation ou d'élimination.

Section 13 Considérations De Disposition

Ces lignes directrices sont destinées à l'élimination de la disposition d'un catalogue de taille seules les quantités. Les règlements fédéraux peuvent s'appliquer aux contenants vides. Des réglementations nationales et / ou local peut être différent. Éliminer conformément à toutes les réglementations locales, provinciales et fédérales ou d'un contrat avec une agence élimination des produits chimiques sous licence.

Section 14 L'Information De Transport (US DOT / CANADA TMD)

Numéro UN / NA: Non applicable

Nom d'expédition: Non réglé

Classe de danger: Non applicable

Groupe d'emballage: Non applicable

Exceptions: Non applicable

2012 ERG Guide #: Non applicable

Quantité à déclarer: Non

Polluant marin: Non

Section 15 L'Information De Normalisation

Un produit chimique est considéré comme inscrit si le numéro CAS pour la forme anhydre est sur la liste d'inventaire.

Composant	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Tous les composants répertoriés à la TSCA.					

Section 16 L'autre Information

Les informations contenues dans ce document sont fournis sans garantie d'aucune sorte. Les employeurs devraient considérer cette information seulement comme complément à d'autres informations recueillies par eux et doivent prendre des décisions indépendantes de la pertinence et l'exhaustivité de l'information de toutes les sources afin d'assurer une utilisation correcte de ces matériaux et de la sécurité et la santé des employés. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.