


Acetal (POM)	BASF The Chemical Company ULTRAFORM® ULTRAFORM® PRO	Celanese The Chemistry Inside Innovation AMCEL® CELCON® HOSTAFORM®		Nylon 66	ASCEND VYDYNE®	BASF The Chemical Company ULTRAMID® A	EMS EMS-GRIVORY GRILON® A	
Acrylic (PMMA)	CHIMEI ACRYREX®	PLASKOLITE OPTIX®		Nylon, Post Consumer Recycled	Ravago ENVIRAMID™		Recycled Nylon 6	BASF The Chemical Company NYPEL®
Bio-Based Polymers	BASF The Chemical Company ecovio®	EMS EMS-GRIVORY GRILAMID®		Nylon 12	EMS EMS-GRIVORY GRILAMID® L		Nylon Specialties	EMS EMS-GRIVORY GRILAMID® TR
Liquid Crystal Polymer (LCP)	Celanese The Chemistry Inside Innovation VECTRA® ZENITE®			TPU	Lubrizol ESTAGRIP® ESTANE®		Rigid TPU	Lubrizol ESTALOC® ISOPLAST®
Long Fiber Reinforced Thermoplastics (LFRT)	BASF The Chemical Company ULTRAMID® Structure LFX	Celanese The Chemistry Inside Innovation CELSTRAN® ABS, PC/ABS, PC, PA6, PA66, PA66/6, PBT, HDPE, PET, POM, PP, TPU, PPS	EMS EMS-GRIVORY GRILAMID® LVL GRILON® TSGL GRIVORY® GV	Barrier Polymers	EMS EMS-GRIVORY GRIVORY® G16 GRIVORY® G21	LG Chem HYPERIER®	TOPAS TOPAS®	
Nylon, High Temperature (PPA)	BASF The Chemical Company ULTRAMID® T	EMS EMS-GRIVORY GRIVORY® G GRIVORY® HT		PC	CHIMEI WONDERLITE®	Ravago HYLEX®	samyang TRIEX®	TRINSEO CALIBRE™ EMERGE™
Nylon 6	BASF The Chemical Company ULTRAMID® B	EMS EMS-GRIVORY GRILON® B		PC/ABS	CHIMEI WONDERLOY®	Ravago HYBRID® S	TRINSEO EMERGE™ PULSE™	



10/16/2019 The information presented in this document was assembled from literature of the resin producer(s). The information is believed to be accurate however Entec Polymers (Entec) makes no representation as to its accuracy and assumes no liability for any errors or omissions. ENTTEC POLYMERS DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. The material is provided for informational purposes only and is not intended to be used as a substitute for professional engineering advice.

PP	ENTECC HYPRO™	Formosa Plastics FORMOLENE®	INEOS INEOS™ PP	Pinnacle Polymers PINNACLE™ PP	LDPE	Dow DOW LDPE AGILITY™	ENTECC HYPEL® PE-LD	NOVA Chemicals NOVAPOL®
PP Reactor TPO	lyondellbasell Adflex Hifax		PP Recycled	ENTECC ECHO®	PE Specialty	Dow AFFINITY™ GA ENGAGE™ INFUSE™, VLDPE	PE Metallocene	Dow ELITE™
PP Reinforced & Compounded	AsahiKASEI THERMYLENE®	ENTECC HYPRO™ F	Ravago IPC PP		PE Functional Polymers	Dow AMPLIFY™ EA AMPLIFY™ GR AMPLIFY™ TY RETAIN™	SK global chemical AMPLIFY™ IO PRIMACOR™	
PP Specialty	Dow INTUNE™ VERSIFY™	lyondellbasell Adsyf Cataloy			EBA	REPSOL EBANTIX®		
PB-1	lyondellbasell Koattro				EVA	Celanese ATEVA®	REPSOL PRIMEVA®	
HDPE	Dow DOW HDPE DOWLEX™ UNIVAL™	ENTECC HYPEL® PE HD	Formosa Plastics FORMOLENE® HDPE	NOVA Chemicals NOVAPOL® SCLAIR®	Cyclic Olefin Copolymer	TOPAS TOPAS®		
LLDPE	Dow DOW LLDPE DOWLEX™ ELITE™ TUFLIN™	ENTECC HYPEL® PE-LLD	Formosa Plastics FORMOLENE® LLDPE	NOVA Chemicals SCLAIR® SURPASS®	Peel-Seal Resins	Dow SEALUTION™	lyondellbasell Toppyl	

The information presented in this document was assembled from literature of the resin producer(s) provided. The information is believed to be accurate however Entec Polymers ("Entec") makes no representations as to its accuracy and assumes no obligation or liability for the information, including without limitation its content, any advice given or the manner in which ENTTEC DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE. The customer shall use the resin independently, sell and export in the evaluation of the resin product to determine suitability for a particular application and accepts the results of its use.

STYRENICS



ENGINEERING ELASTOMERS



10/14/2019 The information presented in this document was assembled from literature of the resin producer(s) provided. The information is believed to be accurate however Entec Polymers ("Entec") makes no representations as to its accuracy and assumes no obligation or liability for the information, including without limitation its content, any advice given or the results obtained. ENTec DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. The customer's use of the resin is their responsibility and will be done at their own risk. Entec Polymers and its agents accept no responsibility for a particular application and accepts the results of its use.