

MXZ-2C20NA2 MXZ-2C20NA3 MXZ-2C20NA4 combination table (Cooling) Non-duct

Indoor units combination		Indoor type		Cooling capacity (BTU/h)			Power consumption (W)	Current (A)	
Unit A	Unit B	Unit A	Unit B	Unit A	Unit B	Total		208V	230V
06		Wall		6000		6000	540	2.6	2.3
09		Wall		9000		9000	670	3.3	3.0
12		Wall		12000		12000	800	4.5	4.1
15		Wall		15000		15000	1060	6.4	5.8
06	06	Wall	Wall	6000	6000	12000	790	3.8	3.4
06	09	Wall	Wall	6000	9000	15000	1035	5.0	4.5
06	12	Wall	Wall	6000	12000	18000	1420	6.8	6.2
06	15	Wall	Wall	5710	14290	20000	1635	7.9	7.1
09	09	Wall	Wall	9000	9000	18000	1420	6.8	6.2
09	12	Wall	Wall	8570	11430	20000	1635	7.9	7.1
09	15	Wall	Wall	7500	12500	20000	1605	7.9	7.0
12	12	Wall	Wall	10000	10000	20000	1605	7.9	7.0

MXZ-2C20NA2 MXZ-2C20NA3 MXZ-2C20NA4 combination table (Cooling) Duct

Indoor units combination		Indoor type		Cooling capacity (BTU/h)			Power consumption (W)	Current (A)	
Unit A	Unit B	Unit A	Unit B	Unit A	Unit B	Total		208V	230V
09		Duct		9000		9000	750	3.4	3.0
12		Duct		12000		12000	1010	4.5	4.1
15		Duct		15000		15000	1560	7.0	6.3
09	09	Duct	Duct	9000	9000	18000	1630	7.8	7.1
*1 09	12	Duct	Duct	8570	11430	20000	2000	9.6	8.7
09	15	Duct	Duct	7500	12500	20000	2000	9.6	8.7
12	12	Duct	Duct	10000	10000	20000	2000	9.6	8.7

*1 When the O/U is MXZ-2C20NA4 and the I/U is PEAD type, Refer to the capacity table below.

09	12	Duct (PEAD)	Duct (PEAD)	8570	11430	20000	2000	9.6	8.7
----	----	-------------	-------------	------	-------	-------	------	-----	-----

MXZ-2C20NA2 MXZ-2C20NA3 MXZ-2C20NA4 combination table (Heating) Non-duct

Indoor units combination		Indoor type		Heating capacity (BTU/h)			Power consumption (W)	Current (A)	
Unit A	Unit B	Unit A	Unit B	Unit A	Unit B	Total		208V	230V
06		Wall		7400		7400	670	3.3	3.0
09		Wall		11000		11000	905	4.7	4.3
12		Wall		13600		13600	1240	6.2	5.6
15		Wall		18000		18000	1715	8.9	8.1
06	06	Wall	Wall	7400	7400	14800	1040	5.1	4.6
06	09	Wall	Wall	7360	11040	18400	1370	6.7	6.1
06	12	Wall	Wall	7000	14000	21000	1640	8.0	7.3
06	15	Wall	Wall	6290	15710	22000	1780	8.7	7.9
09	09	Wall	Wall	10500	10500	21000	1640	8.0	7.3
09	12	Wall	Wall	9430	12570	22000	1780	8.7	7.9
09	15	Wall	Wall	8250	13750	22000	1780	8.7	7.9
12	12	Wall	Wall	11000	11000	22000	1780	8.7	7.9

MXZ-2C20NA2 MXZ-2C20NA3 MXZ-2C20NA4 combination table (Heating) Duct

Indoor units combination		Indoor type		Heating capacity (BTU/h)			Power consumption (W)	Current (A)	
Unit A	Unit B	Unit A	Unit B	Unit A	Unit B	Total		208V	230V
09		Duct		10900		10900	1000	4.6	4.2
12		Duct		13600		13600	1260	5.8	5.2
15		Duct		18000		18000	1650	8.4	7.6
09	09	Duct	Duct	10900	10900	21800	1810	8.7	7.9
*1 09	12	Duct	Duct	9430	12570	22000	1770	8.6	7.7
09	15	Duct	Duct	8250	13750	22000	1770	8.6	7.7
12	12	Duct	Duct	11000	11000	22000	1770	8.6	7.7

*1 When the O/U is MXZ-2C20NA4 and the I/U is PEAD type, Refer to the capacity table below.

09	12	Duct (PEAD)	Duct (PEAD)	9430	12570	22000	1771	8.5	7.7
----	----	-------------	-------------	------	-------	-------	------	-----	-----

MXZ-2C20NAHZ MXZ-2C20NAHZ2 MXZ-2C20NAHZ3 MXZ-2C20NAHZ4 combination table (Cooling) Non-duct

Indoor units combination		Indoor type		Cooling capacity (BTU/h)			Power consumption (W)	Current (A)	
Unit A	Unit B	Unit A	Unit B	Unit A	Unit B	Total		208V	230V
06		Wall		6000		6000	910	4.6	4.2
09		Wall		9000		9000	930	4.7	4.3
12		Wall		12000		12000	1020	5.2	4.7
15		Wall		14000		14000	1200	6.1	5.5
06	06	Wall	Wall	6000	6000	12000	970	4.7	4.3
06	09	Wall	Wall	6000	9000	15000	1060	5.2	4.7
06	12	Wall	Wall	6000	12000	18000	1280	6.2	5.6
06	15	Wall	Wall	5710	14290	20000	1760	8.6	7.7
09	09	Wall	Wall	9000	9000	18000	1280	6.2	5.6
09	12	Wall	Wall	8570	11430	20000	1760	8.6	7.7
09	15	Wall	Wall	7500	12500	20000	1740	8.5	7.6
12	12	Wall	Wall	10000	10000	20000	1740	8.5	7.6

MXZ-2C20NAHZ MXZ-2C20NAHZ2 MXZ-2C20NAHZ3 MXZ-2C20NAHZ4 combination table (Cooling) Duct

*1	Indoor units combination		Indoor type		Cooling capacity (BTU/h)			Power consumption (W)	Current (A)	
	Unit A	Unit B	Unit A	Unit B	Unit A	Unit B	Total		208V	230V
	09		Duct		9000		9000	980	5.0	4.5
	12		Duct		12000		12000	1150	5.8	5.3
	15		Duct		15000		15000	1450	7.3	6.6
	09	09	Duct	Duct	9000	9000	18000	1780	8.6	7.8
	09	12	Duct	Duct	8570	11430	20000	1980	9.6	8.7
	09	15	Duct	Duct	7500	12500	20000	1950	9.5	8.6
	12	12	Duct	Duct	10000	10000	20000	1950	9.5	8.6

*1 When the O/U is MXZ-2C20NAHZ4 and the I/U is SVZ type, Refer to the capacity table below.

12	12	Duct (SVZ)	Duct (SVZ)	10000	10000	20000	1819	8.7	7.9
----	----	------------	------------	-------	-------	-------	------	-----	-----

MXZ-2C20NAHZ MXZ-2C20NAHZ2 MXZ-2C20NAHZ3 MXZ-2C20NAHZ4 combination table (Heating) Non-duct

Indoor units combination		Indoor type		Heating capacity (BTU/h)			Power consumption (W)	Current (A)	
Unit A	Unit B	Unit A	Unit B	Unit A	Unit B	Total		208V	230V
06		Wall		7400		7400	860	4.4	3.9
09		Wall		11000		11000	950	4.8	4.4
12		Wall		14400		14400	1210	6.1	5.5
15		Wall		18000		18000	1600	8.1	7.3
06	06	Wall	Wall	7400	7400	14800	1030	5.0	4.5
06	09	Wall	Wall	7360	11040	18400	1310	6.4	5.8
06	12	Wall	Wall	7330	14670	22000	1480	7.2	6.5
06	15	Wall	Wall	6290	15710	22000	1590	7.7	7.0
09	09	Wall	Wall	11000	11000	22000	1480	7.2	6.5
09	12	Wall	Wall	9430	12570	22000	1590	7.7	7.0
09	15	Wall	Wall	8250	13750	22000	1560	7.6	6.9
12	12	Wall	Wall	11000	11000	22000	1560	7.6	6.9

MXZ-2C20NAHZ MXZ-2C20NAHZ2 MXZ-2C20NAHZ3 MXZ-2C20NAHZ4 combination table (Heating) Duct

Indoor units combination		Indoor type		Heating capacity (BTU/h)			Power consumption (W)	Current (A)	
Unit A	Unit B	Unit A	Unit B	Unit A	Unit B	Total		208V	230V
09		Duct		10900		10900	1000	5.1	4.6
12		Duct		13600		13600	1260	6.4	5.8
15		Duct		18000		18000	1650	8.4	7.6
09	09	Duct	Duct	10900	10900	21800	1700	8.3	7.5
09	12	Duct	Duct	9430	12570	22000	1930	9.4	8.5
09	15	Duct	Duct	8250	13750	22000	1960	9.5	8.6
*1 12	12	Duct	Duct	11000	11000	22000	1960	9.5	8.6

*1 When the O/U is MXZ-2C20NAHZ4 and the I/U is SVZ type, Refer to the capacity table below.

12	12	Duct (SVZ)	Duct (SVZ)	11000	11000	22000	1750	8.4	7.6
----	----	------------	------------	-------	-------	-------	------	-----	-----

MXZ-3C24NA MXZ-3C24NA2 MXZ-3C24NA3 MXZ-3C24NA4 combination table (Cooling) Non-duct

Indoor units combination			Indoor type			Cooling capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
06			Wall			6000			6000	870	4.4	4.0
09			Wall			9000			9000	890	4.5	4.1
12			Wall			12000			12000	980	5.0	4.5
15			Wall			14000			14000	1020	5.2	4.7
18			Wall			17200			17200	1440	7.3	6.6
06	06		Wall	Wall		6000	6000		12000	960	4.8	4.3
06	09		Wall	Wall		6000	9000		15000	1000	5.0	4.5
06	12		Wall	Wall		6000	12000		18000	1420	7.0	6.4
06	15		Wall	Wall		5710	14290		20000	1760	8.7	7.9
06	18		Wall	Wall		5450	16350		21800	2100	10.4	9.4
09	09		Wall	Wall		9000	9000		18000	1420	7.0	6.4
09	12		Wall	Wall		8570	11430		20000	1760	8.7	7.9
09	15		Wall	Wall		8180	13630		21800	2100	10.4	9.4
09	18		Wall	Wall		7270	14530		21800	2080	10.3	9.3
12	12		Wall	Wall		10900	10900		21800	2100	10.4	9.4
12	15		Wall	Wall		9690	12110		21800	2080	10.3	9.3
06	06	06	Wall	Wall	Wall	6000	6000	6000	18000	1320	6.4	5.8
06	06	09	Wall	Wall	Wall	6000	6000	9000	21000	1560	7.6	6.9
06	06	12	Wall	Wall	Wall	5500	5500	11000	22000	1960	9.5	8.6
06	06	15	Wall	Wall	Wall	5330	5330	13330	24000	2310	11.2	10.1
06	09	09	Wall	Wall	Wall	5500	8250	8250	22000	1960	9.5	8.6
06	09	12	Wall	Wall	Wall	5330	8000	10670	24000	2310	11.2	10.1
09	09	09	Wall	Wall	Wall	8000	8000	8000	24000	2310	11.2	10.1

MXZ-3C24NA MXZ-3C24NA2 MXZ-3C24NA3 MXZ-3C24NA4 combination table (Cooling) Duct

Indoor units combination			Indoor type			Cooling capacity (BTU/h)				Power consumption (W)	Current (A)	
A	B	C	A	B	C	Unit A	Unit B	Unit C	Total		208V	230V
09			Duct			9000			9000	940	4.8	4.3
12			Duct			12000			12000	1070	5.4	4.9
15			Duct			15000			15000	1370	6.9	6.3
18			Duct			17200			17200	1770	9.0	8.1
09	09		Duct	Duct		9000	9000		18000	1750	8.7	7.8
09	12		Duct	Duct		9000	12000		21000	2040	10.1	9.1
09	15		Duct	Duct		8180	13630		21800	2300	11.4	10.3
09	18		Duct	Duct		7270	14530		21800	2260	11.2	10.1
*1	12	12	Duct	Duct		10900	10900		21800	2300	11.4	10.3
	12	15	Duct	Duct		9690	12110		21800	2260	11.2	10.1
09	09	09	Duct	Duct	Duct	7870	7870	7870	23600	1920	9.3	8.4

*1 When the O/U is MXZ-3C24NA3 and the I/U is PEAD type, Refer to the capacity table below.

12	12		Duct (PEAD)	Duct (PEAD)		11800	11800		23600	2195	10.6	9.5
----	----	--	-------------	-------------	--	-------	-------	--	-------	------	------	-----

*1 When the O/U is MXZ-3C24NA4 and the I/U is SVZ type, Refer to the capacity table below.

12	12		Duct (SVZ)	Duct (SVZ)		11800	11800		23600	2107	10.1	9.2
----	----	--	------------	------------	--	-------	-------	--	-------	------	------	-----

MXZ-3C24NA MXZ-3C24NA2 MXZ-3C24NA3 MXZ-3C24NA4 combination table (Heating) Non-duct

Indoor units combination			Indoor type			Heating capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
06			Wall			7400			7400	860	4.4	3.9
09			Wall			11000			11000	950	4.8	4.4
12			Wall			14400			14400	1210	6.1	5.5
15			Wall			18000			18000	1600	8.1	7.3
18			Wall			21600			21600	2000	10.1	9.2
06	06		Wall	Wall		7400	7400		14800	1020	5.1	4.6
06	09		Wall	Wall		7360	11040		18400	1300	6.4	5.8
06	12		Wall	Wall		7330	14670		22000	1600	7.9	7.2
06	15		Wall	Wall		6290	15710		22000	1880	9.3	8.4
06	18		Wall	Wall		6000	18000		24000	2140	10.6	9.6
09	09		Wall	Wall		11000	11000		22000	1600	7.9	7.2
09	12		Wall	Wall		9430	12570		22000	1880	9.3	8.4
09	15		Wall	Wall		9000	15000		24000	2140	10.6	9.6
09	18		Wall	Wall		8000	16000		24000	2100	10.4	9.4
12	12		Wall	Wall		12000	12000		24000	2140	10.6	9.6
12	15		Wall	Wall		10670	13330		24000	2100	10.4	9.4
06	06	06	Wall	Wall	Wall	7400	7400	7400	22200	1540	7.5	6.8
06	06	09	Wall	Wall	Wall	7090	7090	10630	24800	1690	8.2	7.4
06	06	12	Wall	Wall	Wall	6250	6250	12500	25000	1920	9.3	8.4
06	06	15	Wall	Wall	Wall	5560	5560	13890	25000	1880	9.1	8.3
06	09	09	Wall	Wall	Wall	6250	9380	9380	25000	1920	9.3	8.4
06	09	12	Wall	Wall	Wall	5560	8330	11110	25000	1880	9.1	8.3
09	09	09	Wall	Wall	Wall	8330	8330	8330	25000	1880	9.1	8.3

MXZ-3C24NA MXZ-3C24NA2 MXZ-3C24NA3 MXZ-3C24NA4 combination table (Heating) Duct

Indoor units combination			Indoor type			Heating capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
09			Duct			10900			10900	960	4.9	4.4
12			Duct			13600			13600	1220	6.2	5.6
15			Duct			18000			18000	1560	7.9	7.1
18			Duct			21600			21600	2010	10.2	9.2
09	09		Duct	Duct		10900	10900		21800	1750	8.7	7.8
09	12		Duct	Duct		9430	12570		22000	1980	9.8	8.9
09	15		Duct	Duct		9000	15000		24000	2280	11.3	10.2
09	18		Duct	Duct		8000	16000		24000	2240	11.1	10.0
*1 12	12		Duct	Duct		12000	12000		24000	2280	11.3	10.2
12	15		Duct	Duct		10670	13330		24000	2240	11.1	10.0
09	09	09	Duct	Duct	Duct	8200	8200	8200	24600	1720	8.4	7.6

*1 When the O/U is MXZ-3C24NA3 and the I/U is PEAD type, Refer to the capacity table below.

12	12		Duct (PEAD)	Duct (PEAD)		12000	12000		24000	1890	9.1	8.2
----	----	--	-------------	-------------	--	-------	-------	--	-------	------	-----	-----

*1 When the O/U is MXZ-3C24NA4 and the I/U is SVZ type, Refer to the capacity table below.

12	12		Duct (SVZ)	Duct (SVZ)		12000	12000		24000	1851	8.9	8.0
----	----	--	------------	------------	--	-------	-------	--	-------	------	-----	-----

MXZ-3C24NAHZ MXZ-3C24NAHZ2 MXZ-3C24NAHZ3 MXZ-3C24NAHZ4 combination table (Cooling) Non-duct

Indoor units combination			Indoor type			Cooling capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
06			Wall			6000			6000	910	4.6	4.2
09			Wall			9000			9000	930	4.7	4.3
12			Wall			12000			12000	1020	5.2	4.7
15			Wall			14000			14000	1200	6.1	5.5
18			Wall			17200			17200	1480	7.5	6.8
06	06		Wall	Wall		6000	6000		12000	970	4.8	4.4
06	09		Wall	Wall		6000	9000		15000	1060	5.3	4.8
06	12		Wall	Wall		6000	12000		18000	1280	6.3	5.7
06	15		Wall	Wall		5710	14290		20000	1750	8.7	7.8
06	18		Wall	Wall		5450	16350		21800	1820	9.0	8.2
09	09		Wall	Wall		9000	9000		18000	1280	6.3	5.7
09	12		Wall	Wall		8570	11430		20000	1750	8.7	7.8
09	15		Wall	Wall		8180	13630		21800	1820	9.0	8.2
09	18		Wall	Wall		7270	14530		21800	1800	8.9	8.1
12	12		Wall	Wall		10900	10900		21800	1820	9.0	8.2
12	15		Wall	Wall		9690	12110		21800	1800	8.9	8.1
06	06	06	Wall	Wall	Wall	6000	6000	6000	18000	1200	5.8	5.3
06	06	09	Wall	Wall	Wall	6000	6000	9000	21000	1360	6.6	6.0
06	06	12	Wall	Wall	Wall	5500	5500	11000	22000	1650	8.0	7.3
06	06	15	Wall	Wall	Wall	5330	5330	13330	24000	1950	9.5	8.6
06	09	09	Wall	Wall	Wall	5500	8250	8250	22000	1650	8.0	7.3
06	09	12	Wall	Wall	Wall	5330	8000	10670	24000	1950	9.5	8.6
09	09	09	Wall	Wall	Wall	8000	8000	8000	24000	1950	9.5	8.6

MXZ-3C24NAHZ MXZ-3C24NAHZ2 MXZ-3C24NAHZ3 MXZ-3C24NAHZ4 combination table (Cooling) Duct

Indoor units combination			Indoor type			Cooling capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
09			Duct			9000			9000	980	5.0	4.5
12			Duct			12000			12000	1150	5.8	5.3
15			Duct			15000			15000	1450	7.3	6.6
18			Duct			17200			17200	1850	9.4	8.5
09	09		Duct	Duct		9000	9000		18000	1820	9.0	8.2
09	12		Duct	Duct		9000	12000		21000	2050	10.2	9.2
09	15		Duct	Duct		8180	13630		21800	2320	11.5	10.4
09	18		Duct	Duct		7270	14530		21800	2280	11.3	10.2
*1	12	12	Duct	Duct		10900	10900		21800	2320	11.5	10.4
	12	15	Duct	Duct		9690	12110		21800	2280	11.3	10.2
09	09	09	Duct	Duct	Duct	7870	7870	7870	23600	2180	10.6	9.6

*1 When the O/U is MXZ-3C24NAHZ4 and the I/U is SVZ type, Refer to the capacity table below.

12	12		Duct (SVZ)	Duct (SVZ)		11800	11800		23600	2360	11.3	10.3
----	----	--	------------	------------	--	-------	-------	--	-------	------	------	------

MXZ-3C24NAHZ MXZ-3C24NAHZ2 MXZ-3C24NAHZ3 MXZ-3C24NAHZ4 combination table (Heating) Non-duct

Indoor units combination			Indoor type			Heating capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
06			Wall			7400			7400	860	4.4	3.9
09			Wall			11000			11000	950	4.8	4.4
12			Wall			14400			14400	1210	6.1	5.5
15			Wall			18000			18000	1600	8.1	7.3
18			Wall			21600			21600	2000	10.1	9.2
06	06		Wall	Wall		7400	7400		14800	1030	5.1	4.6
06	09		Wall	Wall		7360	11040		18400	1310	6.5	5.9
06	12		Wall	Wall		7330	14670		22000	1620	8.0	7.3
06	15		Wall	Wall		6290	15710		22000	1590	7.9	7.1
06	18		Wall	Wall		5500	16500		22000	1560	7.7	7.0
09	09		Wall	Wall		11000	11000		22000	1620	8.0	7.3
09	12		Wall	Wall		9430	12570		22000	1590	7.9	7.1
09	15		Wall	Wall		8250	13750		22000	1560	7.7	7.0
09	18		Wall	Wall		7330	14670		22000	1530	7.6	6.9
12	12		Wall	Wall		11000	11000		22000	1560	7.7	7.0
12	15		Wall	Wall		9780	12220		22000	1530	7.6	6.9
06	06	06	Wall	Wall	Wall	7400	7400	7400	22200	1450	7.0	6.4
06	06	09	Wall	Wall	Wall	7090	7090	10630	24800	1670	8.1	7.3
06	06	12	Wall	Wall	Wall	6250	6250	12500	25000	1880	9.1	8.3
06	06	15	Wall	Wall	Wall	5560	5560	13890	25000	1860	9.0	8.2
06	09	09	Wall	Wall	Wall	6250	9380	9380	25000	1880	9.1	8.3
06	09	12	Wall	Wall	Wall	5560	8330	11110	25000	1860	9.0	8.2
09	09	09	Wall	Wall	Wall	8330	8330	8330	25000	1860	9.0	8.2

MXZ-3C24NAHZ MXZ-3C24NAHZ2 MXZ-3C24NAHZ3 MXZ-3C24NAHZ4 combination table (Heating) Duct

Indoor units combination			Indoor type			Heating capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
09			Duct			10900			10900	1000	5.1	4.6
12			Duct			13600			13600	1260	6.4	5.8
15			Duct			18000			18000	1650	8.4	7.6
18			Duct			21600			21600	2050	10.4	9.4
09	09		Duct	Duct		10900	10900		21800	1820	9.0	8.2
09	12		Duct	Duct		9340	12460		21800	1990	9.9	8.9
09	15		Duct	Duct		8180	13630		21800	1960	9.7	8.8
09	18		Duct	Duct		7270	14530		21800	1930	9.6	8.7
*1	12	12	Duct	Duct		10900	10900		21800	1960	9.7	8.8
	12	15	Duct	Duct		9690	12110		21800	1930	9.6	8.7
09	09	09	Duct	Duct	Duct	8200	8200	8200	24600	1700	8.3	7.5

*1 When the O/U is MXZ-3C24NAHZ4 and the I/U is SVZ type, Refer to the capacity table below.

12	12		Duct (SVZ)	Duct (SVZ)		12300	12300		24600	1950	9.4	8.5
----	----	--	------------	------------	--	-------	-------	--	-------	------	-----	-----

MXZ-3C30NA MXZ-3C30NA2 MXZ-3C30NA3 MXZ-3C30NA4 combination table (Cooling) Non-duct

Indoor units combination			Indoor type			Cooling capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
06			Wall			6000			6000	870	4.4	4.0
09			Wall			9000			9000	890	4.5	4.1
12			Wall			12000			12000	980	5.0	4.5
15			Wall			14000			14000	1020	5.2	4.7
18			Wall			17200			17200	1440	7.3	6.6
21			Wall			19800			19800	1840	9.3	8.4
24			Wall			22500			22500	2250	11.4	10.3
06	06		Wall	Wall		6000	6000		12000	960	4.8	4.3
06	09		Wall	Wall		6000	9000		15000	1000	5.0	4.5
06	12		Wall	Wall		6000	12000		18000	1420	7.0	6.4
06	15		Wall	Wall		5710	14290		20000	1760	8.7	7.9
06	18		Wall	Wall		5750	17250		23000	2100	10.4	9.4
06	21		Wall	Wall		5730	20070		25800	2420	12.0	10.9
06	24		Wall	Wall		5440	21760		27200	2800	13.9	12.6
09	09		Wall	Wall		9000	9000		18000	1420	7.0	6.4
09	12		Wall	Wall		8570	11430		20000	1760	8.7	7.9
09	15		Wall	Wall		8630	14380		23000	2100	10.4	9.4
09	18		Wall	Wall		8600	17200		25800	2420	12.0	10.9
09	21		Wall	Wall		8160	19040		27200	2800	13.9	12.6
09	24		Wall	Wall		7420	19780		27200	2760	13.7	12.4
12	12		Wall	Wall		11500	11500		23000	2100	10.4	9.4
12	15		Wall	Wall		11470	14330		25800	2420	12.0	10.9
12	18		Wall	Wall		10880	16320		27200	2800	13.9	12.6
12	21		Wall	Wall		9890	17310		27200	2760	13.7	12.4
12	24		Wall	Wall		9070	18130		27200	2720	13.5	12.2
15	15		Wall	Wall		13600	13600		27200	2800	13.9	12.6
15	18		Wall	Wall		12360	14840		27200	2760	13.7	12.4
15	21		Wall	Wall		11330	15870		27200	2720	13.5	12.2
18	18		Wall	Wall		13600	13600		27200	2720	13.5	12.2
06	06	06	Wall	Wall	Wall	6000	6000	6000	18000	1320	6.4	5.8
06	06	09	Wall	Wall	Wall	6000	6000	9000	21000	1560	7.6	6.9
06	06	12	Wall	Wall	Wall	6000	6000	12000	24000	1960	9.5	8.6
06	06	15	Wall	Wall	Wall	5780	5780	14440	26000	2310	11.2	10.1
06	06	18	Wall	Wall	Wall	5680	5680	17040	28400	2620	12.7	11.5
06	06	21	Wall	Wall	Wall	5380	5380	18840	29600	2860	13.9	12.6
06	06	24	Wall	Wall	Wall	5000	5000	20000	30000	2900	14.1	12.7
06	09	09	Wall	Wall	Wall	6000	9000	9000	24000	1960	9.5	8.6
06	09	12	Wall	Wall	Wall	5780	8670	11560	26000	2310	11.2	10.1
06	09	15	Wall	Wall	Wall	5680	8520	14200	28400	2620	12.7	11.5
06	09	18	Wall	Wall	Wall	5380	8070	16150	29600	2860	13.9	12.6
06	09	21	Wall	Wall	Wall	5000	7500	17500	30000	2900	14.1	12.7
06	12	12	Wall	Wall	Wall	5680	11360	11360	28400	2620	12.7	11.5
06	12	15	Wall	Wall	Wall	5380	10760	13450	29600	2860	13.9	12.6
06	12	18	Wall	Wall	Wall	5000	10000	15000	30000	2900	14.1	12.7
06	15	15	Wall	Wall	Wall	5000	12500	12500	30000	2900	14.1	12.7
09	09	09	Wall	Wall	Wall	8670	8670	8670	26000	2310	11.2	10.1
09	09	12	Wall	Wall	Wall	8520	8520	11360	28400	2620	12.7	11.5

Indoor units combination			Indoor type			Cooling capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
09	09	15	Wall	Wall	Wall	8070	8070	13450	29600	2860	13.9	12.6
09	09	18	Wall	Wall	Wall	7500	7500	15000	30000	2900	14.1	12.7
09	12	12	Wall	Wall	Wall	8070	10760	10760	29600	2860	13.9	12.6
09	12	15	Wall	Wall	Wall	7500	10000	12500	30000	2900	14.1	12.7
12	12	12	Wall	Wall	Wall	10000	10000	10000	30000	2900	14.1	12.7

MXZ-3C30NA MXZ-3C30NA2 MXZ-3C30NA3 MXZ-3C30NA4 combination table (Cooling) Duct

	Indoor units combination			Indoor type			Cooling capacity (BTU/h)				Power consumption (W)	Current (A)	
	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
*1	09			Duct			9000			9000	940	4.8	4.3
	12			Duct			12000			12000	1070	5.4	4.9
	15			Duct			15000			15000	1370	6.9	6.3
	18			Duct			17200			17200	1770	9.0	8.1
	21			Duct			20600			20600	2110	10.7	9.7
	24			Duct			24000			24000	2360	11.9	10.8
	09	09		Duct	Duct		9000	9000		18000	1750	8.7	7.8
	09	12		Duct	Duct		9000	12000		21000	2040	10.1	9.1
	09	15		Duct	Duct		9000	15000		24000	2300	11.4	10.3
	09	18		Duct	Duct		8730	17470		26200	2560	12.7	11.5
	09	21		Duct	Duct		8160	19040		27200	2860	14.2	12.8
	09	24		Duct	Duct		7420	19780		27200	2840	14.1	12.7
	12	12		Duct	Duct		12000	12000		24000	2300	11.4	10.3
	12	15		Duct	Duct		11640	14560		26200	2560	12.7	11.5
	12	18		Duct	Duct		10880	16320		27200	2860	14.2	12.8
	12	21		Duct	Duct		9890	17310		27200	2840	14.1	12.7
	12	24		Duct	Duct		9070	18130		27200	2820	14.0	12.6
	15	15		Duct	Duct		13600	13600		27200	2860	14.2	12.8
	15	18		Duct	Duct		12360	14840		27200	2840	14.1	12.7
	15	21		Duct	Duct		11330	15870		27200	2820	14.0	12.6
*2	18	18		Duct	Duct		13600	13600		27200	2820	14.0	12.6
	09	09	09	Duct	Duct	Duct	9000	9000	9000	27000	2410	11.7	10.6
	09	09	12	Duct	Duct	Duct	8220	8220	10960	27400	2660	12.9	11.7
	09	09	15	Duct	Duct	Duct	7580	7580	12640	27800	2950	14.3	13.0
	09	09	18	Duct	Duct	Duct	7050	7050	14100	28200	3170	15.4	13.9
	09	12	12	Duct	Duct	Duct	7580	10110	10110	27800	2950	14.3	13.0
	09	12	15	Duct	Duct	Duct	7050	9400	11750	28200	3170	15.4	13.9
	12	12	12	Duct	Duct	Duct	9400	9400	9400	28200	3170	15.4	13.9

*1 When the O/U is MXZ-3C30NA3 and the I/U is PEAD type, Refer to the capacity table below.

15	15		Duct (PEAD)	Duct (PEAD)		13700	13700		27400	2840	13.7	12.3
----	----	--	-------------	-------------	--	-------	-------	--	-------	------	------	------

*2 When the O/U is MXZ-3C30NA4 and the I/U is SVZ type, Refer to the capacity table below.

18	18		Duct (SVZ)	Duct (SVZ)		13700	13700		27400	2854	13.7	12.4
----	----	--	------------	------------	--	-------	-------	--	-------	------	------	------

MXZ-3C30NA MXZ-3C30NA2 MXZ-3C30NA3 MXZ-3C30NA4 combination table (Heating) Non-duct

Indoor units combination			Indoor type			Heating capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
06			Wall			7400			7400	860	4.4	3.9
09			Wall			11000			11000	950	4.8	4.4
12			Wall			14400			14400	1210	6.1	5.5
15			Wall			18000			18000	1600	8.1	7.3
18			Wall			21600			21600	2000	10.1	9.2
21			Wall			24600			24600	2320	11.7	10.6
24			Wall			27600			27600	2640	13.4	12.1
06	06		Wall	Wall		7400	7400		14800	1020	5.1	4.6
06	09		Wall	Wall		7360	11040		18400	1300	6.4	5.8
06	12		Wall	Wall		7330	14670		22000	1600	7.9	7.2
06	15		Wall	Wall		7260	18140		25400	1880	9.3	8.4
06	18		Wall	Wall		6900	20700		27600	2140	10.6	9.6
06	21		Wall	Wall		6130	21470		27600	2100	10.4	9.4
06	24		Wall	Wall		5520	22080		27600	2120	10.5	9.5
09	09		Wall	Wall		11000	11000		22000	1600	7.9	7.2
09	12		Wall	Wall		10890	14510		25400	1880	9.3	8.4
09	15		Wall	Wall		10350	17250		27600	2140	10.6	9.6
09	18		Wall	Wall		9200	18400		27600	2100	10.4	9.4
09	21		Wall	Wall		8280	19320		27600	2120	10.5	9.5
09	24		Wall	Wall		7530	20070		27600	2080	10.3	9.3
12	12		Wall	Wall		13800	13800		27600	2140	10.6	9.6
12	15		Wall	Wall		12270	15330		27600	2100	10.4	9.4
12	18		Wall	Wall		11040	16560		27600	2120	10.5	9.5
12	21		Wall	Wall		10040	17560		27600	2080	10.3	9.3
12	24		Wall	Wall		9200	18400		27600	2040	10.1	9.1
15	15		Wall	Wall		13800	13800		27600	2120	10.5	9.5
15	18		Wall	Wall		12550	15050		27600	2080	10.3	9.3
15	21		Wall	Wall		11500	16100		27600	2040	10.1	9.1
18	18		Wall	Wall		13800	13800		27600	2040	10.1	9.1
06	06	06	Wall	Wall	Wall	7400	7400	7400	22200	1540	7.5	6.8
06	06	09	Wall	Wall	Wall	7370	7370	11060	25800	1780	8.6	7.8
06	06	12	Wall	Wall	Wall	7100	7100	14200	28400	1920	9.3	8.4
06	06	15	Wall	Wall	Wall	6310	6310	15780	28400	2020	9.8	8.9
06	06	18	Wall	Wall	Wall	5720	5720	17160	28600	2090	10.2	9.2
06	06	21	Wall	Wall	Wall	5380	5380	18840	29600	2280	11.1	10.0
06	06	24	Wall	Wall	Wall	5000	5000	20000	30000	2340	11.4	10.3
06	09	09	Wall	Wall	Wall	7100	10650	10650	28400	1920	9.3	8.4
06	09	12	Wall	Wall	Wall	6310	9470	12620	28400	2020	9.8	8.9
06	09	15	Wall	Wall	Wall	5720	8580	14300	28600	2090	10.2	9.2
06	09	18	Wall	Wall	Wall	5380	8070	16150	29600	2280	11.1	10.0
06	09	21	Wall	Wall	Wall	5000	7500	17500	30000	2340	11.4	10.3
06	12	12	Wall	Wall	Wall	5720	11440	11440	28600	2090	10.2	9.2
06	12	15	Wall	Wall	Wall	5380	10760	13450	29600	2280	11.1	10.0
06	12	18	Wall	Wall	Wall	5000	10000	15000	30000	2340	11.4	10.3
06	15	15	Wall	Wall	Wall	5000	12500	12500	30000	2340	11.4	10.3
09	09	09	Wall	Wall	Wall	9470	9470	9470	28400	2020	9.8	8.9
09	09	12	Wall	Wall	Wall	8580	8580	11440	28600	2090	10.2	9.2

Indoor units combination			Indoor type			Heating capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
09	09	15	Wall	Wall	Wall	8070	8070	13450	29600	2280	11.1	10.0
09	09	18	Wall	Wall	Wall	7500	7500	15000	30000	2340	11.4	10.3
09	12	12	Wall	Wall	Wall	8070	10760	10760	29600	2280	11.1	10.0
09	12	15	Wall	Wall	Wall	7500	10000	12500	30000	2340	11.4	10.3
12	12	12	Wall	Wall	Wall	10000	10000	10000	30000	2340	11.4	10.3

MXZ-3C30NA MXZ-3C30NA2 MXZ-3C30NA3 MXZ-3C30NA4 combination table (Heating) Duct

Indoor units combination			Indoor type			Heating capacity (BTU/h)				Power consumption (W)	Current (A)		
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V	
09			Duct			10900			10900	960	4.9	4.4	
12			Duct			13600			13600	1220	6.2	5.6	
15			Duct			18000			18000	1560	7.9	7.1	
18			Duct			21600			21600	2010	10.2	9.2	
21			Duct			23800			23800	2450	12.4	11.2	
24			Duct			26000			26000	2710	13.7	12.4	
09	09		Duct	Duct		10900	10900		21800	1750	8.7	7.8	
09	12		Duct	Duct		10500	14000		24500	1980	9.8	8.9	
09	15		Duct	Duct		10200	17000		27200	2150	10.7	9.6	
09	18		Duct	Duct		9130	18270		27400	2240	11.1	10.0	
09	21		Duct	Duct		8220	19180		27400	2160	10.7	9.7	
09	24		Duct	Duct		7470	19930		27400	2120	10.5	9.5	
*1	12	12	Duct	Duct		13600	13600		27200	2150	10.7	9.6	
	12	15	Duct	Duct		12180	15220		27400	2240	11.1	10.0	
	12	18	Duct	Duct		10960	16440		27400	2160	10.7	9.7	
	12	21	Duct	Duct		9960	17440		27400	2120	10.5	9.5	
	12	24	Duct	Duct		9130	18270		27400	2080	10.3	9.3	
	15	15	Duct	Duct		13700	13700		27400	2160	10.7	9.7	
	15	18	Duct	Duct		12450	14950		27400	2120	10.5	9.5	
	15	21	Duct	Duct		11420	15980		27400	2080	10.3	9.3	
	*2	18	18	Duct	Duct		13700	13700		27400	2080	10.3	9.3
		09	09	09	Duct	Duct	Duct	9130	9130	9130	27400	2020	9.8
09		09	12	Duct	Duct	Duct	8280	8280	11040	27600	2060	10.0	9.1
09		09	15	Duct	Duct	Duct	7580	7580	12640	27800	2160	10.5	9.5
09		09	18	Duct	Duct	Duct	7000	7000	14000	28000	2120	10.3	9.3
09		12	12	Duct	Duct	Duct	7580	10110	10110	27800	2160	10.5	9.5
09		12	15	Duct	Duct	Duct	7000	9330	11670	28000	2120	10.3	9.3
12		12	12	Duct	Duct	Duct	9330	9330	9330	28000	2120	10.3	9.3

*1 When the O/U is MXZ-3C30NA3 and the I/U is PEAD type, Refer to the capacity table below.

15	15		Duct (PEAD)	Duct (PEAD)		13800	13800		27600	2220	10.7	9.7
----	----	--	-------------	-------------	--	-------	-------	--	-------	------	------	-----

*2 When the O/U is MXZ-3C30NA4 and the I/U is SVZ type, Refer to the capacity table below.

18	18		Duct (SVZ)	Duct (SVZ)		13800	13800		27600	2247	10.8	9.8
----	----	--	------------	------------	--	-------	-------	--	-------	------	------	-----

MXZ-3C30NAHZ MXZ-3C30NAHZ2 MXZ-3C30NAHZ3 MXZ-3C30NAHZ4 combination table (Cooling) Non-duct

Indoor units combination			Indoor type			Cooling capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
06			Wall			6000			6000	910	4.6	4.2
09			Wall			9000			9000	930	4.7	4.3
12			Wall			12000			12000	1020	5.2	4.7
15			Wall			14000			14000	1200	6.1	5.5
18			Wall			17200			17200	1480	7.5	6.8
21			Wall			19800			19800	1880	9.5	8.6
24			Wall			22500			22500	2290	11.6	10.5
06	06		Wall	Wall		6000	6000		12000	970	4.8	4.4
06	09		Wall	Wall		6000	9000		15000	1060	5.3	4.8
06	12		Wall	Wall		6000	12000		18000	1280	6.3	5.7
06	15		Wall	Wall		5710	14290		20000	1760	8.7	7.9
06	18		Wall	Wall		5750	17250		23000	1840	9.1	8.3
06	21		Wall	Wall		5330	18670		24000	1920	9.5	8.6
06	24		Wall	Wall		4800	19200		24000	1900	9.4	8.5
09	09		Wall	Wall		9000	9000		18000	1280	6.3	5.7
09	12		Wall	Wall		8570	11430		20000	1760	8.7	7.9
09	15		Wall	Wall		8630	14380		23000	1840	9.1	8.3
09	18		Wall	Wall		8000	16000		24000	1920	9.5	8.6
09	21		Wall	Wall		7200	16800		24000	1900	9.4	8.5
09	24		Wall	Wall		6550	17450		24000	1880	9.3	8.4
12	12		Wall	Wall		11500	11500		23000	1840	9.1	8.3
12	15		Wall	Wall		10670	13330		24000	1920	9.5	8.6
12	18		Wall	Wall		9600	14400		24000	1900	9.4	8.5
12	21		Wall	Wall		8730	15270		24000	1880	9.3	8.4
12	24		Wall	Wall		8000	16000		24000	1860	9.2	8.3
15	15		Wall	Wall		12000	12000		24000	1900	9.4	8.5
15	18		Wall	Wall		10910	13090		24000	1880	9.3	8.4
15	21		Wall	Wall		10000	14000		24000	1860	9.2	8.3
18	18		Wall	Wall		12000	12000		24000	1860	9.2	8.3
06	06	06	Wall	Wall	Wall	6000	6000	6000	18000	1180	5.7	5.2
06	06	09	Wall	Wall	Wall	6000	6000	9000	21000	1340	6.5	5.9
06	06	12	Wall	Wall	Wall	6000	6000	12000	24000	1580	7.7	6.9
06	06	15	Wall	Wall	Wall	5780	5780	14440	26000	1820	8.8	8.0
06	06	18	Wall	Wall	Wall	5680	5680	17040	28400	2220	10.8	9.8
06	06	21	Wall	Wall	Wall	5160	5160	18070	28400	2250	10.9	9.9
06	06	24	Wall	Wall	Wall	4730	4730	18930	28400	2220	10.8	9.8
06	09	09	Wall	Wall	Wall	6000	9000	9000	24000	1580	7.7	6.9
06	09	12	Wall	Wall	Wall	5780	8670	11560	26000	1820	8.8	8.0
06	09	15	Wall	Wall	Wall	5680	8520	14200	28400	2220	10.8	9.8
06	09	18	Wall	Wall	Wall	5160	7750	15490	28400	2250	10.9	9.9
06	09	21	Wall	Wall	Wall	4730	7100	16570	28400	2220	10.8	9.8
06	12	12	Wall	Wall	Wall	5680	11360	11360	28400	2220	10.8	9.8
06	12	15	Wall	Wall	Wall	5160	10330	12910	28400	2250	10.9	9.9
06	12	18	Wall	Wall	Wall	4730	9470	14200	28400	2220	10.8	9.8
06	15	15	Wall	Wall	Wall	4730	11830	11830	28400	2220	10.8	9.8
09	09	09	Wall	Wall	Wall	8670	8670	8670	26000	1820	8.8	8.0
09	09	12	Wall	Wall	Wall	8520	8520	11360	28400	2220	10.8	9.8

Indoor units combination			Indoor type			Cooling capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
09	09	15	Wall	Wall	Wall	7750	7750	12910	28400	2250	10.9	9.9
09	09	18	Wall	Wall	Wall	7100	7100	14200	28400	2220	10.8	9.8
09	12	12	Wall	Wall	Wall	7750	10330	10330	28400	2250	10.9	9.9
09	12	15	Wall	Wall	Wall	7100	9470	11830	28400	2220	10.8	9.8
12	12	12	Wall	Wall	Wall	9470	9470	9470	28400	2220	10.8	9.8

MXZ-3C30NAHZ MXZ-3C30NAHZ2 MXZ-3C30NAHZ3 MXZ-3C30NAHZ4 combination table (Cooling) Duct

Indoor units combination			Indoor type			Cooling capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
09			Duct			9000			9000	980	5.0	4.5
12			Duct			12000			12000	1150	5.8	5.3
15			Duct			15000			15000	1450	7.3	6.6
18			Duct			17200			17200	1850	9.4	8.5
21			Duct			20600			20600	2150	10.9	9.8
24			Duct			24000			24000	2400	12.2	11.0
09	09		Duct	Duct		9000	9000		18000	1820	9.0	8.2
09	12		Duct	Duct		9000	12000		21000	2020	10.0	9.1
09	15		Duct	Duct		9000	15000		24000	2300	11.4	10.3
09	18		Duct	Duct		8000	16000		24000	2270	11.3	10.2
09	21		Duct	Duct		7200	16800		24000	2240	11.1	10.0
09	24		Duct	Duct		6550	17450		24000	2210	11.0	9.9
12	12		Duct	Duct		12000	12000		24000	2300	11.4	10.3
12	15		Duct	Duct		10670	13330		24000	2270	11.3	10.2
12	18		Duct	Duct		9600	14400		24000	2240	11.1	10.0
12	21		Duct	Duct		8730	15270		24000	2210	11.0	9.9
12	24		Duct	Duct		8000	16000		24000	2190	10.9	9.8
15	15		Duct	Duct		12000	12000		24000	2240	11.1	10.0
15	18		Duct	Duct		10910	13090		24000	2210	11.0	9.9
15	21		Duct	Duct		10000	14000		24000	2190	10.9	9.8
18	18		Duct	Duct		12000	12000		24000	2190	10.9	9.8
09	09	09	Duct	Duct	Duct	9000	9000	9000	27000	2400	11.7	10.5
09	09	12	Duct	Duct	Duct	8220	8220	10960	27400	2500	12.1	11.0
09	09	15	Duct	Duct	Duct	7470	7470	12450	27400	2630	12.8	11.6
09	09	18	Duct	Duct	Duct	6850	6850	13700	27400	2600	12.6	11.4
09	12	12	Duct	Duct	Duct	7470	9960	9960	27400	2630	12.8	11.6
09	12	15	Duct	Duct	Duct	6850	9130	11420	27400	2600	12.6	11.4
12	12	12	Duct	Duct	Duct	9130	9130	9130	27400	2600	12.6	11.4

*1 When the O/U is MXZ-3C30NAHZ4 and the I/U is SVZ type, Refer to the capacity table below.

18	18		Duct (SVZ)	Duct (SVZ)		13700	13700		27400	2660	12.8	11.6
----	----	--	------------	------------	--	-------	-------	--	-------	------	------	------

MXZ-3C30NAZ MXZ-3C30NAHZ2 MXZ-3C30NAHZ3 MXZ-3C30NAHZ4 combination table (Heating) Non-duct

Indoor units combination			Indoor type			Heating capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
06			Wall			7400			7400	860	4.4	3.9
09			Wall			11000			11000	950	4.8	4.4
12			Wall			14400			14400	1210	6.1	5.5
15			Wall			18000			18000	1600	8.1	7.3
18			Wall			21600			21600	2000	10.1	9.2
21			Wall			22000			22000	2360	11.9	10.8
24			Wall			22600			22600	2680	13.6	12.3
06	06		Wall	Wall		7400	7400		14800	1030	5.1	4.6
06	09		Wall	Wall		7360	11040		18400	1310	6.5	5.9
06	12		Wall	Wall		7330	14670		22000	1620	8.0	7.3
06	15		Wall	Wall		6290	15710		22000	1900	9.4	8.5
06	18		Wall	Wall		5750	17250		23000	2210	11.0	9.9
06	21		Wall	Wall		5330	18670		24000	2170	10.8	9.7
06	24		Wall	Wall		4800	19200		24000	2140	10.6	9.6
09	09		Wall	Wall		11000	11000		22000	1620	8.0	7.3
09	12		Wall	Wall		9430	12570		22000	1900	9.4	8.5
09	15		Wall	Wall		8630	14380		23000	2210	11.0	9.9
09	18		Wall	Wall		8000	16000		24000	2170	10.8	9.7
09	21		Wall	Wall		7200	16800		24000	2140	10.6	9.6
09	24		Wall	Wall		6550	17450		24000	2110	10.5	9.5
12	12		Wall	Wall		11500	11500		23000	2210	11.0	9.9
12	15		Wall	Wall		10670	13330		24000	2170	10.8	9.7
12	18		Wall	Wall		9600	14400		24000	2140	10.6	9.6
12	21		Wall	Wall		8730	15270		24000	2110	10.5	9.5
12	24		Wall	Wall		8000	16000		24000	2080	10.3	9.3
15	15		Wall	Wall		12000	12000		24000	2140	10.6	9.6
15	18		Wall	Wall		10910	13090		24000	2110	10.5	9.5
15	21		Wall	Wall		10000	14000		24000	2080	10.3	9.3
18	18		Wall	Wall		12000	12000		24000	2080	10.3	9.3
06	06	06	Wall	Wall	Wall	7400	7400	7400	22200	1450	7.0	6.4
06	06	09	Wall	Wall	Wall	7370	7370	11060	25800	1560	7.6	6.9
06	06	12	Wall	Wall	Wall	7100	7100	14200	28400	1700	8.3	7.5
06	06	15	Wall	Wall	Wall	6310	6310	15780	28400	1900	9.2	8.3
06	06	18	Wall	Wall	Wall	5720	5720	17160	28600	2040	9.9	9.0
06	06	21	Wall	Wall	Wall	5200	5200	18200	28600	2010	9.8	8.8
06	06	24	Wall	Wall	Wall	4770	4770	19070	28600	1980	9.6	8.7
06	09	09	Wall	Wall	Wall	7100	10650	10650	28400	1700	8.3	7.5
06	09	12	Wall	Wall	Wall	6310	9470	12620	28400	1900	9.2	8.3
06	09	15	Wall	Wall	Wall	5720	8580	14300	28600	2040	9.9	9.0
06	09	18	Wall	Wall	Wall	5200	7800	15600	28600	2010	9.8	8.8
06	09	21	Wall	Wall	Wall	4770	7150	16680	28600	1980	9.6	8.7
06	12	12	Wall	Wall	Wall	5720	11440	11440	28600	2040	9.9	9.0
06	12	15	Wall	Wall	Wall	5200	10400	13000	28600	2010	9.8	8.8
06	12	18	Wall	Wall	Wall	4770	9530	14300	28600	1980	9.6	8.7
06	15	15	Wall	Wall	Wall	4770	11920	11920	28600	1980	9.6	8.7
09	09	09	Wall	Wall	Wall	9470	9470	9470	28400	1900	9.2	8.3
09	09	12	Wall	Wall	Wall	8580	8580	11440	28600	2040	9.9	9.0

Indoor units combination			Indoor type			Heating capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
09	09	15	Wall	Wall	Wall	7800	7800	13000	28600	2010	9.8	8.8
09	09	18	Wall	Wall	Wall	7150	7150	14300	28600	1980	9.6	8.7
09	12	12	Wall	Wall	Wall	7800	10400	10400	28600	2010	9.8	8.8
09	12	15	Wall	Wall	Wall	7150	9530	11920	28600	1980	9.6	8.7
12	12	12	Wall	Wall	Wall	9530	9530	9530	28600	1980	9.6	8.7

MXZ-3C30NAHZ MXZ-3C30NAHZ2 MXZ-3C30NAHZ3 MXZ-3C30NAHZ4 combination table (Heating) Duct

Indoor units combination			Indoor type			Heating capacity (BTU/h)				Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Total		208V	230V
09			Duct			10900			10900	1000	5.1	4.6
12			Duct			13600			13600	1260	6.4	5.8
15			Duct			18000			18000	1650	8.4	7.6
18			Duct			21600			21600	2050	10.4	9.4
21			Duct			22800			22800	2450	12.4	11.2
24			Duct			24000			24000	2710	13.7	12.4
09	09		Duct	Duct		10900	10900		21800	1820	9.0	8.2
09	12		Duct	Duct		9770	13030		22800	1990	9.9	8.9
09	15		Duct	Duct		9000	15000		24000	2210	11.0	9.9
09	18		Duct	Duct		8000	16000		24000	2180	10.8	9.8
09	21		Duct	Duct		7200	16800		24000	2150	10.7	9.6
09	24		Duct	Duct		6550	17450		24000	2120	10.5	9.5
12	12		Duct	Duct		12000	12000		24000	2210	11.0	9.9
12	15		Duct	Duct		10670	13330		24000	2180	10.8	9.8
12	18		Duct	Duct		9600	14400		24000	2150	10.7	9.6
12	21		Duct	Duct		8730	15270		24000	2120	10.5	9.5
12	24		Duct	Duct		8000	16000		24000	2090	10.4	9.4
15	15		Duct	Duct		12000	12000		24000	2150	10.7	9.6
15	18		Duct	Duct		10910	13090		24000	2120	10.5	9.5
15	21		Duct	Duct		10000	14000		24000	2090	10.4	9.4
18	18		Duct	Duct		12000	12000		24000	2090	10.4	9.4
09	09	09	Duct	Duct	Duct	9130	9130	9130	27400	1950	9.5	8.6
09	09	12	Duct	Duct	Duct	8280	8280	11040	27600	2100	10.2	9.2
09	09	15	Duct	Duct	Duct	7530	7530	12550	27600	2070	10.1	9.1
09	09	18	Duct	Duct	Duct	6900	6900	13800	27600	2040	9.9	9.0
09	12	12	Duct	Duct	Duct	7530	10040	10040	27600	2070	10.1	9.1
09	12	15	Duct	Duct	Duct	6900	9200	11500	27600	2040	9.9	9.0
12	12	12	Duct	Duct	Duct	9200	9200	9200	27600	2040	9.9	9.0

*1 When the O/U is MXZ-3C30NAHZ4 and the I/U is SVZ type, Refer to the capacity table below.

18	18		Duct (SVZ)	Duct (SVZ)		13800	13800		27600	2280	11.0	9.9
----	----	--	------------	------------	--	-------	-------	--	-------	------	------	-----

MXZ-4C36NA MXZ-4C36NA2 MXZ-4C36NA3 MXZ-4C36NA4 combination table (Cooling) Non-duct

Indoor units combination				Indoor type				Cooling capacity (BTU/h)					Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Total		208V	230V
06				Wall				6000				6000	870	4.4	4.0
09				Wall				9000				9000	890	4.5	4.1
12				Wall				12000				12000	980	5.0	4.5
15				Wall				14000				14000	1020	5.2	4.7
18				Wall				17200				17200	1440	7.3	6.6
21				Wall				19800				19800	1840	9.3	8.4
24				Wall				22500				22500	2250	11.4	10.3
06	06			Wall	Wall			6000	6000			12000	960	4.8	4.3
06	09			Wall	Wall			6000	9000			15000	1000	5.0	4.5
06	12			Wall	Wall			6000	12000			18000	1420	7.0	6.4
06	15			Wall	Wall			5710	14290			20000	1760	8.7	7.9
06	18			Wall	Wall			5750	17250			23000	2100	10.4	9.4
06	21			Wall	Wall			5730	20070			25800	2420	12.0	10.9
06	24			Wall	Wall			5600	22400			28000	2800	13.9	12.6
09	09			Wall	Wall			9000	9000			18000	1420	7.0	6.4
09	12			Wall	Wall			8570	11430			20000	1760	8.7	7.9
09	15			Wall	Wall			8630	14380			23000	2100	10.4	9.4
09	18			Wall	Wall			8600	17200			25800	2420	12.0	10.9
09	21			Wall	Wall			8400	19600			28000	2800	13.9	12.6
09	24			Wall	Wall			7640	20360			28000	2760	13.7	12.4
12	12			Wall	Wall			11500	11500			23000	2100	10.4	9.4
12	15			Wall	Wall			11470	14330			25800	2420	12.0	10.9
12	18			Wall	Wall			11200	16800			28000	2800	13.9	12.6
12	21			Wall	Wall			10180	17820			28000	2760	13.7	12.4
12	24			Wall	Wall			9330	18670			28000	2720	13.5	12.2
15	15			Wall	Wall			14000	14000			28000	2800	13.9	12.6
15	18			Wall	Wall			12730	15270			28000	2760	13.7	12.4
15	21			Wall	Wall			11670	16330			28000	2720	13.5	12.2
18	18			Wall	Wall			14000	14000			28000	2720	13.5	12.2
06	06	06		Wall	Wall	Wall		6000	6000	6000		18000	1320	6.5	5.9
06	06	09		Wall	Wall	Wall		6000	6000	9000		21000	1560	7.7	7.0
06	06	12		Wall	Wall	Wall		6000	6000	12000		24000	1960	9.7	8.8
06	06	15		Wall	Wall	Wall		5780	5780	14440		26000	2310	11.5	10.4
06	06	18		Wall	Wall	Wall		5680	5680	17040		28400	2620	13.0	11.7
06	06	21		Wall	Wall	Wall		5820	5820	20360		32000	2860	14.2	12.8
06	06	24		Wall	Wall	Wall		5330	5330	21330		32000	2970	14.7	13.3
06	09	09		Wall	Wall	Wall		6000	9000	9000		24000	1960	9.7	8.8
06	09	12		Wall	Wall	Wall		5780	8670	11560		26000	2310	11.5	10.4
06	09	15		Wall	Wall	Wall		5680	8520	14200		28400	2620	13.0	11.7
06	09	18		Wall	Wall	Wall		5820	8730	17450		32000	2860	14.2	12.8
06	09	21		Wall	Wall	Wall		5330	8000	18670		32000	2970	14.7	13.3
06	09	24		Wall	Wall	Wall		4920	7380	19690		32000	3070	15.2	13.8
06	12	12		Wall	Wall	Wall		5680	11360	11360		28400	2620	13.0	11.7
06	12	15		Wall	Wall	Wall		5820	11640	14550		32000	2860	14.2	12.8
06	12	18		Wall	Wall	Wall		5330	10670	16000		32000	2970	14.7	13.3
06	12	21		Wall	Wall	Wall		4920	9850	17230		32000	3070	15.2	13.8
06	12	24		Wall	Wall	Wall		4570	9140	18290		32000	3030	15.0	13.6

Indoor units combination				Indoor type				Cooling capacity (BTU/h)					Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Total		208V	230V
06	15	15		Wall	Wall	Wall		5330	13330	13330		32000	2970	14.7	13.3
06	15	18		Wall	Wall	Wall		4920	12310	14770		32000	3070	15.2	13.8
06	15	21		Wall	Wall	Wall		4570	11430	16000		32000	3030	15.0	13.6
06	18	18		Wall	Wall	Wall		4570	13710	13710		32000	3030	15.0	13.6
09	09	09		Wall	Wall	Wall		8670	8670	8670		26000	2310	11.5	10.4
09	09	12		Wall	Wall	Wall		8520	8520	11360		28400	2620	13.0	11.7
09	09	15		Wall	Wall	Wall		8730	8730	14550		32000	2860	14.2	12.8
09	09	18		Wall	Wall	Wall		8000	8000	16000		32000	2970	14.7	13.3
09	09	21		Wall	Wall	Wall		7380	7380	17230		32000	3070	15.2	13.8
09	09	24		Wall	Wall	Wall		6860	6860	18290		32000	3030	15.0	13.6
09	12	12		Wall	Wall	Wall		8730	11640	11640		32000	2860	14.2	12.8
09	12	15		Wall	Wall	Wall		8000	10670	13330		32000	2970	14.7	13.3
09	12	18		Wall	Wall	Wall		7380	9850	14770		32000	3070	15.2	13.8
09	12	21		Wall	Wall	Wall		6860	9140	16000		32000	3030	15.0	13.6
09	15	15		Wall	Wall	Wall		7380	12310	12310		32000	3070	15.2	13.8
09	15	18		Wall	Wall	Wall		6860	11430	13710		32000	3030	15.0	13.6
12	12	12		Wall	Wall	Wall		10670	10670	10670		32000	2970	14.7	13.3
12	12	15		Wall	Wall	Wall		9850	9850	12310		32000	3070	15.2	13.8
12	12	18		Wall	Wall	Wall		9140	9140	13710		32000	3030	15.0	13.6
12	15	15		Wall	Wall	Wall		9140	11430	11430		32000	3030	15.0	13.6
06	06	06	06	Wall	Wall	Wall	Wall	6000	6000	6000	6000	24000	1940	9.4	8.5
06	06	06	09	Wall	Wall	Wall	Wall	6000	6000	6000	9000	27000	2300	11.2	10.1
06	06	06	12	Wall	Wall	Wall	Wall	6000	6000	6000	12000	30000	2790	13.6	12.3
06	06	06	15	Wall	Wall	Wall	Wall	5820	5820	5820	14550	32000	3210	15.6	14.1
06	06	06	18	Wall	Wall	Wall	Wall	5900	5900	5900	17700	35400	3680	17.9	16.2
06	06	06	21	Wall	Wall	Wall	Wall	5540	5540	5540	19380	36000	3720	18.1	16.3
06	06	06	24	Wall	Wall	Wall	Wall	5140	5140	5140	20570	36000	3700	18.0	16.3
06	06	09	09	Wall	Wall	Wall	Wall	6000	6000	9000	9000	30000	2790	13.6	12.3
06	06	09	12	Wall	Wall	Wall	Wall	5820	5820	8730	11640	32000	3210	15.6	14.1
06	06	09	15	Wall	Wall	Wall	Wall	5900	5900	8850	14750	35400	3680	17.9	16.2
06	06	09	18	Wall	Wall	Wall	Wall	5540	5540	8310	16620	36000	3720	18.1	16.3
06	06	09	21	Wall	Wall	Wall	Wall	5140	5140	7710	18000	36000	3700	18.0	16.3
06	06	12	12	Wall	Wall	Wall	Wall	5900	5900	11800	11800	35400	3680	17.9	16.2
06	06	12	15	Wall	Wall	Wall	Wall	5540	5540	11080	13850	36000	3720	18.1	16.3
06	06	12	18	Wall	Wall	Wall	Wall	5140	5140	10290	15430	36000	3700	18.0	16.3
06	06	15	15	Wall	Wall	Wall	Wall	5140	5140	12860	12860	36000	3700	18.0	16.3
06	09	09	09	Wall	Wall	Wall	Wall	5820	8730	8730	8730	32000	3210	15.6	14.1
06	09	09	12	Wall	Wall	Wall	Wall	5900	8850	8850	11800	35400	3680	17.9	16.2
06	09	09	15	Wall	Wall	Wall	Wall	5540	8310	8310	13850	36000	3720	18.1	16.3
06	09	09	18	Wall	Wall	Wall	Wall	5140	7710	7710	15430	36000	3700	18.0	16.3
06	09	12	12	Wall	Wall	Wall	Wall	5540	8310	11080	11080	36000	3720	18.1	16.3
06	09	12	15	Wall	Wall	Wall	Wall	5140	7710	10290	12860	36000	3700	18.0	16.3
06	12	12	12	Wall	Wall	Wall	Wall	5140	10290	10290	10290	36000	3700	18.0	16.3
09	09	09	09	Wall	Wall	Wall	Wall	8850	8850	8850	8850	35400	3680	17.9	16.2
09	09	09	12	Wall	Wall	Wall	Wall	8310	8310	8310	11080	36000	3720	18.1	16.3
09	09	09	15	Wall	Wall	Wall	Wall	7710	7710	7710	12860	36000	3700	18.0	16.3
09	09	12	12	Wall	Wall	Wall	Wall	7710	7710	10290	10290	36000	3700	18.0	16.3

MXZ-4C36NA MXZ-4C36NA2 MXZ-4C36NA3 MXZ-4C36NA4 combination table (Cooling) Duct

Indoor units combination				Indoor type				Cooling capacity (BTU/h)					Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Total		208V	230V
09				Duct				9000				9000	940	4.8	4.3
12				Duct				12000				12000	1070	5.4	4.9
15				Duct				15000				15000	1370	6.9	6.3
18				Duct				17200				17200	1770	9.0	8.1
21				Duct				20600				20600	2110	10.7	9.7
24				Duct				24000				24000	2360	11.9	10.8
09	09			Duct	Duct			9000	9000			18000	1750	8.7	7.8
09	12			Duct	Duct			9000	12000			21000	2040	10.1	9.1
09	15			Duct	Duct			9000	15000			24000	2300	11.4	10.3
09	18			Duct	Duct			8730	17470			26200	2560	12.7	11.5
09	21			Duct	Duct			8400	19600			28000	2880	14.3	12.9
09	24			Duct	Duct			7640	20360			28000	2860	14.2	12.8
12	12			Duct	Duct			12000	12000			24000	2300	11.4	10.3
12	15			Duct	Duct			11640	14560			26200	2560	12.7	11.5
12	18			Duct	Duct			11200	16800			28000	2880	14.3	12.9
12	21			Duct	Duct			10180	17820			28000	2860	14.2	12.8
12	24			Duct	Duct			9330	18670			28000	2840	14.1	12.7
15	15			Duct	Duct			14000	14000			28000	2880	14.3	12.9
15	18			Duct	Duct			12730	15270			28000	2860	14.2	12.8
15	21			Duct	Duct			11670	16330			28000	2840	14.1	12.7
*1 18	18			Duct	Duct			14000	14000			28000	2840	14.1	12.7
09	09	09		Duct	Duct	Duct		9000	9000	9000		27000	2410	11.9	10.8
09	09	12		Duct	Duct	Duct		9000	9000	12000		30000	2920	14.5	13.1
09	09	15		Duct	Duct	Duct		8730	8730	14550		32000	3080	15.3	13.8
09	09	18		Duct	Duct	Duct		8000	8000	16000		32000	3250	16.1	14.6
09	09	21		Duct	Duct	Duct		7380	7380	17230		32000	3210	15.9	14.4
09	09	24		Duct	Duct	Duct		6860	6860	18290		32000	3170	15.7	14.2
09	12	12		Duct	Duct	Duct		8730	11640	11640		32000	3080	15.3	13.8
09	12	15		Duct	Duct	Duct		8000	10670	13330		32000	3250	16.1	14.6
09	12	18		Duct	Duct	Duct		7380	9850	14770		32000	3210	15.9	14.4
09	12	21		Duct	Duct	Duct		6860	9140	16000		32000	3170	15.7	14.2
09	15	15		Duct	Duct	Duct		7380	12310	12310		32000	3210	15.9	14.4
09	15	18		Duct	Duct	Duct		6860	11430	13710		32000	3170	15.7	14.2
12	12	12		Duct	Duct	Duct		10670	10670	10670		32000	3250	16.1	14.6
12	12	15		Duct	Duct	Duct		9850	9850	12310		32000	3210	15.9	14.4
12	12	18		Duct	Duct	Duct		9140	9140	13710		32000	3170	15.7	14.2
12	15	15		Duct	Duct	Duct		9140	11430	11430		32000	3170	15.7	14.2
09	09	09	09	Duct	Duct	Duct	Duct	8600	8600	8600	8600	34400	3700	18.0	16.3
09	09	09	12	Duct	Duct	Duct	Duct	8030	8030	8030	10710	34800	3700	18.0	16.3
09	09	09	15	Duct	Duct	Duct	Duct	7540	7540	7540	12570	35200	3700	18.0	16.3
09	09	12	12	Duct	Duct	Duct	Duct	7540	7540	10060	10060	35200	3700	18.0	16.3

*1 When the O/U is MXZ-4C36NA3 and the I/U is PEAD type, Refer to the capacity table below.

18	18			Duct (PEAD)	Duct (PEAD)			16700	16700			33400	3839	18.5	16.7
----	----	--	--	-------------	-------------	--	--	-------	-------	--	--	-------	------	------	------

*1 When the O/U is MXZ-4C36NA4 and the I/U is SVZ type, Refer to the capacity table below.

18	18			Duct (SVZ)	Duct (SVZ)			16700	16700			33400	3840	18.5	16.7
----	----	--	--	------------	------------	--	--	-------	-------	--	--	-------	------	------	------

MXZ-4C36NA MXZ-4C36NA2 MXZ-4C36NA3 MXZ-4C36NA4 combination table (Heating) Non-duct

Indoor units combination				Indoor type				Heating capacity (BTU/h)					Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Total		208V	230V
06				Wall				7400				7400	860	4.4	3.9
09				Wall				11000				11000	950	4.8	4.4
12				Wall				14400				14400	1210	6.1	5.5
15				Wall				18000				18000	1600	8.1	7.3
18				Wall				21600				21600	2000	10.1	9.2
21				Wall				24600				24600	2320	11.7	10.6
24				Wall				27600				27600	2640	13.4	12.1
06	06			Wall	Wall			7400	7400			14800	1020	5.1	4.6
06	09			Wall	Wall			7360	11040			18400	1300	6.4	5.8
06	12			Wall	Wall			7330	14670			22000	1600	7.9	7.2
06	15			Wall	Wall			7260	18140			25400	1880	9.3	8.4
06	18			Wall	Wall			7000	21000			28000	2250	11.2	10.1
06	21			Wall	Wall			6220	21780			28000	2230	11.1	10.0
06	24			Wall	Wall			5600	22400			28000	2210	11.0	9.9
09	09			Wall	Wall			11000	11000			22000	1600	7.9	7.2
09	12			Wall	Wall			10890	14510			25400	1880	9.3	8.4
09	15			Wall	Wall			10500	17500			28000	2250	11.2	10.1
09	18			Wall	Wall			9330	18670			28000	2230	11.1	10.0
09	21			Wall	Wall			8400	19600			28000	2210	11.0	9.9
09	24			Wall	Wall			7640	20360			28000	2190	10.9	9.8
12	12			Wall	Wall			14000	14000			28000	2250	11.2	10.1
12	15			Wall	Wall			12440	15560			28000	2230	11.1	10.0
12	18			Wall	Wall			11200	16800			28000	2210	11.0	9.9
12	21			Wall	Wall			10180	17820			28000	2190	10.9	9.8
12	24			Wall	Wall			9330	18670			28000	2170	10.8	9.7
15	15			Wall	Wall			14000	14000			28000	2210	11.0	9.9
15	18			Wall	Wall			12730	15270			28000	2190	10.9	9.8
15	21			Wall	Wall			11670	16330			28000	2170	10.8	9.7
18	18			Wall	Wall			14000	14000			28000	2170	10.8	9.7
06	06	06		Wall	Wall	Wall		7400	7400	7400		22200	1540	7.6	6.9
06	06	09		Wall	Wall	Wall		7370	7370	11060		25800	1780	8.8	8.0
06	06	12		Wall	Wall	Wall		7300	7300	14600		29200	2180	10.8	9.8
06	06	15		Wall	Wall	Wall		7290	7290	18220		32800	2340	11.6	10.5
06	06	18		Wall	Wall	Wall		6560	6560	19680		32800	2300	11.4	10.3
06	06	21		Wall	Wall	Wall		5960	5960	20870		32800	2260	11.2	10.1
06	06	24		Wall	Wall	Wall		5470	5470	21870		32800	2240	11.1	10.0
06	09	09		Wall	Wall	Wall		7300	10950	10950		29200	2180	10.8	9.8
06	09	12		Wall	Wall	Wall		7290	10930	14580		32800	2340	11.6	10.5
06	09	15		Wall	Wall	Wall		6560	9840	16400		32800	2300	11.4	10.3
06	09	18		Wall	Wall	Wall		5960	8950	17890		32800	2260	11.2	10.1
06	09	21		Wall	Wall	Wall		5470	8200	19130		32800	2240	11.1	10.0
06	09	24		Wall	Wall	Wall		5050	7570	20180		32800	2200	10.9	9.9
06	12	12		Wall	Wall	Wall		6560	13120	13120		32800	2300	11.4	10.3
06	12	15		Wall	Wall	Wall		5960	11930	14910		32800	2260	11.2	10.1
06	12	18		Wall	Wall	Wall		5470	10930	16400		32800	2240	11.1	10.0
06	12	21		Wall	Wall	Wall		5050	10090	17660		32800	2200	10.9	9.9
06	12	24		Wall	Wall	Wall		4690	9370	18740		32800	2160	10.7	9.7

Indoor units combination				Indoor type				Heating capacity (BTU/h)					Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Total		208V	230V
06	15	15		Wall	Wall	Wall		5470	13670	13670		32800	2240	11.1	10.0
06	15	18		Wall	Wall	Wall		5050	12620	15140		32800	2200	10.9	9.9
06	15	21		Wall	Wall	Wall		4690	11710	16400		32800	2160	10.7	9.7
06	18	18		Wall	Wall	Wall		4690	14060	14060		32800	2160	10.7	9.7
09	09	09		Wall	Wall	Wall		10930	10930	10930		32800	2340	11.6	10.5
09	09	12		Wall	Wall	Wall		9840	9840	13120		32800	2300	11.4	10.3
09	09	15		Wall	Wall	Wall		8950	8950	14910		32800	2260	11.2	10.1
09	09	18		Wall	Wall	Wall		8200	8200	16400		32800	2240	11.1	10.0
09	09	21		Wall	Wall	Wall		7570	7570	17660		32800	2200	10.9	9.9
09	09	24		Wall	Wall	Wall		7030	7030	18740		32800	2160	10.7	9.7
09	12	12		Wall	Wall	Wall		8950	11930	11930		32800	2260	11.2	10.1
09	12	15		Wall	Wall	Wall		8200	10930	13670		32800	2240	11.1	10.0
09	12	18		Wall	Wall	Wall		7570	10090	15140		32800	2200	10.9	9.9
09	12	21		Wall	Wall	Wall		7030	9370	16400		32800	2160	10.7	9.7
09	15	15		Wall	Wall	Wall		7570	12620	12620		32800	2200	10.9	9.9
09	15	18		Wall	Wall	Wall		7030	11710	14060		32800	2160	10.7	9.7
12	12	12		Wall	Wall	Wall		10930	10930	10930		32800	2240	11.1	10.0
12	12	15		Wall	Wall	Wall		10090	10090	12620		32800	2200	10.9	9.9
12	12	18		Wall	Wall	Wall		9370	9370	14060		32800	2160	10.7	9.7
12	15	15		Wall	Wall	Wall		9370	11710	11710		32800	2160	10.7	9.7
06	06	06	06	Wall	Wall	Wall	Wall	7400	7400	7400	7400	29600	2240	10.9	9.8
06	06	06	09	Wall	Wall	Wall	Wall	7380	7380	7380	11070	33200	2440	11.9	10.7
06	06	06	12	Wall	Wall	Wall	Wall	7160	7160	7160	14320	35800	2600	12.6	11.4
06	06	06	15	Wall	Wall	Wall	Wall	6510	6510	6510	16270	35800	2860	13.9	12.6
06	06	06	18	Wall	Wall	Wall	Wall	6000	6000	6000	18000	36000	2940	14.3	12.9
06	06	06	21	Wall	Wall	Wall	Wall	5540	5540	5540	19380	36000	2910	14.1	12.8
06	06	06	24	Wall	Wall	Wall	Wall	5140	5140	5140	20570	36000	2880	14.0	12.7
06	06	09	09	Wall	Wall	Wall	Wall	7160	7160	10740	10740	35800	2600	12.6	11.4
06	06	09	12	Wall	Wall	Wall	Wall	6510	6510	9760	13020	35800	2860	13.9	12.6
06	06	09	15	Wall	Wall	Wall	Wall	6000	6000	9000	15000	36000	2940	14.3	12.9
06	06	09	18	Wall	Wall	Wall	Wall	5540	5540	8310	16620	36000	2910	14.1	12.8
06	06	09	21	Wall	Wall	Wall	Wall	5140	5140	7710	18000	36000	2880	14.0	12.7
06	06	12	12	Wall	Wall	Wall	Wall	6000	6000	12000	12000	36000	2940	14.3	12.9
06	06	12	15	Wall	Wall	Wall	Wall	5540	5540	11080	13850	36000	2910	14.1	12.8
06	06	12	18	Wall	Wall	Wall	Wall	5140	5140	10290	15430	36000	2880	14.0	12.7
06	06	15	15	Wall	Wall	Wall	Wall	5140	5140	12860	12860	36000	2880	14.0	12.7
06	09	09	09	Wall	Wall	Wall	Wall	6510	9760	9760	9760	35800	2860	13.9	12.6
06	09	09	12	Wall	Wall	Wall	Wall	6000	9000	9000	12000	36000	2940	14.3	12.9
06	09	09	15	Wall	Wall	Wall	Wall	5540	8310	8310	13850	36000	2910	14.1	12.8
06	09	09	18	Wall	Wall	Wall	Wall	5140	7710	7710	15430	36000	2880	14.0	12.7
06	09	12	12	Wall	Wall	Wall	Wall	5540	8310	11080	11080	36000	2910	14.1	12.8
06	09	12	15	Wall	Wall	Wall	Wall	5140	7710	10290	12860	36000	2880	14.0	12.7
06	12	12	12	Wall	Wall	Wall	Wall	5140	10290	10290	10290	36000	2880	14.0	12.7
09	09	09	09	Wall	Wall	Wall	Wall	9000	9000	9000	9000	36000	2940	14.3	12.9
09	09	09	12	Wall	Wall	Wall	Wall	8310	8310	8310	11080	36000	2910	14.1	12.8
09	09	09	15	Wall	Wall	Wall	Wall	7710	7710	7710	12860	36000	2880	14.0	12.7
09	09	12	12	Wall	Wall	Wall	Wall	7710	7710	10290	10290	36000	2880	14.0	12.7

MXZ-4C36NA MXZ-4C36NA2 MXZ-4C36NA3 MXZ-4C36NA4 combination table (Heating) Duct

Indoor units combination				Indoor type				Heating capacity (BTU/h)					Power consumption (W)	Current (A)	
Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Total		208V	230V
09				Duct				10900				10900	960	4.9	4.4
12				Duct				13600				13600	1220	6.2	5.6
15				Duct				18000				18000	1560	7.9	7.1
18				Duct				21600				21600	2010	10.2	9.2
21				Duct				23800				23800	2450	12.4	11.2
24				Duct				26000				26000	2710	13.7	12.4
09	09			Duct	Duct			10900	10900			21800	1750	8.7	7.8
09	12			Duct	Duct			10500	14000			24500	1980	9.8	8.9
09	15			Duct	Duct			10200	17000			27200	2150	10.7	9.6
09	18			Duct	Duct			9330	18670			28000	2350	11.7	10.5
09	21			Duct	Duct			8400	19600			28000	2320	11.5	10.4
09	24			Duct	Duct			7640	20360			28000	2290	11.4	10.3
12	12			Duct	Duct			13600	13600			27200	2150	10.7	9.6
12	15			Duct	Duct			12440	15560			28000	2350	11.7	10.5
12	18			Duct	Duct			11200	16800			28000	2320	11.5	10.4
12	21			Duct	Duct			10180	17820			28000	2290	11.4	10.3
12	24			Duct	Duct			9330	18670			28000	2260	11.2	10.1
15	15			Duct	Duct			14000	14000			28000	2320	11.5	10.4
15	18			Duct	Duct			12730	15270			28000	2290	11.4	10.3
15	21			Duct	Duct			11670	16330			28000	2260	11.2	10.1
*1	18	18		Duct	Duct			14000	14000			28000	2260	11.2	10.1
09	09	09		Duct	Duct	Duct		10900	10900	10900		32700	2480	12.3	11.1
09	09	12		Duct	Duct	Duct		9810	9810	13080		32700	2440	12.1	10.9
09	09	15		Duct	Duct	Duct		8920	8920	14860		32700	2400	11.9	10.8
09	09	18		Duct	Duct	Duct		8180	8180	16350		32700	2360	11.7	10.6
09	09	21		Duct	Duct	Duct		7550	7550	17610		32700	2320	11.5	10.4
09	09	24		Duct	Duct	Duct		7010	7010	18690		32700	2280	11.3	10.2
09	12	12		Duct	Duct	Duct		8920	11890	11890		32700	2400	11.9	10.8
09	12	15		Duct	Duct	Duct		8180	10900	13630		32700	2360	11.7	10.6
09	12	18		Duct	Duct	Duct		7550	10060	15090		32700	2320	11.5	10.4
09	12	21		Duct	Duct	Duct		7010	9340	16350		32700	2280	11.3	10.2
09	15	15		Duct	Duct	Duct		7550	12580	12580		32700	2320	11.5	10.4
09	15	18		Duct	Duct	Duct		7010	11680	14010		32700	2280	11.3	10.2
12	12	12		Duct	Duct	Duct		10900	10900	10900		32700	2360	11.7	10.6
12	12	15		Duct	Duct	Duct		10060	10060	12580		32700	2320	11.5	10.4
12	12	18		Duct	Duct	Duct		9340	9340	14010		32700	2280	11.3	10.2
12	15	15		Duct	Duct	Duct		9340	11680	11680		32700	2280	11.3	10.2
09	09	09	09	Duct	Duct	Duct	Duct	8600	8600	8600	8600	34400	2860	13.9	12.6
09	09	09	12	Duct	Duct	Duct	Duct	8030	8030	8030	10710	34800	2920	14.2	12.8
09	09	09	15	Duct	Duct	Duct	Duct	7540	7540	7540	12570	35200	2940	14.3	12.9
09	09	12	12	Duct	Duct	Duct	Duct	7540	7540	10060	10060	35200	2940	14.3	12.9

*1 When the O/U is MXZ-4C36NA3 and the I/U is PEAD type, Refer to the capacity table below.

18	18			Duct (PEAD)	Duct (PEAD)			17200	17200			34400	3100	14.9	13.5
----	----	--	--	-------------	-------------	--	--	-------	-------	--	--	-------	------	------	------

*1 When the O/U is MXZ-4C36NA4 and the I/U is SVZ type, Refer to the capacity table below.

18	18			Duct (SVZ)	Duct (SVZ)			17200	17200			34400	3090	14.9	13.4
----	----	--	--	------------	------------	--	--	-------	-------	--	--	-------	------	------	------

MXZ-5C42NA MXZ-5C42NA2 MXZ-5C42NA3 MXZ-5C42NA4 combination table (Cooling) Non-duct

Indoor units combination					Indoor type					Cooling capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
06					Wall					6000					6000	910	4.6	4.2
09					Wall					9000					9000	930	4.7	4.3
12					Wall					12000					12000	1020	5.2	4.7
15					Wall					14000					14000	1200	6.1	5.5
18					Wall					17200					17200	1480	7.5	6.8
21					Wall					19800					19800	1880	9.5	8.6
24					Wall					22500					22500	2290	11.6	10.5
06	06				Wall	Wall				6000	6000				12000	950	4.7	4.3
06	09				Wall	Wall				6000	9000				15000	1030	5.1	4.6
06	12				Wall	Wall				6000	12000				18000	1300	6.4	5.8
06	15				Wall	Wall				5710	14290				20000	1700	8.4	7.6
06	18				Wall	Wall				5750	17250				23000	2150	10.7	9.6
06	21				Wall	Wall				5730	20070				25800	2450	12.4	11.0
06	24				Wall	Wall				5600	22400				28000	2600	12.9	11.7
09	09				Wall	Wall				9000	9000				18000	1300	6.4	5.8
09	12				Wall	Wall				8570	11430				20000	1700	8.4	7.6
09	15				Wall	Wall				8630	14380				23000	2150	10.7	9.6
09	18				Wall	Wall				8600	17200				25800	2450	12.4	11.0
09	21				Wall	Wall				8400	19600				28000	2600	12.9	11.7
09	24				Wall	Wall				7640	20360				28000	2600	12.9	11.7
12	12				Wall	Wall				11500	11500				23000	2150	10.7	9.6
12	15				Wall	Wall				11470	14330				25800	2450	12.4	11.0
12	18				Wall	Wall				11200	16800				28000	2600	12.9	11.7
12	21				Wall	Wall				10180	17820				28000	2600	12.9	11.7
12	24				Wall	Wall				9330	18670				28000	2600	12.9	11.7
15	15				Wall	Wall				14000	14000				28000	2600	12.9	11.7
15	18				Wall	Wall				12730	15270				28000	2600	12.9	11.7
15	21				Wall	Wall				11670	16330				28000	2600	12.9	11.7
15	24				Wall	Wall				11150	17850				29000	2650	13.1	11.9
18	18				Wall	Wall				14000	14000				28000	2600	12.9	11.7
18	21				Wall	Wall				13380	15620				29000	2650	13.1	11.9
18	24				Wall	Wall				12430	16570				29000	2650	13.1	11.9
21	21				Wall	Wall				14500	14500				29000	2650	13.1	11.9
21	24				Wall	Wall				14000	16000				30000	2700	13.4	12.1
24	24				Wall	Wall				15000	15000				30000	2650	13.1	11.9
06	06	06			Wall	Wall	Wall			6000	6000	6000			18000	1200	6.0	5.4
06	06	09			Wall	Wall	Wall			6000	6000	9000			21000	1360	6.7	6.1
06	06	12			Wall	Wall	Wall			6000	6000	12000			24000	1800	8.9	8.1
06	06	15			Wall	Wall	Wall			5780	5780	14440			26000	2250	11.2	10.1
06	06	18			Wall	Wall	Wall			5800	5800	17400			29000	2400	11.9	10.8
06	06	21			Wall	Wall	Wall			5820	5820	20360			32000	2850	14.1	12.8
06	06	24			Wall	Wall	Wall			5430	5430	21730			32600	2900	14.4	13.0
06	09	09			Wall	Wall	Wall			6000	9000	9000			24000	1800	8.9	8.1
06	09	12			Wall	Wall	Wall			5780	8670	11560			26000	2250	11.2	10.1
06	09	15			Wall	Wall	Wall			5800	8700	14500			29000	2400	11.9	10.8
06	09	18			Wall	Wall	Wall			5820	8730	17450			32000	2850	14.1	12.8
06	09	21			Wall	Wall	Wall			5430	8150	19020			32600	2900	14.4	13.0

Indoor units combination					Indoor type					Cooling capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
06	09	24			Wall	Wall	Wall			5020	7520	20060			32600	2860	14.2	12.8
06	12	12			Wall	Wall	Wall			5800	11600	11600			29000	2400	11.9	10.8
06	12	15			Wall	Wall	Wall			5820	11640	14550			32000	2850	14.1	12.8
06	12	18			Wall	Wall	Wall			5430	10870	16300			32600	2900	14.4	13.0
06	12	21			Wall	Wall	Wall			5020	10030	17550			32600	2860	14.2	12.8
06	12	24			Wall	Wall	Wall			4660	9310	18630			32600	2820	14.0	12.6
06	15	15			Wall	Wall	Wall			5430	13580	13580			32600	2900	14.4	13.0
06	15	18			Wall	Wall	Wall			5020	12540	15050			32600	2860	14.2	12.8
06	15	21			Wall	Wall	Wall			4660	11640	16300			32600	2820	14.0	12.6
06	15	24			Wall	Wall	Wall			4350	10870	17390			32600	2780	13.8	12.5
06	18	18			Wall	Wall	Wall			4660	13970	13970			32600	2820	14.0	12.6
06	18	21			Wall	Wall	Wall			4350	13040	15210			32600	2780	13.8	12.5
06	18	24			Wall	Wall	Wall			4080	12230	16300			32600	2740	13.6	12.3
06	21	21			Wall	Wall	Wall			4080	14260	14260			32600	2740	13.6	12.3
06	21	24			Wall	Wall	Wall			3840	13420	15340			32600	2720	13.5	12.2
09	09	09			Wall	Wall	Wall			8670	8670	8670			26000	2250	11.2	10.1
09	09	12			Wall	Wall	Wall			8700	8700	11600			29000	2400	11.9	10.8
09	09	15			Wall	Wall	Wall			8730	8730	14550			32000	2850	14.1	12.8
09	09	18			Wall	Wall	Wall			8150	8150	16300			32600	2900	14.4	13.0
09	09	21			Wall	Wall	Wall			7520	7520	17550			32600	2860	14.2	12.8
09	09	24			Wall	Wall	Wall			6990	6990	18630			32600	2820	14.0	12.6
09	12	12			Wall	Wall	Wall			8730	11640	11640			32000	2850	14.1	12.8
09	12	15			Wall	Wall	Wall			8150	10870	13580			32600	2900	14.4	13.0
09	12	18			Wall	Wall	Wall			7520	10030	15050			32600	2860	14.2	12.8
09	12	21			Wall	Wall	Wall			6990	9310	16300			32600	2820	14.0	12.6
09	12	24			Wall	Wall	Wall			6520	8690	17390			32600	2780	13.8	12.5
09	15	15			Wall	Wall	Wall			7520	12540	12540			32600	2860	14.2	12.8
09	15	18			Wall	Wall	Wall			6990	11640	13970			32600	2820	14.0	12.6
09	15	21			Wall	Wall	Wall			6520	10870	15210			32600	2780	13.8	12.5
09	15	24			Wall	Wall	Wall			6110	10190	16300			32600	2740	13.6	12.3
09	18	18			Wall	Wall	Wall			6520	13040	13040			32600	2780	13.8	12.5
09	18	21			Wall	Wall	Wall			6110	12230	14260			32600	2740	13.6	12.3
09	18	24			Wall	Wall	Wall			5750	11510	15340			32600	2720	13.5	12.2
09	21	21			Wall	Wall	Wall			5750	13420	13420			32600	2720	13.5	12.2
12	12	12			Wall	Wall	Wall			10870	10870	10870			32600	2900	14.4	13.0
12	12	15			Wall	Wall	Wall			10030	10030	12540			32600	2860	14.2	12.8
12	12	18			Wall	Wall	Wall			9310	9310	13970			32600	2820	14.0	12.6
12	12	21			Wall	Wall	Wall			8690	8690	15210			32600	2780	13.8	12.5
12	12	24			Wall	Wall	Wall			8150	8150	16300			32600	2740	13.6	12.3
12	15	15			Wall	Wall	Wall			9310	11640	11640			32600	2820	14.0	12.6
12	15	18			Wall	Wall	Wall			8690	10870	13040			32600	2780	13.8	12.5
12	15	21			Wall	Wall	Wall			8150	10190	14260			32600	2740	13.6	12.3
12	15	24			Wall	Wall	Wall			7670	9590	15340			32600	2720	13.5	12.2
12	18	18			Wall	Wall	Wall			8150	12230	12230			32600	2740	13.6	12.3
12	18	21			Wall	Wall	Wall			7670	11510	13420			32600	2720	13.5	12.2
15	15	15			Wall	Wall	Wall			10870	10870	10870			32600	2780	13.8	12.5
15	15	18			Wall	Wall	Wall			10190	10190	12230			32600	2740	13.6	12.3
15	15	21			Wall	Wall	Wall			9590	9590	13420			32600	2720	13.5	12.2
15	18	18			Wall	Wall	Wall			9590	11510	11510			32600	2720	13.5	12.2

Indoor units combination					Indoor type					Cooling capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
06	06	06	06		Wall	Wall	Wall	Wall		6000	6000	6000	6000		24000	1720	8.4	7.6
06	06	06	09		Wall	Wall	Wall	Wall		6000	6000	6000	9000		27000	2160	10.5	9.5
06	06	06	12		Wall	Wall	Wall	Wall		6000	6000	6000	12000		30000	2520	12.2	11.1
06	06	06	15		Wall	Wall	Wall	Wall		5820	5820	5820	14550		32000	3100	15.1	13.6
06	06	06	18		Wall	Wall	Wall	Wall		5900	5900	5900	17700		35400	3650	17.7	16.0
06	06	06	21		Wall	Wall	Wall	Wall		5850	5850	5850	20460		38000	4100	19.9	18.0
06	06	06	24		Wall	Wall	Wall	Wall		5430	5430	5430	21710		38000	4000	19.4	17.6
06	06	09	09		Wall	Wall	Wall	Wall		6000	6000	9000	9000		30000	2520	12.2	11.1
06	06	09	12		Wall	Wall	Wall	Wall		5820	5820	8730	11640		32000	3100	15.1	13.6
06	06	09	15		Wall	Wall	Wall	Wall		5900	5900	8850	14750		35400	3650	17.7	16.0
06	06	09	18		Wall	Wall	Wall	Wall		5850	5850	8770	17540		38000	4100	19.9	18.0
06	06	09	21		Wall	Wall	Wall	Wall		5430	5430	8140	19000		38000	4000	19.4	17.6
06	06	09	24		Wall	Wall	Wall	Wall		5070	5070	7600	20270		38000	3900	18.9	17.1
06	06	12	12		Wall	Wall	Wall	Wall		5900	5900	11800	11800		35400	3650	17.7	16.0
06	06	12	15		Wall	Wall	Wall	Wall		5850	5850	11690	14620		38000	4100	19.9	18.0
06	06	12	18		Wall	Wall	Wall	Wall		5430	5430	10860	16290		38000	4000	19.4	17.6
06	06	12	21		Wall	Wall	Wall	Wall		5070	5070	10130	17730		38000	3900	18.9	17.1
06	06	12	24		Wall	Wall	Wall	Wall		4750	4750	9500	19000		38000	3800	18.5	16.7
06	06	15	15		Wall	Wall	Wall	Wall		5430	5430	13570	13570		38000	4000	19.4	17.6
06	06	15	18		Wall	Wall	Wall	Wall		5070	5070	12670	15200		38000	3900	18.9	17.1
06	06	15	21		Wall	Wall	Wall	Wall		4750	4750	11880	16630		38000	3800	18.5	16.7
06	06	15	24		Wall	Wall	Wall	Wall		4470	4470	11180	17880		38000	3700	18.0	16.3
06	06	18	18		Wall	Wall	Wall	Wall		4750	4750	14250	14250		38000	3800	18.5	16.7
06	06	18	21		Wall	Wall	Wall	Wall		4470	4470	13410	15650		38000	3700	18.0	16.3
06	09	09	09		Wall	Wall	Wall	Wall		5820	8730	8730	8730		32000	3100	15.1	13.6
06	09	09	12		Wall	Wall	Wall	Wall		5900	8850	8850	11800		35400	3650	17.7	16.0
06	09	09	15		Wall	Wall	Wall	Wall		5850	8770	8770	14620		38000	4100	19.9	18.0
06	09	09	18		Wall	Wall	Wall	Wall		5430	8140	8140	16290		38000	4000	19.4	17.6
06	09	09	21		Wall	Wall	Wall	Wall		5070	7600	7600	17730		38000	3900	18.9	17.1
06	09	09	24		Wall	Wall	Wall	Wall		4750	7130	7130	19000		38000	3800	18.5	16.7
06	09	12	12		Wall	Wall	Wall	Wall		5850	8770	11690	11690		38000	4100	19.9	18.0
06	09	12	15		Wall	Wall	Wall	Wall		5430	8140	10860	13570		38000	4000	19.4	17.6
06	09	12	18		Wall	Wall	Wall	Wall		5070	7600	10130	15200		38000	3900	18.9	17.1
06	09	12	21		Wall	Wall	Wall	Wall		4750	7130	9500	16630		38000	3800	18.5	16.7
06	09	12	24		Wall	Wall	Wall	Wall		4470	6710	8940	17880		38000	3700	18.0	16.3
06	09	15	15		Wall	Wall	Wall	Wall		5070	7600	12670	12670		38000	3900	18.9	17.1
06	09	15	18		Wall	Wall	Wall	Wall		4750	7130	11880	14250		38000	3800	18.5	16.7
06	09	15	21		Wall	Wall	Wall	Wall		4470	6710	11180	15650		38000	3700	18.0	16.3
06	09	18	18		Wall	Wall	Wall	Wall		4470	6710	13410	13410		38000	3700	18.0	16.3
06	12	12	12		Wall	Wall	Wall	Wall		5430	10860	10860	10860		38000	4000	19.4	17.6
06	12	12	15		Wall	Wall	Wall	Wall		5070	10130	10130	12670		38000	3900	18.9	17.1
06	12	12	18		Wall	Wall	Wall	Wall		4750	9500	9500	14250		38000	3800	18.5	16.7
06	12	12	21		Wall	Wall	Wall	Wall		4470	8940	8940	15650		38000	3700	18.0	16.3
06	12	15	15		Wall	Wall	Wall	Wall		4750	9500	11880	11880		38000	3800	18.5	16.7
06	12	15	18		Wall	Wall	Wall	Wall		4470	8940	11180	13410		38000	3700	18.0	16.3
06	15	15	15		Wall	Wall	Wall	Wall		4470	11180	11180	11180		38000	3700	18.0	16.3
09	09	09	09		Wall	Wall	Wall	Wall		8850	8850	8850	8850		35400	3650	17.7	16.0
09	09	09	12		Wall	Wall	Wall	Wall		8770	8770	8770	11690		38000	4100	19.9	18.0
09	09	09	15		Wall	Wall	Wall	Wall		8140	8140	8140	13570		38000	4000	19.4	17.6

Indoor units combination					Indoor type					Cooling capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
09	09	09	18		Wall	Wall	Wall	Wall		7600	7600	7600	15200		38000	3900	18.9	17.1
09	09	09	21		Wall	Wall	Wall	Wall		7130	7130	7130	16630		38000	3800	18.5	16.7
09	09	09	24		Wall	Wall	Wall	Wall		6710	6710	6710	17880		38000	3700	18.0	16.3
09	09	12	12		Wall	Wall	Wall	Wall		8140	8140	10860	10860		38000	4000	19.4	17.6
09	09	12	15		Wall	Wall	Wall	Wall		7600	7600	10130	12670		38000	3900	18.9	17.1
09	09	12	18		Wall	Wall	Wall	Wall		7130	7130	9500	14250		38000	3800	18.5	16.7
09	09	12	21		Wall	Wall	Wall	Wall		6710	6710	8940	15650		38000	3700	18.0	16.3
09	09	15	15		Wall	Wall	Wall	Wall		7130	7130	11880	11880		38000	3800	18.5	16.7
09	09	15	18		Wall	Wall	Wall	Wall		6710	6710	11180	13410		38000	3700	18.0	16.3
09	12	12	12		Wall	Wall	Wall	Wall		7600	10130	10130	10130		38000	3900	18.9	17.1
09	12	12	15		Wall	Wall	Wall	Wall		7130	9500	9500	11880		38000	3800	18.5	16.7
09	12	12	18		Wall	Wall	Wall	Wall		6710	8940	8940	13410		38000	3700	18.0	16.3
09	12	15	15		Wall	Wall	Wall	Wall		6710	8940	11180	11180		38000	3700	18.0	16.3
12	12	12	12		Wall	Wall	Wall	Wall		9500	9500	9500	9500		38000	3800	18.5	16.7
12	12	12	15		Wall	Wall	Wall	Wall		8940	8940	8940	11180		38000	3700	18.0	16.3
06	06	06	06	06	Wall	Wall	Wall	Wall	Wall	6000	6000	6000	6000	6000	30000	2470	12.0	10.9
06	06	06	06	09	Wall	Wall	Wall	Wall	Wall	6000	6000	6000	6000	9000	33000	2950	14.3	13.0
06	06	06	06	12	Wall	Wall	Wall	Wall	Wall	6000	6000	6000	6000	12000	36000	3500	17.0	15.4
06	06	06	06	15	Wall	Wall	Wall	Wall	Wall	5850	5850	5850	5850	14620	38000	3900	18.9	17.1
06	06	06	06	18	Wall	Wall	Wall	Wall	Wall	5790	5790	5790	5790	17360	40500	4300	20.9	18.9
06	06	06	06	21	Wall	Wall	Wall	Wall	Wall	5550	5550	5550	5550	19410	41600	4360	21.2	19.2
06	06	06	06	24	Wall	Wall	Wall	Wall	Wall	5200	5200	5200	5200	20800	41600	4300	20.9	18.9
06	06	06	09	09	Wall	Wall	Wall	Wall	Wall	6000	6000	6000	9000	9000	36000	3500	17.0	15.4
06	06	06	09	12	Wall	Wall	Wall	Wall	Wall	5850	5850	5850	8770	11690	38000	3900	18.9	17.1
06	06	06	09	15	Wall	Wall	Wall	Wall	Wall	5790	5790	5790	8680	14460	40500	4300	20.9	18.9
06	06	06	09	18	Wall	Wall	Wall	Wall	Wall	5550	5550	5550	8320	16640	41600	4360	21.2	19.2
06	06	06	09	21	Wall	Wall	Wall	Wall	Wall	5200	5200	5200	7800	18200	41600	4300	20.9	18.9
06	06	06	09	24	Wall	Wall	Wall	Wall	Wall	4890	4890	4890	7340	19580	41600	4250	20.6	18.7
06	06	06	12	12	Wall	Wall	Wall	Wall	Wall	5790	5790	5790	11570	11570	40500	4300	20.9	18.9
06	06	06	12	15	Wall	Wall	Wall	Wall	Wall	5550	5550	5550	11090	13870	41600	4360	21.2	19.2
06	06	06	12	18	Wall	Wall	Wall	Wall	Wall	5200	5200	5200	10400	15600	41600	4300	20.9	18.9
06	06	06	12	21	Wall	Wall	Wall	Wall	Wall	4890	4890	4890	9790	17130	41600	4250	20.6	18.7
06	06	06	15	15	Wall	Wall	Wall	Wall	Wall	5200	5200	5200	13000	13000	41600	4300	20.9	18.9
06	06	06	15	18	Wall	Wall	Wall	Wall	Wall	4890	4890	4890	12240	14680	41600	4250	20.6	18.7
06	06	09	09	09	Wall	Wall	Wall	Wall	Wall	5850	5850	8770	8770	8770	38000	3900	18.9	17.1
06	06	09	09	12	Wall	Wall	Wall	Wall	Wall	5790	5790	8680	8680	11570	40500	4300	20.9	18.9
06	06	09	09	15	Wall	Wall	Wall	Wall	Wall	5550	5550	8320	8320	13870	41600	4360	21.2	19.2
06	06	09	09	18	Wall	Wall	Wall	Wall	Wall	5200	5200	7800	7800	15600	41600	4300	20.9	18.9
06	06	09	09	21	Wall	Wall	Wall	Wall	Wall	4890	4890	7340	7340	17130	41600	4250	20.6	18.7
06	06	09	12	12	Wall	Wall	Wall	Wall	Wall	5550	5550	8320	11090	11090	41600	4360	21.2	19.2
06	06	09	12	15	Wall	Wall	Wall	Wall	Wall	5200	5200	7800	10400	13000	41600	4300	20.9	18.9
06	06	09	12	18	Wall	Wall	Wall	Wall	Wall	4890	4890	7340	9790	14680	41600	4250	20.6	18.7
06	06	09	15	15	Wall	Wall	Wall	Wall	Wall	4890	4890	7340	12240	12240	41600	4250	20.6	18.7
06	06	12	12	12	Wall	Wall	Wall	Wall	Wall	5200	5200	10400	10400	10400	41600	4300	20.9	18.9
06	06	12	12	15	Wall	Wall	Wall	Wall	Wall	4890	4890	9790	9790	12240	41600	4250	20.6	18.7
06	09	09	09	09	Wall	Wall	Wall	Wall	Wall	5790	8680	8680	8680	8680	40500	4300	20.9	18.9
06	09	09	09	12	Wall	Wall	Wall	Wall	Wall	5550	8320	8320	8320	11090	41600	4360	21.2	19.2
06	09	09	09	15	Wall	Wall	Wall	Wall	Wall	5200	7800	7800	7800	13000	41600	4300	20.9	18.9
06	09	09	09	18	Wall	Wall	Wall	Wall	Wall	4890	7340	7340	7340	14680	41600	4250	20.6	18.7

Indoor units combination					Indoor type					Cooling capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
06	09	09	12	12	Wall	Wall	Wall	Wall	Wall	5200	7800	7800	10400	10400	41600	4300	20.9	18.9
06	09	09	12	15	Wall	Wall	Wall	Wall	Wall	4890	7340	7340	9790	12240	41600	4250	20.6	18.7
06	09	12	12	12	Wall	Wall	Wall	Wall	Wall	4890	7340	9790	9790	9790	41600	4250	20.6	18.7
09	09	09	09	09	Wall	Wall	Wall	Wall	Wall	8320	8320	8320	8320	8320	41600	4360	21.2	19.2
09	09	09	09	12	Wall	Wall	Wall	Wall	Wall	7800	7800	7800	7800	10400	41600	4300	20.9	18.9
09	09	09	09	15	Wall	Wall	Wall	Wall	Wall	7340	7340	7340	7340	12240	41600	4250	20.6	18.7
09	09	09	12	12	Wall	Wall	Wall	Wall	Wall	7340	7340	7340	9790	9790	41600	4250	20.6	18.7

MXZ-5C42NA MXZ-5C42NA2 MXZ-5C42NA3 MXZ-5C42NA4 combination table (Cooling) Duct

Indoor units combination					Indoor type					Cooling capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
09					Duct					9000					9000	980	5.0	4.5
12					Duct					12000					12000	1150	5.8	5.3
15					Duct					15000					15000	1450	7.3	6.6
18					Duct					17200					17200	1850	9.4	8.5
21					Duct					20600					20600	2150	10.9	9.8
24					Duct					24000					24000	2400	12.2	11.0
09	09				Duct	Duct				9000	9000				18000	1820	9.0	8.2
09	12				Duct	Duct				9000	12000				21000	2000	9.9	9.0
09	15				Duct	Duct				9000	15000				24000	2300	11.4	10.3
09	18				Duct	Duct				8730	17470				26200	2550	12.6	11.4
09	21				Duct	Duct				8400	19600				28000	2850	14.1	12.8
09	24				Duct	Duct				7640	20360				28000	2850	14.1	12.8
12	12				Duct	Duct				12000	12000				24000	2300	11.4	10.3
12	15				Duct	Duct				11640	14560				26200	2550	12.6	11.4
12	18				Duct	Duct				11200	16800				28000	2850	14.1	12.8
12	21				Duct	Duct				10180	17820				28000	2850	14.1	12.8
12	24				Duct	Duct				9330	18670				28000	2850	14.1	12.8
15	15				Duct	Duct				14000	14000				28000	2850	14.1	12.8
15	18				Duct	Duct				12730	15270				28000	2850	14.1	12.8
15	21				Duct	Duct				11670	16330				28000	2850	14.1	12.8
15	24				Duct	Duct				11150	17850				29000	2800	13.9	12.6
18	18				Duct	Duct				14000	14000				28000	2850	14.1	12.8
18	21				Duct	Duct				13380	15620				29000	2800	13.9	12.6
18	24				Duct	Duct				12430	16570				29000	2840	14.1	12.7
21	21				Duct	Duct				14500	14500				29000	2840	14.1	12.7
21	24				Duct	Duct				14000	16000				30000	2900	14.4	13.0
*1	24	24			Duct	Duct				15000	15000				30000	2850	14.1	12.8
09	09	09			Duct	Duct	Duct			9000	9000	9000			27000	2360	11.7	10.6
09	09	12			Duct	Duct	Duct			9000	9000	12000			30000	2600	12.9	11.7
09	09	15			Duct	Duct	Duct			8730	8730	14550			32000	2800	13.9	12.6
09	09	18			Duct	Duct	Duct			8000	8000	16000			32000	2780	13.8	12.5
09	09	21			Duct	Duct	Duct			7380	7380	17230			32000	2760	13.7	12.4
09	09	24			Duct	Duct	Duct			6860	6860	18290			32000	2740	13.6	12.3
09	12	12			Duct	Duct	Duct			8730	11640	11640			32000	2800	13.9	12.6
09	12	15			Duct	Duct	Duct			8000	10670	13330			32000	2780	13.8	12.5
09	12	18			Duct	Duct	Duct			7380	9850	14770			32000	2760	13.7	12.4
09	12	21			Duct	Duct	Duct			6860	9140	16000			32000	2740	13.6	12.3
09	12	24			Duct	Duct	Duct			6400	8530	17070			32000	2720	13.5	12.2
09	15	15			Duct	Duct	Duct			7380	12310	12310			32000	2760	13.7	12.4
09	15	18			Duct	Duct	Duct			6860	11430	13710			32000	2740	13.6	12.3
09	15	21			Duct	Duct	Duct			6400	10670	14930			32000	2720	13.5	12.2
09	15	24			Duct	Duct	Duct			6000	10000	16000			32000	2700	13.4	12.1
09	18	18			Duct	Duct	Duct			6400	12800	12800			32000	2720	13.5	12.2
09	18	21			Duct	Duct	Duct			6000	12000	14000			32000	2700	13.4	12.1
09	18	24			Duct	Duct	Duct			5650	11290	15060			32000	2680	13.3	12.0
09	21	21			Duct	Duct	Duct			5650	13180	13180			32000	2680	13.3	12.0
12	12	12			Duct	Duct	Duct			10670	10670	10670			32000	2780	13.8	12.5
12	12	15			Duct	Duct	Duct			9850	9850	12310			32000	2760	13.7	12.4
12	12	18			Duct	Duct	Duct			9140	9140	13710			32000	2740	13.6	12.3
12	12	21			Duct	Duct	Duct			8530	8530	14930			32000	2720	13.5	12.2
12	12	24			Duct	Duct	Duct			8000	8000	16000			32000	2700	13.4	12.1

Indoor units combination					Indoor type					Cooling capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
12	15	15			Duct	Duct	Duct			9140	11430	11430			32000	2740	13.6	12.3
12	15	18			Duct	Duct	Duct			8530	10670	12800			32000	2720	13.5	12.2
12	15	21			Duct	Duct	Duct			8000	10000	14000			32000	2700	13.4	12.1
12	15	24			Duct	Duct	Duct			7530	9410	15060			32000	2680	13.3	12.0
12	18	18			Duct	Duct	Duct			8000	12000	12000			32000	2700	13.4	12.1
12	18	21			Duct	Duct	Duct			7530	11290	13180			32000	2680	13.3	12.0
15	15	15			Duct	Duct	Duct			10670	10670	10670			32000	2720	13.5	12.2
15	15	18			Duct	Duct	Duct			10000	10000	12000			32000	2700	13.4	12.1
15	15	21			Duct	Duct	Duct			9410	9410	13180			32000	2680	13.3	12.0
15	18	18			Duct	Duct	Duct			9410	11290	11290			32000	2680	13.3	12.0
09	09	09	09		Duct	Duct	Duct	Duct		8600	8600	8600	8600		34400	3160	15.4	13.9
09	09	09	12		Duct	Duct	Duct	Duct		8030	8030	8030	10710		34800	3250	15.8	14.3
09	09	09	15		Duct	Duct	Duct	Duct		7670	7670	7670	12790		35800	3300	16.0	14.5
09	09	09	18		Duct	Duct	Duct	Duct		7160	7160	7160	14320		35800	3300	16.0	14.5
09	09	09	21		Duct	Duct	Duct	Duct		6980	6980	6980	16280		37200	3300	16.0	14.5
09	09	09	24		Duct	Duct	Duct	Duct		6560	6560	6560	17510		37200	3300	16.0	14.5
09	09	12	12		Duct	Duct	Duct	Duct		7670	7670	10230	10230		35800	3300	16.0	14.5
09	09	12	15		Duct	Duct	Duct	Duct		7160	7160	9550	11930		35800	3300	16.0	14.5
09	09	12	18		Duct	Duct	Duct	Duct		6980	6980	9300	13950		37200	3300	16.0	14.5
09	09	12	21		Duct	Duct	Duct	Duct		6560	6560	8750	15320		37200	3300	16.0	14.5
09	09	15	15		Duct	Duct	Duct	Duct		6980	6980	11630	11630		37200	3300	16.0	14.5
09	09	15	18		Duct	Duct	Duct	Duct		6560	6560	10940	13130		37200	3300	16.0	14.5
09	12	12	12		Duct	Duct	Duct	Duct		7160	9550	9550	9550		35800	3300	16.0	14.5
09	12	12	15		Duct	Duct	Duct	Duct		6980	9300	9300	11630		37200	3300	16.0	14.5
09	12	12	18		Duct	Duct	Duct	Duct		6560	8750	8750	13130		37200	3300	16.0	14.5
09	12	15	15		Duct	Duct	Duct	Duct		6560	8750	10940	10940		37200	3300	16.0	14.5
12	12	12	12		Duct	Duct	Duct	Duct		9300	9300	9300	9300		37200	3300	16.0	14.5
12	12	12	15		Duct	Duct	Duct	Duct		8750	8750	8750	10940		37200	3300	16.0	14.5
09	09	09	09	09	Duct	Duct	Duct	Duct	Duct	7500	7500	7500	7500	7500	37500	3810	18.5	16.7
09	09	09	09	12	Duct	Duct	Duct	Duct	Duct	7310	7310	7310	7310	9750	39000	3960	19.2	17.4
09	09	09	09	15	Duct	Duct	Duct	Duct	Duct	7060	7060	7060	7060	11760	40000	4020	19.5	17.7
09	09	09	12	12	Duct	Duct	Duct	Duct	Duct	7060	7060	7060	9410	9410	40000	4020	19.5	17.7

*1 When the O/U is MXZ-5C42NA4 and the I/U is SVZ type, Refer to the capacity table below.

24	24				Duct (SVZ)	Duct (SVZ)				18200	18200				36400	4045	19.4	17.6
----	----	--	--	--	------------	------------	--	--	--	-------	-------	--	--	--	-------	------	------	------

MXZ-5C42NA MXZ-5C42NA2 MXZ-5C42NA3 MXZ-5C42NA4 combination table (Heating) Non-duct

Indoor units combination					Indoor type					Heating capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
06					Wall					7400					7400	860	4.4	3.9
09					Wall					11000					11000	950	4.8	4.4
12					Wall					14400					14400	1210	6.1	5.5
15					Wall					18000					18000	1600	8.1	7.3
18					Wall					21600					21600	2000	10.1	9.2
21					Wall					24600					24600	2360	11.9	10.8
24					Wall					27600					27600	2680	13.6	12.3
06	06				Wall	Wall				7400	7400				14800	1030	5.1	4.6
06	09				Wall	Wall				7360	11040				18400	1310	6.5	5.9
06	12				Wall	Wall				7330	14670				22000	1620	8.0	7.3
06	15				Wall	Wall				7260	18140				25400	1900	9.4	8.5
06	18				Wall	Wall				7000	21000				28000	2260	11.2	10.1
06	21				Wall	Wall				6220	21780				28000	2260	11.2	10.1
06	24				Wall	Wall				5600	22400				28000	2260	11.2	10.1
09	09				Wall	Wall				11000	11000				22000	1620	8.0	7.3
09	12				Wall	Wall				10890	14510				25400	1900	9.4	8.5
09	15				Wall	Wall				10500	17500				28000	2260	11.2	10.1
09	18				Wall	Wall				9330	18670				28000	2260	11.2	10.1
09	21				Wall	Wall				8400	19600				28000	2260	11.2	10.1
09	24				Wall	Wall				7640	20360				28000	2260	11.2	10.1
12	12				Wall	Wall				14000	14000				28000	2260	11.2	10.1
12	15				Wall	Wall				12440	15560				28000	2260	11.2	10.1
12	18				Wall	Wall				11200	16800				28000	2260	11.2	10.1
12	21				Wall	Wall				10180	17820				28000	2260	11.2	10.1
12	24				Wall	Wall				9330	18670				28000	2260	11.2	10.1
15	15				Wall	Wall				14000	14000				28000	2260	11.2	10.1
15	18				Wall	Wall				12730	15270				28000	2260	11.2	10.1
15	21				Wall	Wall				11670	16330				28000	2260	11.2	10.1
15	24				Wall	Wall				11150	17850				29000	2300	11.4	10.3
18	18				Wall	Wall				14000	14000				28000	2260	11.2	10.1
18	21				Wall	Wall				13380	15620				29000	2300	11.4	10.3
18	24				Wall	Wall				12430	16570				29000	2300	11.4	10.3
21	21				Wall	Wall				14500	14500				29000	2300	11.4	10.3
21	24				Wall	Wall				14000	16000				30000	2320	11.5	10.4
24	24				Wall	Wall				15000	15000				30000	2280	11.3	10.2
06	06	06			Wall	Wall	Wall			7400	7400	7400			22200	1450	7.2	6.5
06	06	09			Wall	Wall	Wall			7370	7370	11060			25800	1730	8.6	7.8
06	06	12			Wall	Wall	Wall			7300	7300	14600			29200	2020	10.0	9.1
06	06	15			Wall	Wall	Wall			7290	7290	18220			32800	2470	12.2	11.1
06	06	18			Wall	Wall	Wall			6560	6560	19680			32800	2450	12.1	11.0
06	06	21			Wall	Wall	Wall			5960	5960	20870			32800	2430	11.9	10.8
06	06	24			Wall	Wall	Wall			5470	5470	21870			32800	2410	11.9	10.7
06	09	09			Wall	Wall	Wall			7300	10950	10950			29200	2020	10.0	9.1
06	09	12			Wall	Wall	Wall			7290	10930	14580			32800	2470	12.2	11.1
06	09	15			Wall	Wall	Wall			6560	9840	16400			32800	2450	12.1	11.0
06	09	18			Wall	Wall	Wall			5960	8950	17890			32800	2430	11.9	10.8
06	09	21			Wall	Wall	Wall			5470	8200	19130			32800	2410	11.9	10.7

Indoor units combination					Indoor type					Heating capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
06	09	24			Wall	Wall	Wall			5050	7570	20180			32800	2390	11.9	10.7
06	12	12			Wall	Wall	Wall			6560	13120	13120			32800	2450	12.1	11.0
06	12	15			Wall	Wall	Wall			5960	11930	14910			32800	2430	11.9	10.8
06	12	18			Wall	Wall	Wall			5470	10930	16400			32800	2410	11.9	10.7
06	12	21			Wall	Wall	Wall			5050	10090	17660			32800	2390	11.9	10.7
06	12	24			Wall	Wall	Wall			4690	9370	18740			32800	2370	11.8	10.6
06	15	15			Wall	Wall	Wall			5470	13670	13670			32800	2410	11.9	10.7
06	15	18			Wall	Wall	Wall			5050	12620	15140			32800	2390	11.9	10.7
06	15	21			Wall	Wall	Wall			4690	11710	16400			32800	2370	11.8	10.6
06	15	24			Wall	Wall	Wall			4370	10930	17490			32800	2350	11.7	10.5
06	18	18			Wall	Wall	Wall			4690	14060	14060			32800	2370	11.8	10.6
06	18	21			Wall	Wall	Wall			4370	13120	15310			32800	2350	11.7	10.5
06	18	24			Wall	Wall	Wall			4100	12300	16400			32800	2330	11.6	10.4
06	21	21			Wall	Wall	Wall			4100	14350	14350			32800	2330	11.6	10.4
06	21	24			Wall	Wall	Wall			3860	13510	15440			32800	2310	11.5	10.4
09	09	09			Wall	Wall	Wall			10930	10930	10930			32800	2470	12.2	11.1
09	09	12			Wall	Wall	Wall			9840	9840	13120			32800	2450	12.1	11.0
09	09	15			Wall	Wall	Wall			8950	8950	14910			32800	2430	11.9	10.8
09	09	18			Wall	Wall	Wall			8200	8200	16400			32800	2410	11.9	10.7
09	09	21			Wall	Wall	Wall			7570	7570	17660			32800	2390	11.9	10.7
09	09	24			Wall	Wall	Wall			7030	7030	18740			32800	2370	11.8	10.6
09	12	12			Wall	Wall	Wall			8950	11930	11930			32800	2430	11.9	10.8
09	12	15			Wall	Wall	Wall			8200	10930	13670			32800	2410	11.9	10.7
09	12	18			Wall	Wall	Wall			7570	10090	15140			32800	2390	11.9	10.7
09	12	21			Wall	Wall	Wall			7030	9370	16400			32800	2370	11.8	10.6
09	12	24			Wall	Wall	Wall			6560	8750	17490			32800	2350	11.7	10.5
09	15	15			Wall	Wall	Wall			7570	12620	12620			32800	2390	11.9	10.7
09	15	18			Wall	Wall	Wall			7030	11710	14060			32800	2370	11.8	10.6
09	15	21			Wall	Wall	Wall			6560	10930	15310			32800	2350	11.7	10.5
09	15	24			Wall	Wall	Wall			6150	10250	16400			32800	2330	11.6	10.4
09	18	18			Wall	Wall	Wall			6560	13120	13120			32800	2350	11.7	10.5
09	18	21			Wall	Wall	Wall			6150	12300	14350			32800	2330	11.6	10.4
09	18	24			Wall	Wall	Wall			5790	11580	15440			32800	2310	11.5	10.4
09	21	21			Wall	Wall	Wall			5790	13510	13510			32800	2310	11.5	10.4
12	12	12			Wall	Wall	Wall			10930	10930	10930			32800	2410	11.9	10.7
12	12	15			Wall	Wall	Wall			10090	10090	12620			32800	2390	11.9	10.7
12	12	18			Wall	Wall	Wall			9370	9370	14060			32800	2370	11.8	10.6
12	12	21			Wall	Wall	Wall			8750	8750	15310			32800	2350	11.7	10.5
12	12	24			Wall	Wall	Wall			8200	8200	16400			32800	2330	11.6	10.4
12	15	15			Wall	Wall	Wall			9370	11710	11710			32800	2370	11.8	10.6
12	15	18			Wall	Wall	Wall			8750	10930	13120			32800	2350	11.7	10.5
12	15	21			Wall	Wall	Wall			8200	10250	14350			32800	2330	11.6	10.4
12	15	24			Wall	Wall	Wall			7720	9650	15440			32800	2310	11.5	10.4
12	18	18			Wall	Wall	Wall			8200	12300	12300			32800	2330	11.6	10.4
12	18	21			Wall	Wall	Wall			7720	11580	13510			32800	2310	11.5	10.4
15	15	15			Wall	Wall	Wall			10930	10930	10930			32800	2350	11.7	10.5
15	15	18			Wall	Wall	Wall			10250	10250	12300			32800	2330	11.6	10.4
15	15	21			Wall	Wall	Wall			9650	9650	13510			32800	2310	11.5	10.4
15	18	18			Wall	Wall	Wall			9650	11580	11580			32800	2310	11.5	10.4

Indoor units combination					Indoor type					Heating capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
06	06	06	06		Wall	Wall	Wall	Wall		7400	7400	7400	7400		29600	2000	9.7	8.8
06	06	06	09		Wall	Wall	Wall	Wall		7380	7380	7380	11070		33200	2420	11.8	10.6
06	06	06	12		Wall	Wall	Wall	Wall		7200	7200	7200	14400		36000	2730	13.3	12.0
06	06	06	15		Wall	Wall	Wall	Wall		6550	6550	6550	16360		36000	2700	13.1	11.9
06	06	06	18		Wall	Wall	Wall	Wall		6000	6000	6000	18000		36000	2670	13.0	11.7
06	06	06	21		Wall	Wall	Wall	Wall		5850	5850	5850	20460		38000	2640	12.8	11.6
06	06	06	24		Wall	Wall	Wall	Wall		5430	5430	5430	21710		38000	2610	12.7	11.5
06	06	09	09		Wall	Wall	Wall	Wall		7200	7200	10800	10800		36000	2730	13.3	12.0
06	06	09	12		Wall	Wall	Wall	Wall		6550	6550	9820	13090		36000	2700	13.1	11.9
06	06	09	15		Wall	Wall	Wall	Wall		6000	6000	9000	15000		36000	2670	13.0	11.7
06	06	09	18		Wall	Wall	Wall	Wall		5850	5850	8770	17540		38000	2640	12.8	11.6
06	06	09	21		Wall	Wall	Wall	Wall		5430	5430	8140	19000		38000	2610	12.7	11.5
06	06	09	24		Wall	Wall	Wall	Wall		5070	5070	7600	20270		38000	2580	12.5	11.3
06	06	12	12		Wall	Wall	Wall	Wall		6000	6000	12000	12000		36000	2670	13.0	11.7
06	06	12	15		Wall	Wall	Wall	Wall		5850	5850	11690	14620		38000	2640	12.8	11.6
06	06	12	18		Wall	Wall	Wall	Wall		5430	5430	10860	16290		38000	2610	12.7	11.5
06	06	12	21		Wall	Wall	Wall	Wall		5070	5070	10130	17730		38000	2580	12.5	11.3
06	06	12	24		Wall	Wall	Wall	Wall		4750	4750	9500	19000		38000	2550	12.4	11.2
06	06	15	15		Wall	Wall	Wall	Wall		5430	5430	13570	13570		38000	2610	12.7	11.5
06	06	15	18		Wall	Wall	Wall	Wall		5070	5070	12670	15200		38000	2580	12.5	11.3
06	06	15	21		Wall	Wall	Wall	Wall		4750	4750	11880	16630		38000	2550	12.4	11.2
06	06	15	24		Wall	Wall	Wall	Wall		4470	4470	11180	17880		38000	2520	12.2	11.1
06	06	18	18		Wall	Wall	Wall	Wall		4750	4750	14250	14250		38000	2550	12.4	11.2
06	06	18	21		Wall	Wall	Wall	Wall		4470	4470	13410	15650		38000	2520	12.2	11.1
06	09	09	09		Wall	Wall	Wall	Wall		6550	9820	9820	9820		36000	2700	13.1	11.9
06	09	09	12		Wall	Wall	Wall	Wall		6000	9000	9000	12000		36000	2670	13.0	11.7
06	09	09	15		Wall	Wall	Wall	Wall		5850	8770	8770	14620		38000	2640	12.8	11.6
06	09	09	18		Wall	Wall	Wall	Wall		5430	8140	8140	16290		38000	2610	12.7	11.5
06	09	09	21		Wall	Wall	Wall	Wall		5070	7600	7600	17730		38000	2580	12.5	11.3
06	09	09	24		Wall	Wall	Wall	Wall		4750	7130	7130	19000		38000	2550	12.4	11.2
06	09	12	12		Wall	Wall	Wall	Wall		5850	8770	11690	11690		38000	2640	12.8	11.6
06	09	12	15		Wall	Wall	Wall	Wall		5430	8140	10860	13570		38000	2610	12.7	11.5
06	09	12	18		Wall	Wall	Wall	Wall		5070	7600	10130	15200		38000	2580	12.5	11.3
06	09	12	21		Wall	Wall	Wall	Wall		4750	7130	9500	16630		38000	2550	12.4	11.2
06	09	12	24		Wall	Wall	Wall	Wall		4470	6710	8940	17880		38000	2520	12.2	11.1
06	09	15	15		Wall	Wall	Wall	Wall		5070	7600	12670	12670		38000	2580	12.5	11.3
06	09	15	18		Wall	Wall	Wall	Wall		4750	7130	11880	14250		38000	2550	12.4	11.2
06	09	15	21		Wall	Wall	Wall	Wall		4470	6710	11180	15650		38000	2520	12.2	11.1
06	09	18	18		Wall	Wall	Wall	Wall		4470	6710	13410	13410		38000	2520	12.2	11.1
06	12	12	12		Wall	Wall	Wall	Wall		5430	10860	10860	10860		38000	2610	12.7	11.5
06	12	12	15		Wall	Wall	Wall	Wall		5070	10130	10130	12670		38000	2580	12.5	11.3
06	12	12	18		Wall	Wall	Wall	Wall		4750	9500	9500	14250		38000	2550	12.4	11.2
06	12	12	21		Wall	Wall	Wall	Wall		4470	8940	8940	15650		38000	2520	12.2	11.1
06	12	15	15		Wall	Wall	Wall	Wall		4750	9500	11880	11880		38000	2550	12.4	11.2
06	12	15	18		Wall	Wall	Wall	Wall		4470	8940	11180	13410		38000	2520	12.2	11.1
06	15	15	15		Wall	Wall	Wall	Wall		4470	11180	11180	11180		38000	2520	12.2	11.1
09	09	09	09		Wall	Wall	Wall	Wall		9000	9000	9000	9000		36000	2670	13.0	11.7
09	09	09	12		Wall	Wall	Wall	Wall		8770	8770	8770	11690		38000	2640	12.8	11.6
09	09	09	15		Wall	Wall	Wall	Wall		8140	8140	8140	13570		38000	2610	12.7	11.5

Indoor units combination					Indoor type					Heating capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
09	09	09	18		Wall	Wall	Wall	Wall		7600	7600	7600	15200		38000	2580	12.5	11.3
09	09	09	21		Wall	Wall	Wall	Wall		7130	7130	7130	16630		38000	2550	12.4	11.2
09	09	09	24		Wall	Wall	Wall	Wall		6710	6710	6710	17880		38000	2520	12.2	11.1
09	09	12	12		Wall	Wall	Wall	Wall		8140	8140	10860	10860		38000	2610	12.7	11.5
09	09	12	15		Wall	Wall	Wall	Wall		7600	7600	10130	12670		38000	2580	12.5	11.3
09	09	12	18		Wall	Wall	Wall	Wall		7130	7130	9500	14250		38000	2550	12.4	11.2
09	09	12	21		Wall	Wall	Wall	Wall		6710	6710	8940	15650		38000	2520	12.2	11.1
09	09	15	15		Wall	Wall	Wall	Wall		7130	7130	11880	11880		38000	2550	12.4	11.2
09	09	15	18		Wall	Wall	Wall	Wall		6710	6710	11180	13410		38000	2520	12.2	11.1
09	12	12	12		Wall	Wall	Wall	Wall		7600	10130	10130	10130		38000	2580	12.5	11.3
09	12	12	15		Wall	Wall	Wall	Wall		7130	9500	9500	11880		38000	2550	12.4	11.2
09	12	12	18		Wall	Wall	Wall	Wall		6710	8940	8940	13410		38000	2520	12.2	11.1
09	12	15	15		Wall	Wall	Wall	Wall		6710	8940	11180	11180		38000	2520	12.2	11.1
12	12	12	12		Wall	Wall	Wall	Wall		9500	9500	9500	9500		38000	2550	12.4	11.2
12	12	12	15		Wall	Wall	Wall	Wall		8940	8940	8940	11180		38000	2520	12.2	11.1
06	06	06	06	06	Wall	Wall	Wall	Wall	Wall	7400	7400	7400	7400	7400	37000	2970	14.4	13.0
06	06	06	06	09	Wall	Wall	Wall	Wall	Wall	7380	7380	7380	7380	11070	40600	3200	15.5	14.1
06	06	06	06	12	Wall	Wall	Wall	Wall	Wall	7330	7330	7330	7330	14670	44000	3240	15.7	14.2
06	06	06	06	15	Wall	Wall	Wall	Wall	Wall	6860	6860	6860	6860	17150	44600	3350	16.3	14.7
06	06	06	06	18	Wall	Wall	Wall	Wall	Wall	6430	6430	6430	6430	19290	45000	3480	16.9	15.3
06	06	06	06	21	Wall	Wall	Wall	Wall	Wall	6110	6110	6110	6110	21370	45800	3550	17.2	15.6
06	06	06	06	24	Wall	Wall	Wall	Wall	Wall	5730	5730	5730	5730	22900	45800	3520	17.1	15.5
06	06	06	09	09	Wall	Wall	Wall	Wall	Wall	7330	7330	7330	11000	11000	44000	3240	15.7	14.2
06	06	06	09	12	Wall	Wall	Wall	Wall	Wall	6860	6860	6860	10290	13720	44600	3350	16.3	14.7
06	06	06	09	15	Wall	Wall	Wall	Wall	Wall	6430	6430	6430	9640	16070	45000	3480	16.9	15.3
06	06	06	09	18	Wall	Wall	Wall	Wall	Wall	6110	6110	6110	9160	18320	45800	3550	17.2	15.6
06	06	06	09	21	Wall	Wall	Wall	Wall	Wall	5730	5730	5730	8590	20040	45800	3520	17.1	15.5
06	06	06	09	24	Wall	Wall	Wall	Wall	Wall	5460	5460	5460	8190	21840	46400	3490	17.0	15.3
06	06	06	12	12	Wall	Wall	Wall	Wall	Wall	6430	6430	6430	12860	12860	45000	3480	16.9	15.3
06	06	06	12	15	Wall	Wall	Wall	Wall	Wall	6110	6110	6110	12210	15270	45800	3550	17.2	15.6
06	06	06	12	18	Wall	Wall	Wall	Wall	Wall	5730	5730	5730	11450	17180	45800	3520	17.1	15.5
06	06	06	12	21	Wall	Wall	Wall	Wall	Wall	5460	5460	5460	10920	19110	46400	3490	17.0	15.3
06	06	06	15	15	Wall	Wall	Wall	Wall	Wall	5730	5730	5730	14310	14310	45800	3520	17.1	15.5
06	06	06	15	18	Wall	Wall	Wall	Wall	Wall	5460	5460	5460	13650	16380	46400	3490	17.0	15.3
06	06	09	09	09	Wall	Wall	Wall	Wall	Wall	6860	6860	10290	10290	10290	44600	3350	16.3	14.7
06	06	09	09	12	Wall	Wall	Wall	Wall	Wall	6430	6430	9640	9640	12860	45000	3480	16.9	15.3
06	06	09	09	15	Wall	Wall	Wall	Wall	Wall	6110	6110	9160	9160	15270	45800	3550	17.2	15.6
06	06	09	09	18	Wall	Wall	Wall	Wall	Wall	5730	5730	8590	8590	17180	45800	3520	17.1	15.5
06	06	09	09	21	Wall	Wall	Wall	Wall	Wall	5460	5460	8190	8190	19110	46400	3490	17.0	15.3
06	06	09	12	12	Wall	Wall	Wall	Wall	Wall	6110	6110	9160	12210	12210	45800	3550	17.2	15.6
06	06	09	12	15	Wall	Wall	Wall	Wall	Wall	5730	5730	8590	11450	14310	45800	3520	17.1	15.5
06	06	09	12	18	Wall	Wall	Wall	Wall	Wall	5460	5460	8190	10920	16380	46400	3490	17.0	15.3
06	06	09	15	15	Wall	Wall	Wall	Wall	Wall	5460	5460	8190	13650	13650	46400	3490	17.0	15.3
06	06	12	12	12	Wall	Wall	Wall	Wall	Wall	5730	5730	11450	11450	11450	45800	3520	17.1	15.5
06	06	12	12	15	Wall	Wall	Wall	Wall	Wall	5460	5460	10920	10920	13650	46400	3490	17.0	15.3
06	09	09	09	09	Wall	Wall	Wall	Wall	Wall	6430	9640	9640	9640	9640	45000	3480	16.9	15.3
06	09	09	09	12	Wall	Wall	Wall	Wall	Wall	6110	9160	9160	9160	12210	45800	3550	17.2	15.6
06	09	09	09	15	Wall	Wall	Wall	Wall	Wall	5730	8590	8590	8590	14310	45800	3520	17.1	15.5
06	09	09	09	18	Wall	Wall	Wall	Wall	Wall	5460	8190	8190	8190	16380	46400	3490	17.0	15.3

Indoor units combination					Indoor type					Heating capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
06	09	09	12	12	Wall	Wall	Wall	Wall	Wall	5730	8590	8590	11450	11450	45800	3520	17.1	15.5
06	09	09	12	15	Wall	Wall	Wall	Wall	Wall	5460	8190	8190	10920	13650	46400	3490	17.0	15.3
06	09	12	12	12	Wall	Wall	Wall	Wall	Wall	5460	8190	10920	10920	10920	46400	3490	17.0	15.3
09	09	09	09	09	Wall	Wall	Wall	Wall	Wall	9160	9160	9160	9160	9160	45800	3550	17.2	15.6
09	09	09	09	12	Wall	Wall	Wall	Wall	Wall	8590	8590	8590	8590	11450	45800	3520	17.1	15.5
09	09	09	09	15	Wall	Wall	Wall	Wall	Wall	8190	8190	8190	8190	13650	46400	3490	17.0	15.3
09	09	09	12	12	Wall	Wall	Wall	Wall	Wall	8190	8190	8190	10920	10920	46400	3490	17.0	15.3

MXZ-5C42NA MXZ-5C42NA2 MXZ-5C42NA3 MXZ-5C42NA4 combination table (Heating) Duct

Indoor units combination					Indoor type					Heating capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
09					Duct					10900					10900	1000	5.1	4.6
12					Duct					13600					13600	1260	6.4	5.8
15					Duct					18000					18000	1650	8.4	7.6
18					Duct					21600					21600	2050	10.4	9.4
21					Duct					23800					23800	2450	12.4	11.2
24					Duct					26000					26000	2710	13.7	12.4
09	09				Duct	Duct				10900	10900				21800	1820	9.0	8.2
09	12				Duct	Duct				10500	14000				24500	2000	9.9	9.0
09	15				Duct	Duct				10200	17000				27200	2360	11.7	10.6
09	18				Duct	Duct				9330	18670				28000	2360	11.7	10.6
09	21				Duct	Duct				8400	19600				28000	2360	11.7	10.6
09	24				Duct	Duct				7640	20360				28000	2360	11.7	10.6
12	12				Duct	Duct				13600	13600				27200	2360	11.7	10.6
12	15				Duct	Duct				12440	15560				28000	2360	11.7	10.6
12	18				Duct	Duct				11200	16800				28000	2360	11.7	10.6
12	21				Duct	Duct				10180	17820				28000	2360	11.7	10.6
12	24				Duct	Duct				9330	18670				28000	2360	11.7	10.6
15	15				Duct	Duct				14000	14000				28000	2360	11.7	10.6
15	18				Duct	Duct				12730	15270				28000	2360	11.7	10.6
15	21				Duct	Duct				11670	16330				28000	2360	11.7	10.6
15	24				Duct	Duct				11150	17850				29000	2400	11.9	10.8
18	18				Duct	Duct				14000	14000				28000	2360	11.7	10.6
18	21				Duct	Duct				13380	15620				29000	2400	11.9	10.8
18	24				Duct	Duct				12430	16570				29000	2400	11.9	10.8
21	21				Duct	Duct				14500	14500				29000	2400	11.9	10.8
21	24				Duct	Duct				14000	16000				30000	2420	12.0	10.9
*1	24	24			Duct	Duct				15000	15000				30000	2380	11.8	10.7
09	09	09			Duct	Duct	Duct			10900	10900	10900			32700	2590	12.8	11.6
09	09	12			Duct	Duct	Duct			9810	9810	13080			32700	2570	12.7	11.5
09	09	15			Duct	Duct	Duct			8920	8920	14860			32700	2550	12.6	11.4
09	09	18			Duct	Duct	Duct			8180	8180	16350			32700	2530	12.5	11.3
09	09	21			Duct	Duct	Duct			7550	7550	17610			32700	2510	12.4	11.3
09	09	24			Duct	Duct	Duct			7010	7010	18690			32700	2490	12.3	11.2
09	12	12			Duct	Duct	Duct			8920	11890	11890			32700	2550	12.6	11.4
09	12	15			Duct	Duct	Duct			8180	10900	13630			32700	2530	12.5	11.3
09	12	18			Duct	Duct	Duct			7550	10060	15090			32700	2510	12.4	11.3
09	12	21			Duct	Duct	Duct			7010	9340	16350			32700	2490	12.3	11.2
09	12	24			Duct	Duct	Duct			6540	8720	17440			32700	2470	12.2	11.1
09	15	15			Duct	Duct	Duct			7550	12580	12580			32700	2510	12.4	11.3
09	15	18			Duct	Duct	Duct			7010	11680	14010			32700	2490	12.3	11.2
09	15	21			Duct	Duct	Duct			6540	10900	15260			32700	2470	12.2	11.1
09	15	24			Duct	Duct	Duct			6130	10220	16350			32700	2450	12.1	11.0
09	18	18			Duct	Duct	Duct			6540	13080	13080			32700	2470	12.2	11.1
09	18	21			Duct	Duct	Duct			6130	12260	14310			32700	2450	12.1	11.0
09	18	24			Duct	Duct	Duct			5770	11540	15390			32700	2430	12.0	10.9
09	21	21			Duct	Duct	Duct			5770	13460	13460			32700	2430	12.0	10.9
12	12	12			Duct	Duct	Duct			10900	10900	10900			32700	2530	12.5	11.3
12	12	15			Duct	Duct	Duct			10060	10060	12580			32700	2510	12.4	11.3
12	12	18			Duct	Duct	Duct			9340	9340	14010			32700	2490	12.3	11.2
12	12	21			Duct	Duct	Duct			8720	8720	15260			32700	2470	12.2	11.1
12	12	24			Duct	Duct	Duct			8180	8180	16350			32700	2450	12.1	11.0

Indoor units combination					Indoor type					Heating capacity (BTU/h)						Power consumption (W)	Current (A)	
A	B	C	D	E	A	B	C	D	E	Unit A	Unit B	Unit C	Unit D	Unit E	Total		208V	230V
12	15	15			Duct	Duct	Duct			9340	11680	11680			32700	2490	12.3	11.2
12	15	18			Duct	Duct	Duct			8720	10900	13080			32700	2470	12.2	11.1
12	15	21			Duct	Duct	Duct			8180	10220	14310			32700	2450	12.1	11.0
12	15	24			Duct	Duct	Duct			7690	9620	15390			32700	2430	12.0	10.9
12	18	18			Duct	Duct	Duct			8180	12260	12260			32700	2450	12.1	11.0
12	18	21			Duct	Duct	Duct			7690	11540	13460			32700	2430	12.0	10.9
15	15	15			Duct	Duct	Duct			10900	10900	10900			32700	2470	12.2	11.1
15	15	18			Duct	Duct	Duct			10220	10220	12260			32700	2450	12.1	11.0
15	15	21			Duct	Duct	Duct			9620	9620	13460			32700	2430	12.0	10.9
15	18	18			Duct	Duct	Duct			9620	11540	11540			32700	2430	12.0	10.9
09	09	09	09		Duct	Duct	Duct	Duct		8600	8600	8600	8600		34400	2820	13.7	12.4
09	09	09	12		Duct	Duct	Duct	Duct		8030	8030	8030	10710		34800	2850	13.8	12.5
09	09	09	15		Duct	Duct	Duct	Duct		7670	7670	7670	12790		35800	2980	14.5	13.1
09	09	09	18		Duct	Duct	Duct	Duct		7160	7160	7160	14320		35800	2980	14.5	13.1
09	09	09	21		Duct	Duct	Duct	Duct		6980	6980	6980	16280		37200	3110	15.1	13.7
09	09	09	24		Duct	Duct	Duct	Duct		6560	6560	6560	17510		37200	3060	14.9	13.4
09	09	12	12		Duct	Duct	Duct	Duct		7670	7670	10230	10230		35800	2980	14.5	13.1
09	09	12	15		Duct	Duct	Duct	Duct		7160	7160	9550	11930		35800	2980	14.5	13.1
09	09	12	18		Duct	Duct	Duct	Duct		6980	6980	9300	13950		37200	3110	15.1	13.7
09	09	12	21		Duct	Duct	Duct	Duct		6560	6560	8750	15320		37200	3060	14.9	13.4
09	09	15	15		Duct	Duct	Duct	Duct		6980	6980	11630	11630		37200	3110	15.1	13.7
09	09	15	18		Duct	Duct	Duct	Duct		6560	6560	10940	13130		37200	3060	14.9	13.4
09	12	12	12		Duct	Duct	Duct	Duct		7160	9550	9550	9550		35800	2980	14.5	13.1
09	12	12	15		Duct	Duct	Duct	Duct		6980	9300	9300	11630		37200	3110	15.1	13.7
09	12	12	18		Duct	Duct	Duct	Duct		6560	8750	8750	13130		37200	3060	14.9	13.4
09	12	15	15		Duct	Duct	Duct	Duct		6560	8750	10940	10940		37200	3060	14.9	13.4
12	12	12	12		Duct	Duct	Duct	Duct		9300	9300	9300	9300		37200	3110	15.1	13.7
12	12	12	15		Duct	Duct	Duct	Duct		8750	8750	8750	10940		37200	3060	14.9	13.4
09	09	09	09	09	Duct	Duct	Duct	Duct	Duct	8200	8200	8200	8200	8200	41000	3160	15.4	13.9
09	09	09	09	12	Duct	Duct	Duct	Duct	Duct	7880	7880	7880	7880	10500	42000	3310	16.1	14.5
09	09	09	09	15	Duct	Duct	Duct	Duct	Duct	7590	7590	7590	7590	12650	43000	3330	16.2	14.6
09	09	09	12	12	Duct	Duct	Duct	Duct	Duct	7590	7590	7590	10120	10120	43000	3330	16.2	14.6

*1 When the O/U is MXZ-5C42NA4 and the I/U is SVZ type, Refer to the capacity table below.

24	24				Duct (SVZ)	Duct (SVZ)				20500	20500				41000	4520	21.7	19.7
----	----	--	--	--	------------	------------	--	--	--	-------	-------	--	--	--	-------	------	------	------