



REGISTERS & DIFFUSERS



YOUR FAMOUS 33 BRANDS



A portion of your purchases goes to

FEEDING AMERICA

food banks in Ohio, Pennsylvania, & West Virginia
to provide food and other essential products to the
communities we serve.



HELP YOUR COMMUNITY.



We've partnered with
HABITAT FOR HUMANITY
to help families in your community build and
improve places to call home through in-kind
donations



TABLE OF CONTENTS

RESIDENTIAL

Baseboard Diffusers 5-6

Baseboard Returns 7-9

Floor Registers 10-13

Heavy Duty Floor Registers 14-15

Floor Registers with Screw Holes. 16-17

Toe Space Grilles 18-19

Floor Returns 20-24

Round Ceiling Dampers 25-26

Round Ceiling Diffusers 27-28

Duct Rings 29-30

Wall Returns 31-41

Wall/Ceiling Registers 42-45

Return Air Filter Grilles. 46-49

Vertical Single Supply Registers 50-51

Horizontal Returns 52-53

COMMERCIAL

Butterfly Dampers. 54-55

2 Cone T-Bar Diffusers 56-57

3 Cone T-Bar Diffusers 58-59

ENGINEERING DATA

Baseboard Diffusers 60

Baseboard Returns 60

Floor Registers 61

Toe Space Grilles 61-62

Floor Returns 62-63

Round Ceiling Diffusers 64

Wall Returns 64-66

Wall/Ceiling Registers 66-67

Return Air Filter Grilles. 67-68

Vertical Single Supply Registers 68

Horizontal Returns 69

T-Bar Diffusers 69

ADDITIONAL RESOURCES

Cross Reference Guide 70

Warranty 71



NEW! BARCODE SCANNING

Now you can quickly shop for any product in this catalog simply by scanning the product barcode with the eFamous app! Don't have eFamous? Visit famous-supply.com/orderonline/ to sign up. Download eFamous from the App Store or Google Play.




BBD

FEATURES

- 24 GA all-steel construction


FINISHES

- White (WH)
- Brown (BR)



SPECIFICATIONS

Finish	Size (A)	Model	ID No.	Free Area (Sq. In.)	Opening Width	UPC
WH	15"	BZ33BBD15-G2-WH	.3513741	32	12"	 8 10055 92066 2
WH	18"	BZ33BBD18-G2-WH	.3513738	38	12"	 8 10055 92043 3
WH	18"	BZ33BBRAD18-G2-WH	.3513715	38	12"	 8 10055 92097 6
WH	24"	BZ33BBD24-G2-WH	.3513753	50	12"	 8 10055 92118 8
BR	15"	BZ33BBD15-G2-BR	.3513743	32	12"	 8 10055 92155 3
BR	18"	BZ33BBD18-G2-BR	.3516136	38	12"	 8 10055 92261 1




BB-RAG

FEATURES

- 24 GA all-steel construction
- 1/3" or 1/2" spaced fins set
- Exceptional free area
- 1-way

FINISHES

White (WH)



BB-RAG Size Options (In.)				
Height (A)	Width (B)			
	6	8	10	18
10	●			
12	●			
14	●	●		
16		●		
24	●	●		
30	●	●	●	

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	10" x 6"	BZ33BBRAG1006-G2-13WH	.3513622	38	9-1/2"	5-1/2"	11-3/4"	7-3/4"	1/3"	 8 10055 92208 6
WH	12" x 6"	BZ33BBRAG1206-G2-13WH	.3513623	46	11-1/2"	5-1/2"	13-3/4"	7-3/4"	1/3"	 8 10055 92213 0
WH	14" x 6"	BZ33BBRAG1406-G2-13WH	.3513617	55	13-1/2"	5-1/2"	15-3/4"	7-3/4"	1/3"	 8 10055 92071 6
WH	14" x 6"	BZ33BBRAG1406-G2-12WH	.3513690	55	13-1/2"	5-1/2"	15-3/4"	7-3/4"	1/2"	 8 10055 92102 7
WH	14" x 8"	BZ33BBRAG1408-G2-13WH	.3513621	75	13-1/2"	7-1/2"	15-3/4"	9-3/4"	1/3"	 8 10055 92152 2
WH	16" x 8"	BZ33BBRAG1608-G2-13WH	.3516228	93	13-1/2"	9-1/2"	15-3/4"	11-3/4"	1/3"	 8 10055 92262 8
WH	24" x 6"	BZ33BBRAG2406-G2-13WH	.3516230	109	23-7/8"	5-7/8"	25-3/4"	7-3/4"	1/3"	 8 10055 92263 5
WH	24" x 8"	BZ33BBRAG2408-13WH	.3465697	126	23-1/2"	7-1/2"	25-3/4"	9-3/4"	1/3"	 8 19030 02776 1
WH	30" x 6"	BZ33BBRAG3006-G2-13WH	.3520216	116	29-1/2"	5-1/2"	31-3/4"	7-3/4"	1/3"	 8 10055 92308 3

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	30" x 8"	BZ33BBRAG3008-G2-13WH	.3513619	158	29-1/2"	7-1/2"	31-3/4"	9-3/4"	1/3"	
WH	30" x 10"	BZ33BBRAG3010-G2-13WH	.3513694	158	29-1/2"	9-1/2"	31-3/4"	11-3/4"	1/3"	




FR

FEATURES

- 24 GA steel
- Multi-angle fin setting
- Foot operated dial control
- Opposed blade damper included

FINISHES

-  White (**WH**)
-  Brown (**BR**)
-  Silver (**S**)
-  Java (**J**)



FR Size Options (In.)				
Height (A)	Width (B)			
	8	10	12	14
2				
4				
6				

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
WH	2" x 10"	BZ33FR0210-G2-WH	.3513727	14	2"	9-5/8"	3-3/4"	11-1/2"	 8 10055 92052 5
WH	2" x 12"	BZ33FR0212-G2-WH	.3513720	17	2"	11-5/8"	3-3/4"	13-1/2"	 8 10055 92051 8
WH	2" x 14"	BZ33FR0214-G2-WH	.3513731	20	2"	13-5/8"	3-3/4"	15-1/2"	 8 10055 92109 6
WH	4" x 10"	BZ33FR0410-G2-WH	.3513721	27	3-3/4"	9-5/8"	5-1/2"	11-1/2"	 8 10055 92095 2
WH	4" x 12"	BZ33FR0412-G2-WH	.3513728	32	3-3/4"	11-5/8"	5-1/2"	13-1/2"	 8 10055 92058 7
WH	4" x 14"	BZ33FR0414WH	.3466246	37	3-3/4"	13-5/8"	5-1/2"	15-1/2"	 8 19030 02743 3
WH	6" x 10"	BZ33FR0610WH	.3465867	38	5-1/2"	9-5/8"	7-1/2"	11-1/2"	 8 19030 02748 8
WH	6" x 12"	BZ33FR0612-G2-WH	.3513735	45	5-1/2"	11-5/8"	7-1/2"	13-1/2"	 8 10055 92172 0
BR	2" x 10"	BZ33FR0210-G2-BR	.3516235	14	2"	9-5/8"	3-3/4"	11-1/2"	 8 10055 92265 9

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
BR	2" x 12"	BZ33FR0212-G2-BR	.3513730	17	2"	11-5/8"	3-3/4"	13-1/2"	
BR	2" x 14"	BZ33FR0214-G2-BR	.3516236	20	2"	13-5/8"	3-3/4"	15-1/2"	
BR	4" x 8"	BZ33FR0408-G2-BR	.3513722	22	3-3/4"	7-5/8"	5-1/2"	9-1/2"	
BR	4" x 10"	BZ33FR0410-G2-BR	.3513723	27	3-3/4"	9-5/8"	5-1/2"	11-1/2"	
BR	4" x 12"	BZ33FR0412-G2-BR	.3513725	32	3-3/4"	11-5/8"	5-1/2"	13-1/2"	
BR	4" x 14"	BZ33FR0414BR	.3466247	37	3-3/4"	13-5/8"	5-1/2"	15-1/2"	
BR	6" x 10"	BZ33FR0610-G2-BR	.3513732	38	5-1/2"	9-5/8"	7-1/2"	11-1/2"	
BR	6" x 12"	BZ33FR0612-G2-BR	.3513733	45	5-1/2"	11-5/8"	7-1/2"	13-1/2"	
BR	6" x 14"	BZ33FR0614-G2-BR	.3513734	52	5-1/2"	13-5/8"	7-1/2"	15-1/2"	

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
S	4" x 10"	BZ33FR0410-G2-S	.3513726	27	3-3/4"	9-5/8"	5-1/2"	11-1/2"	 8 10055 92046 4
S	4" x 12"	BZ33FR0412S-G2	.3516096	32	3-3/4"	11-5/8"	5-1/2"	13-1/2"	 8 10055 92267 3
S	4" x 14"	BZ33FR0414-G2-S	.3513724	37	3-3/4"	13-5/8"	5-1/2"	15-1/2"	 8 10055 92040 2
J	4" x 10"	BZ33FR0410-G2-J	.3513719	27	3-3/4"	9-5/8"	5-1/2"	11-1/2"	 8 10055 92089 1
J	4" x 12"	BZ33FR0412J-G2	.3513718	32	3-3/4"	11-5/8"	5-1/2"	13-1/2"	 8 10055 92081 5
J	4" x 14"	BZ33FR0414J	.3468987	37	3-3/4"	13-5/8"	5-1/2"	15-1/2"	 8 19030 02628 3




HDFR

FEATURES

- 24 GA steel
- Multi-angle fin setting
- Foot operated dial control
- Opposed blade damper included

FINISHES

 Brown (BR)



SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
BR	4" x 10"	BZ33HDFR0410-G2-BR	.3520233	27	3-3/4"	9-5/8"	5-1/2"	11-1/2"	
BR	4" x 12"	BZ33HDFR0412-G2-BR	.3513716	32	3-3/4"	11-5/8"	5-1/2"	13-1/2"	




FRWSH

FEATURES

- 24 GA steel
- Multi-angle fin setting
- Foot operated dial control
- Opposed blade damper included


FINISHES

 Brown (BR)



SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
BR	2" x 12"	BZ33FRWSH0212BR	.3496119	17	2"	11-5/8"	3-3/4"	13-1/2"	



TSG

- FEATURES
- 24 GA steel


- FINISHES
- White (WH)
 - Brown (BR)



TSG Size Options (In.)			
Height (A)	Width (B)		
	10	12	14
2			
4			

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
WH	2" x 10"	BZ33TSG0210-G2-WH	.3516356	14	2"	9-5/8"	3-3/4"	11-1/2"	 8 10055 92278 9
WH	2" x 12"	BZ33TSG0212-G2-WH	.3513747	17	2"	11-5/8"	3-3/4"	13-1/2"	 8 10055 92092 1
WH	2" x 14"	BZ33TSG0214WH	.3496137	20	2"	13-5/8"	3-3/4"	15-1/2"	 8 10018 12566 0
WH	4" x 12"	BZ33TSG0412-G2-WH	.3513749	32	3-3/4"	11-5/8"	5-1/2"	13-1/2"	 8 10055 92148 5
BR	2" x 10"	BZ33TSG20210-G2-BR	.3513748	14	2"	9-5/8"	3-3/4"	11-1/2"	 8 10055 92138 6
BR	2" x 12"	BZ33TSG20212-G2-BR	.3516357	17	2"	11-5/8"	3-3/4"	13-1/2"	 8 10055 92279 6
BR	2" x 14"	BZ33TSG20214-G2-BR	.3513751	20	2"	13-5/8"	3-3/4"	15-1/2"	 8 10055 92215 4
BR	4" x 12"	BZ33TSG20412-G2-BR	.3513750	32	3-3/4"	11-5/6"	5-1/2"	13-1/2"	 8 10055 92188 1




FRAG

FEATURES

- 24 GA all-steel steel construction
- Provides firm, smooth surface
- Extremely rigid

FINISHES

 Brown (BR)



FRAG Size Options (In.)							
Height (A)	Width (B)						
	10	12	14	16	20	24	30
4	●	●	●			●	●
6	●	●	●		●	●	●
8	●	●	●	●	●	●	●
10	●	●	●		●	●	●
12		●	●		●	●	●
14			●	●		●	●
16							●
20							●
24							●

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
BR	4" x 10"	BZ33FRAG0410-G2-BR	.3516238	29	3-1/2"	9-1/2"	5-3/4"	11-3/4"	 8 10055 92268 0
BR	4" x 12"	BZ33FRAG0412-G2-BR	.3513633	35	3-1/2"	11-1/2"	5-3/4"	13-3/4"	 8 10055 92104 1
BR	4" x 14"	BZ33FRAG0414-G2-BR	.3513632	41	3-1/2"	13-1/2"	5-3/4"	15-3/4"	 8 10055 92084 6
BR	4" x 24"	BZ33FRAG0424-G2-BR	.3513636	71	3-1/2"	23-1/2"	5-3/4"	25-3/4"	 8 10055 92185 0
BR	4" x 30"	BZ33FRAG0430-G2-BR	.3513635	90	3-1/2"	29-1/2"	5-3/4"	31-3/4"	 8 10055 92161 4
BR	6" x 10"	BZ33FRAG0610-G2-BR	.3516278	45	5-1/2"	9-1/2"	7-3/4"	11-3/4"	 8 10055 92269 7
BR	6" x 12"	BZ33FRAG0612-G2-BR	.3513628	55	5-1/2"	11-1/2"	7-3/4"	13-3/4"	 8 10055 92117 1
BR	6" x 14"	BZ33FRAG0614-G2-BR	.3513630	64	5-1/2"	13-1/2"	7-3/4"	15-3/4"	 8 10055 92064 8
BR	6" x 20"	BZ33FRAG0620-G2-BR	.3516279	92	5-1/2"	19-1/2"	7-3/4"	21-3/4"	 8 10055 92270 3

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
BR	6" x 24"	BZ33FRAG0624-G2-BR	.3516280	111	5-1/2"	23-1/2"	7-3/4"	25-3/4"	
BR	6" x 30"	BZ33FRAG0630-G2-BR	.3513631	140	5-1/2"	29-1/2"	7-3/4"	31-3/4"	
BR	8" x 10"	BZ33FRAG0810-G2-BR	.3520229	59	7-1/2"	9-1/2"	9-3/4"	11-3/4"	
BR	8" x 12"	BZ33FRAG0812-G2-BR	.3516348	72	7-1/2"	11-1/2"	9-3/4"	13-3/4"	
BR	8" x 14"	BZ33FRAG0814-G2-BR	.3516349	87	7-1/2"	13-1/2"	9-3/4"	15-3/4"	
BR	8" x 16"	BZ33FRAG0816-G2-BR	.3516351	100	7-1/2"	17-1/2"	9-3/4"	17-3/4"	
BR	8" x 20"	BZ33FRAG0820-G2-BR	.3513634	126	7-1/2"	19-1/2"	9-3/4"	21-3/4"	
BR	8" x 24"	BZ33FRAG0824-G2-BR	.3513646	151	7-1/2"	23-1/2"	9-3/4"	25-3/4"	
BR	8" x 30"	BZ33FRAG0830-G2-BR	.3513645	190	7-1/2"	29-1/2"	9-3/4"	31-3/4"	

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
BR	10" x 10"	BZ33FRAG1010-G2-BR	.3513699	76	9-1/2"	9-1/2"	11-3/4"	11-3/4"	
BR	10" x 12"	BZ33FRAG1012-G2-BR	.3513637	92	9-1/2"	11-1/2"	11-3/4"	13-3/4"	
BR	10" x 14"	BZ33FRAG1014BR	.3466167	110	9-1/2"	13-1/2"	11-3/4"	15-3/4"	
BR	10" x 20"	BZ33FRAG1020-G2-BR	.3513662	159	9-1/2"	19-1/2"	11-3/4"	21-3/4"	
BR	10" x 24"	BZ33FRAG1024-G2-BR	.3520231	191	9-1/2"	23-1/2"	11-3/4"	25-3/4"	
BR	10" x 30"	BZ33FRAG1030-G2-BR	.3513663	240	9-1/2"	29-1/2"	11-3/4"	31-3/4"	
BR	12" x 12"	BZ33FRAG1212-G2-BR	.3513638	113	11-1/2"	11-1/2"	13-3/4"	13-3/4"	
BR	12" x 14"	BZ33FRAG1214-G2-BR	.3520234	131	11-1/2"	13-1/2"	13-3/4"	15-3/4"	
BR	12" x 20"	BZ33FRAG1220BR	.3466276	191	11-1/2"	19-1/2"	13-3/4"	13-3/4"	

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
BR	12" x 24"	BZ33FRAG1224-G2-BR	.3513661	230	11-1/2"	23-1/2"	13-3/4"	25-3/4"	
BR	12" x 30"	BZ33FRAG1230-G2-BR	.3516352	289	11-1/2"	29-1/2"	13-3/4"	31-3/4"	
BR	14" x 14"	BZ33FRAG1414-G2-BR	.3513666	156	13-1/2"	13-1/2"	15-3/4"	15-3/4"	
BR	14" x 16"	BZ33FRAG1416-G2-BR	.3513664	179	13-1/2"	15-1/2"	15-3/4"	17-3/4"	
BR	14" x 24"	BZ33FRAG1424BR	.3466275	271	13-1/2"	23-1/2"	15-3/4"	25-3/4"	
BR	14" x 30"	BZ33FRAG1430-G2-BR	.3516560	340	13-1/2"	29-1/2"	15-3/4"	31-3/4"	
BR	16" x 30"	BZ33FRAG1630-G2-BR	.3513698	390	15-1/2"	29-1/2"	16-3/4"	31-3/4"	
BR	20" x 30"	BZ33FRAG2030-G2-BR	.3513667	489	19-1/2"	29-1/2"	21-3/4"	31-3/4"	
BR	24" x 30"	BZ33FRAG2430-G2-BR	.3513665	592	23-1/2"	29-1/2"	25-3/4"	31-3/4"	




RCDP

FEATURES

- 24 GA all-steel steel construction
- Controls air volume evenly
- Removable knob allows for adjustment from closed to fully open

FINISHES

 Brown (**BR**)



SPECIFICATIONS

Finish	Size (A)	Model	ID No.	B	C	UPC
BR	6"	BZ33RCDP06-G2-BR	.3513708	3-11/16"	7-1/2"	 8 10055 92079 2
BR	8"	BZ33RCDP08-G2-BR	.3513707	4-11/16"	9-1/2"	 8 10055 92068 6
BR	10"	BZ33RCDP10-G2-BR	.3513710	5-11/16"	10-7/8"	 8 10055 92165 2
BR	12"	BZ33RCDP12-G2-BR	.3513711	6-11/16"	12-7/8"	 8 10055 92177 5




RCDF

FEATURES

- 24 GA all-steel steel construction
- Step-down diffuser rings deflect air stream 360°

FINISHES

 White (WH)



SPECIFICATIONS

Finish	Diameter	Model	ID No.	B	C	D	UPC
WH	6"	BZ33RCDF06-G2-WH	.3513712	5-3/4"	10"	6-1/2"	 8 10055 92065 5
WH	8"	BZ33RCDF08-G2-WH	.3513709	7-3/4"	12"	8-1/2"	 8 10055 92063 1
WH	10"	BZ33RCDF10-G2-WH	.3513714	9-3/4"	14"	10-1/2"	 8 10055 92194 2
WH	12"	BZ33RCDF12-G2-WH	.3513713	11-3/4"	16"	12-1/2"	 8 10055 92178 2




DR

FEATURES

- 24 GA all-steel steel construction
- For use with BZ33RCDF Round Ceiling Diffuser

FINISHES

 Brown (**BR**)



SPECIFICATIONS

Finish	Diameter	Model	ID No.	UPC
BR	6"	BZ33DR6-G2-BR	.3513745	 8 10055 92211 6
BR	8"	BZ33DR8BR	.3496139	 8 10018 12595 0
BR	10"	BZ33DR10-G2-BR	.3520434	 8 10055 92326 7
BR	12"	BZ33DR12-G2-BR	.3513746	 8 10055 92132 4




WRAG

FEATURES

- 24 GA all-steel steel construction
- 1/3" or 1/2" spaced fins set
- Exceptional free area
- 2-way

FINISHES

White (WH)



WRAG Size Options (In.)											
Height (A)	Width (B)										
	4	6	8	10	12	14	16	18	20	24	30
6		•				•					
8		•	•								
10	•	•	•	•							
12	•	•	•	•	•					•	
14	•	•	•	•	•	•			•	•	
16			•	•	•	•	•		•		
18						•	•	•			
20		•	•	•	•	•	•		•		
24	•	•	•	•	•	•	•	•	•	•	•
30	•	•	•	•	•	•	•		•	•	•
36		•	•								

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	6" x 6"	BZ33WRAG0606-G2-13WH	.3513589	23	5-1/2"	5-1/2"	7-3/4"	7-3/4"	1/3"	 8 10055 92149 2
WH	6" x 14"	BZ33WRAG0614-G2-13WH	.3513594	55	5-1/2"	13-1/2"	7-3/4"	15-3/4"	1/3"	 8 10055 92200 0
WH	8" x 6"	BZ33WRAG0806-G2-12WH	.3513639	30	5-1/2"	7-1/2"	7-3/4"	9-3/4"	1/2"	 8 10055 92151 5
WH	8" x 8"	BZ33WRAG0808-G2-13WH	.3513587	40	7-1/2"	7-1/2"	9-3/4"	9-3/4"	1/3"	 8 10055 92048 8
WH	10" x 4"	BZ33WRAG1004-G2-13WH	.3513593	24	9-1/2"	3-1/2"	11-3/4"	5-3/4"	1/3"	 8 10055 92181 2
WH	10" x 6"	BZ33WRAG1006-G2-13WH	.3513595	38	9-1/2"	3-1/2"	11-3/4"	7-3/4"	1/3"	 8 10055 92049 5
WH	10" x 8"	BZ33WRAG1008-G2-13WH	.3516360	52	9-1/2"	7-1/2"	11-3/4"	9-3/4"	1/3"	 8 10055 92282 6
WH	10" x 10"	BZ33WRAG1010-G2-13WH	.3516361	65	9-1/2"	9-1/2"	11-3/4"	11-3/4"	1/3"	 8 10055 92283 3
WH	12" x 4"	BZ33WRAG1204-G2-13WH	.3513625	30	11-1/2"	3-1/2"	13-3/4"	5-3/4"	1/3"	 8 10055 92080 8

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	12" x 6"	BZ33WRAG1206-G2-13WH	.3513596	46	11-1/2"	5-1/2"	13-3/4"	7-3/4"	1/3"	 8 10055 92053 2
WH	12" x 6"	BZ33WRAG1206-G2-12WH	.3516362	46	11-7/8"	5-7/8"	13-3/4"	7-3/4"	1/2"	 8 10055 92284 0
WH	12" x 8"	BZ33WRAG1208-G2-13WH	.3516363	62	11-1/2"	7-1/2"	13-3/4"	9-3/4"	1/3"	 8 10055 92285 7
WH	12" x 10"	BZ33WRAG1210-G2-13WH	.3513614	77	11-1/2"	9-1/2"	13-3/4"	11-3/4"	1/3"	 8 10055 92207 9
WH	12" x 12"	BZ33WRAG1212-G2-13WH	.3513601	97	11-1/2"	9-1/2"	13-3/4"	13-3/4"	1/3"	 8 10055 92059 4
WH	12" x 12"	BZ33WRAG1212-G2-12WH	.3513602	77	11-1/2"	11-1/2"	13-3/4"	13-3/4"	1/2"	 8 10055 92076 1
WH	12" x 24"	BZ33WRAG1224-G2-12WH	.3513659	194	11-1/2"	23-1/2"	13-3/4"	25-3/4"	1/2"	 8 10055 92192 8
WH	14" x 4"	BZ33WRAG1404-13WH	.3465889	35	13-1/2"	3-1/2"	15-3/4"	5-3/4"	1/3"	 8 19030 02708 2
WH	14" x 6"	BZ33WRAG1406-G2-13WH	.3513752	55	13-1/2"	5-1/2"	15-3/4"	7-3/4"	1/3"	 8 10055 92039 6

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	14" x 6"	BZ33WRAG1406-G2-12WH	.3516364	55	13-1/2"	5-1/2"	15-3/4"	7-3/4"	1/2"	 8 10055 92286 4
WH	14" x 8"	BZ33WRAG1408-G2-13WH	.3513597	75	13-1/2"	7-1/2"	15-3/4"	9-3/4"	1/3"	 8 10055 92055 6
WH	14" x 8"	BZ33WRAG1408-G2-12WH	.3516365	75	13-1/2"	7-1/2"	15-3/4"	9-3/4"	1/2"	 8 10055 92287 1
WH	14" x 10"	BZ33WRAG1410-G2-13WH	.3513605	91	13-1/2"	9-1/2"	15-3/4"	11-3/4"	1/3"	 8 10055 92111 9
WH	14" x 12"	BZ33WRAG1412-13WH	.3466181	115	13-1/2"	11-1/2"	15-3/4"	13-3/4"	1/3"	 8 19030 02765 5
WH	14" x 14"	BZ33WRAG1414-G2-13WH	.3513600	134	13-1/2"	13-1/2"	15-3/4"	15-3/4"	1/3"	 8 10055 92057 0
WH	14" x 14"	BZ33WRAG1414-G2-12WH	.3516366	134	13-1/2"	13-1/2"	15-3/4"	15-3/4"	1/2"	 8 10055 92288 8
WH	14" x 20"	BZ33WRAG1420-13WH	.3466097	177	13-1/2"	19-1/2"	15-3/4"	21-3/4"	1/3"	 8 19030 02797 6
WH	14" x 20"	BZ33WRAG1420-G2-12WH	.3513644	177	13-1/2"	19-1/2"	15-3/4"	21-3/4"	1/2"	 8 10055 92212 3

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	14" x 24"	BZ33WRAG1424-13WH	.3466099	228	13-1/2"	23-1/2"	15-3/4"	25-3/4"	1/3"	 8 19030 02809 1 6
WH	16" x 8"	BZ33WRAG1608-G2-13WH	.3513624	79	15-1/2"	7-1/2"	17-3/4"	9-3/4"	1/3"	 8 10055 92069 1 3
WH	16" x 8"	BZ33WRAG1608-G2-12WH	.3513640	79	15-1/2"	7-1/2"	17-3/4"	9-3/4"	1/2"	 8 10055 92100 1 3
WH	16" x 10"	BZ33WRAG1610-G2-12WH	.3513655	99	15-1/2"	9-1/2"	17-3/4"	11-3/4"	1/2"	 8 10055 92150 1 8
WH	16" x 12"	BZ33WRAG1612-G2-13WH	.3513654	127	15-1/2"	11-1/2"	17-3/4"	13-3/4"	1/3"	 8 10055 92134 1 8
WH	16" x 14"	BZ33WRAG1614-G2-13WH	.3513606	138	15-1/2"	13-1/2"	17-3/4"	15-3/4"	1/3"	 8 10055 92121 1 8
WH	16" x 16"	BZ33WRAG1616-13WH	.3496162	166	15-1/2"	15-1/2"	17-3/4"	17-3/4"	1/3"	 8 10018 12628 1 5
WH	16" x 16"	BZ33WRAG1616-12WH	.3466163	166	15-1/2"	15-1/2"	17-3/4"	17-3/4"	1/2"	 8 19030 02785 1 3
WH	16" x 20"	BZ33WRAG1620-G2-13WH	.3520240	209	15-1/2"	19-1/2"	17-3/4"	21-3/4"	1/3"	 8 10055 92315 1 1

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	16" x 20"	BZ33WRAG1620-12WH	.3466172	209	15-1/2"	19-1/2"	17-3/4"	21-3/4"	1/2"	
WH	18" x 14"	BZ33WRAG1814-12WH	.3496115	151	17-1/2"	13-1/2"	19-3/4"	15-3/4"	1/2"	
WH	18" x 16"	BZ33WRAG1816-13WH	.3466048	176	17-1/2"	15-1/2"	19-3/4"	17-3/4"	1/3"	
WH	18" x 18"	BZ33WRAG1818-G2- 13WH	.3513611	209	17-1/2"	17-1/2"	19-3/4"	19-3/4"	1/3"	
WH	18" x 18"	BZ33WRAG1818-12WH	.3466168	209	17-1/2"	17-1/2"	19-3/4"	19-3/4"	1/2"	
WH	20" x 6"	BZ33WRAG2006-13WH	.3466139	68	19-1/2"	5-1/2"	21-3/4"	7-3/4"	1/3"	
WH	20" x 8"	BZ33WRAG2008-G2- 13WH	.3513590	98	19-1/2"	7-1/2"	21-3/4"	9-3/4"	1/3"	
WH	20" x 10"	BZ33WRAG2010-G2- 13WH	.3513604	123	19-1/2"	9-1/2"	21-3/4"	11-3/4"	1/3"	
WH	20" x 10"	BZ33WRAG2010-G2- 12WH	.3513650	120	9-1/2"	19-1/2"	11-3/4"	21-3/4"	1/2"	

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	20" x 12"	BZ33WRAG2012-G2-13WH	.3513612	151	19-1/2"	11-1/2"	21-3/4"	13-3/4"	1/3"	
WH	20" x 14"	BZ33WRAG2014-G2-13WH	.3513647	194	19-1/2"	13-1/2"	21-3/4"	15-3/4"	1/3"	
WH	20" x 14"	BZ33WRAG2014-G2-12WH	.3513656	194	19-1/2"	13-1/2"	21-3/4"	15-3/4"	1/2"	
WH	20" x 16"	BZ33WRAG2016-G2-13WH	.3513649	209	19-1/2"	15-1/2"	21-3/4"	17-3/4"	1/3"	
WH	20" x 16"	BZ33WRAG2016-G2-12WH	.3516557	209	19-1/2"	15-1/2"	21-3/4"	17-3/4"	1/2"	
WH	20" x 20"	BZ33WRAG2020-G2-13WH	.3513626	269	19-1/2"	19-1/2"	21-3/4"	21-3/4"	1/3"	
WH	20" x 20"	BZ33WRAG2020-G2-12WH	.3513608	269	19-1/2"	19-1/2"	21-3/4"	21-3/4"	1/2"	
WH	24" x 4"	BZ33WRAG2404-G2-13WH	.3513591	59	23-1/2"	3-1/2"	21-3/4"	5-3/4"	1/3"	
WH	24" x 6"	BZ33WRAG2406-G2-13WH	.3513592	93	23-1/2"	5-1/2"	25-3/4"	7-3/4"	1/3"	

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	24" x 6"	BZ33WRAG2406-G2-12WH	.3516561	93	23-1/2"	5-1/2"	25-3/4"	7-3/4"	1/2"	 8 10055 92295 6
WH	24" x 8"	BZ33WRAG2408-G2-13WH	.3517048	126	23-1/2"	7-1/2"	25-3/4"	9-3/4"	1/3"	 8 10055 92296 3
WH	24" x 8"	BZ33WRAG2408-G2-12WH	.3516367	126	23-1/2"	7-1/2"	25-3/4"	9-3/4"	1/2"	 8 10055 92289 5
WH	24" x 10"	BZ33WRAG2410-G2-13WH	.3517049	160	23-1/2"	9-1/2"	25-3/4"	7-3/4"	1/3"	 8 10055 92297 0
WH	24" x 10"	BZ33WRAG2410-12WH	.3496153	160	23-1/2"	9-1/2"	25-3/4"	11-3/4"	1/2"	 8 10018 12626 1
WH	24" x 12"	BZ33WRAG2412-G2-13WH	.3513613	194	23-1/2"	11-1/2"	25-3/4"	13-3/4"	1/3"	 8 10055 92203 1
WH	24" x 12"	BZ33WRAG2412-G2-12WH	.3516558	194	23-1/2"	11-1/2"	25-3/4"	13-3/4"	1/2"	 8 10055 92293 2
WH	24" x 14"	BZ33WRAG2414-13WH	.3513610	228	23-1/2"	13-1/2"	25-3/4"	15-3/4"	1/3"	 8 10055 92183 6
WH	24" x 16"	BZ33WRAG2416-G2-13WH	.3513607	259	23-1/2"	15-1/2"	25-3/4"	17-3/4"	1/3"	 8 10055 92126 3

SPECIFICATIONS


Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	24" x 16"	BZ33WRAG2416-G2-12WH	.3513609	247	23-1/2"	15-1/2"	25-3/4"	17-3/4"	1/2"	
WH	24" x 18"	BZ33WRAG2418-13WH	.3513653	260	23-1/2"	17-1/2"	25-3/4"	19-3/4"	1/3"	
WH	24" x 20"	BZ33WRAG2420-G2-13WH	.3513657	285	23-1/2"	19-1/2"	25-3/4"	21-3/4"	1/3"	
WH	24" x 24"	BZ33WRAG2424-G2-13WH	.3513627	396	23-1/2"	23-1/2"	25-3/4"	25-3/4"	1/3"	
WH	24" x 24"	BZ33WRAG2424-G2-12WH	.3520237	396	23-1/2"	23-1/2"	25-3/4"	25-3/4"	1/2"	
WH	24" x 30"	BZ33WRAG2430-13WH	.3496213	430	29-1/2"	23-1/2"	31-3/4"	25-3/4"	1/3"	
WH	30" x 4"	BZ33WRAG3004-G2-13WH	.3513641	108	29-1/2"	3-1/2"	31-3/4"	5-3/4"	1/3"	
WH	30" x 6"	BZ33WRAG3006-G2-13WH	.3513598	116	29-1/2"	5-1/2"	31-3/4"	7-3/4"	1/3"	
WH	30" x 6"	BZ33WRAG3006-G2-12WH	.3513588	116	29-1/2"	5-1/2"	31-3/4"	7-3/4"	1/2"	

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	30" x 8"	BZ33WRAG3008-G2-13WH	.3513599	158	29-1/2"	7-1/2"	31-3/4"	9-3/4"	1/3"	 8 10055 92077 8
WH	30" x 10"	BZ33WRAG3010-G2-13WH	.3513603	200	29-1/2"	9-1/2"	31-3/4"	11-3/4"	1/3"	 8 10055 92082 2
WH	30" x 10"	BZ33WRAG3010-G2-12WH	.3516368	200	29-1/2"	9-1/2"	31-3/4"	11-3/4"	1/2"	 8 10055 92290 1
WH	30" x 12"	BZ33WRAG3012-G2-13WH	.3516369	242	29-1/2"	11-1/2"	31-3/4"	13-3/4"	1/3"	 8 10055 92291 8
WH	30" x 12"	BZ33WRAG3012-G2-12WH	.3513660	242	29-1/2"	11-1/2"	31-3/4"	13-3/4"	1/2"	 8 10055 92193 5
WH	30" x 14"	BZ33WRAG3014-G2-13WH	.3513651	284	29-1/2"	13-1/2"	31-3/4"	15-3/4"	1/3"	 8 10055 92123 2
WH	30" x 16"	BZ33WRAG3016-G2-13WH	.3513643	316	29-1/2"	15-1/2"	31-3/4"	17-3/4"	1/3"	 8 10055 92201 7
WH	30" x 20"	BZ33WRAG3020-G2-13WH	.3513648	400	29-1/2"	19-1/2"	31-3/4"	21-3/4"	1/3"	 8 10055 92094 5
WH	30" x 24"	BZ33WRAG3024-G2-13WH	.3513652	430	29-1/2"	23-1/2"	31-3/4"	25-3/4"	1/3"	 8 10055 92128 7

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		Fin	UPC
					C	D	E	F		
WH	30" x 30"	BZ33WRAG3030-G2-13WH	.3513658	621	29-1/2"	29-1/2"	31-3/4"	31-3/4"	1/3"	 8 10055 92190 4
WH	36" x 6"	BZ33WRAG3606-13WH	.3496177	160	35-1/2"	5-1/2"	37-3/4"	7-3/4"	1/3"	 8 10018 12643 8
WH	36" x 8"	BZ33WRAG3608-G2-13WH	.3513642	182	35-1/2"	7-1/2"	37-3/4"	9-3/4"	1/3"	 8 10055 92159 1




WCR

FEATURES

- 24 GA all-steel steel construction
- 1/3" or 1/2" spaced fins set
- Exceptional free area
- 2-way

FINISHES

White (WH)



WCR Size Options (In.)					
Height (A)	Width (B)				
	4	6	8	10	12
6		●			
8		●	●		
10	●	●	●	●	
12	●	●	●	●	●
14	●	●	●	●	
16			●		

SPECIFICATIONS


Finish	Size (A x B)	Model	ID No.	Daylight Opening		Overall		Fin	UPC
				C	D	E	F		
WH	6" x 6"	BZ33WCR0606-G2-13WH	.3513580	5-1/2"	5-1/2"	7-3/4"	7-3/4"	1/3"	 8 10055 92180 5
WH	8" x 6"	BZ33WCR0806-G2-13WH	.3516358	7-1/2"	5-1/2"	9-3/4"	7-3/4"	1/3"	 8 10055 92280 2
WH	8" x 8"	BZ33WCR0808-13WH	.3465954	7-1/2"	7-1/2"	9-3/4"	9-3/4"	1/3"	 8 19030 02759 4
WH	10" x 4"	BZ33WCR1004-G2-13WH	.3513687	9-1/2"	3-1/2"	11-3/4"	5-3/4"	1/3"	 8 10055 92038 9
WH	10" x 4"	BZ33WCR1004-G2-12WH	.3513615	9-1/2"	3-1/2"	11-3/4"	5-3/4"	1/2"	 8 10055 92044 0
WH	10" x 6"	BZ33WCR1006-G2-13WH	.3513686	9-1/2"	5-1/2"	11-3/4"	7-3/4"	1/3"	 8 10055 92168 3
WH	10" x 6"	BZ33WCR1006-G2-12WH	.3513618	9-1/2"	5-1/2"	11-3/4"	7-3/4"	1/2"	 8 10055 92090 7
WH	10" x 8"	BZ33WCR1008-G2-13WH	.3513581	9-1/2"	7-1/2"	11-3/4"	9-3/4"	1/3"	 8 10055 92087 7
WH	10" x 10"	BZ33WCR1010-13WH	.3496110	9-1/2"	9-1/2"	11-3/4"	11-3/4"	1/3"	 8 10018 12590 5

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Daylight Opening		Overall		Fin	UPC
				C	D	E	F		
WH	12" x 4"	BZ33WCR1204-G2-13WH	.3516359	11-1/2"	3-1/2"	13-3/4"	5-3/4"	1/3"	 8 10055 92281 9
WH	12" x 4"	BZ33WCR1204-G2-12WH	.3513616	11-1/2"	3-1/2"	13-3/4"	5-3/4"	1/2"	 8 10055 92045 7
WH	12" x 6"	BZ33WCR1206-G2-13WH	.3513688	11-1/2"	5-1/2"	13-3/4"	7-3/4"	1/3"	 8 10055 92042 6
WH	12" x 6"	BZ33WCR1206-G2-12WH	.3513620	11-1/2"	5-1/2"	13-3/4"	7-3/4"	1/2"	 8 10055 92143 0
WH	12" x 8"	BZ33WCR1208-G2-13WH	.3513689	11-1/2"	7-1/2"	13-3/4"	9-3/4"	1/3"	 8 10055 92085 3
WH	12" x 8"	BZ33WCR1208-G2-12WH	.3513706	11-1/2"	7-1/2"	13-3/4"	9-3/4"	1/2"	 8 10055 92056 3
WH	12" x 10"	BZ33WCR1210-13WH	.3465837	11-1/2"	9-1/2"	13-3/4"	11-3/4"	1/3"	 8 19030 02794 5
WH	12" x 12"	BZ33WCR1212-G2-13WH	.3513576	11-1/2"	11-1/2"	13-3/4"	13-3/4"	1/3"	 8 10055 92116 4
WH	14" x 4"	BZ33WCR1404-G2-13WH	.3513575	13-1/2"	3-1/2"	15-3/4"	5-3/4"	1/3"	 8 10055 92206 2

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Daylight Opening		Overall		Fin	UPC
				C	D	E	F		
WH	14" x 4"	BZ33WCR1404-G2-12WH	.3513693	13-1/2"	3-1/2"	15-3/4"	5-3/4"	1/2"	 8 10055 92142 3
WH	14" x 6"	BZ33WCR1406-G2-13WH	.3513577	13-1/2"	5-1/2"	15-3/4"	7-3/4"	1/3"	 8 10055 92050 1
WH	14" x 8"	BZ33WCR1408-G2-13WH	.3513578	13-1/2"	7-1/2"	15-3/4"	9-3/4"	1/3"	 8 10055 92061 7
WH	14" x 10"	BZ33WCR1410-G2-12WH	.3513695	13-1/2"	9-1/2"	15-3/4"	11-3/4"	1/2"	 8 10055 92103 4
WH	16" x 8"	BZ33WCR1608-G2-13WH	.3513579	15-1/2"	7-1/2"	17-3/4"	9-3/4"	1/3"	 8 10055 92091 4




RAFG

FEATURES

- 24 GA all-steel steel construction
- Controls air volume evenly

FINISHES

White (WH)



RAFG Size Options (In.)								
Height (A)	Width (B)							
	12	14	16	18	20	24	25	30
12	●							
14		●			●	●	●	
16			●		●		●	
18				●				
20		●	●		●		●	●
24	●	●				●		
25		●	●		●			

SPECIFICATIONS


Finish	Size (A x B)	Model	ID No.	Daylight Opening		Overall		Fin	UPC
				C	D	E	F		
WH	12" x 12"	BZ33RAFG1212-13WH	.3496179	11-7/8"	11-7/8"	14-5/8"	14-5/8"	1/3"	
WH	14" x 14"	BZ33RAFG1414-G2-13WH	.3520242	13-7/8"	13-7/8"	16-5/8"	16-5/8"	1/3"	
WH	14" x 14"	BZ33RAFG1414-G2-12WH	.3513678	13-7/8"	13-7/8"	16-5/8"	16-5/8"	1/2"	
WH	14" x 20"	BZ33RAFG1420-G2-13WH	.3513672	13-7/8"	19-7/8"	16-5/8"	22-5/8"	1/3"	
WH	14" x 24"	BZ33RAFG1424-G2-13WH	.3513675	13-7/8"	23-7/8"	16-5/8"	26-5/8"	1/3"	
WH	14" x 25"	BZ33RAFG1425-G2-13WH	.3513679	13-7/8"	24-7/8"	16-5/8"	27-5/8"	1/3"	
WH	16" x 16"	BZ33RAFG1616-G2-13WH	.3513669	15-7/8"	15-7/8"	18-5/8"	18-5/8"	1/3"	
WH	16" x 16"	BZ33RAFG1616-G2-12WH	.3513682	15-7/8"	15-7/8"	18-5/8"	18-5/8"	1/2"	
WH	16" x 20"	BZ33RAFG1620-G2-13WH	.3513681	15-7/8"	19-7/8"	18-5/8"	22-5/8"	1/3"	

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Daylight Opening		Overall		Fin	UPC
				C	D	E	F		
WH	16" x 25"	BZ33RAFG1625-G2-13WH	.3516353	15-7/8"	24-7/8"	18-5/8"	27-5/8"	1/3"	
WH	18" x 18"	BZ33RAFG1818-13WH	.3496207	17-7/8"	17-7/8"	20-5/8"	20-5/8"	1/3"	
WH	18" x 18"	BZ33RAFG1818-G2-12WH	.3513684	17-7/8"	17-7/8"	20-5/8"	20-5/8"	1/2"	
WH	20" x 14"	BZ33RAFG2014-G2-13WH	.3513671	19-7/8"	13-7/8"	22-5/8"	16-5/8"	1/3"	
WH	20" x 16"	BZ33RAFG2016-G2-13WH	.3513680	19-7/8"	15-7/8"	22-5/8"	18-5/8"	1/3"	
WH	20" x 20"	BZ33RAFG2020-G2-13WH	.3513683	19-7/8"	19-7/8"	22-5/8"	22-5/8"	1/3"	
WH	20" x 20"	BZ33RAFG2020-G2-12WH	.3513685	19-7/8"	19-7/8"	22-5/8"	22-5/8"	1/2"	
WH	20" x 25"	BZ33RAFG2025-G2-13WH	.3513676	19-7/8"	24-7/8"	22-5/8"	27-5/8"	1/3"	
WH	20" x 30"	BZ33RAFG2030-G2-13WH	.3513670	19-7/8"	29-7/8"	22-5/8"	32-5/8"	1/3"	

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Daylight Opening		Overall		Fin	UPC
				C	D	E	F		
WH	24" x 12"	BZ33RAFG2412-G2-13WH	.3513673	23-7/8"	11-7/8"	26-5/8"	14-5/8"	1/3"	 8 10055 92133 1
WH	24" x 12"	BZ33RAFG2412-G2-12WH	.3513668	23-7/8"	11-7/8"	26-5/8"	14-5/8"	1/2"	 8 10055 92086 0
WH	24" x 14"	BZ33RAFG2414-G2-13WH	.3513674	23-7/8"	13-7/8"	26-5/8"	16-5/8"	1/3"	 8 10055 92145 4
WH	24" x 24"	BZ33RAFG2424-13WH	.3496223	23-7/8"	23-7/8"	26-5/8"	26-5/8"	1/3"	 8 10018 12654 4
WH	25" x 14"	BZ33RAFG2514-13WH	.3496217	24-7/8"	13-7/8"	26-5/8"	16-5/8"	1/3"	 8 10018 12667 4
WH	25" x 16"	BZ33RAFG2516-G2-13WH	.3513677	24-7/8"	15-7/8"	27-5/8"	18-5/8"	1/3"	 8 10055 92166 9
WH	25" x 20"	BZ33RAFG2520-13WH	.3496222	24-7/8"	19-7/8"	27-5/8"	22-5/8"	1/3"	 8 10018 12660 5




VSSR

FEATURES

- 24 GA all-steel steel construction
- 1-way

FINISHES

White (WH)



VSSR Size Options (In.)				
Height (A)	Width (B)			
	4	6	8	12
10	●	●		
12	●	●		●
14		●	●	
16			●	

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Daylight Opening		Overall		UPC
				C	D	E	F	
WH	10" x 4"	BZ33VSSR1004-G2-WH	.3513697	9-1/2"	3-1/2"	11-3/4"	5-3/4"	 8 10055 92119 5
WH	10" x 6"	BZ33VSSR1006-G2-WH	.3513703	9-1/2"	5-1/2"	11-3/4"	7-3/4"	 8 10055 92169 0
WH	12" x 4"	BZ33VSSR1204-G2-WH	.3513700	11-1/2"	3-1/2"	11-3/4"	5-3/4"	 8 10055 92060 0
WH	12" x 6"	BZ33VSSR1206-G2-WH	.3513701	11-1/2"	5-1/2"	13-3/4"	7-3/4"	 8 10055 92107 2
WH	12" x 12"	BZ33VSSR1212-G2-WH	.3513705	11-1/2"	11-1/2"	13-3/4"	13-3/4"	 8 10055 92196 6
WH	14" x 6"	BZ33VSSR1406-G2-WH	.3513702	13-1/2"	5-1/2"	15-3/4"	7-3/4"	 8 10055 92164 5
WH	16" x 8"	BZ33VSSR1608-GW-WH	.3513696	15-1/2"	7-1/2"	17-3/4"	9-3/4"	 8 10055 92093 8




HRAG

FEATURES

- 24 GA all-steel steel construction
- Horizontal face bars angled at 35°

FINISHES

White (WH)



HRAG Size Options (In.)			
Height (A)	Width (B)		
	6	20	24
12	●		
14	●		
20		●	
24			●

SPECIFICATIONS

Finish	Size (A x B)	Model	ID No.	Free Area (Sq. In.)	Daylight Opening		Overall		UPC
					C	D	E	F	
WH	12" x 6"	BZ33HRAG1206-G2-WH	.3513739	50	11-1/2"	5-1/2"	13-3/4"	7-3/4"	 8 10055 92101 0
WH	14" x 6"	BZ33HRAG1406-G2-WH	.3513740	65	13-1/2"	5-1/2"	15-3/4"	7-3/4"	 8 10055 92202 4
WH	20" x 20"	BZ33HRAG2020-G2-WH	.3513742	280	19-1/2"	19-1/2"	21-3/4"	21-3/4"	 8 10055 92146 1
WH	24" x 24"	BZ33HRAG2424-G2-WH	.3513744	415	23-1/2"	23-1/2"	25-3/4"	25-3/4"	 8 10055 92198 0





BFD

FEATURES

- 24 GA all-steel steel construction
- Controls air volume evenly
- Removable knob operator for adjustment from closed to fully open

FINISHES

 Brown (BR)



SPECIFICATIONS

Finish	Size (A)	Model	ID No.	B	C	UPC
BR	6"	BZ33BFD06-G2-BR	.3516231	3-11/16"	5-1/2"	 8 10055 92264 2
BR	8"	BZ33BFD08-G2-BR	.3513729	4-11/16"	7-1/2"	 8 10055 92062 4
BR	10"	BZ33BFD10-G2-BR	.3513737	5-11/16"	9-1/2"	 8 10055 92191 1
BR	12"	BZ33BFD12-G2-BR	.3513736	6-11/16"	11-1/2"	 8 10055 92073 0
BR	14"	BZ33BFD14BR	.3496168	7-11/16"	14-7/8"	 8 10018 12593 6




TBFPD

FEATURES

- 24 GA all-steel steel construction
- Provides high air volume delivery
- 360° air diffusion
- Two-cone fixed core
- Damper adjustable through face

FINISHES

White (WH)



SPECIFICATIONS

Finish	Size (A)	Model	ID No.	B	UPC
WH	6"	BZ33TBFPD06-G2-WH	.3513586	5-7/8"	 8 10055 92156 0
WH	8"	BZ33TBFPD08-G2-WH	.3513585	7-7/8"	 8 10055 92054 9
WH	10"	BZ33TBFPD10-G2-WH	.3513582	9-7/8"	 8 10055 92047 1
WH	12"	BZ33TBFPD12-G2-WH	.3513583	11-7/8"	 8 10055 92078 5
WH	14"	BZ33TBFPD14-G2-WH	.3513584	13-7/8"	 8 10055 92162 1



TBFPD3C

FEATURES

- 24 GA all-steel steel construction
- Provides high air volume delivery
- 360° air diffusion
- Three-cone fixed core
- Damper adjustable through face

FINISHES

White (WH)



SPECIFICATIONS

Finish	Size (A)	Model	ID No.	B	UPC
WH	6"	BZ33TBFPD3C06-G2-WH	.3516354	5-7/8"	 8 10055 92277 2
WH	8"	BZ33TBFPD3C08-G2-WH	.3513629	7-7/8"	 8 10055 92209 3
WH	10"	BZ33TBFPD3C10WH	.3496210	9-7/8"	 8 10018 12673 5
WH	12"	BZ33TBFPD3C12WH	.3520220	11-7/8"	 8 10055 92309 0

ENGINEERING DATA

BASEBOARD DIFFUSERS - 15"

Face Velocity		300	400	500	600	700	800	900	1000
15" Ak.161	CFM	48	64	80	96	112	128	144	161
	Ps	0.004	0.008	0.016	0.02	0.028	0.032	0.044	0.052
Throw	50	6	7.5	10	11	13	15.5	17	19.5
Spread	FPM	6	7	10.5	12.5	14.5	16	18	20
Throw	100	3	4	5	6	6.5	8	8.5	10
Spread	FPM	3	3.5	5	6	7	8	9	10
Throw	150	2	2.5	3	4	4.5	5	6	6.5
Spread	FPM	2	2.5	3.5	4	5	5.5	6	6.5

BASEBOARD DIFFUSERS - 18"

Face Velocity		300	400	500	600	700	800	900	1000
Pressure Loss		0.012	0.024	0.032	0.048	0.068	0.088	0.108	0.132
18" Ak .263	CFM	79	105	131	157	183	210	237	263
	Spread	5	5.5	6.5	8	9	10.5	11.5	13
	Throw	5.5	6	6.5	8	9.5	11	12	13.5

BASEBOARD DIFFUSERS - 24"

Face Velocity		300	400	500	600	700	800	900	1000
Pressure Loss		0.028	0.04	0.056	0.076	0.096	0.128	0.152	0.192
24" Ak .36	CFM	139	185	231	277	323	370	416	462
	Spread	5	5.5	6.5	8	9	10.5	11.5	13
	Throw	5.5	6	6.5	8	9.5	11	12	13.5

BASEBOARD RETURNS - 1/3" FINS

Face Velocity		300	400	500	600	700
10 x 6 Ak .392	CFM	118	157	196	235	274
	Pt	0.013	0.023	0.037	0.052	0.072
12 x 6 Ak .46	CFM	138	184	230	276	322
	Pt	0.013	0.024	0.037	0.053	0.069
14 x 6 Ak .53	CFM	159	212	265	318	371
	Pt	0.013	0.024	0.036	0.052	0.067
14 x 8 Ak .725	CFM	218	290	363	435	508
	Pt	0.013	0.023	0.035	0.049	0.066
16 x 8 Ak .84	CFM	252	336	420	504	588
	Pt	0.012	0.021	0.033	0.046	0.065
24 x 6 Ak .95	CFM	285	380	475	570	665
	Pt	0.012	0.023	0.033	0.047	0.065
24 x 8 Ak .89	CFM	267	356	445	534	623
	Ps	0.02	0.032	0.052	0.076	0.1
30 x 6 Ak 1.12	CFM	336	448	560	672	784
	Pt	0.012	0.022	0.032	0.042	0.062
30 x 8 Ak 1.56	CFM	468	624	780	936	1092
	Pt	0.011	0.019	0.03	0.043	0.059
30 x 10 Ak 1.36	CFM	579	772	965	1158	1351
	Pt	0.012	0.016	0.028	0.04	0.056

FLOOR REGISTERS

Face Velocity		300	400	500	600	700	800	900	1000
Pressure Loss		0.004	0.008	0.016	0.024	0.028	0.04	0.052	0.06
2 x 10 Ak 0.094	CFM	28	38	47	56	66	75	85	94
	Spread	3	4	5	6	7	8	9	10
	Throw	4	5	6	7	8	9	10	11
2 x 12 Ak 0.11	CFM	33	44	55	66	77	88	99	110
	Spread	4	6	6	7	8	9	10	11
	Throw	5	6	7	8	9	10	11	12
2 x 14 Ak 0.125	CFM	38	50	63	75	88	100	113	125
	Spread	4	6	7	7	8	10	11	12
	Throw	5	7	8	9	10	11	12	13
4 x 8 Ak 0.15	CFM	45	60	75	90	105	120	135	150
	Spread	4	5	7	8	9	10	11	13
	Throw	6	7	8	10	11	12	13	14
4 x 10 Ak 0.17	CFM	51	68	85	102	119	136	153	170
	Spread	5	6	7	8	10	11	13	15
	Throw	6	7	9	11	12	13	15	17
4 x 12 Ak 0.2	CFM	60	80	100	120	140	160	180	200
	Spread	6	7	9	11	12	14	15	17
	Throw	5	6	8	9	10	11	13	14
4 x 14 Ak .230	CFM	69	92	115	138	161	184	207	230
	Spread	7	8	10	11	13	16	17	19
	Throw	6	7	8	10	11	13	14	15
6 x 10 Ak 0.24	CFM	74	99	124	148	173	198	222	247
	Spread	6	8	9	12	13	15	17	19
	Throw	5	7	8	10	11	13	14	15
6 x 12 Ak 0.285	CFM	86	114	143	171	200	228	257	285
	Spread	7	9	10	13	15	17	19	22
	Throw	6	8	9	11	12	15	16	18
6 x 14 Ak 0.33	CFM	101	134	168	201	235	268	302	335
	Spread	8	9	11	13	16	18	20	22
	Throw	6	8	10	12	13	15	17	18

TOE SPACE GRILLES

Face Velocity		300	400	500	600	700	800	900	1000
Pressure Loss		0.006	0.01	0.016	0.022	0.031	0.04	0.05	0.062
2 x 10 Ak .094	CFM	28	38	47	56	66	75	85	94
	Spread	3	4	5	6	7	8	9	10
	Throw	4	5	6	7	8	9	10	11
2 x 12 Ak .11	CFM	33	44	55	66	77	88	99	110
	Spread	4	6	6	7	8	9	10	11
	Throw	5	6	7	8	9	10	11	12
2 x 14 Ak .125	CFM	38	50	63	75	88	100	113	125
	Spread	4	6	7	7	8	10	11	12
	Throw	5	7	8	9	10	11	12	13

ENGINEERING DATA

TOE SPACE GRILLES

Face Velocity		300	400	500	600	700	800	900	1000
4 x 12 Ak .2	CFM	60	80	100	120	140	160	180	200
	Spread	6	7	9	11	12	14	15	17
	Throw	5	6	8	9	10	11	13	14

FLOOR RETURNS

Face Velocity		400	500	600	700	800	900	1000
4 x 10 Ak .265	CFM	106	133	159	186	212	239	265
	Pt	0.012	0015	0.023	0.031	0.041	0.051	0.069
4 x 12 Ak .301	CFM	120	151	181	211	241	271	301
	Pt	0.012	0.015	0.022	0.031	0.04	0.051	0.069
4 x 14 Ak .337	CFM	135	169	202	236	270	303	337
	Pt	0.011	0.014	0.021	0.031	0.039	0.05	0.067
4 x 24 Ak .591	CFM	236	296	355	414	473	532	591
	Pt	0.01	0.014	0.018	0.028	0.037	0.047	0.057
4 x 30 Ak .74	CFM	296	370	444	518	592	666	740
	Pt	0.008	0.014	0.017	0.027	0.036	0.043	0.054
6 x 10 Ak .37	CFM	148	185	222	259	296	333	370
	Pt	0.011	0.014	0.02	0.031	0.039	0.049	0.066
6 x 12 Ak. 455	CFM	182	228	273	319	364	410	455
	Pt	0.01	0.014	0.02	0.03	0.039	0.048	0.064
6 x 14 Ak .54	CFM	216	270	324	378	432	486	540
	Pt	0.01	0.014	0.019	0.029	0.037	0.047	0.062
6 x 20 Ak .74	CFM	296	370	444	518	592	666	740
	Ps	0.008	0.014	0.017	0.027	0.036	0.043	0.054
6 x 24 Ak .86	CFM	344	430	516	602	688	774	860
	Pt	0.007	0.013	0.017	0.024	0.033	0.041	0.052
6 x 30 Ak .103	CFM	420	525	630	735	840	945	1050
	Pt	0.007	0.013	0.017	0.023	0.032	0.041	0.048
8 x 10 Ak 0.505	CFM	202	253	303	354	404	455	505
	Pt	0.01	0.014	0.019	0.029	0.037	0.047	0.063
8 x 12 Ak .591	CFM	236	296	355	414	473	532	591
	Pt	0.01	0.014	0.018	0.028	0.037	0.047	0.057
8 x 14 Ak .71	CFM	284	355	426	497	568	639	710
	Pt	0.008	0.014	0.017	0.027	0.036	0.044	0.058
8 x 16 Ak 0.78	CFM	312	390	468	546	624	702	780
	Ps	0.008	0.014	0.017	0.025	0.033	0.041	0.052
8 x 20 Ak .923	CFM	369	462	554	646	738	831	923
	Ps	0.007	0.013	0.017	0.023	0.033	0.041	0.05
8 x 24 Ak 1.11	CFM	452	565	678	791	904	1017	1130
	Pt	0.007	0.013	0.017	0.023	0.031	0.04	0.048
8 x 30 Ak 1.37	CFM	548	685	822	959	1096	1233	1370
	Pt	0.007	0.012	0.017	0.023	0.029	0.036	0.046
10 x 10 Ak .658	CFM	263	329	395	461	526	592	658
	Pt	0.009	0.014	0.018	0.028	0.037	0.046	0.06

FLOOR RETURNS

Face Velocity		400	500	600	700	800	900	1000
10 x 12 Ak .74	CFM	296	370	444	518	592	666	740
	Pt	0.008	0.014	0.017	0.027	0.036	0.043	0.054
10 x 14 Ak .802	CFM	321	401	481	561	642	722	802
	Pt	0.007	0.013	0.017	0.024	0.033	0.041	0.052
10 x 20 Ak 1.22	CFM	488	610	732	854	976	1098	1220
	Pt	0.007	0.012	0.017	0.023	0.03	0.038	0.047
10 x 24 Ak 1.37	CFM	548	685	822	959	1096	1233	1370
	Ps	0.007	0.012	0.017	0.023	0.029	0.036	0.046
10 x 30 Ak 1.71	CFM	684	855	1026	1197	1368	1539	1710
	Pt	0.007	0.01	0.015	0.022	0.028	0.035	0.044
12 x 12 Ak 0.86	CFM	344	430	516	602	688	774	860
	Pt	0.007	0.013	0.017	0.024	0.033	0.041	0.052
12 x 14 Ak .98	CFM	392	490	588	686	784	882	980
	Pt	0.007	0.013	0.017	0.023	0.032	0.041	0.052
12 x 20 Ak 1.37	CFM	548	685	822	959	1096	1233	1370
	Pt	0.007	0.012	0.017	0.023	0.029	0.036	0.046
12 x 24 Ak 1.64	CFM	672	840	1008	1176	1344	1512	1680
	Pt	0.007	0.011	0.016	0.023	0.028	0.035	0.044
12 x 30 Ak 2.12	CFM	848	1060	1272	1484	1696	1908	2120
	Pt	0.007	0.01	0.015	0.021	0.026	0.033	0.04
14 x 14 Ak 1.18	CFM	472	590	708	826	944	1062	1180
	Pt	0.007	0.012	0.017	0.023	0.031	0.039	0.048
14 x 16 Ak 1.28	CFM	512	640	768	896	1024	1152	1280
	Pt	0.007	0.012	0.017	0.023	0.029	0.036	0.046
14 x 24 Ak 1.96	CFM	784	980	1176	1372	1568	1764	1960
	Pt	0.007	0.01	0.015	0.021	0.026	0.033	0.04
14 x 30 Ak 2.35	CFM	988	1235	1482	1729	1976	2223	2470
	Pt	0.007	0.01	0.014	0.02	0.025	0.031	0.039
16 x 30 Ak 2.65	CFM	1060	1325	1590	1855	2120	2385	2650
	Pt	0.006	0.01	0.014	0.019	0.024	0.03	0.038
20 x 30 Ak 3.55	CFM	1420	1775	2130	2485	2840	3195	3550
	Pt	0.006	0.009	0.012	0.017	0.023	0.028	0.035
24 x 30 Ak 4.45	CFM	1780	2225	2670	3115	3560	4005	4450
	Pt	0.006	0.009	0.012	0.017	0.022	0.028	0.035

ENGINEERING DATA

ROUND CEILING DIFFUSERS

Face Velocity		300	400	500	600	700	800	900	1000
Pressure Loss		0.008	0.012	0.016	0.024	0.032	0.044	0.048	0.064
6" Neck Ak .137	CFM	41	55	69	83	96	110	123	137
	Throw	3	4	5	5	6	6	6	7
8" Neck Ak .23	CFM	69	92	115	138	161	184	207	230
	Throw	3	5	6	6	7	7	7	8
10" Neck Ak .345	CFM	104	138	173	207	242	276	311	345
	Throw	4	6	6	7	7	8	8	9
12" Neck Ak .505	CFM	152	202	253	303	354	404	455	505
	Throw	4	6	7	8	9	9	10	10

WALL RETURNS - 1/3" FINS

Face Velocity		300	400	500	600
6 x 6 Ak .169	CFM	51	68	85	101
	Ps	0.01	0.018	0.029	0.042
6 x 14 Ak .397	CFM	119	159	199	238
	Ps	0.01	0.018	0.029	0.041
8 x 8 Ak .3	CFM	90	120	150	180
	Ps	0.012	0.018	0.028	0.04
10 x 4 Ak .19	CFM	57	76	95	114
	Ps	0.012	0.02	0.028	0.04
10 x 6 Ak .29	CFM	87	116	145	174
	Ps	0.012	0.02	0.028	0.04
10 x 8 Ak .379	CFM	114	152	190	227
	Ps	0.012	0.02	0.028	0.04
10 x 10 Ak .491	CFM	147	196	246	295
	Ps	0.012	0.02	0.028	0.04
12 x 4 Ak .225	CFM	68	90	113	135
	Ps	0.01	0.018	0.029	0.041
12 x 6 Ak .34	CFM	102	136	170	204
	Ps	0.012	0.02	0.028	0.04
12 x 8 Ak .452	CFM	136	181	226	271
	Ps	0.012	0.02	0.028	0.04
12 x 10 Ak .57	CFM	171	228	285	342
	Ps	0.012	0.02	0.028	0.04
12 x 12 Ak .687	CFM	206	275	344	412
	Ps	0.012	0.02	0.028	0.044
14 x 4 Ak .337	CFM	101	135	168	202
	Ps	0.01	0.018	0.029	0.041
14 x 6 Ak .397	CFM	119	159	199	238
	Ps	0.01	0.018	0.029	0.041
14 x 8 Ak .531	CFM	159	212	226	271
	Ps	0.012	0.02	0.028	0.04
14 x 10 Ak .661	CFM	198	265	331	397
	Ps	0.01	0.018	0.029	0.041

WALL RETURNS - 1/3" FINS

Face Velocity		300	400	500	600
14 x 12 Ak .796	CFM	239	318	398	477
	Ps	0.01	0.018	0.029	0.041
14 x 14 Ak .930	CFM	279	372	465	558
	Ps	0.01	0.018	0.029	0.041
14 x 20 Ak 1.335	CFM	401	534	668	801
	Ps	0.01	0.018	0.029	0.041
14 x 24 Ak 1.607	CFM	582	643	803	964
	Ps	0.01	0.018	0.029	0.041
16 x 8 Ak .604	CFM	181	242	302	362
	Ps	0.01	0.018	0.029	0.041
16 x 12 Ak .911	CFM	273	364	455	547
	Ps	0.01	0.018	0.029	0.041
16 x 14 Ak 1.065	CFM	320	426	533	639
	Ps	0.01	0.018	0.029	0.041
16 x 16 Ak 1.219	CFM	366	488	610	732
	Ps	0.01	0.018	0.029	0.041
16 x 20 Ak 1.374	CFM	412	550	687	825
	Ps	0.01	0.018	0.029	0.041
18 x 16 Ak 1.27	CFM	380	507	634	760
	Ps	0.019	0.033	0.052	0.074
18 x 18 Ak 1.548	CFM	465	619	774	929
	Ps	0.01	0.018	0.029	0.041
20 x 6 Ak .556	CFM	170	226	283	339
	Ps	0.01	0.018	0.029	0.041
20 x 8 Ak .750	CFM	220	275	330	385
	Ps	0.018	0.032	0.051	0.07
20 x 10 Ak .949	CFM	285	380	475	570
	Ps	0.01	0.018	0.029	0.041
20 x 12 Ak 1.115	CFM	345	460	575	690
	Ps	0.01	0.018	0.029	0.041
20 x 14 Ak 1.34	CFM	402	536	670	804
	Ps	0.012	0.016	0.028	0.044

WALL RETURNS - 1/3" FINS

Face Velocity		300	400	500	600
20 x 16 Ak 1.543	CFM	463	617	772	926
	Ps	0.012	0.016	0.028	0.04
20 x 20 Ak 1.932	CFM	580	773	966	1159
	Ps	0.012	0.016	0.028	0.04
24 x 4 Ak .452	CFM	136	181	226	271
	Ps	0.012	0.02	0.028	0.04
24 x 6 Ak .687	CFM	206	275	344	412
	Ps	0.012	0.02	0.028	0.044
24 x 8 Ak .921	CFM	276	368	461	553
	Ps	0.012	0.016	0.028	0.04
24 x 10 Ak 1.15	CFM	345	460	575	690
	Ps	0.01	0.018	0.029	0.041
24 x 12 Ak 1.38	CFM	414	552	690	828
	Ps	0.012	0.02	0.028	0.042
24 x 14 Ak 1.63	CFM	489	652	815	978
	Ps	0.012	0.016	0.028	0.044
24 x 16 Ak 1.84	CFM	552	736	920	1104
	Ps	0.01	0.018	0.028	0.042
24 x 18 Ak 2.08	CFM	624	832	1040	1248
	Ps	0.012	0.02	0.028	0.04
24 x 20 Ak 2.318	CFM	695	927	1159	1391
	Ps	0.012	0.02	0.028	0.04
24 x 24 Ak 2.78	CFM	834	1112	1390	1668
	Ps	0.012	0.019	0.028	0.04
24 x 30 Ak 3.49	CFM	1047	1396	1746	2094
	Ps	0.012	0.019	0.028	0.04

WALL RETURNS - 1/2" FINS

Face Velocity		300	400	500	600
8 x 6 Ak .23	CFM	69	92	115	138
	Ps	0.02	0.036	0.052	0.08
12 x 6 Ak .34	CFM	102	136	170	204
	Ps	0.012	0.02	0.028	0.04
12 x 12 Ak .67	CFM	201	268	335	402
	Ps	0.02	0.032	0.052	0.072
12 x 24 Ak 1.3	CFM	390	520	650	780
	Ps	0.02	0.032	0.052	0.072
14 x 6 Ak .397	CFM	119	159	199	238
	Ps	0.01	0.018	0.029	0.041
14 x 8 Ak .531	CFM	159	212	226	271
	Ps	0.012	0.02	0.028	0.04
14 x 14 Ak .890	CFM	267	357	446	535
	Ps	0.019	0.034	0.053	0.075
14 x 20 Ak 1.28	CFM	384	512	640	768
	Ps	0.02	0.032	0.052	0.072

WALL RETURNS - 1/3" FINS

Face Velocity		300	400	500	600
30 x 4 Ak .57	CFM	171	228	285	342
	Ps	0.012	0.02	0.028	0.04
30 x 6 Ak .857	CFM	257	343	429	514
	PS	0.012	0.016	0.028	0.04
30 x 8 Ak 1.15	CFM	345	460	575	690
	PS	0.01	0.018	0.029	0.041
30 x 10 Ak 1.42	CFM	426	568	710	852
	PS	0.011	0.02	0.028	0.04
30 x 12 Ak 1.73	CFM	519	692	865	1038
	Ps	0.012	0.016	0.028	0.044
30 x 14 Ak 2.02	CFM	606	808	1010	1212
	Ps	0.012	0.016	0.028	0.044
30 x 16 Ak 2.318	CFM	695	927	1159	1391
	Ps	0.012	0.02	0.028	0.04
30 x 20 Ak 2.89	CFM	867	1156	1445	1734
	Ps	0.012	0.02	0.028	0.044
30 x 24 Ak 3.49	CFM	1047	1396	1746	2094
	Ps	0.012	0.019	0.028	0.04
30 x 30 Ak 4.37	CFM	1311	1748	2185	2622
	Ps	0.01	0.019	0.028	0.04
36 x 6 Ak 1.027	CFM	308	411	513	616
	Ps	0.01	.018	0.029	0.041
36 x 8 Ak 1.38	CFM	414	552	690	828
	Ps	0.012	0.02	0.028	0.042

WALL RETURNS - 1/2" FINS

Face Velocity		300	400	500	600
16 x 8 Ak .62	CFM	186	248	310	372
	Ps	0.02	0.032	0.052	0.076
16 x 10 Ak .74	CFM	222	296	370	444
	Ps	0.02	0.032	0.052	0.072
16 x 16 Ak 1.160	CFM	348	464	580	696
	Ps	0.019	0.033	0.052	0.074
16 x 20 Ak 1.270	CFM	380	507	634	760
	Ps	0.019	0.033	0.052	0.074
18 x 14 Ak 1.14	CFM	343	457	571	685
	Ps	0.019	0.033	0.052	0.074
18 x 18 Ak 1.460	CFM	439	585	732	878
	Ps	0.019	0.033	0.052	0.073
20 x 10 Ak .92	CFM	276	368	460	552
	Ps	0.02	0.032	0.052	0.072
20 x 14 Ak 1.28	CFM	384	512	640	768
	Ps	0.02	0.032	0.052	0.072

ENGINEERING DATA

WALL RETURNS - 1/2" FINS

Face Velocity		300	400	500	600
20 x 16 Ak 1.543	CFM	463	617	772	926
	Ps	0.012	0.016	0.028	0.04
20 x 20 Ak .181	CFM	543	724	905	1086
	Ps	0.016	0.032	0.052	0.072
24 x 6 Ak .67	CFM	201	268	335	402
	Ps	0.02	0.032	0.052	0.072
24 x 8 Ak .921	CFM	276	368	461	553
	Ps	0.012	0.016	0.028	0.04
24 x 10 Ak 1.09	CFM	327	435	544	653
	Ps	0.019	0.033	0.052	0.074
24 x 12 Ak 1.3	CFM	290	520	650	780
	Ps	0.02	0.032	0.052	0.072

WALL RETURNS - 1/2" FINS

Face Velocity		300	400	500	600
24 x 16 Ak 1.73	CFM	519	692	865	1038
	Ps	0.016	0.032	0.052	0.072
24 x 24 Ak 2.78	CFM	834	1112	1390	1668
	Ps	0.012	0.019	0.028	0.04
30 x 6 Ak .83	CFM	249	332	415	498
	Ps	0.02	0.032	0.052	0.073
30 x 10 Ak 1.42	CFM	426	568	710	852
	Ps	0.011	0.02	0.028	0.04
30 x 12 Ak 1.65	CFM	495	660	825	990
	Ps	0.02	0.032	0.052	0.07

WALL/CEILING REGISTERS - 1/3"

Face Velocity		300	400	500	600	700	800	900	1000
Pressure Loss		0.008	0.012	0.016	0.024	0.032	0.044	0.052	0.064
6 x 6 Ak .128	CFM	38	51	64	77	90	102	115	128
	Throw	5	6	8	9	11	13	14	16
8 x 6 Ak .192	CFM	58	77	96	115	134	154	173	192
	Throw	6	7	9	11	13	15	17	19
8 x 8 Ak .200	CFM	60	80	100	120	140	160	180	200
	Throw	4	5.5	7	8	9.5	11	12.5	13.5
10 x 4 Ak .156	CFM	47	62	78	94	109	125	140	156
	Throw	5	7	8	10	12	13	15	17
10 x 6 Ak .252	CFM	76	101	126	151	176	202	227	252
	Throw	7	9	11	13	16	18	20	22
10 x 8 Ak .357	CFM	107	143	179	214	250	286	321	357
	Throw	8	10	12	15	18	20	23	25
10 x 10 Ak .310	CFM	95	125	155	185	215	250	280	310
	Throw	5	7	8.5	10	12	14	15.5	17
12 x 4 Ak .192	CFM	58	77	96	115	134	154	173	192
	Throw	6	7	9	11	13	15	17	19
12 x 6 Ak .309	CFM	93	124	155	185	216	247	278	309
	Throw	7	9	12	14	16	19	21	23
12 x 8 Ak .437	CFM	131	175	219	262	306	350	393	437
	Throw	8	11	14	16	19	22	25	27
12 x 10 Ak .39	CFM	115	155	195	235	275	310	350	390
	Throw	6	8	10	12	14	16	18	20
12 x 12 Ak .69	CFM	207	276	345	414	483	552	621	690
	Throw	10	13	17	20	23	27	29	33
14 x 4 Ak .234	CFM	70	94	117	140	164	187	211	234
	Throw	7	9	11	14	15	17	19	21
14 x 6 Ak .372	CFM	112	149	186	223	260	298	335	372
	Throw	8	11	13	15	18	20	23	25

WALL/CEILING REGISTERS - 1/3"

Face Velocity		300	400	500	600	700	800	900	1000
14 x 8 Ak .524	CFM	157	210	262	314	367	419	472	524
	Throw	8	11	14	17	20	23	26	29
16 x 8 Ak .6	CFM	180	240	300	360	420	480	540	600
	Throw	9	11	15	17	21	24	26	30

WALL/CEILING REGISTERS - 1/2"

Face Velocity		300	400	500	600	700	800	900	1000
Pressure Loss		0.008	0.012	0.016	0.024	0.032	0.044	0.052	0.064
10 x 4 Ak .115	CFM	38	50	63	75	88	100	113	125
	Throw	4	5	6	7	9	10	12	13
10 x 6 Ak .186	CFM	56	74	93	112	130	149	167	186
	Throw	6	7	9	10	11	13	14	15
12 x 4 Ak .146	CFM	44	58	73	88	102	117	131	146
	Throw	5	6	7	9	10	11	12	14
12 x 6 Ak .236	CFM	71	94	118	142	165	189	212	236
	Throw	6	8	9	11	13	14	16	17
12 x 8 Ak .327	CFM	98	131	164	196	229	262	294	327
	Throw	7	8	10	12	13	15	17	19
14 x 4 Ak .178	CFM	53	71	89	107	125	142	160	178
	Throw	5	6	8	9	10	12	13	14
14 x 10 Ak .49	CFM	147	196	245	294	343	392	441	490
	Throw	8	11	14	17	20	23	26	28

WALL/CEILING REGISTERS - ALUMINUM

Face Velocity		300	400	500	600	700	800	900	1000
Pressure Loss		0.008	0.012	0.016	0.024	0.032	0.04	0.052	0.064
10 x 4 Ak .15	CFM	45	60	75	90	104	120	135	150
	Throw	4	6	7	9	10	11	13	14

WALL/CEILING REGISTERS - 3 WAY

Face Velocity		300	400	500	600	700	800	900	1000
Pressure Loss		0.008	0.012	0.016	0.024	0.032	0.044	0.052	0.064
10 x 4 Ak .12	Total CFM	36	48	60	72	84	96	108	120
	CFM L/S	21/7	30/9	38/11	45/13	53/15	60/17	68/20	76/22
	Throw L/S	4/3	7/4	8/5	9/6	10/7	11/7	13/8	15/9

RETURN AIR FILTER GRILLES - 1/3"

Face Velocity		300	400	500	600
12 x 12 Ak .687	CFM	206	275	344	412
	Ps	0.012	0.02	0.028	0.044
14 x 14 Ak .937	CFM	281	375	469	562
	Ps	0.012	0.018	0.028	0.044
14 x 20 Ak 1.34	CFM	402	536	670	804
	Ps	0.012	0.016	0.028	0.044

RETURN AIR FILTER GRILLES - 1/3"

Face Velocity		300	400	500	600
14 x 24 Ak 1.63	CFM	489	652	815	978
	Ps	0.012	0.016	0.028	0.044
14 x 25 Ak 1.715	CFM	515	686	858	1029
	Ps	0.012	0.016	0.028	0.044
16 x 16 Ak 1.23	CFM	369	492	615	738
	Ps	0.012	0.016	0.028	0.04

ENGINEERING DATA

RETURN AIR FILTER GRILLES - 1/3"

Face Velocity		300	400	500	600
16 x 20 1.543	CFM	463	617	772	926
	Ps	0.012	0.016	0.028	0.04
16 x 25 Ak 1.932	CFM	580	773	966	1159
	Ps	0.012	0.016	0.028	0.04
18 x 18 Ak 1.562	CFM	469	625	781	937
	Ps	0.012	0.02	0.028	0.04
20 x 14 Ak 1.34	CFM	402	536	670	804
	Ps	0.012	0.016	0.028	0.044
20 x 16 Ak 1.543	CFM	463	617	772	926
	Ps	0.012	0.016	0.028	0.04
20 x 20 Ak 1.932	CFM	580	773	966	1159
	Ps	0.012	0.016	0.028	0.04
20 x 25 Ak 2.416	CFM	725	966	1208	1450
	Ps	0.012	0.02	0.028	0.044

RETURN AIR FILTER GRILLES - 1/3"

Face Velocity		300	400	500	600
20 x 30 Ak 2.89	CFM	867	1156	1445	1734
	Ps	0.012	0.02	0.028	0.044
24 x 12 Ak 1.38	CFM	414	552	690	828
	Ps	0.012	0.02	0.028	0.042
24 x 14 Ak 1.63	CFM	489	652	815	978
	Ps	0.012	0.016	0.028	0.044
24 x 24 Ak 2.78	CFM	834	1112	1390	1668
	Ps	0.012	0.019	0.028	0.04
25 x 14 1.715	CFM	515	686	858	1029
	Ps	0.012	0.016	0.028	0.044
25 x 16 Ak 1.932	CFM	580	773	966	1159
	Ps	0.012	0.016	0.028	0.04
25 x 20 Ak 2.416	CFM	725	966	1208	1450
	Ps	0.012	0.02	0.028	0.044

RETURN AIR FILTER GRILLES - 1/2"

Face Velocity		300	400	500	600
14 x 14 Ak .9	CFM	270	360	450	540
	Ps	0.02	0.032	0.052	0.072
16 x 16 Ak 1.17	CFM	351	468	585	702
	Ps	0.02	0.032	0.052	0.072
18 x 18 Ak 1.47	CFM	441	588	735	882
	Ps	0.02	0.032	0.052	0.072

RETURN AIR FILTER GRILLES - 1/2"

Face Velocity		300	400	500	600
20 x 20 Ak 1.81	CFM	543	724	905	1086
	Ps	0.02	0.032	0.052	0.072
24 x 12 Ak 1.3	CFM	390	520	650	780
	Ps	0.02	0.032	0.052	0.072

VERTICAL SINGLE SUPPLY REGISTERS

Face Velocity		400	500	600	700	800	900	1000	1100	1200	1300	1400	1600	1800	2000
Pressure Loss		0.012	0.016	0.024	0.032	0.04	0.052	0.064	0.076	0.092	0.108	0.124	0.164	0.204	0.252
10 x 4 Ak .203	CFM	82	102	122	143	163	184	204	224	245	265	286	326	367	408
	Throw	7	9	11	13	14	17	18	21	22	24	26	30	33	36
10 x 6 Ak .315	CFM	126	158	189	221	252	284	315	347	378	410	441	504	567	630
	Throw	9	11	14	16	18	22	23	25	28	30	33	36	41	46
12 x 4 Ak .248	CFM	99	124	149	174	198	223	248	273	298	322	347	397	446	496
	Throw	8	11	13	14	16	19	20	23	24	27	29	33	37	41
12 x 6 Ak .381	CFM	152	191	229	267	305	343	381	419	457	495	533	610	686	762
	Throw	10	12	15	17	21	22	26	27	30	33	36	41	45	50
12 x 12 Ak .774	CFM	310	387	464	542	619	697	774	851	929	1006	1084	1238	1393	1548
	Throw	14	18	21	25	28	32	35	40	43	47	50	57	64	72
14 x 6 Ak .448	CFM	179	224	269	314	358	403	448	493	538	582	627	717	806	896
	Throw	11	13	16	19	23	24	27	30	33	35	39	43	50	54
16 x 8 Ak .684	CFM	274	342	410	479	547	616	684	752	821	889	958	1094	1231	1368
	Throw	14	17	20	24	27	30	33	37	31	43	47	43	59	66

HORIZONTAL RETURNS

Face Velocity		300	400	500	600	700	800	900	1000
12 x 6 Ak .34	CFM	102	136	170	204	238	272	306	340
	Ps	0.012	0.02	0.032	0.048	0.06	0.076	0.1	0.128
14 x 6 Ak .38	CFM	114	152	190	228	266	304	342	380
	Ps	0.012	0.02	0.032	0.044	0.06	0.076	0.1	0.124
20 x 20 Ak 1.92	CFM	576	768	960	1152	1344	1536	1728	1920
	Ps	0.012	0.02	0.032	0.044	0.06	0.084	0.1	0.12
24 x 24 Ak 2.8	CFM	840	1120	1400	1680	1960	2240	2520	2800
	Ps	0.012	0.02	0.032	0.048	0.06	0.092	0.1	0.124

T-BAR DIFFUSERS

Neck Velocity		400	500	600	700	800	900	1000	1200	1400	1600
6 An .2 Ak .76 (retracted) Ak .8 (extended)	CFM	80	100	120	140	160	180	200	240	280	320
	Ps (retr.)	0.024	0.04	0.056	0.072	0.1	0.116	0.144	0.22	0.296	0.4
	Ps (ext.)	0.008	0.016	0.024	0.032	0.048	0.06	0.076	0.116	0.156	0.208
	Throw (retr.)	2	3	3	4	5	6	6	8	10	12
	Throw (ext.)	2	3	4	4	5	6	7	9	11	13
8 An .35 Ak .88 (retracted) Ak .94 (extended)	CFM	140	175	210	245	280	315	350	420	490	560
	Ps (retr.)	0.028	0.044	0.064	0.088	0.12	0.152	0.188	0.272	0.396	0.5
	Ps (ext.)	0.016	0.024	0.036	0.048	0.072	0.092	0.108	0.16	0.232	0.32
	Throw (retr.)	4	5	6	7	8	9	10	12	14	16
	Throw (ext.)	4	5	6	8	9	10	12	14	17	20
10 An .54 Ak 1.16 (extended) Ak 1.22 (extended)	CFM	216	270	324	378	432	486	540	648	756	864
	Ps (retr.)	0.044	0.076	0.096	0.128	0.172	0.224	0.26	0.368	0.5	0.64
	Ps (ext.)	0.028	0.044	0.06	0.084	0.112	0.136	0.168	0.224	0.284	0.46
	Throw (retr.)	6	7	9	10	12	13	15	17	20	23
	Throw (ext.)	6	8	9	11	13	15	17	21	25	29
12 An .79 Ak 1.61 (retracted) Ak 1.67 (extended)	CFM	312	390	468	546	624	702	780	936	1092	1248
	Ps (retr.)	0.056	0.084	0.124	0.168	0.22	0.28	0.336	0.476	0.648	0.808
	Ps (ext.)	0.04	0.06	0.088	0.112	0.136	0.176	0.212	0.308	0.416	0.528
	Throw (retr.)	8	9	11	12	14	15	18	21	24	27
	Throw (ext.)	9	11	12	14	16	18	21	25	27	30
14 An 1.07 Ak .203 (retracted) Ak 2.09 (extended)	CFM	428	535	642	749	856	963	1070	1284	1498	1712
	Ps (retr.)	0.08	0.128	0.172	0.228	0.276	0.34	0.464	0.644	0.812	1.004
	Ps (ext.)	0.064	0.084	0.116	0.136	0.18	0.212	0.3	0.408	0.524	0.696
	Throw (retr.)	8	9	12	13	15	16	18	22	25	28
	Throw (ext.)	10	11	13	15	17	19	22	26	29	32

CROSS REFERENCE GUIDE

BREEZE33 RESIDENTIAL

	Breeze33	H&C	Accord	AirMate	Continental	Lima	Shoemaker	TruAire	US Aire
Baseboard Diffuser	BBD	406	150	350	150/180/240	470	875	115R/118R/120R	1340
Baseboard Return	BBRAG-13	657	195	174	BG31	671	1133	123R	—
Floor Register	FR	421	101	302	28/28PC	800	325	150M	1510D
Heavy Duty Floor Register	HDFR	411	110	310-FB	—	850	375	—	—
Floor Register, Screw Holes	FRWSH	421WSH	102	302-H	30	—	—	—	1510DX
Toe Space Grille	TSG	420	210	301	TG32	875	TS	150TS	1320
Floor Return	FRAG	265	120	325	F25	825	1600R	154R	1530
Round Ceiling Damper	RCDP	12	301	800-D	12B	—	—	801	—
Round Ceiling Diffuser	RCDF	16	300	800	16	150	90	800	9005
Duct Ring	DR	11	344	800-R	11	156	92	803	—
Wall Return (1/3")	WRAG-13	650	515	173	G35	63GH	1033	173	—
Wall Return (1/2")	WRAG-12	672	500	170	G25	60GH7	1050	170	1400
Wall/Ceiling Register (1/3")	WCR-13	661	222	163	32	632	833	132M	—
Wall/Ceiling Register (1/2")	WCR-12	682	202	160	22	602	850	102M	102M
Return Air Filter Grille	RAFG	659/673	520/525	170FF	FG2/FG3	60GH7	FG-1	190/190RF	1410F
Vertical Single Supply Register	VSSR	821	411	220-V	RV/ML	—	951	210VM	
Horizontal Return	HRAG	831	422	280	FBG	—	935	270	—

BREEZE33 LIGHT COMMERCIAL

	Breeze33	H&C	Accord	AirMate	Carnes	Continental	Grille Tech	J&J	Krueger	Shoemaker	Titus	MetalAire	TruAir
Butterfly Damper	BFD	3800	343	800-DO	—	BCD	R22	RP12	RP12	AG-85	—	BDS	802
2 Cone T-Bar Diffuser	TBFPD	FPD	952	1302-INS	SFTB	FPD NI	—	—	M1450	HVL	350RLF	5700-6	2003CD
3 Cone T-Bar Diffuser	TBFPD3C	FPD3	962	1300-INS	SFTB	HVS	—	2004CD	—	HVD	TMS-3 IB	5800-6	2004CD

WARRANTY

WARRANTY

Breeze33 Products LLC (Breeze33) warrants to the ORIGINAL PURCHASER that its registers, grilles and diffusers shall be free from defects in material and workmanship under normal use and service for a lifetime. This warranty cannot be transferred - it is extended only to the original purchaser or first user of the product. By accepting and keeping this product you agree to all of the warranty terms and limitations of liability described below.

Breeze33's obligations under the warranty set forth above shall be to replace any Breeze33 register, grille or diffuser which is defective.

WHAT IS NOT COVERED?

The warranty above does not cover and Breeze33 is not liable for, (i) installation, (ii) any labor charges or (iii) products which have been damaged as a result of any accident, misuse, abuse, neglect, improper installation or maintenance, the use of abrasive or organic solvent cleaners, modification, failure to use the register, grille or diffuser in accordance with instructions provided by Breeze33.

HOW TO OBTAIN WARRANTY SERVICE

Contact our warranty department at 740-314-4404 to report the defect. Return failed product with proof of purchase, your name, and address within 30 days of failure to:

**Breeze33 Products LLC
350 Courtney Road
Sebring, Ohio 44672 USA**

LIMITATION OF LIABILITY

Breeze33's liability on any claim of any kind, including, without limitation, warranty, negligence and/or breach of contract, shall in no case exceed the purchase price paid by the customer. IN NO EVENT SHALL BREEZE33 BE LIABLE FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING, WITHOUT LIMITATION, DAMAGE TO PROPERTY) OR PUNITIVE DAMAGES, DAMAGES IN THE NATURE OF PENALTIES OR SIMILAR OR RELATED DAMAGES OF ANY KIND.

DISCLAIMER OF WARRANTIES

BREEZE33 EXPRESSLY DISCLAIMS ALL WARRANTIES, EXCEPT AS EXPLICITLY STATED HEREIN, TO THE FULLEST EXTENT PERMITTED BY LAW, WHETHER WRITTEN, ORAL, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF PERFORMANCE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT. THIS DISCLAIMER INCLUDES ANY ORAL WARRANTIES OR REPRESENTATIONS MADE OR IMPLIED BY ANY AGENT, EMPLOYEE, SUBCONTRACTOR, MANAGER, DIRECTOR AND/OR REPRESENTATIVE OF BREEZE33.

Customer Support Center

Available 8am-6pm
800-362-9532

CUSTOMER SUPPORT TEAMS over 800 years of combined experience.

Building Products
330-475-8233

Industrial
330-968-2420

Geothermal
330-968-0860

HVAC
330-475-8230

Hydronics
330-968-2291

Multi-Family
330-968-0704

Plumbing
330-475-8231

Akron ☺
330-434-5194
166 N. Union St., Akron, OH 44304
After Hours Emergency: 330-697-1085

Ashtabula ☺
440-992-2116
4625 Foster Ave., Ashtabula, OH 44004
After Hours Emergency: 440-228-3603

Bedford Heights ☺
216-285-2900
26201 Richmond Rd., Bedford Heights, OH 44146
After Hours Emergency: 330-219-7749

Bethel Park
412-835-8043
3131 Industrial Blvd., Bethel Park, PA 15102
After Hours Emergency: 412-527-6846

Byesville ☺
740-421-4758
354 West Main (Rt. 209), Byesville, OH 43723
After Hours Emergency: 740-398-8653

Canton
330-456-4508
1215 McKinley Ave., SW. Canton, OH 44707
After Hours Emergency: 330-933-5598

Cleveland East ☺
216-881-5700
6420 Woodland Ave., Cleveland, OH 44104
After Hours Emergency: 216-570-8974

Cleveland West ☺
216-529-1010
11200 Madison Ave., Cleveland, OH 44102
After Hours Emergency: 216-570-8974

Columbus East ☺
614-294-3500
1356 Cleveland Ave., Columbus, OH 43211
After Hours Emergency: 614-582-7832

Columbus West *
614-503-0875
4300 Roberts Rd., Columbus, OH 43228
After Hours Emergency: 614-582-7832

Columbus RDC
614-643-2377
711 Distribution Dr., Columbus, OH 43228

Fremont *
419-332-2636
641 South Front St., Fremont, OH 43420
After Hours Emergency: 419-455-5996

Lorain ☺
440-245-6874
125 East 20th St., Lorain, OH 44052
After Hours Emergency: 440-343-2010

Mansfield ☺
419-524-0411
83 Smith Ave., Mansfield, OH 44905
After Hours Emergency: 419-571-4828

Melwood
412-622-8100
434 Melwood Ave., Pittsburgh, PA 15213
After Hours Emergency: 412-310-8228

New Kensington
724-335-8343
419 Hileman Dr., New Kensington, PA 15068
After Hours Emergency: 412-527-6831

Newark ☺ *
740-345-9617
25 South 11th St., Newark, OH 43055
After Hours Emergency: 740-219-9623

North Hills
412-366-3143
331 Rochester Rd., Pittsburgh, PA 15237
After Hours Emergency: 330-604-7372

Pittsburgh RDC ☺
724-404-4021
72 E. Hillis St., Youngwood, PA 15697
After Hours Emergency: 724-221-0149

Sandusky ☺
419-625-5354
1341 Olds St., Sandusky, OH 44870
After Hours Emergency: 419-656-0566

Sebring CDC
330-851-4007
350 Courtney Rd., Sebring, OH 44672
After Hours Emergency: 330-414-4720

Steubenville ☺ *
740-282-0951
934 W. Adams St., Steubenville, OH 43952
After Hours Emergency: 304-914-1689

Toledo ☺ *
419-478-0343
220 Matzinger Rd., Toledo, OH 43612
After Hours Emergency: 419-392-2669

Uniontown *
724-437-9806
85 Pittsburgh St., Uniontown, PA 15401
After Hours Emergency: 724-323-2811

Warren ☺
330-369-2563
2436 Niles Rd., SE. Warren, OH 44484
After Hours Emergency: 330-509-9437

Washington ☺ *
724-225-8330
1110 W. Chestnut St., Washington, PA 15301
After Hours Emergency: 330-604-7372

Wheeling ☺ *
304-232-3310
2300 Market St., Wheeling, WV 26003
After Hours Emergency: 304-830-1324

Youngstown ☺
234-706-3525
886 E. Midlothian Blvd., Youngstown, OH 44502
After Hours Emergency: 330-301-1040

NEW LOCATION COMING SOON!

Mount Vernon
300 Commerce Drive
Mount Vernon, OH 43050

Famous Supply Outlet Store

Open every Friday 8AM - 12PM
Open 2nd & 4th Saturdays 8AM - 12PM
216-223-3082

26200 Richmond Rd., Bedford Heights, OH 44146
Located across the street from the Bedford Heights branch

STUDIO 3™
KITCHEN | BATH | HOME
by Famous Supply

Cleveland *
Kitchen & Bath: 216-223-3052
Window & Door: 216-356-4212
4701 Richmond Rd. Cleveland, OH 44128

Columbus *
Kitchen & Bath: 614-503-0875
4300 Roberts Rd. Columbus, OH 43228