

## PREMIER SERIES

33,000 BTU

BZ33-HYP33WALL2-G2-P



BZ33-HYP33OUT2-G2-P



### FEATURES

- Single zone only
- Two-way draining
- Heating operation down to -22°F
- Low ambient cooling down to -22°F
- Golden Fin anti-corrosive coating
- Auto restart function
- Crank case & basepan heater included
- Auto defrost
- 24-Hour timer
- Occupancy and humidity sensor
- Wireless remote control included
- Compatible with BZ33-WCON1 and BZ33-WCON1-G2
- 208/230V, single phase

### TWO-WAY DRAINING

Piping, drainage and connections are able to be installed on the right and left sides.

### FOLLOW ME MODE

Senses indoor temperature at handheld remote or Breeze33 wired controller, rather than at the indoor equipment.

### GOLDEN FIN COATING

Prevents corrosive build-up and improves efficiency while protecting the condenser from harsh weather and elements.

### AUTO DEFROST

In low temperatures, the auto defrost feature will keep the evaporator from freezing.

### AUTO RESTART

In the event of a power failure, the unit will remember and restart the previous settings when power returns.

### 24-HOUR TIMER

Preset the unit to automatically turn on or off.



## INDOOR/OUTDOOR HYPER PRO MINI SPLIT SYSTEM

| UNIT    | ID NO.   | MODEL                |
|---------|----------|----------------------|
| Indoor  | .3573841 | BZ33-HYP33WALL2-G2-P |
| Outdoor | .3573840 | BZ33-HYP33OUT2-G2-P  |

### SPECIFICATIONS

|          |         |
|----------|---------|
| Series   | Premier |
| Warranty | Yes*    |

### COOLING

|                  |       |                          |
|------------------|-------|--------------------------|
| Capacity (Range) | BTU/H | 33,000 (15,000 - 39,700) |
| Input            | W     | 2,750                    |
| Rated Current    | A     | 18                       |
| EER2             | BTU/W | 12                       |
| SEER2            | BTU/W | 19.5                     |

### HEATING

|                  |       |                          |
|------------------|-------|--------------------------|
| Capacity (Range) | BTU/H | 35,000 (19,000 - 40,000) |
| Input            | W     | 3,290                    |
| Rated Current    | A     | 20.5                     |
| COP              | W/W   | 3.12                     |
| HSPF2-4          | BTU/W | 10                       |
| HSPF2-5          | BTU/W | 8                        |

### COMPRESSOR

|                        |             |                |
|------------------------|-------------|----------------|
| Type                   | Twin Rotary |                |
| Capacity               | W           | 13,410         |
| Input                  | W           | 3,525          |
| Rated Current (RLA)    | A           | 16.67          |
| Refrigerant Oil/Charge | mL          | Ester Oil VG74 |

### REFRIGERANT PIPE

|                              |      |         |
|------------------------------|------|---------|
| Design Pressure              | PSIG | 550/340 |
| Refrigerant Type             | Oz   | R410A   |
| Refrigerant Precharge        | Ft   | 25      |
| Additional Charge/Ft         | Oz   | 0.32    |
| Liquid                       | In   | 3/8     |
| Gas                          | In   | 3/4     |
| Max. Refrigerant Pipe Length | Ft   | 164     |
| Max. Difference in Level     | Ft   | 82      |

### OPERATING TEMPERATURE

|                           |    |                  |
|---------------------------|----|------------------|
| Indoor (Cooling/Heating)  | °F | 60~90 / 32~86    |
| Outdoor (Cooling/Heating) | °F | -22~122 / -22~75 |

### INDOOR FAN MOTOR

|                            |       |                     |
|----------------------------|-------|---------------------|
| Input                      | W     | —                   |
| Output                     | W     | 58                  |
| RLA                        | A     | 0.88                |
| Speed (High/Med/Low)       | r/min | 1,300 / 730 / 600   |
| Air Flow (High/Med/Low)    | CFM   | 770.6 / 600 / 423.5 |
| Noise Level (High/Med/Low) | dBA   | 52 / 46 / 35        |

### INDOOR UNIT DIMENSIONS

|                     |     |                             |
|---------------------|-----|-----------------------------|
| Product (W x D x H) | In  | 46-7/8 x 11-1/4 x 14-9/16   |
| Packing (W x D x H) | In  | 50-3/8 x 14-3/16 x 17-15/16 |
| Weight (Net/Gross)  | Lbs | 43.4 / 55.1                 |

### OUTDOOR FAN MOTOR

|             |       |           |
|-------------|-------|-----------|
| Input       | W     | —         |
| Output      | W     | 230       |
| RLA         | A     | 0.8       |
| Speed       | r/min | 800 / 500 |
| Air Flow    | CFM   | 2,235     |
| Noise Level | dBA   | 63        |

### OUTDOOR UNIT DIMENSIONS

|                     |     |                              |
|---------------------|-----|------------------------------|
| Product (W x D x H) | In  | 37-1/4 x 16-1/8 x 31-7/8     |
| Packing (W x D x H) | In  | 42-15/16 x 19-11/16 x 34-7/8 |
| Weight (Net/Gross)  | Lbs | 159.8 / 168.9                |

### ELECTRICAL DATA

|                       |          |                  |
|-----------------------|----------|------------------|
| Min. Circuit Ampacity | A        | 36               |
| Max. Fuse             | A        | 40               |
| Connection Wiring     | 14*4 AWG |                  |
| Power Supply          | Ph/V/Hz  | 1 / 208/230 / 60 |

\*7 years, 10 years if product is registered within thirty days from installation.

All G2 models are backwards compatible excluding Air Handler units.

Due to continuing product improvements, specifications may change without notice.  
Visit [breeze33.com](http://breeze33.com) for current product information.

[breeze33.com](http://breeze33.com)



## INVERTERS & A COILS

| Indoor Unit                | MSC24A-J    | MSC24B-J    | MSC36B-J    | MSC36C-J    | MSC48C-J    | MSC60D-J    |
|----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Outdoor Unit (Single-Zone) | INV24OUT2-J | INV18OUT2-J | INV30OUT2-J | INV30OUT2-J | INV48OUT2-J | INV60OUT2-J |
|                            |             | INV24OUT2-J | INV36OUT2-J | INV36OUT2-J |             |             |

## WALL MOUNTS - COMFORT SERIES

| Indoor Unit                | HP09WALL1-G2-C* | HP12WALL1-G2-C* | HP18WALL2-G2-C* | HP24WALL2-G2-C* | HP30WALL2-G2-C* | HP36WALL2-G2-C* |
|----------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Outdoor Unit (Single-Zone) | HP09OUT1-G2-C*  | HP12OUT1-G2-C*  | HP18OUT2-G2-C*  | HP24OUT2-G2-C*  | HP30OUT2-G2-C*  | HP36OUT2-G2-C*  |

## WALL MOUNTS - PREMIER SERIES

| Indoor Unit                | HYP06WALL2-G2-P | HYP09WALL2-G2-P* | HYP12WALL2-G2-P* | HYP18WALL2-G2-P* | HYP24WALL2-G2-P* | HYP30WALL2-G2-P | HYP36WALL2-G2-P |
|----------------------------|-----------------|------------------|------------------|------------------|------------------|-----------------|-----------------|
| Outdoor Unit (Single-Zone) | HYP06OUT2-G2-P  | HYP09OUT2-G2-P*  | HYP12OUT2-G2-P*  | HYP18OUT2-G2-P*  | HYP24OUT2-G2-P*  |                 |                 |
| Outdoor Unit (Multi-Zone)  | HP182Z2-G2-P*   |                  |                  |                  |                  |                 |                 |
|                            | HP273Z2-G2-P*   |                  |                  |                  |                  |                 |                 |
|                            | HP364Z2-G2-P*   |                  |                  |                  |                  |                 |                 |
|                            |                 |                  |                  | HP485Z2-G2-P*    |                  |                 |                 |
|                            | HYP182Z2-G2-P*  |                  |                  |                  |                  |                 |                 |
|                            | HYP273Z2-G2-P*  |                  |                  |                  |                  |                 |                 |
|                            | HYP364Z2-G2-P*  |                  |                  |                  |                  |                 |                 |
|                            |                 |                  |                  | HYP485Z2-G2-P*   |                  |                 |                 |

## WALL MOUNT - PREMIER SERIES

| Indoor Unit                | HYP33WALL2-G2-P |
|----------------------------|-----------------|
| Outdoor Unit (Single-Zone) | HYP33OUT2-G2-P  |

## CEILING CASSETTES

| Indoor Unit                | CASS09-P        | CASS12-P        | CASS18-P        | CASS24-G2-P*    | CASS36-G2-P    |
|----------------------------|-----------------|-----------------|-----------------|-----------------|----------------|
| Outdoor Unit (Single-Zone) | HYP09OUT2-G2-P* | HYP12OUT2-G2-P* | HYP18OUT2-G2-P* | HYP24OUT2-G2-P* | HYP36OUT2-G2-P |
| Outdoor Unit (Multi-Zone)  | HP182Z2-G2-P*   |                 |                 |                 |                |
|                            | HP273Z2-G2-P*   |                 |                 |                 |                |
|                            | HP364Z2-G2-P*   |                 |                 |                 |                |
|                            | HP485Z2-G2-P*   |                 |                 |                 |                |
|                            | HYP182Z2-G2-P*  |                 |                 |                 |                |
|                            | HYP273Z2-G2-P*  |                 |                 |                 |                |
|                            | HYP364Z2-G2-P*  |                 |                 |                 |                |
|                            | HYP485Z2-G2-P*  |                 |                 |                 |                |

## CONSOLES

| Indoor Unit                | ICM12-G2-P      |
|----------------------------|-----------------|
| Outdoor Unit (Single-Zone) | HYP12OUT2-G2-P* |
| Outdoor Unit (Multi-Zone)  | HP182Z2-G2-P*   |
|                            | HP273Z2-G2-P*   |
|                            | HP364Z2-G2-P*   |
|                            | HP485Z2-G2-P*   |
|                            | HYP182Z2-G2-P*  |
|                            | HYP273Z2-G2-P*  |
|                            | HYP364Z2-G2-P*  |
|                            | HYP485Z2-G2-P*  |

## DUCTED

| Indoor Unit                | DIDU9-P         | DIDU12-P        | DIDU18-P        | DIDU24-P        | DIDU36-P       | DIDU48-P       |
|----------------------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|
| Outdoor Unit (Single-Zone) | HYP09OUT2-G2-P* | HYP12OUT2-G2-P* | HYP18OUT2-G2-P* | HYP24OUT2-G2-P* | HYP36OUT2-G2-P | HYP48OUT2-G2-P |
| Outdoor Unit (Multi-Zone)  | HP182Z2-G2-P*   |                 |                 |                 |                |                |
|                            | HP273Z2-G2-P*   |                 |                 |                 |                |                |
|                            | HP364Z2-G2-P*   |                 |                 |                 |                |                |
|                            | HP485Z2-G2-P*   |                 |                 |                 |                |                |
|                            | HYP182Z2-G2-P*  |                 |                 |                 |                |                |
|                            | HYP273Z2-G2-P*  |                 |                 |                 |                |                |
|                            | HYP364Z2-G2-P*  |                 |                 |                 |                |                |
|                            | HYP485Z2-G2-P*  |                 |                 |                 |                |                |

## ONE-WAY CASSETTES

| Indoor Unit                | OWCASS09-G2-P   | OWCASS12-G2-P   | OWCASS18-G2-P   |
|----------------------------|-----------------|-----------------|-----------------|
| Outdoor Unit (Single-Zone) | HYP09OUT2-G2-P* | HYP12OUT2-G2-P* | HYP18OUT2-G2-P* |
| Outdoor Unit (Multi-Zone)  | HP182Z2-G2-P*   |                 |                 |
|                            | HP273Z2-G2-P*   |                 |                 |
|                            | HP364Z2-G2-P*   |                 |                 |
|                            | HP485Z2-G2-P*   |                 |                 |
|                            | HYP182Z2-G2-P*  |                 |                 |
|                            | HYP273Z2-G2-P*  |                 |                 |
|                            | HYP364Z2-G2-P*  |                 |                 |
|                            | HYP485Z2-G2-P*  |                 |                 |

## AIR HANDLERS

| Indoor Unit                | MSAHU18-G2-P    | MSAHU24-G2-P*   | MSAHU36-G2-P   | MSAHU48-G2-P   |
|----------------------------|-----------------|-----------------|----------------|----------------|
| Outdoor Unit (Single-Zone) | HYP18OUT2-G2-P* | HYP24OUT2-G2-P* | HYP36OUT2-G2-P | HYP48OUT2-G2-P |
| Outdoor Unit (Multi-Zone)  | HP273Z2-G2-P*   |                 |                |                |
|                            | HP364Z2-G2-P*   |                 |                |                |
|                            | HP485Z2-G2-P*   |                 |                |                |
|                            | HYP273Z2-G2-P*  |                 |                |                |
|                            | HYP364Z2-G2-P*  |                 |                |                |
|                            | HYP485Z2-G2-P*  |                 |                |                |

## CEILING & FLOOR MOUNTS

| Indoor Unit                | IFMU18-P        | IFMU24-G2-P     | IFMU36-G2-P    | IFMU48-G2-P    |
|----------------------------|-----------------|-----------------|----------------|----------------|
| Outdoor Unit (Single-Zone) | HYP18OUT2-G2-P* | HYP24OUT2-G2-P* | HYP36OUT2-G2-P | HYP48OUT2-G2-P |
| Outdoor Unit (Multi-Zone)  | HP273Z2-G2-P*   |                 |                |                |
|                            | HP364Z2-G2-P*   |                 |                |                |
|                            | HP485Z2-G2-P*   |                 |                |                |
|                            | HYP273Z2-G2-P*  |                 |                |                |
|                            | HYP364Z2-G2-P*  |                 |                |                |
|                            | HYP485Z2-G2-P*  |                 |                |                |

\* Available in G1 and G2 models. All G2 models are backwards compatible excluding Air Handler units.