

stream33[®]

PRODUCT GUIDE



Shop Stream33 Online!

Faucets, Toilets, PEX, Valves, Parts & Supplies





Making a difference in our local communities

T  **GETHER.**

A portion of every 33Brands purchase is donated to our community Foodbanks, local children's charities, and neighborhood Habitat for Humanity ReStores through in-kind donations.

Learn more at stream33.com/giving-back/





CONTENTS

Faucets	
Kitchen	5-6
Lavatory & Laundry	7
Trim Kits	8-9
Bath Accessories	
Emerson	10
Hudson	11
Sinks	
Kitchen & Bar	12
Garbage Disposals	13
Lavatory	14
Toilets	
2-Piece Toilets & Accessories	15-16
Toilet Seats	17
Water Heaters	
Equipment	18
Water Heater Accessories	19
PEX	
PEX-A Tubing	20-21
PEX-A F1960 Brass Fittings.	22
PEX-A F1960 PPSU Fittings.	23-24
PEX-B Tubing	25
PEX-B F1807 Brass Fittings.	27-28
PEX-B F2159 PPSU Fittings.	29
PEX Accessories	30

Hydronics	
Manifolds & Accessories	31
Tubular	
Plastic Tubular	32-33
Plumbing Kits.	34-35
Brass Tubular & Accessories	36-37
Drains	
Lavatory, Tub & Shower	38-39
Plumbing & Water Supplies	
Connectors	40-41
Stop Valves	42-44
Sump Pumps	45
Valves	46-48
Gas Connectors	49
Clamps, Straps & Accessories	50-52
Couplings.	53

HUDSON SINGLE HANDLE SPRING LOADED PULL-DOWN SPRAY KITCHEN FAUCET



- 1.8 GPM
- 1 or 3-Hole Mount
- 360° Swivel Spout
- Dual Function Spring Loaded Pull-Down Spray
- Ceramic Disc Cartridge
- Optional Deck Plate
- Supply Lines Included



Model	ID No.	Desc.
S331HKSLPD18-CH	.3591599	Chrome
S331HKSLPD18-BN	.3591600	Brushed Nickel
S331HKSLPD18-MB	.3591601	Matte Black

MORELAND SINGLE HANDLE PULL-DOWN SPRAY KITCHEN FAUCET



- 1.5 GPM
- 1 or 3-Hole Mount
- Rotating Spout
- Two Function Pull-Down Wand
- Brass Body
- Ceramic Disc Cartridge
- Optional Deck Plate
- Supply Lines Included



Model	ID No.	Desc.
S331HKPD15-CH	.3403714	Chrome

HUDSON MODERN PULL-DOWN SPRAY SINGLE HANDLE KITCHEN FAUCET



- 1.5 GPM
- 1 or 3-Hole Mount
- Rotating Spout
- Two Function Pull-Down Wand
- Ceramic Disc Cartridge
- Optional Deck Plate
- Supply Lines Included



**Features may vary based on faucet generation*

Model	ID No.	Desc.
S331HKMPD15G2-CH	.3518578	Chrome
S331HKMPD15G3-BN*	.3579792	Brushed Nickel
S331HKMPD15G3-MB*	.3579793	Matte Black
S331HKMPD15G3-BG*	.3641175	Brushed Gold

KINSMAN SINGLE HANDLE PULL-OUT SPRAY KITCHEN FAUCET



- 1.5 GPM
- 1 or 3-Hole Mount
- 100° Swivel Spout
- Brass Body
- Ceramic Disc Cartridge
- Optional Deck Plate
- Supply Lines Included



**Features may vary based on faucet generation*

Model	ID No.	Desc.
S331HKPO15G3-CH*	.3579794	Chrome
S331HKPO15G2-BN	.3490444	Brushed Nickel

ASHMERE SINGLE HANDLE PULL-DOWN SPRAY KITCHEN FAUCET



- 1.5 GPM
- 1 or 3-Hole Mount
- Three Function Pull-Down Sprayer
- Ceramic Disc Cartridge
- Optional Deck Plate
- Supply Lines Included



Model	ID No.	Desc.
S331HKPD15G3-CH	.3579790	Chrome
S331HKPD15G3-BN	.3579789	Brushed Nickel

LIFETIME WARRANTY

ON ALL STREAM33 FAUCETS & TRIM KITS

Full warranty details available online at stream33.com

EMERSON SINGLE HANDLE KITCHEN FAUCET



- 1.5 GPM
- 3-Hole Mount
- Hybrid Body
- Ceramic Disc Cartridge
- Supply Lines Included



Model	ID No.	Desc.
S331HK15G3-CH	.3579796	Chrome

EMERSON SINGLE HANDLE KITCHEN FAUCET WITH SPRAY



- 1.5 GPM
- 4-Hole Mount
- Matching Finish Sprayer Hose
- Hybrid Body
- Ceramic Cartridge
- Single Handle Deck Mount
- Supply Lines Included



Model	ID No.	Desc.
S331HKWS15-CH	.3403740	Chrome

EMERSON TWO HANDLE KITCHEN FAUCET



- 1.5 GPM
- 3-Hole Mount
- 8" Centerset
- Hot & Cold Cartridges



Model	ID No.	Desc.
S332HK15G3-CH	.3579798	Chrome
S332HK15G3-BN	.3579797	Brushed Nickel

EMERSON TWO HANDLE KITCHEN FAUCET WITH SPRAY



- 1.5 GPM
- 4-Hole Mount
- 8" Centerset
- Matching Finish Sprayer Hose
- Hot & Cold Cartridges



*Features may vary based on faucet generation

Model	ID No.	Desc.
S332HKWS15G3-CH*	.3579803	Chrome
S332HKWS15-BN	.3403741	Brushed Nickel

craft33
REFACE

Custom refacing kits for a
painless cabinet upgrade.

Learn more at craft33reface.refacingkits.com.



HUDSON MODERN SINGLE HANDLE LAVATORY FAUCET



- 1.2 GPM
- 1 or 3-Hole Mount
- Metal Body & Lever Handle
- Vessel Drain Included
- Ceramic Disc Cartridge
- Supply Lines Included
- Optional Deck Plate



Model	ID No.	Desc.
S331HMLVG3-CH	.3579785	Chrome
S331HMLVG3-BN	.3579786	Brushed Nickel
S331HMLVG3-MB	.3579787	Matte Black
S331HMLVG3-BG	.3641177	Brushed Gold

RYNA MODERN SINGLE HANDLE LAVATORY FAUCET



- 1.2 GPM
- 1 or 3-Hole Mount
- Vessel Drain Included
- Ceramic Disc Cartridge
- Supply Lines Included
- Optional Deck Plate



Model	ID No.	Desc.
S33R1HLMVG3-CH	.3582000	Chrome
S33R1HLMVG3-BN	.3582001	Brushed Nickel
S33R1HLMVG3-MB	.3582002	Matte Black
S33R1HLMVG3-BG	.3641176	Brushed Gold

MORELAND TWO HANDLE WIDESPREAD LAVATORY FAUCET



- 1.2 GPM
- 3-Hole Mount
- 6" - 12" Center Distance
- Ceramic Disc Cartridge
- Waste Assembly Included



Model	ID No.	Desc.
S332HLVWS-CH	.3423944	Chrome
S332HLVWS-BN	.3423949	Brushed Nickel

MORELAND TWO HANDLE CENTERSET LAVATORY FAUCET



- 1.2 GPM
- 3-Hole Mount
- Hot & Cold Cartridges



**Features may vary based on faucet generation*

Model	ID No.	Desc.
S332HLVHIARC-CH	.3423942	Chrome
S332HLVHIARCG3-BN*	.3579781	Brushed Nickel

EMERSON SINGLE HANDLE LAVATORY FAUCET



- 1.2 GPM
- 3-Hole Mount
- 4" Center
- Brass Body
- Ceramic Disc Cartridge
- Single Handle Deck Mount
- Supply Lines Included
- Drainpipe & Tailpiece Included



**Features may vary based on faucet generation*

Model	ID No.	Desc.
S331HLVG3-CH*	.3579780	Chrome
S331HLV-BN	.3385018	Brushed Nickel

EMERSON TWO HANDLE CENTERSET LAVATORY FAUCET



- 1.2 GPM
- 2 or 3-Hole Mount
- Hot & Cold Cartridges
- Drain Pipe & Tailpiece Included



**Features may vary based on faucet generation*

Model	ID No.	Desc.
S332HLVG3-CH*	.3579783	Chrome
S332HLVG2-BN	.3490458	Brushed Nickel

EMERSON TWO HANDLE LAUNDRY FAUCET




- 2.2 GPM
- 3-Hole Mount
- Rotating Spout
- Ceramic Disc Cartridge
- Two Handle Deck Mount



Model	ID No.	Desc.
S332HLD-CH	.3385035	Chrome

**LOOKING FOR
MORE PRODUCT
INFORMATION?**

Scan the QR code to view all of
our faucets online >>



PEX-A F1960 EXPANSION ROUGH-IN TUB VALVE, PRESSURE BALANCED



- PEX-A F1960 Expansion
- Pressure Balanced with Integral Stops
- Brass Body
- Air Test Cap Included
- Adjustable Temperature Limit Stop to Control Hot Water
- Compatible with Cartridges in Stream33 Trim Kits



Model	ID No.	Desc.
S33RITVPBPEXAG3-WS	.3579820	—

EMERSON SHOWER TRIM KIT



- 1.5 GPM
- Single Function Shower Head
- Metal Lever Handle
- Anti-scald Pressure Balanced Ceramic Disc Cartridge
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33STK15G3-CH	.3579809	Chrome
S33STK15G3-BN	.3579810	Brushed Nickel

PEX-B F1807 CRIMP ROUGH-IN TUB VALVE, PRESSURE BALANCED



- PEX-B F1807 Crimp
- Pressure Balanced with Integral Stops
- Brass Body
- Air Test Cap Included
- Adjustable Temperature Limit Stop to Control Hot Water
- Compatible with Cartridges in Stream33 Trim Kits



Model	ID No.	Desc.
S33RITVPBPEXBG3-WS	.3579819	—

EMERSON TUB AND SHOWER TRIM KIT



- 1.5 GPM
- Single Function Shower Head
- Slip Fit Tub Spout
- Metal Lever Handle
- Anti-scald Pressure Balanced Ceramic Disc Cartridge
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33STK15G3-CH	.3579811	Chrome
S33STK15G3-BN	.3579812	Brushed Nickel

Cx & MIP ROUGH-IN TUB VALVE, PRESSURE BALANCED



- Pressure Balanced with Integral Stops
- Brass Body
- Air Test Cap Included
- Adjustable Temperature Limit Stop to Control Hot Water
- Compatible with Cartridges in Stream33 Trim Kits



Model	ID No.	Desc.
S33RITVPBG3-WS	.3579821	—

HUDSON MODERN SHOWER TRIM KIT



- 1.75 GPM
- Single Function Rain Shower Head
- Metal Lever Handle
- Anti-scald Pressure Balanced Ceramic Disc Cartridge
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33MSTK175G3-CH	.3579817	Chrome
S33MSTK175G3-BN	.3579816	Brushed Nickel
S33MSTK175G3-MB	.3579818	Matte Black
S33MSTK175G3-BG	.3641178	Brushed Gold

HUDSON MODERN TUB AND SHOWER TRIM KIT



- 1.75 GPM
- Single Function Rain Shower Head
- Slip Fit Tub Spout
- Metal Lever Handle
- Anti-scald Pressure Balanced Ceramic Disc Cartridge
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33MTSTK175G3-CH	.3579813	Chrome
S33MTSTK175G3-BN	.3579814	Brushed Nickel
S33MTSTK175G3-MB	.3579815	Matte Black
S33MTSTK175G3-BG	.3641179	Brushed Gold



**VIEW OUR LATEST
PRODUCTS ONLINE**

Scan the QR code to view all of
[<< our trim kits online](#)

EMERSON SHOWER HEAD



- 1.5 GPM
- Single Function Shower Head
- Non-Metallic Spray Face
- Fits any 1/2" Shower Rod
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33SH15G3-CH	.3579804	Chrome
S33SH15G3-BN	.3579805	Brushed Nickel

HEISA ADA HANDHELD SHOWER AND GRAB BAR



- 1.5 GPM
- 23-5/8" Metal Slide/Grab Bar
- ABS Slider
- 6 Function Handheld Shower
- 59" Double Interlock Spiral Metal Hose
- ADA Compliant



*Features may vary based on generation

Model	ID No.	Desc.
S336HHS15-CH	.3551304	Chrome
S336HHS15-BN	.3551303	Brushed Nickel
S336HHS15G2-MB*	.3641181	Matte Black
S336HHS15G2-BG*	.3641185	Brushed Gold

HUDSON SHOWER HEAD



- 1.75 GPM
- Single Function Rain Shower Head
- Non-metallic Spray Face
- Fits Any 1/2" Shower Rod
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33MTSTK175SHG3-CH	.3641193	Chrome
S33MTSTK175SHG3-BN	.3641195	Brushed Nickel
S33MTSTK175SHG3-MB	.3641197	Matte Black



EMERSON TOILET PAPER HOLDER



- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Contemporary Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33EPH-CH	.3509097	Chrome
S33EPH-BN	.3509098	Brushed Nickel

EMERSON DOUBLE ROBE HOOK



- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Contemporary Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33EDRH-CH	.3509104	Chrome
S33EDRH-BN	.3509105	Brushed Nickel

EMERSON TOWEL BAR



- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Contemporary Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33E18TB-CH	.3509100	18" Chrome
S33E18TB-BN	.3509101	18" Brushed Nickel

Model	ID No.	Desc.
S33E24TB-CH	.3509102	24" Chrome
S33E24TB-BN	.3509103	24" Brushed Nickel

EMERSON TOWEL RING



- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Contemporary Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33ETR-CH	.3508921	Chrome
S33ETR-BN	.3509096	Brushed Nickel

EMERSON CURVED SHOWER ROD



- Constructed Zinc Mounting Bracket
- 24GA Stainless Steel Rod
- Swivel Connector Design
- Fits 57-1/4" - 60-5/8" Distance Between Walls
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33E60CSR-BN	.3528495	60" Brushed Nickel

VIEW SPEC SHEETS, WARRANTIES & MORE ONLINE

Scan the QR code to view all of our bathroom accessories online >>



HUDSON TOILET PAPER HOLDER



- Sturdy Metal Structure
- Pivoting Changing Method
- Modern Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33HPH-CH	.3509126	Chrome
S33HPH-BN	.3509127	Brushed Nickel
S33HPH-MB	.3509128	Matte Black

HUDSON TOWEL RING



- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33HTR-CH	.3509106	Chrome
S33HTR-BN	.3509108	Brushed Nickel
S33HTR-MB	.3509109	Matte Black

HUDSON TOWEL BAR



- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33H18TB-CH	.3509110	18" Chrome
S33H18TB-BN	.3509111	18" Brushed Nickel
S33H18TB-MB	.3509112	18" Matte Black

Model	ID No.	Desc.
S33H24TB-CH	.3509114	24" Chrome
S33H24TB-BN	.3509115	24" Brushed Nickel
S33H24TB-MB	.3509117	24" Matte Black

HUDSON SINGLE ROBE HOOK



- Sturdy Metal Structure
- Modern Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33HRH-CH	.3509118	Chrome
S33HRH-BN	.3509119	Brushed Nickel
S33HRH-MB	.3509120	Matte Black

HUDSON DOUBLE ROBE HOOK



- Sturdy Metal Structure
- Solid Brass Holders
- Modern Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33HDRH-CH	.3509121	Chrome
S33HDRH-BN	.3509122	Brushed Nickel
S33HDRH-MB	.3509123	Matte Black

HUDSON STRAIGHT SHOWER ROD



- 1" Outer Diameter
- Fits 60" - 60-1/2" Distance Between Walls
- Aluminum Rods
- For Use with Hudson Shower Rod Flanges (Sold Separately)
- Lifetime Warranty

Model	ID No.	Desc.
S33H60SSR-CH	.3539038	Chrome
S33H60SSR-BN	.3538976	Brushed Nickel
S33H60SSR-MB	.3538980	Matte Black

HUDSON SHOWER ROD FLANGES



- ABS Plastic
- For Use with Hudson Straight Shower Rod (Sold Separately)
- Lifetime Warranty

Model	ID No.	Desc.
S33HSRF-CH	.3539037	Chrome
S33HSRF-BN	.3538972	Brushed Nickel
S33HSRF-MB	.3538979	Matte Black

STAINLESS STEEL SINGLE BOWL KITCHEN SINK



- 25" x 22"
- Top Mount
- 3-1/2" Drain Opening
- 1-1/2" Corner Radius
- 27" Minimum Base Cabinet Width
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S33252263-A	.3432264	3	22	6"
S33252264-A	.3432268	4	22	6"
S33252283-A	.3432270	3	20	8"
S33252284-A	.3432274	4	20	8"

STAINLESS STEEL ADA SINGLE BOWL KITCHEN SINK



- 25" x 22"
- Top Mount
- 3-1/2" Drain Opening
- 27" Minimum Base Cabinet Width
- ADA Compliant
- Rear-Centered Drain
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S3325226ADA	.3570054	3	20	6"

STAINLESS STEEL DOUBLE BOWL KITCHEN SINK



- 33" x 22"
- Top Mount
- 3-1/2" Drain Opening
- 1-1/2" Corner Radius
- 36" Minimum Base Cabinet Width
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S33332263-A	.3432296	3	22	6"
S33332264-A	.3432321	4	22	6"
S33332283-A	.3432322	3	20	8"
S33332284-A	.3432323	4	20	8"

STAINLESS STEEL ADA DOUBLE BOWL KITCHEN SINK



- 33" x 22"
- Top Mount
- 3-1/2" Drain Opening
- 36" Minimum Base Cabinet Width
- ADA Compliant
- Rear-Centered Drain
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S3333226ADA	.3570052	3	20	6"

STAINLESS STEEL SINGLE BOWL UNDERMOUNT KITCHEN SINK



- 30" x 18"
- Undermount
- 3-1/2" Drain Opening
- 33" Minimum Base Cabinet Width
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S3330189RDUS	.3596981	—	18	9"

STAINLESS STEEL SINGLE BOWL UNDERMOUNT KITCHEN SINK



- 30" x 18"
- Undermount
- 3-1/2" Drain Opening
- 33" Minimum Base Cabinet Width
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S3330189US	.3422991	—	18	9"

STAINLESS STEEL SINGLE BOWL BAR SINK



- 15" x 15"
- Top Mount
- 3-9/16" Drain Opening
- 1-1/2" Corner Radius
- 18" Minimum Base Cabinet Width
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S33151561-A	.3432239	1	22	6"
S33151562-A	.3432243	2	22	6"
S33151563-A	.3432255	3	22	6"

* For 4" Center ** For 8" Center

BASKET STRAINER



- Polished Stainless Steel Finish
- Ball Locking Stainless Steel Basket
- Fits 3-1/2" Opening
- 1-1/2" Connection
- Less Tailpiece
- 4-1/2" Deep Locking Cup



Model	ID No.	Desc.
S331131-0044-SS	.3321762	—

GARBAGE DISPOSAL




- Permanent Magnet Motor
- Corrosion-Proof
- Removable Splash Guard
- 3-Bolt Mount System
- Attached Power Cord
- Antimicrobial Odor Detection



Model	ID No.	HP	RPM	Warranty
S33W13WC-G2	.3525217	1/3	2400	5-Year Warranty
S33W12WC-G2	.3525240	1/2	2600	6-Year Warranty
S33W34WC-G2	.3525242	3/4	2700	10-Year Warranty

**LOOKING FOR
MORE PRODUCT
INFORMATION?**

Scan the QR code to view all of
our sink products online >>



**GARBAGE
DISPOSALS**



EMERSON PEDESTAL 2-PIECE LAVATORY SINK



- 26" x 19"
- Vitreous China
- Rectangular Basin
- 3-Hole Design
- Overflow Drain
- Wall Bracket Included
- 5-Year Warranty



Model	ID No.	Desc.
S33EPL2619-4/S33EPLB	.3566425	3-Hole, 4" Centerset
S33EPL2619-8/S33EPLB	.3566426	3-Hole, 8" Centerset

MASON PEDESTAL 2-PIECE LAVATORY SINK



- 22" x 18"
- Vitreous China
- Oval Basin
- 1 or 3-Hole Design
- Wall Bracket Included
- 5-Year Warranty



Model	ID No.	Desc.
S33MPL2117-1/S33MPLB	.3548252	1-Hole
S33MPL2117-4/S33MPLB	.3546839	3-Hole, 4" Centerset

MASON RECTANGULAR UNDERMOUNT LAVATORY SINK



- 20" x 14"
- Vitreous China
- Undermount Installation
- Overflow Drain
- 5-Year Warranty



Model	ID No.	Desc.
S33MRUL2014	.3544965	—

MASON OVAL UNDERMOUNT LAVATORY SINK



- 19" x 17"
- Vitreous China
- Undermount Installation
- Overflow Drain
- 5-Year Warranty



Model	ID No.	Desc.
S33MOUL1917	.3544964	—

MASON OVAL DROP-IN LAVATORY SINK



- 20" x 17"
- Vitreous China
- 3-Hole Design
- 4" Centerset
- Overflow Drain
- 5-Year Warranty



Model	ID No.	Desc.
S33MODL2017-4	.3544966	3-Hole, 4" Centerset

MASON ROUND DROP-IN LAVATORY SINK




- 19"
- Vitreous China
- 1 or 3-Hole Design
- Overflow Drain
- 5-Year Warranty



Model	ID No.	Desc.
S33MRNDDL19-4	.3544960	3-Hole, 4" Centerset

**TECHNICAL DOCS
AVAILABLE**

Scan the QR code to view all of our
lavatory sinks online >>



ELONGATED FRONT ADA 2-PIECE TOILET



- 1.28 GPF
- 3" Flush Valve
- Glazed Trap Way
- 5-Year Warranty



*WaterSense applies to 12" Tanks only.

KIT COMPONENTS

- **12"** (.3492878) OR **10"** (.3502771) ADA Bowl
- **Left Hand** (.3492880) OR **Right Hand** (.3492881) Tank

Model	ID No.	Trip Lever	Rough-In
S33TBE10-ADA/S33TANK-L	.3503014	Left	10"
S33TBE10-ADA/S33TANK-R	.3503013	Right	10"
S33TBE12-ADA/S33TANK-L*	.3503016	Left	12"
S33TBE12-ADA/S33TANK-R*	.3503015	Right	12"

ELONGATED FRONT 2-PIECE TOILET



- 1.28 GPF
- 3" Flush Valve
- Glazed Trap Way
- 5-Year Warranty



*WaterSense applies to 12" Tanks only.

KIT COMPONENTS

- **12"** (.3492879) OR **10"** (.3502769) Bowl
- **Left Hand** (.3492880) OR **Right Hand** (.3492881) Tank

Model	ID No.	Trip Lever	Rough-In
S33TBE10/S33TANK-L	.3503018	Left	10"
S33TBE10/S33TANK-R	.3503017	Right	10"
S33TBE12/S33TANK-L	.3503022	Left	12"
S33TBE12/S33TANK-R	.3503019	Right	12"

ROUND FRONT 2-PIECE TOILET



- 1.28 GPF
- 3" Flush Valve
- Glazed Trap Way
- 5-Year Warranty



KIT COMPONENTS

- **12"** (.3492872) Bowl
- **Left Hand** (.3492880) OR **Right Hand** (.3492881) Tank

Model	ID No.	Trip Lever	Rough-In
S33TBR12/S33TANK-L	.3503026	Left	12"
S33TBR12/S33TANK-R	.3503024	Right	12"

OD COMP X BALLCOCK NUT TOILET CONNECTOR



- OD Comp x Ballcock Nut
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-387809	.3406506	3/8" x 7/8" x 9"
S33-EFSL-387812	.3406507	3/8" x 7/8" x 12"
S33-EFSL-387816	.3406508	3/8" x 7/8" x 16"
S33-EFSL-387820	.3406509	3/8" x 7/8" x 20"



**FIND THE RIGHT
PRODUCT FOR
THE JOB**

Scan the QR code to view all of
[our toilets online](#)

CLOSET BOLT



- Solid Brass Closet Bolts and Nuts
- Stainless Steel Washers
- Snap-Off Slot with Captured Washer
- Sold as Pair

Model	ID No.	Desc.
S331535-1211	.3359175	1/4" x 2-1/4"
S331535-1214	.3359183	5/16" x 2-1/4"

CLOSET FLANGE



- Fits 3" or 4" DWV Pipe
- Test Cap Included
- Provides a Seal Surface for the Wax Ring
- More Anchoring Points to Help Stabilize and Resist Shifting
- Corrosion Resistant



Model	ID No.	Desc.
S33CF34PVCPR1	.3566542	PVC w/ Plastic Ring
S33CF34PVCSR1	.3566543	PVC w/ Swivel SS Ring
S33CF34ABSSR1	.3566545	ABS w/ Swivel SS Ring

WAX RING



- Fits Standard 3" and 4" Waste Lines
- Optional Horn Design
- Pliable, Forming a Custom Seal Under Compression
- Creates a Gas Tight, Leak-proof Seal
- Non-Stick Wax Formula for Easy Handling and Installation

Model	ID No.	Sleeve	Desc.
S331538-1104	.3359404	—	7/8"
S331538-1001	.3359409	Yes	7/8"
S331538-1105	.3409276	—	1-5/8"
S331538-1002	.3409536	Yes	1-5/8"

SS Ring



- Adds Strength and Rigidity to Prevent Cracking or Deformation of the Flange
- Fits 3" or 4" DWV Pipe
- Pre-drilled Hole for Stabilization
- Swivel Design Allows User to Adjust Bolt Alignment



Model	ID No.	Desc.
S33CF5R	.3566546	SS Ring



PLASTIC CLOSED FRONT ELONGATED TOILET SEAT WITH COVER



- Plastic with UV Protection
- Molded in Bumpers
- Matching Adjustable Hinge
- Non-Corrosive Nuts and Bolts
- Top Mount Design
- 2-Year Warranty

Model	ID No.	Desc.
S331241-1901-WH	.3315233	Plastic

PLASTIC CLOSED FRONT ROUND TOILET SEAT WITH COVER



- Plastic with UV Protection
- Molded in Bumpers
- Matching Adjustable Hinge
- Non-Corrosive Nuts and Bolts
- Top Mount Design
- 2-Year Warranty

Model	ID No.	Desc.
S331241-1701-WH	.3315232	Plastic

PLASTIC ELONGATED FRONT SLOW CLOSE TOILET SEAT



- Plastic with UV Protection
- Matching Adjustable Hinge
- Non-Corrosive Nuts and Bolts
- Bottom Mounting
- Soft Closing
- 2-Year Warranty

Model	ID No.	Desc.
S33-MTC0704B-WH	.3405671	Plastic

PLASTIC ROUND FRONT SLOW CLOSE TOILET SEAT



- Plastic with UV Protection
- Matching Adjustable Hinge
- Non-Corrosive Nuts and Bolts
- Bottom Mounting
- Soft Closing
- 2-Year Warranty

Model	ID No.	Desc.
S33-MTC1305-WH	.3344933	Plastic

WOOD CLOSED FRONT ELONGATED TOILET SEAT WITH COVER



- Molded Wood Construction
- Plastic Top Mount Hinge
- Matching Bumpers
- Multi-Coat Enamel Finish
- 2-Year Warranty

Model	ID No.	Desc.
S331242-1901-WH	.3331292	Wood

WOOD CLOSED FRONT ROUND TOILET SEAT WITH COVER



- Molded Wood Construction
- Plastic Top Mount Hinge
- Matching Bumpers
- Multi-Coat Enamel Finish
- 2-Year Warranty


Model	ID No.	Desc.
S331242-1701-WH	.3331291	Wood

PLASTIC ELONGATED OPEN FRONT TOILET SEAT



- Heavy Weight Molded Plastic
- Self-Sustaining Check Hinge
- Holds Seat up to 11"
- Heavy Weight Molded Plastic
- Large Molded Bumpers
- Stainless Steel Hinges and Bolts
- Slip Resistant Pads
- 2-Year Warranty

Model	ID No.	Desc.
S331241-1922-WH	.3331289	Plastic



**PRODUCT DETAILS
AVAILABLE ONLINE**

Scan the QR code to view all of
[<< our toilet seats online](#)



TANKLESS WATER HEATER



- 10:1 Modulation
- 2" or 3" Vent Size
- Natural Gas or Liquid Propane Models Available
- Stainless Steel & Lead-Free Dual Heat Exchanger
- 5' Power Cord
- Digital Control Board with LCD Display



Model	ID No.	Desc.
S33-95TWH199-NG	.3598640	Natural Gas
S33-95TWH199-LP	.3598643	Liquid Propane

ELECTRIC WATER HEATER



- Stainless Steel, Enamel Coated Heating Elements
- Factory Installed Heat Trap & Top Mount T&P Safety Relief Valve*
- 2" Insulation Thickness
- 3/4" NPT Water Connection
- 208V/240V
- 3/4" Hex Head Magnesium Anode Rod



Model	ID No.	Desc.
S33-30SEWH-4500	.3612935	Short 30 Gal, 22" x 38"
S33-40SEWH-4500	.3612936	Short 40 Gal, 22" x 47-1/2"
S33-50SEWH-4500	.3612937	Short 50 Gal, 24" x 47-1/2"
S33-30LEWH-4500*	.3621663	Low 30 Gal, 20" x 32-13/16"
S33-40LEWH-4500*	.3621664	Low 40 Gal, 23" x 34-7/8"

*Features may vary based on Model

HEAT PUMP WATER HEATER



- 3/4" MNPT Side Mounted Connection
- Magnesium Anode Rod
- 4500 /240V Upper & Lower Element Wattage
- Built-in CTA-2025 Diagnostic Port
- Enamel Liner
- Vertical Transportation of Water Heater Required



Model	ID No.	Desc.
S33-HPWH50	.3597870	50 Gal
S33-HPWH80	.3597873	80 Gal

30, 40 & 50 Gallon Tank Capacities

Available in Short and Lowboy Electric Models

199k BTU Tankless Units

Available in NP and LP Models

Up to a 6-Year Tank & 15-Year Tankless Warranty

*When used in residential applications; visit stream33.com for more details.

LOOKING FOR MORE PRODUCT INFO?

Scan the QR code to view all of our water heaters & accessories online >>



WATER HEATER PAN



- Aluminum
- Installable Under Electric or Gas
- Pre-Drilled Hole
- 2-1/2" Pan Depth

Model	ID No.	Desc.
S332220-0004	.3330276	24" I.D., 25-3/4" O.D.
S332220-0005	.3330278	26" I.D., 27-3/4" O.D.

WATER HEATER SAFETY TANK



- 3/4" NPT
- For Domestic Hot Water Systems
- Installable Vertical or Horizontal
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S33-S5	.3344003	2.1 Gallon
S33-S12	.3344005	4.5 Gallon

Ducting Kit



- Pairs with Stream33 Heat Pump Water Heaters

Model	ID No.	Desc.
HPWHA-08A(UL)	.3616302	—

TANKLESS WATER HEATER VALVE KIT



- Includes 150 PSI Pressure Relief Valve, Cold Water Inlet Valve & Hot Water Outlet Valve
- Compatible with Stream33 Tankless Water Heater



Model	ID No.	Desc.
S33-TWV34FNPT-PRV	.3582516	3/4"
S33-TWV-RSG	.3582582	Replacement Seal Gaskets (2)

RED PEX-A STRAIGHT TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220R-PEXA	.3503541	1/2" x 20'
S333420R-PEXA	.3503544	3/4" x 20'
S33120R-PEXA	.3503547	1" x 20'

BLUE PEX-A STRAIGHT TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220B-PEXA	.3503542	1/2" x 20'
S333420B-PEXA	.3503545	3/4" x 20'
S33120B-PEXA	.3503548	1" x 20'

RED PEX-A COIL TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100R-PEXA	.3503554	1/2" x 100'
S3312300R-PEXA	.3503564	1/2" x 300'
S3312500R-PEXA	.3557643	1/2" x 500'
S33121000R-PEXA	.3503578	1/2" x 1000'
S3334100R-PEXA	.3503556	3/4" x 100'
S3334300R-PEXA	.3503567	3/4" x 300'
S331100R-PEXA	.3503559	1" x 100'
S331300R-PEXA	.3503570	1" x 300'

BLUE PEX-A COIL TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100B-PEXA	.3503553	1/2" x 100'
S3312300B-PEXA	.3503565	1/2" x 300'
S3312500B-PEXA	.3557645	1/2" x 500'
S33121000B-PEXA	.3503579	1/2" x 1000'
S3334100B-PEXA	.3503557	3/4" x 100'
S3334300B-PEXA	.3503568	3/4" x 300'
S331100B-PEXA	.3503560	1" x 100'

WHITE PEX-A STRAIGHT TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220W-PEXA	.3503540	1/2" x 20'
S333420W-PEXA	.3503543	3/4" x 20'
S33120W-PEXA	.3503546	1" x 20'
S3311420W-PEXA	.3503549	1-1/4" x 20'
S3311220W-PEXA	.3503550	1-1/2" x 20'
S33220W-PEXA	.3503551	2" x 20'


WHITE PEX-A COIL TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100W-PEXA	.3503552	1/2" x 100'
S3312300W-PEXA	.3503563	1/2" x 300'
S33121000W-PEXA	.3503577	1/2" x 1000'
S3334100W-PEXA	.3503555	3/4" x 100'
S3334300W-PEXA	.3503566	3/4" x 300'
S331100W-PEXA	.3503558	1" x 100'
S331300W-PEXA	.3503569	1" x 300'
S33114100W-PEXA	.3503561	1-1/4" x 100'
S33114300W-PEXA	.3503571	1-1/4" x 300'
S33112100W-PEXA	.3503562	1-1/2" x 100'
S33112300W-PEXA	.3503572	1-1/2" x 300'



PEX-A & B TUBING
AVAILABLE

Scan the QR code to view all of
<< our PEX tubing online



J-HOOKS
Available on page 50

PEX-A F1960 EXPANSION X SWEAT BRASS FEMALE ADAPTER



- PEX-A F1960 Expansion x Female Sweat
- C69300 Lead-Free Brass
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312BPFSW-PEXA	.3517587	1/2" x 1/2"
S3334BPFSW-PEXA	.3517588	3/4" x 3/4"
S331BPFSW-PEXA	.3517590	1" x 1"
S33114BPFSW-PEXA	.3532900	1-1/4" x 1-1/4"
S33112BPFSW-PEXA	.3532901	1-1/2" x 1-1/2"
S332BPFSW-PEXA	.3532902	2" x 2"

PEX-A F1960 EXPANSION X FIP BRASS DROP-EAR ELBOW



- PEX-A F1960 Expansion x FIP
- C69300 Lead-Free Brass
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312BPDEELBOW-PEXA	.3517623	1/2" x 1/2"

PEX-A F1960 EXPANSION X MIP BRASS MALE ADAPTER



- PEX-A F1960 Expansion x MIP
- C69300 Lead-Free Brass
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312BPMIP-PEXA	.3517618	1/2" x 1/2"
S3334BPMIP-PEXA	.3517619	3/4" x 3/4"
S33341BPMIP-PEXA	.3532896	3/4" x 1"
S331BPMIP-PEXA	.3517620	1" x 1"
S33114BPMIP-PEXA	.3532897	1-1/4" x 1-1/4"
S33112BPMIP-PEXA	.3532898	1-1/2" x 1-1/2"
S332BPMIP-PEXA	.3532899	2" x 2"

PEX-A F1960 EXPANSION X SWEAT BRASS MALE ADAPTER



- PEX-A F1960 Expansion x Sweat
- C69300 Lead-Free Brass
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312BPMSW-PEXA	.3522498	1/2" x 1/2"
S3334BPMSW-PEXA	.3522499	3/4" x 3/4"
S331BPMSW-PEXA	.3532892	1" x 1"
S33114BPMSW-PEXA	.3532893	1-1/4" x 1-1/4"
S33112BPMSW-PEXA	.3532894	1-1/2" x 1-1/2"
S332BPMSW-PEXA	.3532895	2" x 2"

PEX-A F1960 EXPANSION X FIP BRASS FEMALE ADAPTER



- PEX-A F1960 Expansion x FIP
- C69300 Lead-Free Brass
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312BPFIP-PEXA	.3517621	1/2" x 1/2"
S331234BPFIP-PEXA	.3517622	1/2" x 3/4"
S3334BPFIP-PEXA	.3517624	3/4" x 3/4"
S331BPFIP-PEXA	.3517625	1" x 1"



**VIEW ALL PEX-A
FITTINGS ONLINE**

Scan the QR code to view
all of our PEX-A F1960
<< expansion fittings online

PEX-A F1960 EXPANSION PPSU TEE



- PEX-A F1960 Expansion x PEX-A F1960 Expansion x PEX-A F1960 Expansion
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312PPTEE-PEXA	.3517563	1/2" x 1/2" x 1/2"
S33121234PPTEE-PEXA	.3517566	1/2" x 1/2" x 3/4"
S33341212PPTEE-PEXA	.3517570	3/4" x 1/2" x 1/2"
S33341234PPTEE-PEXA	.3517573	3/4" x 1/2" x 3/4"
S33343412PPTEE-PEXA	.3517577	3/4" x 3/4" x 1/2"
S3334PPTEE-PEXA	.3517578	3/4" x 3/4" x 3/4"
S3313434PPTEE-PEXA	.3526267	1" x 3/4" x 3/4"
S331112PPTEE-PEXA	.3526268	1" x 1" x 1/2"
S331134PPTEE-PEXA	.3517581	1" x 1" x 3/4"
S331PPTEE-PEXA	.3517582	1" x 1" x 1"
S3311411412PPTEE-PEXA	.3532867	1-1/4" x 1-1/4" x 1/2"
S3311411434PPTEE-PEXA	.3532868	1-1/4" x 1-1/4" x 3/4"
S331141141PPTEE-PEXA	.3532869	1-1/4" x 1-1/4" x 1"
S33114PPTEE-PEXA	.3532870	1-1/4" x 1-1/4" x 1-1/4"
S3311211212PPTEE-PEXA	.3532871	1-1/2" x 1-1/2" x 1/2"
S3311211234PPTEE-PEXA	.3532872	1-1/2" x 1-1/2" x 3/4"
S331121121PPTEE-PEXA	.3532873	1-1/2" x 1-1/2" x 1"
S33112PPTEE-PEXA	.3532874	1-1/2" x 1-1/2" x 1-1/2"
S332212PPTEE-PEXA	.3532875	2" x 2" x 1/2"
S332234PPTEE-PEXA	.3532876	2" x 2" x 3/4"
S33221PPTEE-PEXA	.3532877	2" x 2" x 1"
S3322112PPTEE-PEXA	.3532878	2" x 2" x 1-1/2"
S332PPTEE-PEXA	.3532879	2" x 2" x 2"

PEX-A F1960 X PEX-A F1960 PPSU ELBOW



- PEX-A F1960 Expansion x PEX-A F1960 Expansion
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312PPELBOW-PEXA	.3517584	1/2" x 1/2"
S3334PPELBOW-PEXA	.3517585	3/4" x 3/4"
S331PPELBOW-PEXA	.3517586	1" x 1"
S33114PPELBOW-PEXA	.3532880	1-1/4" x 1-1/4"
S33112PPELBOW-PEXA	.3532881	1-1/2" x 1-1/2"
S3322PPELBOW-PEXA	.3532882	2" x 2"

PEX-A F1960 EXPANSION X PEX-A F1960 EXPANSION PPSU COUPLING



- PEX-A F1960 Expansion x PEX-A F1960 Expansion
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312PPCOUP-PEXA	.3517594	1/2" x 1/2"
S333412PPCOUP-PEXA	.3517611	3/4" x 1/2"
S3334PPCOUP-PEXA	.3517610	3/4" x 3/4"
S33134PPCOUP-PEXA	.3517616	1" x 3/4"
S331PPCOUP-PEXA	.3517614	1" x 1"
S3311434PPCOUP-PEXA	.3532883	1-1/4" x 3/4"
S331141PPCOUP-PEXA	.3532884	1-1/4" x 1"
S33114PPCOUP-PEXA	.3532885	1-1/4" x 1-1/4"
S3311234PPCOUP-PEXA	.3532886	1-1/2" x 3/4"
S331121PPCOUP-PEXA	.3532887	1-1/2" x 1"
S33112114PPCOUP-PEXA	.3532888	1-1/2" x 1-1/4"
S33112PPCOUP-PEXA	.3532889	1-1/2" x 1-1/2"
S332112PPCOUP-PEXA	.3532890	2" x 1-1/2"
S332PPCOUP-PEXA	.3532891	2" x 2"

PEX-A F1960 PPSU PLUG



- PEX-A F1960 Expansion
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312PPLUG-PEXA	.3517553	1/2"
S3334PPLUG-PEXA	.3517556	3/4"
S331PPLUG-PEXA	.3517559	1"
S33114PPLUG-PEXA	.3532864	1-1/4"
S33112PPLUG-PEXA	.3532865	1-1/2"
S332PPLUG-PEXA	.3532866	2"

PEX-A F1960 PPSU MULTI-PORT TEE, OPEN



- PEX-A F1960 Expansion
- 3/4" Inlet/Outlet Ends
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S333412PPOEMPTEE2-PEXA	.3517629	(2) 1/2" Outlets
S333412PPOEMPTEE3-PEXA	.3517633	(3) 1/2" Outlets
S333412PPOEMPTEE4-PEXA	.3517636	(4) 1/2" Outlets
S333412PPOEMPTEE6-PEXA	.3517638	(6) 1/2" Outlets

PEX-A F1960 PPSU MULTI-PORT TEE, CLOSED



- PEX-A F1960 Expansion
- 3/4" Inlet End
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S333412PPCEMPTEE3-PEXA	.3517631	(3) 1/2" Outlets
S333412PPCEMPTEE4-PEXA	.3517634	(4) 1/2" Outlets
S333412PPCEMPTEE6-PEXA	.3517637	(6) 1/2" Outlets

PEX-A RING



- PEX-A
- Cross-Linked Polyethylene (PEX)
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312ER-PEXA-G2	.3563957	1/2"
S3358ER-PEXA-G2	.3563624	5/8"
S3334ER-PEXA-G2	.3517627	3/4"
S331ER-PEXA-G2	.3563955	1"
S33114ER-PEXA-G2	.3563625	1-1/4"
S33112ER-PEXA-G2	.3563628	1-1/2"
S332ER-PEXA-G2	.3563630	2"

PEX 101



PEX-A
expansion type



PEX-B
crimp type

RED PEX-B STRAIGHT TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220R-PEXB	.3510024	1/2" x 20'
S333420R-PEXB	.3510030	3/4" x 20'
S33120R-PEXB	.3510033	1" x 20'

BLUE PEX-B STRAIGHT TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220B-PEXB	.3510029	1/2" x 20'
S333420B-PEXB	.3510032	3/4" x 20'
S33120B-PEXB	.3510035	1" x 20'

RED PEX-B COIL TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100R-PEXB	.3510039	1/2" x 100'
S3312300R-PEXB	.3510052	1/2" x 300'
S3312500R-PEXB	.3510064	1/2" x 500'
S3334100R-PEXB	.3510043	3/4" x 100'
S3334300R-PEXB	.3510055	3/4" x 300'
S3334500R-PEXB	.3510067	3/4" x 500'
S331100R-PEXB	.3510046	1" x 100'
S331300R-PEXB	.3510058	1" x 300'

BLUE PEX-B COIL TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100B-PEXB	.3510042	1/2" x 100'
S3312300B-PEXB	.3510054	1/2" x 300'
S3312500B-PEXB	.3510065	1/2" x 500'
S3334100B-PEXB	.3510045	3/4" x 100'
S3334300B-PEXB	.3510057	3/4" x 300'
S3334500B-PEXB	.3510068	3/4" x 500'
S331100B-PEXB	.3510048	1" x 100'
S331300B-PEXB	.3510060	1" x 300'

WHITE PEX-B STRAIGHT TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220W-PEXB	.3510028	1/2" x 20'
S333420W-PEXB	.3510031	3/4" x 20'
S33120W-PEXB	.3510034	1" x 20'
S3311420W-PEXB	.3510036	1-1/4" x 20'

WHITE PEX-B COIL TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100W-PEXB	.3510041	1/2" x 100'
S3312300W-PEXB	.3510053	1/2" x 300'
S3312500W-PEXB	.3510063	1/2" x 500'
S3334100W-PEXB	.3510044	3/4" x 100'



stream33.com



breeze33.com



craft33products.com



bright33.com

PEX-B F1807 CRIMP X PEX-B F1807 CRIMP BRASS COUPLING



- PEX-B F1807 Crimp x PEX-B F1807 Crimp
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S331238BPCOUP-PEXB	.3487381	1/2" x 3/8"
S3312BPCOUP-PEXB	.3484229	1/2" x 1/2"
S333412BPCOUP-PEXB	.3484231	3/4" x 1/2"
S3334BPCOUP-PEXB	.3484230	3/4" x 3/4"
S33134BPCOUP-PEXB	.3484233	1" x 3/4"
S331BPCOUP-PEXB	.3484232	1" x 1"

PEX-B F1807 CRIMP X FIP BRASS FEMALE ADAPTER



- PEX-B F1807 Crimp x FIP
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPFIP-PEXB	.3484234	1/2" x 1/2"
S331234BPFIP-PEXB	.3484237	1/2" x 3/4"
S3334BPFIP-PEXB	.3484235	3/4" x 3/4"

PEX-B F1807 CRIMP X SWEAT BRASS FEMALE ADAPTER



- PEX-B F1807 Crimp x Female Sweat
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPFSW-PEXB	.3484236	1/2" x 1/2"
S3334BPFSW-PEXB	.3484238	3/4" x 3/4"
S331BPFSW-PEXB	.3484239	1" x 1"

PEX-B F1807 CRIMP X MIP BRASS MALE ADAPTER



- PEX-B F1807 Crimp x MIP
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPMIP-PEXB	.3484240	1/2" x 1/2"
S331234BPMIP-PEXB	.3484241	1/2" x 3/4"
S3334BPMIP-PEXB	.3484242	3/4" x 3/4"
S33341BPMIP-PEXB	.3487377	3/4" x 1"
S33134BPMIP-PEXB	.3484243	1" x 3/4"
S331BPMIP-PEXB	.3484244	1" x 1"

PEX-B F1807 CRIMP X SWEAT BRASS MALE ADAPTER



- PEX-B F1807 Crimp x Male Sweat
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPMSW-PEXB	.3484245	1/2" x 1/2"
S3334BPMSW-PEXB	.3484246	3/4" x 3/4"
S331BPMSW-PEXB	.3484247	1" x 1"

PEX-B F1807 CRIMP X PEX-B F1807 CRIMP BRASS ELBOW



- PEX-B F1807 Crimp x PEX-B F1807 Crimp
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPELBOW-PEXB	.3484248	1/2" x 1/2"
S333412BPELBOW-PEXB	.3484250	3/4" x 1/2"
S3334BPELBOW-PEXB	.3484249	3/4" x 3/4"
S331BPELBOW-PEXB	.3484251	1" x 1"

PEX-B F1807 CRIMP BRASS TEE



- PEX-B F1807 Crimp x PEX-B F1807 Crimp
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPTEE-PEXB	.3484252	1/2" x 1/2" x 1/2"
S33121234BPTEE-PEXB	.3484253	1/2" x 1/2" x 3/4"
S33341212BPTEE-PEXB	.3484255	3/4" x 1/2" x 1/2"
S33341234BPTEE-PEXB	.3484257	3/4" x 1/2" x 3/4"
S33343412BPTEE-PEXB	.3484256	3/4" x 3/4" x 1/2"
S3334BPTEE-PEXB	.3484254	3/4" x 3/4" x 3/4"
S3313434BPTEE-PEXB	.3484260	1" x 3/4" x 3/4"
S331112BPTEE-PEXB	.3484259	1" x 1" x 1/2"
S331134BPTEE-PEXB	.3484261	1" x 1" x 3/4"
S331BPTEE-PEXB	.3484258	1" x 1" x 1"

PEX-B F1807 CRIMP X FIP BRASS DROP-EAR ELBOW



- PEX-B F1807 Crimp x FIP
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPDEELBOW-PEXB	.3484262	1/2" x 1/2"
S333412BPDEELBOW-PEXB	.3484263	3/4" x 1/2"
S3334BPDEELBOW-PEXB	.3484264	3/4" x 3/4"

PEX-B F1807 CRIMP X PEX-B F1807 CRIMP BRASS PLUG



- PEX-B F1807 Crimp x PEX-B F1807 Crimp
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPPLUG-PEXB	.3484265	1/2"
S3334BPPLUG-PEXB	.3484266	3/4"
S331BPPLUG-PEXB	.3484267	1"



VIEW TECHNICAL BULLETINS & MORE ONLINE

Scan the QR code to view all of our PEX-B F1807 crimp fittings online >>



PEX-B F2159 CRIMP X PEX-B F2159 CRIMP PPSU COUPLING



- PEX-B F2159 Crimp x PEX-B F2159 Crimp
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPCOUP-PEXB	.3484292	1/2" x 1/2"
S333412PPCOUP-PEXB	.3484294	3/4" x 1/2"
S3334PPCOUP-PEXB	.3484293	3/4" x 3/4"
S33134PPCOUP-PEXB	.3484296	1" x 3/4"
S331PPCOUP-PEXB	.3484295	1" x 1"

PEX-B F2159 CRIMP X FIP PPSU FEMALE SWIVEL ELBOW



- PEX-B F2159 Crimp x FIP
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPSFELBOW-PEXB	.3484305	1/2" x 1/2"

PEX-B F2159 CRIMP X FIP PPSU FEMALE SWIVEL ADAPTER



- PEX-B F2159 Crimp x FIP
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPFIP-PEXB	.3484297	1/2" x 1/2"

PEX-B F2159 CRIMP X MIP PPSU MALE ADAPTER



- PEX-B F2159 Crimp x MIP
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPMIP-PEXB	.3484306	1/2" x 1/2"
S331234PPMIP-PEXB	.3484307	1/2" x 3/4"
S3334PPMIP-PEXB	.3484308	3/4" x 3/4"
S331PPMIP-PEXB	.3484309	1" x 1"

PEX-B F2159 CRIMP PLASTIC PLUG



- PEX-B F2159 Crimp
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPLUG-PEXB	.3484298	1/2"
S3334PPLUG-PEXB	.3484299	3/4"
S331PPLUG-PEXB	.3484300	1"

PEX-B F2159 CRIMP PPSU TEE



- PEX-B F2159 Crimp x PEX-B F2159 Crimp
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPTEE-PEXB	.3484310	1/2" x 1/2" x 1/2"
S33121234PPTEE-PEXB	.3484311	1/2" x 1/2" x 3/4"
S33341212PPTEE-PEXB	.3484312	3/4" x 1/2" x 1/2"
S33341234PPTEE-PEXB	.3484313	3/4" x 1/2" x 3/4"
S33343412PPTEE-PEXB	.3484315	3/4" x 3/4" x 1/2"
S3334PPTEE-PEXB	.3484316	3/4" x 3/4" x 3/4"
S3313434PPTEE-PEXB	.3484320	1" x 3/4" x 3/4"
S331112PPTEE-PEXB	.3484318	1" x 1" x 1/2"
S331134PPTEE-PEXB	.3484319	1" x 1" x 3/4"
S331PPTEE-PEXB	.3484317	1" x 1" x 1"

PEX-B F2159 CRIMP X PEX-B F2159 CRIMP PPSU ELBOW



- PEX-B F2159 Crimp x PEX-B F2159 Crimp
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PELBOW-PEXB	.3484301	1/2" x 1/2"
S333412PELBOW-PEXB	.3484303	3/4" x 1/2"
S3334PELBOW-PEXB	.3484302	3/4" x 3/4"
S331PELBOW-PEXB	.3484304	1" x 1"

PEX-B F1807 COPPER CRIMP RING



- PEX-B F1807 Crimp
- Copper

Model	ID No.	Desc.
S3312CCR	.3484321	1/2"
S3334CCR	.3484322	3/4"
S331CCR	.3492326	1"

PEX-B STAINLESS STEEL CINCH CLAMP RING



- PEX-B
- Stainless Steel



Model	ID No.	Desc.
S3312SSCC	.3492323	1/2"
S3334SSCC	.3484323	3/4"
S331SSCC	.3492324	1"

PLASTIC PEX DROP EAR BEND SUPPORT



- 30% Glass Reinforced Nylon
- Provides 90° Bend and Connection-Free Stub from Stud Wall or Flooring
- For Use with 1/2" PEX Tubing
- Snaps into PEX Wall Support Bracket

Model	ID No.	Desc.
S3312PPDEBS	.3567397	1/2"

PEX WALL SUPPORT BRACKET



- 30% Glass Reinforced Nylon
- For Use with 1/2" or 3/4" PEX Tubing
- Snaps Plastic Drop Ear Bend Support into Place
- Can be Fastened Using Screws or Nails

Model	ID No.	Desc.
S33PEXWSB	.3567398	18-1/4" x 2-1/4"


PLASTIC PEX BEND SUPPORT



- Plastic
- Compatible with All PEX Tubing

Model	ID No.	Desc.
S3312PPBEND	.3528045	1/2"
S3334PPBEND	.3532903	3/4"

STAINLESS STEEL HEATING MANIFOLD



- 1" FIP Inlet/Outlet Connection
- Stainless Steel Body
- Nickel-Coated Brass Port Connection
- EPDM Sealing Ring
- Flow Meter

Model	ID No.	Desc.
S33MAN2	.3539864	2-Loop
S33MAN3	.3539865	3-Loop
S33MAN4	.3539866	4-Loop
S33MAN5	.3539867	5-Loop
S33MAN6	.3539868	6-Loop
S33MAN7	.3539869	7-Loop
S33MAN8	.3539870	8-Loop
S33MAN9	.3539871	9-Loop
S33MAN10	.3539872	10-Loop
S33MAN11	.3539873	11-Loop
S33MAN12	.3539874	12-Loop

STAINLESS STEEL MANIFOLD CONNECTOR



- Stainless Steel Body
- Nickel-Coated Brass

Model	ID No.	Desc.
S33R2012	.3539875	1/2"
S33R2058	.3539876	5/8"
S33R2034	.3539877	3/4"

HYDRONIC EXPANSION TANK



- Diaphragm Type Hydropneumatic Tank
- Controls Pressure of Residential & Commercial Hydronic Heating Systems
- Not for Open or Potable (Domestic) Water Systems
- Max. Pressure: 100 PSI
- Max. Temperature: 240°F
- 5-Year Warranty

Model	ID No.	Gallon	Desc.
S33HTX15	.3499215	2.1	1/2" MNPT
S33HTX30	.3499216	4.5	1/2" MNPT

THERMAL ACTUATOR VALVE



- Integrated Micro Switch with Floating Contact
- Available in Normally Closed (NC) or Normally Open (NO)
- 360° Installation Position
- Compact Size
- Protection Against Leaky Valves
- Snap-On Installation
- 1m Cable Included
- 4 Wire

Model	ID No.	Desc.
S33ACT4	.3539878	—

PEX-A COIL OXYGEN BARRIER TUBING



- Co-Extruded Oxygen Diffusion Barrier
- UV Resistant
- For Radiant Heating & Potable Water
- Durable & Lightweight
- Made in USA




Model	ID No.	Desc.
S3312300-H-PEXA	.3531082	1/2" x 300'
S33121000-H-PEXA	.3531084	1/2" x 1000'
S3358300-H-PEXA	.3531086	5/8" x 300'
S33581000-H-PEXA	.3531088	5/8" x 1000'
S3334300-H-PEXA	.3531090	3/4" x 300'
S3334500-H-PEXA	.3531091	3/4" x 500'
S33341000-H-PEXA	.3531092	3/4" x 1000'



BROWSE MANIFOLDS & ACCESSORIES

Scan the QR code to view all of
our hydronic products online >>



PLASTIC END BAFFLE TEE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCBT-2012	.3402286	1-1/2" PVC

PLASTIC END OUTLET CONTINUOUS WASTE SLIP JOINT/HIGH-LINE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCEO-2012	.3402277	1-1/2" x 16" PVC
S33-EFABSEO-3012	.3403139	1-1/2" x 16" ABS

PLASTIC DISHWASHER BRANCH TAILPIECE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCDW-2012	.3402272	1-1/2" x 8" PVC
S33-EFABSDW-3012	.3403138	1-1/2" x 8" ABS

PLASTIC DOUBLE CONNECT SLIP JOINT EXTENSION TUBE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCED-2014	.3402269	1-1/4" x 16" PVC
S33-EFABSED-3014	.3403135	1-1/4" x 16" ABS
S33-EFPVCED-2012	.3402267	1-1/2" x 16" PVC
S33-EFABSED-3012	.3403134	1-1/2" x 16" ABS

PLASTIC CENTER OUTLET WASTE SLIP JOINT/HIGH-LINE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCCO-2012	.3402285	1-1/2" x 16" PVC
S33-EFABSCO-3012	.3403142	1-1/2" x 16" ABS

PLASTIC DOUBLE FLANGED TAILPIECE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCDF-2012	.3402270	1-1/2" x 16" PVC
S33-EFABSTD-3012	.3403136	1-1/2" x 16" ABS

PLASTIC END DISPOSER KIT



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCDO-2012	.3402282	1-1/2" x 13" PVC
S33-EFABSDE-3012	.3403141	1-1/2" x 13" ABS

PLASTIC S-TRAP



- Polypropylene Plastic Construction
- Optional Adapter Available



Model	ID No.	Desc.	Adapter
S33-EFPVCST-2014	.3402256	1-1/4" x 1-1/4" PVC	—
S33-EFPVCST-2012	.3402097	1-1/2" x 1-1/2" PVC	Yes
S33-EFABSST-3012	.3403131	1-1/2" x 1-1/2" ABS	Yes

PLASTIC P-TRAP



- Polypropylene Plastic Construction
- Optional Adapter with 1-1/4" Slip Joint Available



Model	ID No.	Desc.	Adapter
S33-EFPVCPV-2014	.3402266	1-1/4" x 1-1/4" PVC	—
S33-EFABSPT-3014	.3403133	1-1/4" x 1-1/4" ABS	—
S33-EFPVCPV-2012	.3402264	1-1/2" x 1-1/2" PVC	Yes
S33-EFABSPT-3012	.3403132	1-1/2" x 1-1/2" ABS	Yes

PLASTIC WASTE ARM SLIP JOINT



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCTW-2012	.3402287	1-1/2" x 20" PVC

SLIP JOINT NUT



- Polypropylene Plastic Construction

Model	ID No.	Desc.
S33-EFPVCSJ-2014	.3402289	1-1/4" PVC
S33-EFPVCSJ-2012	.3402288	1-1/2" PVC

POLY TAILPIECE WASHER



- Polyethylene Construction

Model	ID No.	Desc.
S33-EFPVCPW-2012	.3402291	1-1/2"

POLY TAPERED SLIP JOINT WASHER



- Polyethylene Construction

Model	ID No.	Desc.
S33-EFPVCPT-2014	.3402294	1-1/4"
S33-EFPVCPT-2012	.3402290	1-1/2"
S33-EFPVCPT-1214	.3402292	1-1/2" x 1-1/4"

RUBBER SLIP JOINT WASHER



- Rubber Construction

Model	ID No.	Desc.
S33-EFPVCNW-2014	.3402297	1-1/4"
S33-EFPVCNW-2012	.3402295	1-1/2"



BROWSE ALL TUBULAR SIZES & MATERIALS ONLINE

Scan the QR code to view all of our tubular products online >>



KITCHEN SINK CENTER OUTLET WASTE INSTALLATION KIT



- Without Supply Lines
- Includes:
 - (1) 1-1/2" PVC Tubular Center Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) Basket Strainers
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Stop Valves
KITCHEN#1	.3445824	Compression

KITCHEN SINK WITH DISPOSAL INSTALLATION KIT



- Without Supply Lines
- Includes:
 - (1) 1-1/2" PVC Tubular End Disposal Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (1) Basket Strainer
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Desc.
KITCHEN#7	.3445827	Compression
KITCHEN#9	.3445830	PEX-B F1807 Crimp

KITCHEN SINK CENTER OUTLET WASTE INSTALLATION KIT WITH SUPPLY LINES



- Includes:
 - (1) 1-1/2" PVC Tubular Center Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) Basket Strainers
 - (2) 16" Stainless Steel Supply Lines
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Desc.
KITCHEN#10	.3445224	Compression
KITCHEN#11	.3445270	PEX-A F1960 Expansion
KITCHEN#12	.3445273	PEX-B F1807 Crimp

KITCHEN SINK WITH DISPOSAL INSTALLATION KIT WITH SUPPLY LINES



- Includes:
 - (1) 1-1/2" PVC Tubular End Disposal Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (1) Basket Strainer
 - (2) 16" Stainless Steel Supply Lines
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Desc.
KITCHEN#16	.3445274	Compression
KITCHEN#18	.3445284	PEX-B F1807 Crimp

KITCHEN SINK END OUTLET WASTE INSTALLATION KIT



- Without Supply Lines
- Includes:
 - (1) 1-1/2" PVC Tubular End Outlet Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) Basket Strainers
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Desc.
KITCHEN#4	.3451140	Compression

KITCHEN SINK END OUTLET WASTE INSTALLATION KIT WITH SUPPLY LINES



- Includes:
 - (1) 1-1/2" PVC Tubular End Outlet Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) Basket Strainers
 - (2) 16" Stainless Steel Supply Lines
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Desc.
KITCHEN#13	.3451131	Compression

**PLUMBING KITS AVAILABLE FOR
CONVENIENCE & PEACE OF MIND**

Scan the QR code to view all of our plumbing kits online >>



TOILET INSTALLATION KIT



- Without Stop Valve
- Includes:
 - (1) Wax Ring
 - (1) 12" Stainless Steel Supply Line
 - (2) 5/16" x 2-1/4" Toilet Bolts

Model	ID No.	Desc.
TOILET#1	.3445206	—

TOILET INSTALLATON KIT WITH VALVE



- Includes:
 - (1) Wax Ring
 - (1) 12" Stainless Steel Supply Line
 - (2) 5/16" x 2-1/4" Toilet Bolts
 - (1) Angle Stop Valve
 - (1) 5/8" Chrome Escutcheon

Model	ID No.	Desc.
TOILET#2	.3445210	Compression
TOILET#4	.3445219	PEX-B F1807 Crimp

LAVATORY INSTALLATION KIT



- Without Supply Lines
- Includes:
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons


Model	ID No.	Desc.
LAV#1	.3445820	Compression
LAV#3	.3445822	PEX-B F1807 Crimp

LAVATORY INSTALLATION KIT WITH SUPPLY LINES



- Includes:
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) 16" Stainless Steel Supply Lines
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Desc.
LAV#4	.3445221	Compression
LAV#6	.3445223	PEX-B F1807 Crimp



Plumbing kits crafted
for any project.

BRASS DISHWASHER BRANCH TAILPIECE



- Durable 17GA Brass Construction
- Chrome-Plated



Model	ID No.	Desc.
S33-EFBRDW-1708	.3403167	1-1/2" x 8"

BRASS DOUBLE CONNECT SLIP JOINT EXTENSION TUBE



- Durable 17GA Brass Construction
- Chrome-Plated
- Nuts Included



Model	ID No.	Desc.
S33-EFBRDS-1714	.3403162	1-1/4" x 16"
S33-EFBRDS-1712	.3403163	1-1/2" x 16"

BRASS CENTER OUTLET WASTE SLIP JOINT



- Durable 17GA Brass Construction
- Chrome-Plated
- Nuts Included



Model	ID No.	Desc.
S33-EFBRSJ-1712	.3403160	1-1/2" x 16"

BRASS THREADED BOTH ENDS EXTENSION TUBE



- Durable 17GA Brass Construction
- Chrome-Plated



Model	ID No.	Desc.
S33-EFBRTE-1714	.3403165	1-1/4" x 12"

BRASS END DISPOSER KIT



- Durable 17GA Brass Construction
- Chrome-Plated
- Nuts Included



Model	ID No.	Desc.
S33-EFBRDK-1712	.3403161	1-1/2" x 13"

BRASS STRAIGHT DOUBLE FLANGED TAILPIECE



- Durable 17GA Brass Construction
- Chrome-Plated



Model	ID No.	Desc.
S33-EFBRSF-1712	.3403164	1-1/2" x 12"

BRASS END OUTLET CONTINUOUS WASTE SLIP JOINT



- Durable 17GA Brass Construction
- Chrome-Plated
- Nuts Included
- With Baffle



Model	ID No.	Desc.
S33-EFBRLJ-1712SJ	.3403158	1-1/2" x 16"

BRASS P-TRAP WITH CLEANOUT



- Durable 17GA Brass Construction
- Chrome-Plated
- With Cleanout
- Escutcheon Included



Model	ID No.	Desc.
S33-EFBRPT-1714C	.3403152	1-1/4" x 1-1/4"
S33-EFBRPT-1412C	.3403153	1-1/2" x 1-1/4"
S33-EFBRPT-1712C	.3403154	1-1/2" x 1-1/2"

BRASS P-TRAP LESS CLEANOUT



- Durable 17GA Brass Construction
- Chrome-Plated
- Escutcheon Included



Model	ID No.	Desc.
S33-EFBRPT-1714CO	.3403155	1-1/4" x 1-1/4"
S33-EFBRPT-1412CO	.3403156	1-1/2" x 1-1/4"
S33-EFBRPT-1712CO	.3403157	1-1/2" x 1-1/2"

CAST BRASS P-TRAP WITH CLEANOUT



- Durable 17GA Brass Construction
- Chrome-Plated
- With Cleanout
- Escutcheon Included



Model	ID No.	Desc.
S33-EFBRTB-17114	.3403147	1-1/4" x 1-1/4"
S33-EFBRTB-17112	.3403149	1-1/2" x 1-1/2"

CAST BRASS P-TRAP LESS CLEANOUT




- Durable 17GA Brass Construction
- Chrome-Plated
- Escutcheon Included



Model	ID No.	Desc.
S33-EFBRTB-17114CO	.3403150	1-1/4" x 1-1/4"
S33-EFBRTB-17112CO	.3403151	1-1/2" x 1-1/2"

TRAP WRAP & SUPPLY COVERS



- Protects Exposed P-Traps (up to 1-1/2")
- Removable & Reusable Fastener
- Antimicrobial & Anti-Fungal Non-Laminated Molded Vinyl
- Snap & Click - No Tools Required
- Fade Resistant
- Does Not Fit SCH40 P-Traps



Model	ID No.	Desc.
S33TWC-O	.3597047	(1) Offset Trap Wrap Cover
S33TWC2	.3597041	(1) P-Trap Wrap Cover, (2) Supply Covers
S33TWC2-O	.3597046	(1) P-Trap Wrap Cover, (2) Supply Covers, (1) Offset Cover

SPRING LOADED PUSH DRAIN ASSEMBLY



- Plastic Drain Tube
- Chrome-Plated Brass Body
- 1-1/4" Drain Diameter



Model	ID No.	Desc.	Total Dim.
S33DA-CH	.3560741	Chrome	2-3/8" x 9"
S33DA-BN	.3560742	Brushed Nickel	2-3/8" x 9"
S33DA-MB	.3560743	Matte Black	2-3/8" x 9"

BRASS GRID DRAIN WITH OVERFLOW



- Durable 17GA Brass Construction
- Chrome-Plated
- 1-1/4" Drain Diameter
- 6" Tailpiece
- Patent Overflow Plug



Model	ID No.	Total Dim.
S33-EFBRPO-1706	.3403168	2-1/4" x 8-1/2"

BRASS LAVATORY POP-UP DRAIN



- Durable 17GA Brass Construction
- Chrome-Plated
- 1-1/4" Drain Diameter
- Lift Rod and Linkage Components Included



Model	ID No.	Total Dim.
S33-EFBRP-1714	.3403170	2-1/8" x 8-9/16"

BRASS OPEN GRID OFFSET LAVATORY STRAINER



- Durable 17GA Brass Construction
- Chrome-Plated
- 1-1/4" Drain Diameter
- 9" Offset Tailpiece
- Elbow Included



Model	ID No.	Total Dim.
S33-EFBROF-1709	.3403169	4-5/16" x 10-5/16"



craft33®

THE RIGHT COLLECTIONS
FOR ANY PROJECT

Explore our cabinetry solutions &
accessories at craft33products.com

BATH WASTE LIFT AND TURN ROUGH-IN KIT



- Lock-in-Place Faceplate
- Testable up to 4 Floors
- Includes Test Plug and Cap
- 1-Year Warranty



Model	ID No.	Desc.
S33SLWRK100	.3441776	—

LIFT AND TURN TRIM KIT



- Lock-in-Place Faceplate
- No Retest Required
- Fits S33SLWRK100 Rough-In Kit
- 1-Year Warranty




Model	ID No.	Desc.
S33SL101CP	.3441783	Chrome
S33SL712BNBGF	.3441780	Brushed Nickel
S33SL712CBBGF	.3441782	Classic Bronze
S33SL712FBBGF	.3487478	Matte Black



COMPARE ALL LAVATORY, TUB & SHOWER DRAINS ONLINE

Scan the QR code to view all of our drains online >>



PVC SHOWER DRAIN WITH STRAINER



- 2"
- Solvent Weld Connection
- With White Plastic or Stainless Steel Strainer
- 1-Year Warranty



Model	ID No.	Desc.
S33-PSD2	.3466679	White Plastic Strainer
S33-PSDSS2	.3477329	Stainless Steel Strainer

SHOWER DRAIN WITH STAINLESS STEEL STRAINER



- 2"
- No Caulk Drain
- Available in Brass or PVC
- With Stainless Steel Strainer
- 1-Year Warranty



Model	ID No.	Desc.
S33-BSD2	.3466678	Brass Drain
S33-PSDNCSS2	.3495769	PVC Drain

OD COMP X BALLCOCK NUT TOILET CONNECTOR



- OD Comp x Ballcock Nut
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-387809	.3406506	3/8" x 7/8" x 9"
S33-EFSL-387812	.3406507	3/8" x 7/8" x 12"
S33-EFSL-387816	.3406508	3/8" x 7/8" x 16"
S33-EFSL-387820	.3406509	3/8" x 7/8" x 20"

COMP X COMP DISHWASHER CONNECTOR



- Comp x Comp
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-DWSL-383812	.3578561	3/8" x 3/8" x 12"
S33-DWSL-383816	.3578563	3/8" x 3/8" x 16"
S33-DWSL-383820	.3578564	3/8" x 3/8" x 20"

OD COMP X FIP FAUCET CONNECTOR



- OD Comp x FIP
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-381212	.3406501	3/8" x 1/2" x 12"
S33-EFSL-381216	.3406503	3/8" x 1/2" x 16"
S33-EFSL-381220	.3406504	3/8" x 1/2" x 20"
S33-EFSL-381230	.3406505	3/8" x 1/2" x 30"

FIP X PUSH WATER HEATER CONNECTOR



- FIP x Push
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-343418	.3406497	3/4" x 3/4" x 18"

COMP X OD COMP FAUCET CONNECTOR



- Comp x OD Comp
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-FSL-383812	.3578565	3/8" x 3/8" x 12"

COMP X COMP ICE MAKER CONNECTOR



- Comp x Comp
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-141472	.3406499	1/4" x 1/4" x 72"

FGH X MIP DISHWASHER CONNECTOR



- FGH x MIP
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers
- 90° Elbow Included



Model	ID No.	Desc.
S33-EFSL-383872	.3406500	3/4" x 3/8" x 72"

FEMALE X FEMALE WASHING MACHINE CONNECTOR



- Female Hose Threaded Both Ends
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-343460	.3406498	3/4" x 3/4" x 60"

COMP X FEMALE COMP WATER HAMMER ARRESTOR



- Comp x Female Comp
- Cold-Rolled, Spun Closed Seamless Chamber End
- Pressurized Air Cushion
- Lead-Free Solder Joint



Model	ID No.	Desc.
S33-WHA38	.3527253	3/8" x 3/8"

FIP X MALE WATER HAMMER ARRESTOR



- FIP Swivel x Male Hose Tee
- Cold-Rolled, Spun Closed Seamless Chamber End
- Pressurized Air Cushion
- Lead-Free Solder Joint



Model	ID No.	Desc.
S33-WHA34	.3527251	3/4" x 3/4"

ESCUTCHEON



- Available in White or Chrome
- 1-Year Warranty

Model	ID No.	Desc.
S3338IPSESC-CP	.3344928	3/8" IPS Chrome
S3312CTSESC-CP	.3344926	1/2" CTS Chrome
S3312CTSESC-WHPL	.3543911	1/2" CTS White
S33112IPSESC-WHPL	.3344930	1-1/2" IPS White
S332IPSESC-WHPL	.3543909	2" IPS White

LOOKING FOR MORE PRODUCT INFORMATION?

Scan the QR code to view all of our plumbing connectors online >>



breeze33®



**YOUR
LOGO
HERE**

Promote your business with our THERMOSTAT DOOR PROGRAM in 5 easy steps!

1. **Upload** your logo & fill out our online form
2. **Review** your order
3. **Receive** your logoed doors in the mail
4. **Install** your logoed battery doors
5. **Promote** your brand at no additional cost to you



Start promoting your brand today by scanning the QR code or visiting breeze33.com/private-label-thermostat-program/

OD COMP X OD COMP STRAIGHT STOP VALVE



- OD Comp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with OD Comp x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTST-7038	.3389356	3/8" x 3/8"
S33-EFQTST-7058	.3403219	5/8" x 3/8"

OD COMP X OD COMP ANGLE STOP VALVE



- OD Comp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with OD Comp x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTAS-7014	.3403073	5/8" x 1/4"
S33-EFQTAS-7058	.3344927	5/8" x 3/8"

PEX-B F1807 CRIMP X OD COMP STRAIGHT STOP VALVE



- PEX-B F1807 Crimp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with PEX-B x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTST-1238WPE	.3399070	1/2" x 3/8"

PEX-B F1807 CRIMP X OD COMP ANGLE STOP VALVE



- PEX-B F1807 Crimp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with PEX-B x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTAS-1238WPE	.3387072	1/2" x 3/8"

PEX-A F1960 EXPANSION X OD COMP STRAIGHT STOP VALVE



- PEX-A F1960 Expansion x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with PEX-A x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTST-1238UPE	.3315235	1/2" x 3/8"

PEX-A F1960 EXPANSION X OD COMP ANGLE STOP VALVE



- PEX-A F1960 Expansion x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with PEX-A x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTAS-1214UPE	.3391398	1/2" x 1/4"
S33-EFQTAS-1238UPE	.3387029	1/2" x 3/8"

PUSH X OD COMP STRAIGHT STOP VALVE



- Push x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with Push x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTST-1238PU	.3389350	1/2" x 3/8"

PUSH X OD COMP ANGLE STOP VALVE



- Push x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with Push x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTAS-1214PU	.3360594	1/2" x 1/4"
S33-EFQTAS-1238PU	.3360592	1/2" x 3/8"

CPVC X OD COMP STRAIGHT STOP VALVE



- CPVC x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with CPVC x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTCPCV-7012	.3344931	1/2" x 3/8"

CPVC X OD COMP ANGLE STOP VALVE



- CPVC x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with CPVC x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTASCPVC-1238	.3406733	1/2" x 3/8"

FIP X OD COMP STRAIGHT STOP VALVE



- FIP x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with FIP x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTSS-7038	.3389313	3/8" x 3/8"
S33-EFQTSS-7012	.3390557	1/2" x 3/8"

FIP X OD COMP ANGLE STOP VALVE



- FIP x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with FIP x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTAS-3838	.3360591	3/8" x 3/8"
S33-EFQTAS-1238	.3360595	1/2" x 3/8"

SWEAT X OD COMP STRAIGHT STOP VALVE



- Sweat x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with Sweat x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTSWT-7012	.3389298	1/2" x 3/8"

SWEAT X OD COMP ANGLE STOP VALVE



- Sweat x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with Sweat x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTSWT-1238	.3406510	1/2" x 3/8"

OD COMP X OD COMP X OD COMP DUAL STOP VALVE



- OD Comp x OD Comp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with OD Comp x OD Comp Loose Key Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTDS-5838	.3344932	5/8" x 3/8" x 3/8"

OD COMP X OD COMP X OD COMP DUAL HANDLE STOP VALVE



- Forged One-Piece Brass Body Construction
- Multi-Turn
- Dual Handle



Model	ID No.	Desc.
S33-383858DHSV	.3570413	3/8" x 3/8" x 5/8"

OD COMP X OD COMP LOOSE KEY ANGLE STOP VALVE




- OD Comp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with OD Comp x OD Comp x OD Comp Dual Stop Valve



Model	ID No.	Desc.
S33-EFQTLK-5838	.3403074	5/8" x 3/8"

VIEW SPECS & CERTIFICATIONS

Scan the QR code to view all of our stop valves online >>



SUBMERSIBLE SUMP PUMP WITH VERTICAL FLOAT



- Top Suction Stops Air Locks & Filters
- Corrosion-Resistant, Reinforced Thermoplastic Construction
- Oil-Filled Permanent Split Capacitor Motor & Built-In Automatic Thermal Overload Protector
- For 14" or Larger Sump Basins
- 1-1/2" NPT Discharge & 1-1/4" NPT Adapter Included




Model	ID No.	Desc.
S33SP-13	.3561352	1/3 HP
S33SP-12	.3561353	1/2 HP

SUMP CHECK VALVE



- Reversible End Adapters Allow for Installation on 1-1/4" or 1-1/2" Pipe (Smaller Size Only)
- Vertical or Horizontal Installation
- For Low Pressure Sump Pump Discharge Systems
- Not Suitable for Compressed Air or Steam Service



Model	ID No.	Desc.
S33SCV1	.3551380	1-1/4" or 1-1/2"
S33SCV2	.3551381	2"



**FULL SPECS
AVAILABLE ONLINE**

Scan the QR code to view all of
◀◀ our sump products online

SUMP PUMP PERFORMANCE CHARTS



SWEAT FULL PORT BALL VALVE



- Sweat
- Cast Brass Body
- Lead-Free
- 600 PSI WOG



Model	ID No.	Desc.
S3312SBV	.3470434	1/2"
S3334SBV	.3470435	3/4"
S331SBV	.3470436	1"
S33114SBV	.3470437	1-1/4"
S33112SBV	.3470438	1-1/2"
S332SBV	.3470439	2"

PEX-B F1807 CRIMP BALL VALVE



- PEX-B F1807 Crimp
- High Performance ECO Brass Body
- Lead-Free



Model	ID No.	Desc.
S3312PEXBBV	.3470539	1/2"
S3334PEXBBV	.3470540	3/4"
S331PEXBBV	.3470541	1"

THREADED FULL PORT BALL VALVE



- FNPT
- Forged Brass Body
- Lead-Free
- 600 PSI WOG



Model	ID No.	Desc.
S3312TBV	.3470424	1/2"
S3334TBV	.3470427	3/4"
S331TBV	.3470429	1"
S33114TBV	.3470430	1-1/4"
S33112TBV	.3470432	1-1/2"
S332TBV	.3470433	2"

PRESS FULL PORT BALL VALVE



- Press
- Two-Piece Brass Body
- Lead-Free



Model	ID No.	Desc.
S3312PBV	.3470521	1/2"
S3334PBV	.3470530	3/4"
S331PBV	.3470532	1"
S33114PBV	.3470533	1-1/4"
S33112PBV	.3470534	1-1/2"
S332PBV	.3470537	2"

THREADED GAS BALL VALVE



- FNPT
- Cast Brass Body
- Quarter Turn



Model	ID No.	Desc.
S3312TGBV	.3470418	1/2"
S3334TGBV	.3470421	3/4"
S331TGBV	.3470422	1"

THREADED FULL PORT BALL VALVE WITH LOCKING HANDLE



- FNPT
- Forged Brass Body
- 600 PSI WOG
- Lead-Free
- Includes Locking Handle



Model	ID No.	Desc.
S3312TBV-LH12	.3562210	1/2"
S3334TBV-LH34	.3562205	3/4"
S331TBV-LH1	.3562207	1"
S33114TBV-LH114	.3562209	1-1/4"
S33112TBV-LH112	.3562208	1-1/2"
S332TBV-LH2	.3562206	2"

PEX-A F1960 EXPANSION FULL PORT BALL VALVE




- PEX-A F1960 Expansion
- Brass-Copper Alloy Body
- Lead-Free



Model	ID No.	Desc.
S3312PEXABV	.3470542	1/2"
S3334PEXABV	.3470544	3/4"
S331PEXABV	.3470546	1"

VALVES FOR ANY PROJECT

Scan the QR code to view all of our valves online >>



SWEAT THERMOSTATIC MIXING VALVE



- Sweat
- Lead-Free Brass Body
- Adjustment Cap with Locking Feature
- With Filter Washers & Check Valves
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV12SW	.3573723	1/2"

CPVC THERMOSTATIC MIXING VALVE



- CPVC
- Lead-Free Brass Construction
- With Filters & Check Valves
- Adjustment Cap with Locking Feature
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV12CPVC	.3569550	1/2"

PEX-B F1807 CRIMP THERMOSTATIC MIXING VALVE



- PEX-B F1807 Crimp
- Lead-Free Brass Construction
- With Filter Screens & Check Valves
- Adjustment Cap with Locking Feature
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV12PEXB	.3569548	1/2"

COMPRESSION THERMOSTATIC MIXING VALVE



- Compression
- Lead-Free Chrome-Plated Brass Body
- Fittings & Cap Included for 3 or 4 Port
- Adjustment Cap with Locking Feature
- With Filter Screens & Check Valves
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV38COMP	.3569551	3/8"

FNPT THERMOSTATIC MIXING VALVE



- FNPT
- Lead-Free Brass Construction
- With Filter Screens & Check Valves
- Adjustment Cap with Locking Feature
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV12FNPT	.3569549	1/2"

PEX-A F1960 EXPANSION THERMOSTATIC MIXING VALVE



- PEX-A F1960 Expansion
- Lead-Free Brass Body
- Adjustment Cap with Locking Feature
- With Filter Washers & Check Valves
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV12PEXA	.3573722	1/2"

BOILER DRAIN VALVE



- MNPT
- Full Pattern Body
- Max. Pressure: 125 PSI



Model	ID No.	Desc.
S3312BDV	.3547425	1/2"
S3334BDV	.3547424	3/4"

HOSE BIBB VALVE



- MNPT
- Quarter Turn



Model	ID No.	Desc.
S3312HBV	.3547422	1/2"
S3334HBV	.3547423	3/4"

THREADED ANTI-SIPHON FROST FREE SILLCOCK



- Threaded
- Quarter Turn Heavy Duty Rubberized Handle
- 3/4" Male Hose Thread Outlet
- Max. Pressure/Temperature: 125 PSI at 140°F



Model	ID No.	Desc.
S333420-3008	.3347094	1/2" x 8"
S333420-3010	.3331294	1/2" x 10"

PEX-B F1807 CRIMP ANTI-SIPHON FROST FREE SILLCOCK



- PEX-B F1807 Crimp
- Quarter Turn Heavy Duty Rubberized Handle
- 3/4" Male Hose Thread Outlet
- Max. Pressure/Temperature: 125 PSI at 140°F



Model	ID No.	Desc.
S33FFSPEXB-8	.3408278	1/2" x 8"

PEX-A F1960 EXPANSION ANTI-SIPHON FROST FREE SILLCOCK



- PEX-A F1960 Expansion
- Quarter Turn Heavy Duty Rubberized Handle
- 3/4" Male Hose Thread Outlet
- Max. Pressure/Temperature: 125 PSI at 140°F



Model	ID No.	Desc.
S33FFSPEXA-8	.3408277	1/2" x 8"

AIR ADMITTANCE VALVE



- Includes Threaded Adapter for Sch. 40 Pipe
- 6-20 DFU's
- -40°F - 150°F Temperature Range
- 2" x 1-1/2" Adapter Bushing
- Made in USA



Model	ID No.	Desc.	DFU
S33-AAV6TA-PVC	.3586972	PVC	6
S33-AAV20TA-PVC	.3586963	PVC	20
S33-AAV20TA-ABS	.3586973	ABS	20

FIP X FIP STAINLESS STEEL FLEXIBLE GAS CONNECTOR



- 1/2" FIP x 1/2" FIP
- 0.5 PSI Max. Pressure
- 100% Leak Tested
- -40° F - 150° F Operating Temperature
- 5/8" Nom. O.D., 1/2" Nom. I.D.



Model	ID No.	Desc.
S33FGC24FXF	.3553952	24"
S33FGC48FXF	.3553953	48"

FIP X MIP STAINLESS STEEL FLEXIBLE GAS CONNECTOR




- 1/2" FIP x 1/2" MIP
- 0.5 PSI Max. Pressure
- 100% Leak Tested
- -40° F - 150° F Operating Temperature
- 5/8" Nom. O.D., 1/2" Nom. I.D.



Model	ID No.	Desc.
S33FGC12FXM	.3553947	12"
S33FGC18FXM	.3553948	18"
S33FGC24FXM	.3553949	24"
S33FGC36FXM	.3553950	36"
S33FGC48FXM	.3553951	48"
S33FGC60FXM	.3563742	60"


**VIEW INSTALLATION
INSTRUCTIONS & MORE**

Scan the QR code to view all of our gas connectors online >>



PVC J-HOOK



- Secures Sch. 40 DWV Pipe in Accordance with National or Local Code Requirements
- Includes 2 Nails
- White ABS Plastic



Model	ID No.	Desc.
S33-JH1127DWV-G2-WH	.3570412	1-1/2" x 7"
S33-JH27DWV-G2-WH	.3570410	2" x 7"
S33-JH37DWV-G2-WH	.3570408	3" x 7"
S33-JH47DWV-G2-WH	.3570406	4" x 7"

BOCA PLATE



- For Use with Pre-Treated Lumber
- Self-Nailing Design
- 16 GA
- Made in USA

Model	ID No.	Desc.	Fastening
S33BP58	.3561347	5" x 8"	Self-Nailing
S33BP56-6H-G2	.3634917	5" x 6"	3-Hole/Side
S33BP31218-8H	.1976604	3-1/2" x 18"	8-Hole/Side
S33BP56-16H	.3621499	5" x 6"	8-Hole/Side
S33BP512-16H	.3621500	5" x 12"	8-Hole/Side
S33BP518-10H	.3577297	5" x 18"	10-Hole/Side

PLASTIC TUBE CLAMP



- Plastic Clamp
- Compatible with all PEX Pipe

Model	ID No.	Desc.
S33PTC12	.3532911	1/2"
S33PTC34	.3532912	3/4"
S33PTC1	.3597327	1"

STUD GUARD



- For Use with Pre-Treated Lumber
- Made in USA

Model	ID No.	GA	Desc.	Fastening
S33SG3	.3561350	16	1-1/2" x 3"	Self-Nailing
S33SG5	.3561349	16	1-1/2" x 5"	Self-Nailing
S33SG6	.3561348	16	1-1/2" x 6"	Self-Nailing
S33SG3-1H	.946661	16	1-1/2" x 3"	1-Hole/Side
S33SG6-1H	.933539	16	1-1/2" x 6"	1-Hole/Side
S33SG36-1H	.3582783	16	3-1/2" x 6"	1-Hole/Side
S33SG18-8H	.3123195	18	1-1/2" x 18"	8-Hole/Side
S33SG24-8H	.1804286	16	1-1/2" x 24"	8-Hole/Side

PLASTIC SUSPENSION TUBE CLAMP



- Plastic Clamp
- Compatible with all PEX Pipe

Model	ID No.	Desc.
S33STC12	.3532908	1/2"
S33STC34	.3532909	3/4"
S33STC1	.3597333	1"

PLASTIC TUBE TALON WITH NAIL



- Plastic Clamp
- Steel Ring Nail
- Compatible with all PEX Pipe

Model	ID No.	Desc.
S33TAL12	.3532913	1/2"
S33TAL34	.3532914	3/4"
S33TAL1	.3532915	1"

STUD SHOE



- For Use with Pre-Treated Lumber
- Single Stud Fastening Method
- 16 GA
- Made in USA

Model	ID No.	Desc.	Fastening
S331SS	.734517	5-3/8" x 3-3/8" x 1-1/2"	Single Stud
S332SS	.3593074	5-3/8" x 3-3/8" x 3-1/16"	Double Stud


PIPE STRAP



- Galvanized Metal
- Secures Pipe to Wood, Masonry & Other Surfaces
- Pre-Drilled for Mounting
- Corrosion Resistant

Model	ID No.	Desc.	Holes	Gauge
S33-1HPS-12	.3592854	1/2"	1	14
S33-2HPS-12	.3592845	1/2"	2	24
S33-1HPS-34	.3592853	3/4"	1	14
S33-2HPS-34	.3592846	3/4"	2	24
S33-2HPS-1	.3592847	1"	2	20
S33-2HPS-114	.3592848	1-1/4"	2	20
S33-2HPS-112	.3592849	1-1/2"	2	20
S33-2HPS-2	.3592850	2"	2	20
S33-2HPS-3	.3592851	3"	2	16
S33-2HPS-4	.3592852	4"	2	16

STRUT CHANNEL



- Hot Rolled Steel Green Finish or Hot Drip Pre-Galvanized Steel
- Elongated Hole Pattern
- Supports Ducts, Cable Trays, Cables, Pipes & Conduits

Model	ID No.	Desc.	Size	GA
S33-SC134EH1-GR	.3590804	Green	13/16" x 1-5/8" x 10'	14
S33-SC134EH2-GR	.3590806	Green	13/16" x 1-5/8" x 20'	14
S33-SC582EH1-GR	.3590807	Green	1-5/8" x 1-5/8" x 10'	12
S33-SC582EH2-GR	.3590809	Green	1-5/8" x 1-5/8" x 20'	12
S33-SC134EH1-PG	.3590805	Pre-Galv.	13/16" x 1-5/8" x 10'	14
S33-SC134EH2-PG	.3582297	Pre-Galv.	13/16" x 1-5/8" x 20'	14
S33-SC582EH1-PG	.3590808	Pre-Galv.	1-5/8" x 1-5/8" x 10'	12
S33-SC582EH2-PG	.3590810	Pre-Galv.	1-5/8" x 1-5/8" x 20'	12

TUBE STRAP



- Copper-Coated Steel
- Secures Pipe to Wood, Masonry & Other Surfaces
- Pre-Drilled for Mounting
- Corrosion Resistant

Model	ID No.	Desc.	Holes	Gauge
S33-CC2HTS-12	.3592859	1/2"	2	22
S33-CC2HTS-34	.3592858	3/4"	2	22
S33-CC2HTS-1	.3592857	1"	2	22
S33-CC2HTS-112	.3592856	1-1/2"	2	22
S33-CC2HTS-2	.3592855	2"	2	22



VIEW MOUNTING ACCESSORIES

Scan the QR code to view all of our
<< mounting accessories online

STANDARD CAST IRON/PLASTIC TRANSITION COUPLING



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 140°F Max.



Model	ID No.	Desc.
S33C56-22	.3330354	2" CI/PL x 2" CI/PL
S33C56-33	.3330356	3" CI/PL x 3" CI/PL
S33C56-44	.3330357	4" CI/PL x 4" CI/PL
S33C56-66	.3330358	6" CI/PL x 6" CI/PL

CAST IRON/PLASTIC/STEEL/EXTRA HEAVY CAST IRON TRANSITION COUPLING



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 180°F Max.



Model	ID No.	Desc.
S33C150	.3330344	1-1/2" CI/PL/ST x 1-1/2" x PL/ST
S33C200	.3330331	2" CI/PL/ST x 2" PL/ST
S33C300	.3330334	3" PL/ST/XH CI x 3" PL/ST/XH CI
S33C400	.3330335	4" PL/ST/XH CI x 4" PL/ST/XH CI

REDUCING TRANSITION COUPLING



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 140°F Max.



Model	ID No.	Desc.
S33C56-15/125	.3330347	1-1/2" CI/PL x 1-1/2" Copper or 1-1/4" PL
S33C56-15	.3330349	1-1/2" CI/PL x 1-1/2" CI/PL
S33C56-215	.3330351	2" CI/PL x 1-1/2" CI/PL
S33C02-44	.3330337	4" Clay x 4" CI/PL
S33C02-66	.3330341	6" Clay x 6" CI/PL

CAST IRON/PLASTIC DRAIN PIPE CONNECTOR



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 140°F Max.



Model	ID No.	Desc.
S33CDTC-150S	.3330359	1-1/4" or 1-1/2" CI/PL x 1-1/4" or 1-1/2" CI/PL

CAST IRON/PLASTIC/STEEL/EXTRA HEAVY CAST IRON TRANSITION COUPLING



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps & Shield
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 180°F Max.



Model	ID No.	Desc.
S33C33	.3330332	3" CI x 3" PL/ST/XH CI
S33C44	.3330333	4" CI x 4" PL/ST/XH CI

END CAP



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 140°F Max.



Model	ID No.	Desc.
S33GC-101	.3330310	1-1/2"
S33GC-102	.3330314	2"
S33GC-103	.3330315	3"
S33GC-104	.3330316	4"

CAST IRON/PLASTIC/STEEL/COPPER TRANSITION COUPLING




- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps & Shield
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 180°F Max.



Model	ID No.	Desc.
S33C115	.3330327	1-1/2" CI/PL/ST x 1-1/2" Copper
S33C22	.3330336	2" CI/PL/ST x 2" Copper

VIEW SPECS & CERTIFICATIONS

Scan the QR code to view all of our couplings online >>



NOTES

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

UNITARY KITS

Available for Purchase



EACH KIT INCLUDES

- Furnace
- Condensing Unit
- Cased Coil
- Pad
- A/C Whip
- Disconnect
- Fuses
- Furnace Legs
- Furnace Whip
- Media Air Cleaner with Filter
- Thermostat



Scan QR code to Learn More
about Breeze33 Unitary



Explore our HVAC equipment
& accessories at **breeze33.com**

5 REGIONAL DISTRIBUTION CENTERS

Cleveland RDC | 23
216-438-5000
5700 Lee Rd S.
Maple Heights, OH 44137
After Hours: 440-251-4755

Columbus RDC | 25
614-643-2377
711 Distribution Dr.
Columbus, OH 43228
After Hours: 614-582-7832

Sebring RDC | 29
330-938-6350
350 Courtney Rd.
Sebring, OH 44672
After Hours: 330-803-3492

Toledo RDC | 83
419-470-6590
4500 N Detroit Ave.
Toledo, OH 43612
After Hours: 419-764-5578

Youngwood RDC | 24
724-404-4021
72 E. Hillis St.
Youngwood, PA 15697
After Hours: 724-221-0149

36 BRANCHES | 5 KITCHEN, BATH, WINDOW & DOOR SHOWROOMS | 20 CLASSROOMS

Akron | 4 📍
234-352-1166
166 N. Union St.
Akron, OH 44304
After Hours: 330-697-1085

Ashtabula | 13
440-992-2116
4625 Foster Ave.
Ashtabula, OH 44004
After Hours: 440-228-3603

Bedford Heights | 14 📍
216-285-2900
26200 Richmond Rd.
Bedford Heights, OH 44146
After Hours: 330-219-7749

Bethel Park | 46
412-835-8043
3131 Industrial Blvd.
Bethel Park, PA 15102
After Hours: 412-310-8228

Brooklyn | 123
216-293-7798
8550 Brookpark Rd.
Brooklyn OH 44129
After Hours: 216-570-8974

Byesville | 18 📍
740-421-4758
354 West Main
Byesville, OH 43723
After Hours: 740-398-8653

Canton | 12
330-456-4508
1215 McKinley Ave. SW
Canton, OH 44707
After Hours: 330-933-5598

Cleveland East | 20 📍
216-881-5700
6420 Woodland Ave.
Cleveland, OH 44104
After Hours: 216-570-8974

Cleveland West | 21 📍
216-529-1010
11200 Madison Ave.
Cleveland, OH 44102
After Hours: 216-570-8974

Columbus East | 19 📍
614-294-3500
1356 Cleveland Ave.
Columbus, OH 43211
After Hours: 614-582-7832

Columbus West | 35 📍
614-503-0875
4300 Roberts Rd.
Columbus, OH 43228
After Hours: 614-582-7832

Dayton | 84 📍
937-242-6980
1054 Gateway Dr.
Dayton, Ohio 45404
After Hours: 937-242-6980

Dubois | 128
814-217-0050
302 Aspen Way
Dubois, PA 15801

Erie | 39 📍
814-314-1516
3003 Pittsburgh Ave.
Erie, PA 16508
After Hours: 814-243-5141

Fremont | 11
419-332-2636
641 South Front St.
Fremont, OH 43420
After Hours: 419-455-5996

Jamestown | 133 📍
716-815-6450
2148 Allen St., Ext.
Falconer, NY 14733

Johnstown | 126 📍
814-304-1776
339 Walnut St.
Johnstown, PA 15091
After Hours: 814-304-1776

Lorain | 2 📍
440-245-6874
125 East 20th St.
Lorain, OH 44052
After Hours: 440-654-3974

Mansfield | 7
419-524-0411
83 Smith Ave.
Mansfield, OH 44905
After Hours: 419-571-9953

Medina | 122 📍
234-378-9505
160 Commerce Dr.
Medina, OH 44256
After Hours: 330-813-5210

Melwood | 44
412-622-8100
434 Melwood Ave.
Pittsburgh, PA 15213
After Hours: 412-310-8228

Mentor | 120 📍
440-391-5000
7300 Industrial Park Blvd.
Mentor, OH 44060
After Hours: 440-479-3553

Mount Vernon | 85
740-263-4313
330 Commerce Drive
Mount Vernon, OH 43050
After Hours: 567-241-8073

New Kensington | 45
724-335-8343
419 Hileman Dr.
New Kensington, PA 15068
After Hours: 412-780-6461

Newark | 9 📍
740-345-9617
25 South 11th St.
Newark, OH 43055
After Hours: 740-219-9623

North Hills | 47
412-366-3143
331 Rochester Rd.
Pittsburgh, PA 15237
After Hours: 412-522-8970

Sandusky | 10
419-625-5354
1341 Olds St.
Sandusky, OH 44870
After Hours: 419-656-0566

Sebring | 29 📍
330-938-6350
350 Courtney Rd.
Sebring, OH 44672
After Hours: 330-803-3492

Steubenville | 3 📍
740-282-0951
934 W. Adams St.
Steubenville, OH 43952
After Hours: 304-914-1689

Toledo | 15 📍
419-478-0343
220 Matzinger Rd.
Toledo, OH 43612
After Hours: 419-392-2669

Uniontown | 8 📍
724-437-9806
85 Pittsburgh St.
Uniontown, PA 15401
After Hours: 724-880-5131

Warren | 5
330-369-2563
2436 Niles Rd. SE
Warren, OH 44484
After Hours: 330-509-9437

Washington | 16 📍
724-225-8330
1110 W Chestnut St.
Washington, PA 15301
After Hours: 330-604-7372

Wheeling | 6
304-232-3310
2300 Market St.
Wheeling, WV 26003
After Hours: 304-830-1324

Youngstown | 38 📍
234-706-3525
886 E. Midlothian Blvd.
Youngstown, OH 44502
After Hours: 330-301-1040

Youngwood | 24 📍
724-404-4021
72 E. Hillis St.
Youngwood, PA 15697
After Hours: 724-221-0149

Customer Support Center 📍

800-362-9532 | Mon-Fri 6:30 AM-4:30 PM

Jay Blaushild Training & Education Center 📍

5700 Lee Rd S. Maple Heights, OH 44137 | Mon-Fri 8:00 AM-4:00 PM