

stream33[®]

PRODUCT GUIDE



Shop Stream33 Online!

Faucets, Toilets, PEX, Valves, Parts & Supplies





Making a difference in our local communities

T GETHER.

A portion of every 33Brands purchase is donated to our community Foodbanks, local children's charities, and neighborhood Habitat for Humanity ReStores through in-kind donations.

Learn more at stream33.com/giving-back/





CONTENTS

Faucets	
Kitchen	5-6
Lavatory & Laundry	7
Trim Kits	8-9

Bath Accessories	
Emerson	10
Hudson	11

Sinks	
Kitchen & Bar	12
Garbage Disposals	13
Lavatory	14

Toilets	
2-Piece Toilets & Accessories	15-16
Toilet Seats	17

Water Heaters	
Equipment	18
Water Heater Accessories	19

PEX	
PEX-A Tubing	20-21
PEX-A F1960 Brass Fittings.	22
PEX-A F1960 PPSU Fittings.	23-24
PEX-B Tubing	25
PEX-B F1807 Brass Fittings.	27-28
PEX-B F2159 PPSU Fittings.	29
PEX Accessories	30

Hydronics	
Manifolds & Accessories	31

Tubular	
Plastic Tubular	32-33
Plumbing Kits.	34-35
Brass Tubular & Accessories	36-37

Drains	
Lavatory, Tub & Shower	38-39

Plumbing & Water Supplies	
Connectors	40-41
Stop Valves	42-44
Sump Pumps	45
Valves	46-48
Gas Connectors	49
Clamps, Straps & Accessories	50-52
Couplings.	53

HUDSON SINGLE HANDLE SPRING LOADED PULL-DOWN SPRAY KITCHEN FAUCET



- 1.8 GPM
- 1 or 3-Hole Mount
- 360° Swivel Spout
- Dual Function Spring Loaded Pull-Down Spray
- Ceramic Disc Cartridge
- Optional Deck Plate
- Supply Lines Included



Model	ID No.	Desc.
S331HKSLPD18-CH	.3591599	Chrome
S331HKSLPD18-BN	.3591600	Brushed Nickel
S331HKSLPD18-MB	.3591601	Matte Black

MORELAND SINGLE HANDLE PULL-DOWN SPRAY KITCHEN FAUCET



- 1.5 GPM
- 1 or 3-Hole Mount
- Rotating Spout
- Two Function Pull-Down Wand
- Brass Body
- Ceramic Disc Cartridge
- Optional Deck Plate
- Supply Lines Included



Model	ID No.	Desc.
S331HKPD15-CH	.3403714	Chrome

HUDSON MODERN PULL-DOWN SPRAY SINGLE HANDLE KITCHEN FAUCET



- 1.5 GPM
- 1 or 3-Hole Mount
- Rotating Spout
- Two Function Pull-Down Wand
- Ceramic Disc Cartridge
- Optional Deck Plate
- Supply Lines Included



**Features may vary based on faucet generation*

Model	ID No.	Desc.
S331HKMPD15G2-CH	.3518578	Chrome
S331HKMPD15G3-BN*	.3579792	Brushed Nickel
S331HKMPD15G3-MB*	.3579793	Matte Black
S331HKMPD15G3-BG*	.3641175	Brushed Gold

KINSMAN SINGLE HANDLE PULL-OUT SPRAY KITCHEN FAUCET



- 1.5 GPM
- 1 or 3-Hole Mount
- 100° Swivel Spout
- Brass Body
- Ceramic Disc Cartridge
- Optional Deck Plate
- Supply Lines Included



**Features may vary based on faucet generation*

Model	ID No.	Desc.
S331HKPO15G3-CH*	.3579794	Chrome
S331HKPO15G2-BN	.3490444	Brushed Nickel

ASHMERE SINGLE HANDLE PULL-DOWN SPRAY KITCHEN FAUCET



- 1.5 GPM
- 1 or 3-Hole Mount
- Three Function Pull-Down Sprayer
- Ceramic Disc Cartridge
- Optional Deck Plate
- Supply Lines Included



Model	ID No.	Desc.
S331HKPD15G3-CH	.3579790	Chrome
S331HKPD15G3-BN	.3579789	Brushed Nickel



LIFETIME WARRANTY

ON ALL STREAM33 FAUCETS & TRIM KITS

Full warranty details available online at stream33.com

EMERSON SINGLE HANDLE KITCHEN FAUCET



- 1.5 GPM
- 3-Hole Mount
- Hybrid Body
- Ceramic Disc Cartridge
- Supply Lines Included



Model	ID No.	Desc.
S331HK15G3-CH	.3579796	Chrome

EMERSON SINGLE HANDLE KITCHEN FAUCET WITH SPRAY



- 1.5 GPM
- 4-Hole Mount
- Matching Finish Sprayer Hose
- Hybrid Body
- Ceramic Cartridge
- Single Handle Deck Mount
- Supply Lines Included



Model	ID No.	Desc.
S331HKWS15-CH	.3403740	Chrome

EMERSON TWO HANDLE KITCHEN FAUCET



- 1.5 GPM
- 3-Hole Mount
- 8" Centerset
- Hot & Cold Cartridges



Model	ID No.	Desc.
S332HK15G3-CH	.3579798	Chrome
S332HK15G3-BN	.3579797	Brushed Nickel

EMERSON TWO HANDLE KITCHEN FAUCET WITH SPRAY



- 1.5 GPM
- 4-Hole Mount
- 8" Centerset
- Matching Finish Sprayer Hose
- Hot & Cold Cartridges



*Features may vary based on faucet generation

Model	ID No.	Desc.
S332HKWS15G3-CH*	.3579803	Chrome
S332HKWS15-BN	.3403741	Brushed Nickel



Custom refacing kits for a painless cabinet upgrade.

Learn more at craft33reface.refacingkits.com.



HUDSON MODERN SINGLE HANDLE LAVATORY FAUCET



- 1.2 GPM
- 1 or 3-Hole Mount
- Metal Body & Lever Handle
- Vessel Drain Included
- Ceramic Disc Cartridge
- Supply Lines Included
- Optional Deck Plate



Model	ID No.	Desc.
S331HMLVG3-CH	.3579785	Chrome
S331HMLVG3-BN	.3579786	Brushed Nickel
S331HMLVG3-MB	.3579787	Matte Black
S331HMLVG3-BG	.3641177	Brushed Gold

RYNA MODERN SINGLE HANDLE LAVATORY FAUCET



- 1.2 GPM
- 1 or 3-Hole Mount
- Vessel Drain Included
- Ceramic Disc Cartridge
- Supply Lines Included
- Optional Deck Plate



Model	ID No.	Desc.
S33R1HLMVG3-CH	.3582000	Chrome
S33R1HLMVG3-BN	.3582001	Brushed Nickel
S33R1HLMVG3-MB	.3582002	Matte Black
S33R1HLMVG3-BG	.3641176	Brushed Gold

MORELAND TWO HANDLE WIDESPREAD LAVATORY FAUCET



- 1.2 GPM
- 3-Hole Mount
- 6" - 12" Center Distance
- Ceramic Disc Cartridge
- Waste Assembly Included



Model	ID No.	Desc.
S332HLVWS-CH	.3423944	Chrome
S332HLVWS-BN	.3423949	Brushed Nickel

MORELAND TWO HANDLE CENTERSET LAVATORY FAUCET



- 1.2 GPM
- 3-Hole Mount
- Hot & Cold Cartridges



**Features may vary based on faucet generation*

Model	ID No.	Desc.
S332HLVHIARC-CH	.3423942	Chrome
S332HLVHIARCG3-BN*	.3579781	Brushed Nickel

EMERSON SINGLE HANDLE LAVATORY FAUCET



- 1.2 GPM
- 3-Hole Mount
- 4" Center
- Brass Body
- Ceramic Disc Cartridge
- Single Handle Deck Mount
- Supply Lines Included
- Drainpipe & Tailpiece Included



**Features may vary based on faucet generation*

Model	ID No.	Desc.
S331HLVG3-CH*	.3579780	Chrome
S331HLV-BN	.3385018	Brushed Nickel

EMERSON TWO HANDLE CENTERSET LAVATORY FAUCET



- 1.2 GPM
- 2 or 3-Hole Mount
- Hot & Cold Cartridges
- Drain Pipe & Tailpiece Included



**Features may vary based on faucet generation*

Model	ID No.	Desc.
S332HLVG3-CH*	.3579783	Chrome
S332HLVG2-BN	.3490458	Brushed Nickel

EMERSON TWO HANDLE LAUNDRY FAUCET



- 2.2 GPM
- 3-Hole Mount
- Rotating Spout
- Ceramic Disc Cartridge
- Two Handle Deck Mount



Model	ID No.	Desc.
S332HLD-CH	.3385035	Chrome



LOOKING FOR MORE PRODUCT INFORMATION?

Scan the QR code to view all of our faucets online >>

PEX-A F1960 EXPANSION ROUGH-IN TUB VALVE, PRESSURE BALANCED



- PEX-A F1960 Expansion
- Pressure Balanced with Integral Stops
- Brass Body
- Air Test Cap Included
- Adjustable Temperature Limit Stop to Control Hot Water
- Compatible with Cartridges in Stream33 Trim Kits



Model	ID No.	Desc.
S33RITVPBPEXAG3-WS	.3579820	—

EMERSON SHOWER TRIM KIT



- 1.5 GPM
- Single Function Shower Head
- Metal Lever Handle
- Anti-scald Pressure Balanced Ceramic Disc Cartridge
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33STK15G3-CH	.3579809	Chrome
S33STK15G3-BN	.3579810	Brushed Nickel

PEX-B F1807 CRIMP ROUGH-IN TUB VALVE, PRESSURE BALANCED



- PEX-B F1807 Crimp
- Pressure Balanced with Integral Stops
- Brass Body
- Air Test Cap Included
- Adjustable Temperature Limit Stop to Control Hot Water
- Compatible with Cartridges in Stream33 Trim Kits



Model	ID No.	Desc.
S33RITVPBPEXBG3-WS	.3579819	—

EMERSON TUB AND SHOWER TRIM KIT



- 1.5 GPM
- Single Function Shower Head
- Slip Fit Tub Spout
- Metal Lever Handle
- Anti-scald Pressure Balanced Ceramic Disc Cartridge
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33STK15G3-CH	.3579811	Chrome
S33STK15G3-BN	.3579812	Brushed Nickel

Cx & MIP ROUGH-IN TUB VALVE, PRESSURE BALANCED



- Pressure Balanced with Integral Stops
- Brass Body
- Air Test Cap Included
- Adjustable Temperature Limit Stop to Control Hot Water
- Compatible with Cartridges in Stream33 Trim Kits



Model	ID No.	Desc.
S33RITVPBG3-WS	.3579821	—

HUDSON MODERN SHOWER TRIM KIT



- 1.75 GPM
- Single Function Rain Shower Head
- Metal Lever Handle
- Anti-scald Pressure Balanced Ceramic Disc Cartridge
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33MSTK175G3-CH	.3579817	Chrome
S33MSTK175G3-BN	.3579816	Brushed Nickel
S33MSTK175G3-MB	.3579818	Matte Black
S33MSTK175G3-BG	.3641178	Brushed Gold

HUDSON MODERN TUB AND SHOWER TRIM KIT



- 1.75 GPM
- Single Function Rain Shower Head
- Slip Fit Tub Spout
- Metal Lever Handle
- Anti-scald Pressure Balanced Ceramic Disc Cartridge
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33MTSTK175G3-CH	.3579813	Chrome
S33MTSTK175G3-BN	.3579814	Brushed Nickel
S33MTSTK175G3-MB	.3579815	Matte Black
S33MTSTK175G3-BG	.3641179	Brushed Gold



VIEW OUR LATEST PRODUCTS ONLINE

Scan the QR code to view all of << our trim kits online

EMERSON SHOWER HEAD



- 1.5 GPM
- Single Function Shower Head
- Non-Metallic Spray Face
- Fits any 1/2" Shower Rod
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33SH15G3-CH	.3579804	Chrome
S33SH15G3-BN	.3579805	Brushed Nickel

HEISA ADA HANDHELD SHOWER AND GRAB BAR



- 1.5 GPM
- 23-5/8" Metal Slide/Grab Bar
- ABS Slider
- 6 Function Handheld Shower
- 59" Double Interlock Spiral Metal Hose
- ADA Compliant



*Features may vary based on generation

Model	ID No.	Desc.
S336HHS15-CH	.3551304	Chrome
S336HHS15-BN	.3551303	Brushed Nickel
S336HHS15G2-MB*	.3641181	Matte Black

HUDSON SHOWER HEAD



- 1.75 GPM
- Single Function Rain Shower Head
- Non-metallic Spray Face
- Fits Any 1/2" Shower Rod
- Ball Joint Nut for Shower Head Angle Adjustment



Model	ID No.	Desc.
S33MTSTK175SHG3-CH	.3641193	Chrome
S33MTSTK175SHG3-BN	.3641195	Brushed Nickel
S33MTSTK175SHG3-MB	.3641197	Matte Black



EMERSON TOILET PAPER HOLDER

- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Contemporary Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty



Model	ID No.	Desc.
S33EPH-CH	.3509097	Chrome
S33EPH-BN	.3509098	Brushed Nickel

EMERSON DOUBLE ROBE HOOK

- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Contemporary Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty



Model	ID No.	Desc.
S33EDRH-CH	.3509104	Chrome
S33EDRH-BN	.3509105	Brushed Nickel

EMERSON TOWEL BAR

- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Contemporary Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty



Model	ID No.	Desc.
S33E18TB-CH	.3509100	18" Chrome
S33E18TB-BN	.3509101	18" Brushed Nickel

Model	ID No.	Desc.
S33E24TB-CH	.3509102	24" Chrome
S33E24TB-BN	.3509103	24" Brushed Nickel

EMERSON TOWEL RING

- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Contemporary Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty



Model	ID No.	Desc.
S33ETR-CH	.3508921	Chrome
S33ETR-BN	.3509096	Brushed Nickel

EMERSON CURVED SHOWER ROD

- Constructed Zinc Mounting Bracket
- 24GA Stainless Steel Rod
- Swivel Connector Design
- Fits 57-1/4" - 60-5/8" Distance Between Walls
- Hardware Included
- Lifetime Warranty



Model	ID No.	Desc.
S33E60CSR-BN	.3528495	60" Brushed Nickel

VIEW SPEC SHEETS, WARRANTIES & MORE ONLINE

Scan the QR code to view all of our bathroom accessories online >>



HUDSON TOILET PAPER HOLDER



- Sturdy Metal Structure
- Pivoting Changing Method
- Modern Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33HPH-CH	.3509126	Chrome
S33HPH-BN	.3509127	Brushed Nickel
S33HPH-MB	.3509128	Matte Black

HUDSON TOWEL RING



- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33HTR-CH	.3509106	Chrome
S33HTR-BN	.3509108	Brushed Nickel
S33HTR-MB	.3509109	Matte Black

HUDSON TOWEL BAR



- Sturdy Metal Structure
- Anti-Corrosive Stainless Steel
- Modern Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33H18TB-CH	.3509110	18" Chrome
S33H18TB-BN	.3509111	18" Brushed Nickel
S33H18TB-MB	.3509112	18" Matte Black

Model	ID No.	Desc.
S33H24TB-CH	.3509114	24" Chrome
S33H24TB-BN	.3509115	24" Brushed Nickel
S33H24TB-MB	.3509117	24" Matte Black

HUDSON SINGLE ROBE HOOK



- Sturdy Metal Structure
- Modern Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33HRH-CH	.3509118	Chrome
S33HRH-BN	.3509119	Brushed Nickel
S33HRH-MB	.3509120	Matte Black

HUDSON DOUBLE ROBE HOOK



- Sturdy Metal Structure
- Solid Brass Holders
- Modern Design
- Concealed Mounting System
- Hardware Included
- Lifetime Warranty

Model	ID No.	Desc.
S33HDRH-CH	.3509121	Chrome
S33HDRH-BN	.3509122	Brushed Nickel
S33HDRH-MB	.3509123	Matte Black

HUDSON STRAIGHT SHOWER ROD



- 1" Outer Diameter
- Fits 60" - 60-1/2" Distance Between Walls
- Aluminum Rods
- For Use with Hudson Shower Rod Flanges (Sold Separately)
- Lifetime Warranty

Model	ID No.	Desc.
S33H60SSR-CH	.3539038	Chrome
S33H60SSR-BN	.3538976	Brushed Nickel
S33H60SSR-MB	.3538980	Matte Black

HUDSON SHOWER ROD FLANGES



- ABS Plastic
- For Use with Hudson Straight Shower Rod (Sold Separately)
- Lifetime Warranty

Model	ID No.	Desc.
S33HSRF-CH	.3539037	Chrome
S33HSRF-BN	.3538972	Brushed Nickel
S33HSRF-MB	.3538979	Matte Black

STAINLESS STEEL SINGLE BOWL KITCHEN SINK



- 25" x 22"
- Top Mount
- 3-1/2" Drain Opening
- 1-1/2" Corner Radius
- 27" Minimum Base Cabinet Width
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S33252263-A	.3432264	3	22	6"
S33252264-A	.3432268	4	22	6"
S33252283-A	.3432270	3	20	8"
S33252284-A	.3432274	4	20	8"

STAINLESS STEEL ADA SINGLE BOWL KITCHEN SINK



- 25" x 22"
- Top Mount
- 3-1/2" Drain Opening
- 27" Minimum Base Cabinet Width
- ADA Compliant
- Rear-Centered Drain
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S3325226ADA	.3570054	3	20	6"

STAINLESS STEEL DOUBLE BOWL KITCHEN SINK



- 33" x 22"
- Top Mount
- 3-1/2" Drain Opening
- 1-1/2" Corner Radius
- 36" Minimum Base Cabinet Width
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S33332263-A	.3432296	3	22	6"
S33332264-A	.3432321	4	22	6"
S33332283-A	.3432322	3	20	8"
S33332284-A	.3432323	4	20	8"

STAINLESS STEEL ADA DOUBLE BOWL KITCHEN SINK



- 33" x 22"
- Top Mount
- 3-1/2" Drain Opening
- 36" Minimum Base Cabinet Width
- ADA Compliant
- Rear-Centered Drain
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S3333226ADA	.3570052	3	20	6"

STAINLESS STEEL SINGLE BOWL UNDERMOUNT KITCHEN SINK



- 30" x 18"
- Undermount
- 3-1/2" Drain Opening
- 33" Minimum Base Cabinet Width
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S3330189RDUS	.3596981	—	18	9"

STAINLESS STEEL SINGLE BOWL UNDERMOUNT KITCHEN SINK



- 30" x 18"
- Undermount
- 3-1/2" Drain Opening
- 33" Minimum Base Cabinet Width
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S3330189US	.3422991	—	18	9"

STAINLESS STEEL SINGLE BOWL BAR SINK



- 15" x 15"
- Top Mount
- 3-9/16" Drain Opening
- 1-1/2" Corner Radius
- 18" Minimum Base Cabinet Width
- 10-Year Warranty



Model	ID No.	Hole	GA	Depth
S33151561-A	.3432239	1	22	6"
S33151562-A	.3432243	2	22	6"
S33151563-A	.3432255	3	22	6"

* For 4" Center ** For 8" Center

BASKET STRAINER



- Polished Stainless Steel Finish
- Ball Locking Stainless Steel Basket
- Fits 3-1/2" Opening
- 1-1/2" Connection
- Less Tailpiece
- 4-1/2" Deep Locking Cup



Model	ID No.	Desc.
S331131-0044-SS	.3321762	—

GARBAGE DISPOSAL



- Permanent Magnet Motor
- Corrosion-Proof
- Removable Splash Guard
- 3-Bolt Mount System
- Attached Power Cord
- Antimicrobial Odor Detection



Model	ID No.	HP	RPM	Warranty
S33W13WC-G2	.3525217	1/3	2400	5-Year Warranty
S33W12WC-G2	.3525240	1/2	2600	6-Year Warranty
S33W34WC-G2	.3525242	3/4	2700	10-Year Warranty

LOOKING FOR MORE PRODUCT INFORMATION?

Scan the QR code to view all of our sink products online >>



GARBAGE DISPOSALS



EMERSON PEDESTAL 2-PIECE LAVATORY SINK



- 26" x 19"
- Vitreous China
- Rectangular Basin
- 3-Hole Design
- Overflow Drain
- Wall Bracket Included
- 5-Year Warranty



Model	ID No.	Desc.
S33EPL2619-4/S33EPLB	.3566425	3-Hole, 4" Centerset
S33EPL2619-8/S33EPLB	.3566426	3-Hole, 8" Centerset

MASON PEDESTAL 2-PIECE LAVATORY SINK



- 22" x 18"
- Vitreous China
- Oval Basin
- 1 or 3-Hole Design
- Wall Bracket Included
- 5-Year Warranty



Model	ID No.	Desc.
S33MPL2117-1/S33MPLB	.3548252	1-Hole
S33MPL2117-4/S33MPLB	.3546839	3-Hole, 4" Centerset

MASON RECTANGULAR UNDERMOUNT LAVATORY SINK



- 20" x 14"
- Vitreous China
- Undermount Installation
- Overflow Drain
- 5-Year Warranty



Model	ID No.	Desc.
S33MRUL2014	.3544965	—

MASON OVAL UNDERMOUNT LAVATORY SINK



- 19" x 17"
- Vitreous China
- Undermount Installation
- Overflow Drain
- 5-Year Warranty



Model	ID No.	Desc.
S33MOUL1917	.3544964	—

MASON OVAL DROP-IN LAVATORY SINK



- 20" x 17"
- Vitreous China
- 3-Hole Design
- 4" Centerset
- Overflow Drain
- 5-Year Warranty



Model	ID No.	Desc.
S33MODL2017-4	.3544966	3-Hole, 4" Centerset

MASON ROUND DROP-IN LAVATORY SINK



- 19"
- Vitreous China
- 1 or 3-Hole Design
- Overflow Drain
- 5-Year Warranty



Model	ID No.	Desc.
S33MRNDDL19-4	.3544960	3-Hole, 4" Centerset



TECHNICAL DOCS
AVAILABLE

Scan the QR code to view all of our lavatory sinks online >>



ELONGATED FRONT ADA 2-PIECE TOILET



- 1.28 GPF
 - 3" Flush Valve
 - Glazed Trap Way
 - 5-Year Warranty
- 

*WaterSense applies to 12" Tanks only.

KIT COMPONENTS

- **12"** (.3492878) OR **10"** (.3502771) ADA Bowl
- **Left Hand** (.3492880) OR **Right Hand** (.3492881) Tank

Model	ID No.	Trip Lever	Rough-In
S33TBE10-ADA/S33TANK-L	.3503014	Left	10"
S33TBE10-ADA/S33TANK-R	.3503013	Right	10"
S33TBE12-ADA/S33TANK-L*	.3503016	Left	12"
S33TBE12-ADA/S33TANK-R*	.3503015	Right	12"

ELONGATED FRONT 2-PIECE TOILET



- 1.28 GPF
 - 3" Flush Valve
 - Glazed Trap Way
 - 5-Year Warranty
- 

*WaterSense applies to 12" Tanks only.

KIT COMPONENTS

- **12"** (.3492879) OR **10"** (.3502769) Bowl
- **Left Hand** (.3492880) OR **Right Hand** (.3492881) Tank

Model	ID No.	Trip Lever	Rough-In
S33TBE10/S33TANK-L	.3503018	Left	10"
S33TBE10/S33TANK-R	.3503017	Right	10"
S33TBE12/S33TANK-L	.3503022	Left	12"
S33TBE12/S33TANK-R	.3503019	Right	12"

ROUND FRONT 2-PIECE TOILET



- 1.28 GPF
 - 3" Flush Valve
 - Glazed Trap Way
 - 5-Year Warranty
- 

KIT COMPONENTS

- **12"** (.3492872) Bowl
- **Left Hand** (.3492880) OR **Right Hand** (.3492881) Tank

Model	ID No.	Trip Lever	Rough-In
S33TBR12/S33TANK-L	.3503026	Left	12"
S33TBR12/S33TANK-R	.3503024	Right	12"

OD COMP X BALLCOCK NUT TOILET CONNECTOR



- OD Comp x Ballcock Nut
 - Flexible, Corrosion Resistant Design
 - Reinforced PVC Inner Hose
 - Rubber Washers
- 

Model	ID No.	Desc.
S33-EFSL-387809	.3406506	3/8" x 7/8" x 9"
S33-EFSL-387812	.3406507	3/8" x 7/8" x 12"
S33-EFSL-387816	.3406508	3/8" x 7/8" x 16"
S33-EFSL-387820	.3406509	3/8" x 7/8" x 20"



**FIND THE RIGHT
PRODUCT FOR
THE JOB**

Scan the QR code to view all of
[<< our toilets online](#)

CLOSET BOLT



- Solid Brass Closet Bolts and Nuts
- Stainless Steel Washers
- Snap-Off Slot with Captured Washer
- Sold as Pair

CLOSET FLANGE



- Fits 3" or 4" DWV Pipe
- Test Cap Included
- Provides a Seal Surface for the Wax Ring
- More Anchoring Points to Help Stabilize and Resist Shifting
- Corrosion Resistant



Model	ID No.	Desc.
S331535-1211	.3359175	1/4" x 2-1/4"
S331535-1214	.3359183	5/16" x 2-1/4"

Model	ID No.	Desc.
S33CF34PVCPR1	.3566542	PVC w/ Plastic Ring
S33CF34PVCSR1	.3566543	PVC w/ Swivel SS Ring
S33CF34ABSSR1	.3566545	ABS w/ Swivel SS Ring

WAX RING



- Fits Standard 3" and 4" Waste Lines
- Optional Horn Design
- Pliable, Forming a Custom Seal Under Compression
- Creates a Gas Tight, Leak-proof Seal
- Non-Stick Wax Formula for Easy Handling and Installation

SS Ring



- Adds Strength and Rigidity to Prevent Cracking or Deformation of the Flange
- Fits 3" or 4" DWV Pipe
- Pre-drilled Hole for Stabilization
- Swivel Design Allows User to Adjust Bolt Alignment



Model	ID No.	Sleeve	Desc.
S331538-1104	.3359404	—	7/8"
S331538-1001	.3359409	Yes	7/8"
S331538-1105	.3409276	—	1-5/8"
S331538-1002	.3409536	Yes	1-5/8"

Model	ID No.	Desc.
S33CF5R	.3566546	SS Ring



PLASTIC CLOSED FRONT ELONGATED TOILET SEAT WITH COVER



- Plastic with UV Protection
- Molded in Bumpers
- Matching Adjustable Hinge
- Non-Corrosive Nuts and Bolts
- Top Mount Design
- 2-Year Warranty

Model	ID No.	Desc.
S331241-1901-WH	.3315233	Plastic

PLASTIC CLOSED FRONT ROUND TOILET SEAT WITH COVER



- Plastic with UV Protection
- Molded in Bumpers
- Matching Adjustable Hinge
- Non-Corrosive Nuts and Bolts
- Top Mount Design
- 2-Year Warranty

Model	ID No.	Desc.
S331241-1701-WH	.3315232	Plastic

PLASTIC ELONGATED FRONT SLOW CLOSE TOILET SEAT



- Plastic with UV Protection
- Matching Adjustable Hinge
- Non-Corrosive Nuts and Bolts
- Bottom Mounting
- Soft Closing
- 2-Year Warranty

Model	ID No.	Desc.
S33-MTC0704B-WH	.3405671	Plastic

PLASTIC ROUND FRONT SLOW CLOSE TOILET SEAT



- Plastic with UV Protection
- Matching Adjustable Hinge
- Non-Corrosive Nuts and Bolts
- Bottom Mounting
- Soft Closing
- 2-Year Warranty

Model	ID No.	Desc.
S33-MTC1305-WH	.3344933	Plastic

WOOD CLOSED FRONT ELONGATED TOILET SEAT WITH COVER



- Molded Wood Construction
- Plastic Top Mount Hinge
- Matching Bumpers
- Multi-Coat Enamel Finish
- 2-Year Warranty

Model	ID No.	Desc.
S331242-1901-WH	.3331292	Wood

WOOD CLOSED FRONT ROUND TOILET SEAT WITH COVER



- Molded Wood Construction
- Plastic Top Mount Hinge
- Matching Bumpers
- Multi-Coat Enamel Finish
- 2-Year Warranty

Model	ID No.	Desc.
S331242-1701-WH	.3331291	Wood

PLASTIC ELONGATED OPEN FRONT TOILET SEAT



- Heavy Weight Molded Plastic
- Self-Sustaining Check Hinge
- Holds Seat up to 11"
- Heavy Weight Molded Plastic
- Large Molded Bumpers
- Stainless Steel Hinges and Bolts
- Slip Resistant Pads
- 2-Year Warranty

Model	ID No.	Desc.
S331241-1922-WH	.3331289	Plastic



**PRODUCT DETAILS
AVAILABLE ONLINE**

Scan the QR code to view all of
 << our toilet seats online



TANKLESS WATER HEATER



- 10:1 Modulation
- 2" or 3" Vent Size
- Natural Gas or Liquid Propane Models Available
- Stainless Steel & Lead-Free Dual Heat Exchanger
- 5' Power Cord
- Digital Control Board with LCD Display



Model	ID No.	Desc.
S33-95TWH199-NG	.3598640	Natural Gas
S33-95TWH199-LP	.3598643	Liquid Propane

ELECTRIC WATER HEATER



- Stainless Steel, Enamel Coated Heating Elements
- Factory Installed Heat Trap & Top Mount T&P Safety Relief Valve*
- 2" Insulation Thickness
- 3/4" NPT Water Connection
- 208V/240V
- 3/4" Hex Head Magnesium Anode Rod



Model	ID No.	Desc.
S33-30SEWH-4500	.3612935	Short 30 Gal, 22" x 38"
S33-40SEWH-4500	.3612936	Short 40 Gal, 22" x 47-1/2"
S33-50SEWH-4500	.3612937	Short 50 Gal, 24" x 47-1/2"
S33-30LEWH-4500*	.3621663	Low 30 Gal, 20" x 32-13/16"
S33-40LEWH-4500*	.3621664	Low 40 Gal, 23" x 34-7/8"

*Features may vary based on Model

HEAT PUMP WATER HEATER



- 3/4" MNPT Side Mounted Connection
- Magnesium Anode Rod
- 4500 /240V Upper & Lower Element Wattage
- Built-in CTA-2025 Diagnostic Port
- Enamel Liner
- Vertical Transportation of Water Heater Required



Model	ID No.	Desc.
S33-HPWH50	.3597870	50 Gal
S33-HPWH80	.3597873	80 Gal

30, 40 & 50 Gallon Tank Capacities

Available in Short and Lowboy Electric Models

199k BTU Tankless Units

Available in NP and LP Models

Up to a 6-Year Tank & 15-Year Tankless Warranty

*When used in residential applications; visit stream33.com for more details.



LOOKING FOR MORE PRODUCT INFO?

Scan the QR code to view all of our water heaters & accessories online >>



WATER HEATER PAN



- Aluminum
- Installable Under Electric or Gas
- Pre-Drilled Hole
- 2-1/2" Pan Depth

Model	ID No.	Desc.
S332220-0004	.3330276	24" I.D., 25-3/4" O.D.
S332220-0005	.3330278	26" I.D., 27-3/4" O.D.

WATER HEATER SAFETY TANK



- 3/4" NPT
- For Domestic Hot Water Systems
- Installable Vertical or Horizontal
- Max. Pressure/Temperature: 150 PSI at 200°F

Model	ID No.	Desc.
S33-S5	.3344003	2.1 Gallon
S33-S12	.3344005	4.5 Gallon

Ducting Kit



- Pairs with Stream33 Heat Pump Water Heaters

Model	ID No.	Desc.
HPWHA-08A(UL)	.3616302	—

TANKLESS WATER HEATER VALVE KIT



- Includes 150 PSI Pressure Relief Valve, Cold Water Inlet Valve & Hot Water Outlet Valve
- Compatible with Stream33 Tankless Water Heater

Model	ID No.	Desc.
S33-TWV34FNPT-PRV	.3582516	3/4"
S33-TWV-RSG	.3582582	Replacement Seal Gaskets (2)

RED PEX-A STRAIGHT TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220R-PEXA	.3503541	1/2" x 20'
S333420R-PEXA	.3503544	3/4" x 20'
S33120R-PEXA	.3503547	1" x 20'

BLUE PEX-A STRAIGHT TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220B-PEXA	.3503542	1/2" x 20'
S333420B-PEXA	.3503545	3/4" x 20'
S33120B-PEXA	.3503548	1" x 20'

RED PEX-A COIL TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100R-PEXA	.3503554	1/2" x 100'
S3312300R-PEXA	.3503564	1/2" x 300'
S3312500R-PEXA	.3557643	1/2" x 500'
S33121000R-PEXA	.3503578	1/2" x 1000'
S3334100R-PEXA	.3503556	3/4" x 100'
S3334300R-PEXA	.3503567	3/4" x 300'
S331100R-PEXA	.3503559	1" x 100'
S331300R-PEXA	.3503570	1" x 300'

BLUE PEX-A COIL TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100B-PEXA	.3503553	1/2" x 100'
S3312300B-PEXA	.3503565	1/2" x 300'
S3312500B-PEXA	.3557645	1/2" x 500'
S33121000B-PEXA	.3503579	1/2" x 1000'
S3334100B-PEXA	.3503557	3/4" x 100'
S3334300B-PEXA	.3503568	3/4" x 300'
S331100B-PEXA	.3503560	1" x 100'

WHITE PEX-A STRAIGHT TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220W-PEXA	.3503540	1/2" x 20'
S333420W-PEXA	.3503543	3/4" x 20'
S33120W-PEXA	.3503546	1" x 20'
S3311420W-PEXA	.3503549	1-1/4" x 20'
S3311220W-PEXA	.3503550	1-1/2" x 20'
S33220W-PEXA	.3503551	2" x 20'

WHITE PEX-A COIL TUBING



- PEX-A
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100W-PEXA	.3503552	1/2" x 100'
S3312300W-PEXA	.3503563	1/2" x 300'
S33121000W-PEXA	.3503577	1/2" x 1000'
S3334100W-PEXA	.3503555	3/4" x 100'
S3334300W-PEXA	.3503566	3/4" x 300'
S331100W-PEXA	.3503558	1" x 100'
S331300W-PEXA	.3503569	1" x 300'
S33114100W-PEXA	.3503561	1-1/4" x 100'
S33114300W-PEXA	.3503571	1-1/4" x 300'
S33112100W-PEXA	.3503562	1-1/2" x 100'
S33112300W-PEXA	.3503572	1-1/2" x 300'



**PEX-A & B TUBING
AVAILABLE**

Scan the QR code to view all of
[<< our PEX tubing online](#)



J-HOOKS

Available on page 50

PEX-A F1960 EXPANSION X SWEAT BRASS FEMALE ADAPTER



- PEX-A F1960 Expansion x Female Sweat
- C69300 Lead-Free Brass
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312BPFSW-PEXA	.3517587	1/2" x 1/2"
S3334BPFSW-PEXA	.3517588	3/4" x 3/4"
S331BPFSW-PEXA	.3517590	1" x 1"
S33114BPFSW-PEXA	.3532900	1-1/4" x 1-1/4"
S33112BPFSW-PEXA	.3532901	1-1/2" x 1-1/2"
S332BPFSW-PEXA	.3532902	2" x 2"

PEX-A F1960 EXPANSION X FIP BRASS DROP-EAR ELBOW



- PEX-A F1960 Expansion x FIP
- C69300 Lead-Free Brass
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312BPDEELBOW-PEXA	.3517623	1/2" x 1/2"

PEX-A F1960 EXPANSION X MIP BRASS MALE ADAPTER



- PEX-A F1960 Expansion x MIP
- C69300 Lead-Free Brass
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312BPMIP-PEXA	.3517618	1/2" x 1/2"
S3334BPMIP-PEXA	.3517619	3/4" x 3/4"
S33341BPMIP-PEXA	.3532896	3/4" x 1"
S331BPMIP-PEXA	.3517620	1" x 1"
S33114BPMIP-PEXA	.3532897	1-1/4" x 1-1/4"
S33112BPMIP-PEXA	.3532898	1-1/2" x 1-1/2"
S332BPMIP-PEXA	.3532899	2" x 2"

PEX-A F1960 EXPANSION X SWEAT BRASS MALE ADAPTER



- PEX-A F1960 Expansion x Sweat
- C69300 Lead-Free Brass
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312BPMSW-PEXA	.3522498	1/2" x 1/2"
S3334BPMSW-PEXA	.3522499	3/4" x 3/4"
S331BPMSW-PEXA	.3532892	1" x 1"
S33114BPMSW-PEXA	.3532893	1-1/4" x 1-1/4"
S33112BPMSW-PEXA	.3532894	1-1/2" x 1-1/2"
S332BPMSW-PEXA	.3532895	2" x 2"

PEX-A F1960 EXPANSION X FIP BRASS FEMALE ADAPTER



- PEX-A F1960 Expansion x FIP
- C69300 Lead-Free Brass
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312BPFIP-PEXA	.3517621	1/2" x 1/2"
S331234BPFIP-PEXA	.3517622	1/2" x 3/4"
S3334BPFIP-PEXA	.3517624	3/4" x 3/4"
S331BPFIP-PEXA	.3517625	1" x 1"



VIEW ALL PEX-A FITTINGS ONLINE

Scan the QR code to view all of our PEX-A F1960 expansion fittings online

PEX-A F1960 EXPANSION PPSU TEE



- PEX-A F1960 Expansion x PEX-A F1960 Expansion x PEX-A F1960 Expansion
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312PPTEE-PEXA	.3517563	1/2" x 1/2" x 1/2"
S33121234PPTEE-PEXA	.3517566	1/2" x 1/2" x 3/4"
S33341212PPTEE-PEXA	.3517570	3/4" x 1/2" x 1/2"
S33341234PPTEE-PEXA	.3517573	3/4" x 1/2" x 3/4"
S33343412PPTEE-PEXA	.3517577	3/4" x 3/4" x 1/2"
S3334PPTEE-PEXA	.3517578	3/4" x 3/4" x 3/4"
S3313434PPTEE-PEXA	.3526267	1" x 3/4" x 3/4"
S331112PPTEE-PEXA	.3526268	1" x 1" x 1/2"
S331134PPTEE-PEXA	.3517581	1" x 1" x 3/4"
S331PPTEE-PEXA	.3517582	1" x 1" x 1"
S3311411412PPTEE-PEXA	.3532867	1-1/4" x 1-1/4" x 1/2"
S3311411434PPTEE-PEXA	.3532868	1-1/4" x 1-1/4" x 3/4"
S331141141PPTEE-PEXA	.3532869	1-1/4" x 1-1/4" x 1"
S33114PPTEE-PEXA	.3532870	1-1/4" x 1-1/4" x 1-1/4"
S3311211212PPTEE-PEXA	.3532871	1-1/2" x 1-1/2" x 1/2"
S3311211234PPTEE-PEXA	.3532872	1-1/2" x 1-1/2" x 3/4"
S331121121PPTEE-PEXA	.3532873	1-1/2" x 1-1/2" x 1"
S33112PPTEE-PEXA	.3532874	1-1/2" x 1-1/2" x 1-1/2"
S332212PPTEE-PEXA	.3532875	2" x 2" x 1/2"
S332234PPTEE-PEXA	.3532876	2" x 2" x 3/4"
S33221PPTEE-PEXA	.3532877	2" x 2" x 1"
S3322112PPTEE-PEXA	.3532878	2" x 2" x 1-1/2"
S332PPTEE-PEXA	.3532879	2" x 2" x 2"

PEX-A F1960 X PEX-A F1960 PPSU ELBOW



- PEX-A F1960 Expansion x PEX-A F1960 Expansion
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312PELLOW-PEXA	.3517584	1/2" x 1/2"
S3334PELLOW-PEXA	.3517585	3/4" x 3/4"
S331PELLOW-PEXA	.3517586	1" x 1"
S33114PELLOW-PEXA	.3532880	1-1/4" x 1-1/4"
S33112PELLOW-PEXA	.3532881	1-1/2" x 1-1/2"
S3322PELLOW-PEXA	.3532882	2" x 2"

PEX-A F1960 EXPANSION X PEX-A F1960 EXPANSION PPSU COUPLING



- PEX-A F1960 Expansion x PEX-A F1960 Expansion
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312PPCOUP-PEXA	.3517594	1/2" x 1/2"
S333412PPCOUP-PEXA	.3517611	3/4" x 1/2"
S3334PPCOUP-PEXA	.3517610	3/4" x 3/4"
S33134PPCOUP-PEXA	.3517616	1" x 3/4"
S331PPCOUP-PEXA	.3517614	1" x 1"
S3311434PPCOUP-PEXA	.3532883	1-1/4" x 3/4"
S331141PPCOUP-PEXA	.3532884	1-1/4" x 1"
S33114PPCOUP-PEXA	.3532885	1-1/4" x 1-1/4"
S3311234PPCOUP-PEXA	.3532886	1-1/2" x 3/4"
S331121PPCOUP-PEXA	.3532887	1-1/2" x 1"
S33112114PPCOUP-PEXA	.3532888	1-1/2" x 1-1/4"
S33112PPCOUP-PEXA	.3532889	1-1/2" x 1-1/2"
S332112PPCOUP-PEXA	.3532890	2" x 1-1/2"
S332PPCOUP-PEXA	.3532891	2" x 2"

PEX-A F1960 PPSU PLUG



- PEX-A F1960 Expansion
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312PPLUG-PEXA	.3517553	1/2"
S3334PPLUG-PEXA	.3517556	3/4"
S331PPLUG-PEXA	.3517559	1"
S33114PPLUG-PEXA	.3532864	1-1/4"
S33112PPLUG-PEXA	.3532865	1-1/2"
S332PPLUG-PEXA	.3532866	2"

PEX-A F1960 PPSU MULTI-PORT TEE, OPEN



- PEX-A F1960 Expansion
- 3/4" Inlet/Outlet Ends
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S333412PPOEMPTEE2-PEXA	.3517629	(2) 1/2" Outlets
S333412PPOEMPTEE3-PEXA	.3517633	(3) 1/2" Outlets
S333412PPOEMPTEE4-PEXA	.3517636	(4) 1/2" Outlets
S333412PPOEMPTEE6-PEXA	.3517638	(6) 1/2" Outlets

PEX-A F1960 PPSU MULTI-PORT TEE, CLOSED



- PEX-A F1960 Expansion
- 3/4" Inlet End
- PPSU Plastic
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S333412PPCEMPTEE3-PEXA	.3517631	(3) 1/2" Outlets
S333412PPCEMPTEE4-PEXA	.3517634	(4) 1/2" Outlets
S333412PPCEMPTEE6-PEXA	.3517637	(6) 1/2" Outlets

PEX-A RING



- PEX-A
- Cross-Linked Polyethylene (PEX)
- Max. Pressure/Temperature: 100 PSI at 180°F



Model	ID No.	Desc.
S3312ER-PEXA-G2	.3563957	1/2"
S3358ER-PEXA-G2	.3563624	5/8"
S3334ER-PEXA-G2	.3517627	3/4"
S331ER-PEXA-G2	.3563955	1"
S33114ER-PEXA-G2	.3563625	1-1/4"
S33112ER-PEXA-G2	.3563628	1-1/2"
S332ER-PEXA-G2	.3563630	2"

PEX 101



PEX-A
expansion type



PEX-B
crimp type

RED PEX-B STRAIGHT TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220R-PEXB	.3510024	1/2" x 20'
S333420R-PEXB	.3510030	3/4" x 20'
S33120R-PEXB	.3510033	1" x 20'

BLUE PEX-B STRAIGHT TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220B-PEXB	.3510029	1/2" x 20'
S333420B-PEXB	.3510032	3/4" x 20'
S33120B-PEXB	.3510035	1" x 20'

RED PEX-B COIL TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100R-PEXB	.3510039	1/2" x 100'
S3312300R-PEXB	.3510052	1/2" x 300'
S3312500R-PEXB	.3510064	1/2" x 500'
S3334100R-PEXB	.3510043	3/4" x 100'
S3334300R-PEXB	.3510055	3/4" x 300'
S3334500R-PEXB	.3510067	3/4" x 500'
S331100R-PEXB	.3510046	1" x 100'
S331300R-PEXB	.3510058	1" x 300'

BLUE PEX-B COIL TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100B-PEXB	.3510042	1/2" x 100'
S3312300B-PEXB	.3510054	1/2" x 300'
S3312500B-PEXB	.3510065	1/2" x 500'
S3334100B-PEXB	.3510045	3/4" x 100'
S3334300B-PEXB	.3510057	3/4" x 300'
S3334500B-PEXB	.3510068	3/4" x 500'
S331100B-PEXB	.3510048	1" x 100'
S331300B-PEXB	.3510060	1" x 300'

WHITE PEX-B STRAIGHT TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S331220W-PEXB	.3510028	1/2" x 20'
S333420W-PEXB	.3510031	3/4" x 20'
S33120W-PEXB	.3510034	1" x 20'
S3311420W-PEXB	.3510036	1-1/4" x 20'

WHITE PEX-B COIL TUBING



- PEX-B
- Best-in-Class UV Resistance
- Durable Pipe
- Lightweight & Compact
- Made in USA



Model	ID No.	Desc.
S3312100W-PEXB	.3510041	1/2" x 100'
S3312300W-PEXB	.3510053	1/2" x 300'
S3312500W-PEXB	.3510063	1/2" x 500'
S3334100W-PEXB	.3510044	3/4" x 100'

33brands



stream33.com



breeze33.com



craft33products.com



bright33.com

PEX-B F1807 CRIMP X PEX-B F1807 CRIMP BRASS COUPLING



- PEX-B F1807 Crimp x PEX-B F1807 Crimp
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S331238BPCOUP-PEXB	.3487381	1/2" x 3/8"
S3312BPCOUP-PEXB	.3484229	1/2" x 1/2"
S333412BPCOUP-PEXB	.3484231	3/4" x 1/2"
S3334BPCOUP-PEXB	.3484230	3/4" x 3/4"
S33134BPCOUP-PEXB	.3484233	1" x 3/4"
S331BPCOUP-PEXB	.3484232	1" x 1"

PEX-B F1807 CRIMP X FIP BRASS FEMALE ADAPTER



- PEX-B F1807 Crimp x FIP
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPFIP-PEXB	.3484234	1/2" x 1/2"
S331234BPFIP-PEXB	.3484237	1/2" x 3/4"
S3334BPFIP-PEXB	.3484235	3/4" x 3/4"

PEX-B F1807 CRIMP X SWEAT BRASS FEMALE ADAPTER



- PEX-B F1807 Crimp x Female Sweat
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPFSW-PEXB	.3484236	1/2" x 1/2"
S3334BPFSW-PEXB	.3484238	3/4" x 3/4"
S331BPFSW-PEXB	.3484239	1" x 1"

PEX-B F1807 CRIMP X MIP BRASS MALE ADAPTER



- PEX-B F1807 Crimp x MIP
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPMIP-PEXB	.3484240	1/2" x 1/2"
S331234BPMIP-PEXB	.3484241	1/2" x 3/4"
S3334BPMIP-PEXB	.3484242	3/4" x 3/4"
S33341BPMIP-PEXB	.3487377	3/4" x 1"
S33134BPMIP-PEXB	.3484243	1" x 3/4"
S331BPMIP-PEXB	.3484244	1" x 1"

PEX-B F1807 CRIMP X SWEAT BRASS MALE ADAPTER



- PEX-B F1807 Crimp x Male Sweat
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPMSW-PEXB	.3484245	1/2" x 1/2"
S3334BPMSW-PEXB	.3484246	3/4" x 3/4"
S331BPMSW-PEXB	.3484247	1" x 1"

PEX-B F1807 CRIMP X PEX-B F1807 CRIMP BRASS ELBOW



- PEX-B F1807 Crimp x PEX-B F1807 Crimp
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPELBOW-PEXB	.3484248	1/2" x 1/2"
S333412BPELBOW-PEXB	.3484250	3/4" x 1/2"
S3334BPELBOW-PEXB	.3484249	3/4" x 3/4"
S331BPELBOW-PEXB	.3484251	1" x 1"

PEX-B F1807 CRIMP BRASS TEE



- PEX-B F1807 Crimp x PEX-B F1807 Crimp x PEX-B F1807 Crimp
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPTEE-PEXB	.3484252	1/2" x 1/2" x 1/2"
S33121234BPTEE-PEXB	.3484253	1/2" x 1/2" x 3/4"
S33341212BPTEE-PEXB	.3484255	3/4" x 1/2" x 1/2"
S33341234BPTEE-PEXB	.3484257	3/4" x 1/2" x 3/4"
S33343412BPTEE-PEXB	.3484256	3/4" x 3/4" x 1/2"
S3334BPTEE-PEXB	.3484254	3/4" x 3/4" x 3/4"
S3313434BPTEE-PEXB	.3484260	1" x 3/4" x 3/4"
S331112BPTEE-PEXB	.3484259	1" x 1" x 1/2"
S331134BPTEE-PEXB	.3484261	1" x 1" x 3/4"
S331BPTEE-PEXB	.3484258	1" x 1" x 1"

PEX-B F1807 CRIMP X FIP BRASS DROP-EAR ELBOW



- PEX-B F1807 Crimp x FIP
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



PEX-B F1807 CRIMP X PEX-B F1807 CRIMP BRASS PLUG



- PEX-B F1807 Crimp x PEX-B F1807 Crimp
- C46500 Lead-Free Brass
- Max. Pressure/Temperature: 150 PSI at 210°F



Model	ID No.	Desc.
S3312BPDEELBOW-PEXB	.3484262	1/2" x 1/2"
S333412BPDEELBOW-PEXB	.3484263	3/4" x 1/2"
S3334BPDEELBOW-PEXB	.3484264	3/4" x 3/4"

Model	ID No.	Desc.
S3312BPPLUG-PEXB	.3484265	1/2"
S3334BPPLUG-PEXB	.3484266	3/4"
S331BPPLUG-PEXB	.3484267	1"



VIEW TECHNICAL BULLETINS & MORE ONLINE

Scan the QR code to view all of our PEX-B F1807 crimp fittings online >>



PEX-B F2159 CRIMP X PEX-B F2159 CRIMP PPSU COUPLING



- PEX-B F2159 Crimp x PEX-B F2159 Crimp
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPCOUP-PEXB	.3484292	1/2" x 1/2"
S333412PPCOUP-PEXB	.3484294	3/4" x 1/2"
S3334PPCOUP-PEXB	.3484293	3/4" x 3/4"
S33134PPCOUP-PEXB	.3484296	1" x 3/4"
S331PPCOUP-PEXB	.3484295	1" x 1"

PEX-B F2159 CRIMP X FIP PPSU FEMALE SWIVEL ADAPTER



- PEX-B F2159 Crimp x FIP
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPFIP-PEXB	.3484297	1/2" x 1/2"

PEX-B F2159 CRIMP PLASTIC PLUG



- PEX-B F2159 Crimp
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPLUG-PEXB	.3484298	1/2"
S3334PPLUG-PEXB	.3484299	3/4"
S331PPLUG-PEXB	.3484300	1"

PEX-B F2159 CRIMP X PEX-B F2159 CRIMP PPSU ELBOW



- PEX-B F2159 Crimp x PEX-B F2159 Crimp
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PELBOW-PEXB	.3484301	1/2" x 1/2"
S333412PELBOW-PEXB	.3484303	3/4" x 1/2"
S3334PELBOW-PEXB	.3484302	3/4" x 3/4"
S331PELBOW-PEXB	.3484304	1" x 1"

PEX-B F2159 CRIMP X FIP PPSU FEMALE SWIVEL ELBOW



- PEX-B F2159 Crimp x FIP
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPSFELBOW-PEXB	.3484305	1/2" x 1/2"

PEX-B F2159 CRIMP X MIP PPSU MALE ADAPTER



- PEX-B F2159 Crimp x MIP
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPMIP-PEXB	.3484306	1/2" x 1/2"
S331234PPMIP-PEXB	.3484307	1/2" x 3/4"
S3334PPMIP-PEXB	.3484308	3/4" x 3/4"
S331PPMIP-PEXB	.3484309	1" x 1"

PEX-B F2159 CRIMP PPSU TEE



- PEX-B F2159 Crimp x PEX-B F2159 Crimp
- PPSU Plastic
- For Hot/Cold Potable Water Systems
- Max. Pressure/Temperature: 150 PSI at 200°F



Model	ID No.	Desc.
S3312PPTEE-PEXB	.3484310	1/2" x 1/2" x 1/2"
S33121234PPTEE-PEXB	.3484311	1/2" x 1/2" x 3/4"
S33341212PPTEE-PEXB	.3484312	3/4" x 1/2" x 1/2"
S33341234PPTEE-PEXB	.3484313	3/4" x 1/2" x 3/4"
S33343412PPTEE-PEXB	.3484315	3/4" x 3/4" x 1/2"
S3334PPTEE-PEXB	.3484316	3/4" x 3/4" x 3/4"
S3313434PPTEE-PEXB	.3484320	1" x 3/4" x 3/4"
S331112PPTEE-PEXB	.3484318	1" x 1" x 1/2"
S331134PPTEE-PEXB	.3484319	1" x 1" x 3/4"
S331PPTEE-PEXB	.3484317	1" x 1" x 1"

PEX-B F1807 COPPER CRIMP RING



- PEX-B F1807 Crimp
- Copper

Model	ID No.	Desc.
S3312CCR	.3484321	1/2"
S3334CCR	.3484322	3/4"
S331CCR	.3492326	1"

PEX-B STAINLESS STEEL CINCH CLAMP RING



- PEX-B
- Stainless Steel



Model	ID No.	Desc.
S3312SSCC	.3492323	1/2"
S3334SSCC	.3484323	3/4"
S331SSCC	.3492324	1"

PLASTIC PEX DROP EAR BEND SUPPORT



- 30% Glass Reinforced Nylon
- Provides 90° Bend and Connection-Free Stub from Stud Wall or Flooring
- For Use with 1/2" PEX Tubing
- Snaps into PEX Wall Support Bracket

Model	ID No.	Desc.
S3312PPDEBS	.3567397	1/2"

PEX WALL SUPPORT BRACKET



- 30% Glass Reinforced Nylon
- For Use with 1/2" or 3/4" PEX Tubing
- Snaps Plastic Drop Ear Bend Support into Place
- Can be Fastened Using Screws or Nails

Model	ID No.	Desc.
S33PEXWSB	.3567398	18-1/4" x 2-1/4"


PLASTIC PEX BEND SUPPORT



- Plastic
- Compatible with All PEX Tubing

Model	ID No.	Desc.
S3312PPBEND	.3528045	1/2"
S3334PPBEND	.3532903	3/4"

STAINLESS STEEL HEATING MANIFOLD



- 1" FIP Inlet/Outlet Connection
- Stainless Steel Body
- Nickel-Coated Brass Port Connection
- EPDM Sealing Ring
- Flow Meter

Model	ID No.	Desc.
S33MAN2	.3539864	2-Loop
S33MAN3	.3539865	3-Loop
S33MAN4	.3539866	4-Loop
S33MAN5	.3539867	5-Loop
S33MAN6	.3539868	6-Loop
S33MAN7	.3539869	7-Loop
S33MAN8	.3539870	8-Loop
S33MAN9	.3539871	9-Loop
S33MAN10	.3539872	10-Loop
S33MAN11	.3539873	11-Loop
S33MAN12	.3539874	12-Loop

STAINLESS STEEL MANIFOLD CONNECTOR



- Stainless Steel Body
- Nickel-Coated Brass

Model	ID No.	Desc.
S33R2012	.3539875	1/2"
S33R2058	.3539876	5/8"
S33R2034	.3539877	3/4"

HYDRONIC EXPANSION TANK



- Diaphragm Type Hydropneumatic Tank
- Controls Pressure of Residential & Commercial Hydronic Heating Systems
- Not for Open or Potable (Domestic) Water Systems
- Max. Pressure: 100 PSI
- Max. Temperature: 240°F
- 5-Year Warranty

Model	ID No.	Gallon	Desc.
S33HTX15	.3499215	2.1	1/2" MNPT
S33HTX30	.3499216	4.5	1/2" MNPT

THERMAL ACTUATOR VALVE



- Integrated Micro Switch with Floating Contact
- Available in Normally Closed (NC) or Normally Open (NO)
- 360° Installation Position
- Compact Size
- Protection Against Leaky Valves
- Snap-On Installation
- 1m Cable Included
- 4 Wire

Model	ID No.	Desc.
S33ACT4	.3539878	—

PEX-A COIL OXYGEN BARRIER TUBING



- Co-Extruded Oxygen Diffusion Barrier
- UV Resistant
- For Radiant Heating & Potable Water
- Durable & Lightweight
- Made in USA



Model	ID No.	Desc.
S3312300-H-PEXA	.3531082	1/2" x 300'
S33121000-H-PEXA	.3531084	1/2" x 1000'
S3358300-H-PEXA	.3531086	5/8" x 300'
S33581000-H-PEXA	.3531088	5/8" x 1000'
S3334300-H-PEXA	.3531090	3/4" x 300'
S3334500-H-PEXA	.3531091	3/4" x 500'
S33341000-H-PEXA	.3531092	3/4" x 1000'

**BROWSE
MANIFOLDS &
ACCESSORIES**

Scan the QR code to view all of our hydronic products online >>



PLASTIC END BAFFLE TEE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCBT-2012	.3402286	1-1/2" PVC

PLASTIC END OUTLET CONTINUOUS WASTE SLIP JOINT/HIGH-LINE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCEO-2012	.3402277	1-1/2" x 16" PVC
S33-EFABSEO-3012	.3403139	1-1/2" x 16" ABS

PLASTIC DISHWASHER BRANCH TAILPIECE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCDW-2012	.3402272	1-1/2" x 8" PVC
S33-EFABSDW-3012	.3403138	1-1/2" x 8" ABS

PLASTIC DOUBLE CONNECT SLIP JOINT EXTENSION TUBE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCD-2014	.3402269	1-1/4" x 16" PVC
S33-EFABSED-3014	.3403135	1-1/4" x 16" ABS
S33-EFPVCD-2012	.3402267	1-1/2" x 16" PVC
S33-EFABSED-3012	.3403134	1-1/2" x 16" ABS

PLASTIC CENTER OUTLET WASTE SLIP JOINT/HIGH-LINE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCCO-2012	.3402285	1-1/2" x 16" PVC
S33-EFABSCO-3012	.3403142	1-1/2" x 16" ABS

PLASTIC DOUBLE FLANGED TAILPIECE



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCDF-2012	.3402270	1-1/2" x 16" PVC
S33-EFABSTD-3012	.3403136	1-1/2" x 16" ABS

PLASTIC END DISPOSER KIT



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCDO-2012	.3402282	1-1/2" x 13" PVC
S33-EFABSDE-3012	.3403141	1-1/2" x 13" ABS

PLASTIC S-TRAP



- Polypropylene Plastic Construction
- Optional Adapter Available



Model	ID No.	Desc.	Adapter
S33-EFPVCST-2014	.3402256	1-1/4" x 1-1/4" PVC	—
S33-EFPVCST-2012	.3402097	1-1/2" x 1-1/2" PVC	Yes
S33-EFABSST-3012	.3403131	1-1/2" x 1-1/2" ABS	Yes

PLASTIC P-TRAP



- Polypropylene Plastic Construction
- Optional Adapter with 1-1/4" Slip Joint Available



Model	ID No.	Desc.	Adapter
S33-EFPVCPV-2014	.3402266	1-14" x 1-1/4" PVC	—
S33-EFABSPT-3014	.3403133	1-1/4" x 1-1/4" ABS	—
S33-EFPVCPV-2012	.3402264	1-1/2" x 1-1/2" PVC	Yes
S33-EFABSPT-3012	.3403132	1-1/2" x 1-1/2" ABS	Yes

PLASTIC WASTE ARM SLIP JOINT



- Polypropylene Plastic Construction



Model	ID No.	Desc.
S33-EFPVCTW-2012	.3402287	1-1/2" x 20" PVC

SLIP JOINT NUT



- Polypropylene Plastic Construction

Model	ID No.	Desc.
S33-EFPVCSJ-2014	.3402289	1-1/4" PVC
S33-EFPVCSJ-2012	.3402288	1-1/2" PVC

POLY TAILPIECE WASHER



- Polyethylene Construction

Model	ID No.	Desc.
S33-EFPVCPW-2012	.3402291	1-1/2"

POLY TAPERED SLIP JOINT WASHER



- Polyethylene Construction

Model	ID No.	Desc.
S33-EFPVCPT-2014	.3402294	1-1/4"
S33-EFPVCPT-2012	.3402290	1-1/2"
S33-EFPVCPT-1214	.3402292	1-1/2" x 1-1/4"

RUBBER SLIP JOINT WASHER



- Rubber Construction

Model	ID No.	Desc.
S33-EFPVCNW-2014	.3402297	1-1/4"
S33-EFPVCNW-2012	.3402295	1-1/2"

BROWSE ALL TUBULAR SIZES & MATERIALS ONLINE

Scan the QR code to view all of our tubular products online >>



KITCHEN SINK CENTER OUTLET WASTE INSTALLATION KIT



- Without Supply Lines
- Includes:
 - (1) 1-1/2" PVC Tubular Center Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) Basket Strainers
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

KITCHEN SINK WITH DISPOSAL INSTALLATION KIT



- Without Supply Lines
- Includes:
 - (1) 1-1/2" PVC Tubular End Disposal Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (1) Basket Strainer
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Stop Valves
KITCHEN#1	.3445824	Compression

Model	ID No.	Desc.
KITCHEN#7	.3445827	Compression
KITCHEN#9	.3445830	PEX-B F1807 Crimp

KITCHEN SINK CENTER OUTLET WASTE INSTALLATION KIT WITH SUPPLY LINES



- Includes:
 - (1) 1-1/2" PVC Tubular Center Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) Basket Strainers
 - (2) 16" Stainless Steel Supply Lines
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

KITCHEN SINK WITH DISPOSAL INSTALLATION KIT WITH SUPPLY LINES



- Includes:
 - (1) 1-1/2" PVC Tubular End Disposal Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (1) Basket Strainer
 - (2) 16" Stainless Steel Supply Lines
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Desc.
KITCHEN#10	.3445224	Compression
KITCHEN#11	.3445270	PEX-A F1960 Expansion
KITCHEN#12	.3445273	PEX-B F1807 Crimp

Model	ID No.	Desc.
KITCHEN#16	.3445274	Compression
KITCHEN#18	.3445284	PEX-B F1807 Crimp

KITCHEN SINK END OUTLET WASTE INSTALLATION KIT



- Without Supply Lines
- Includes:
 - (1) 1-1/2" PVC Tubular End Outlet Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) Basket Strainers
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

KITCHEN SINK END OUTLET WASTE INSTALLATION KIT WITH SUPPLY LINES



- Includes:
 - (1) 1-1/2" PVC Tubular End Outlet Waste
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) Basket Strainers
 - (2) 16" Stainless Steel Supply Lines
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Desc.
KITCHEN#4	.3451140	Compression

Model	ID No.	Desc.
KITCHEN#13	.3451131	Compression

PLUMBING KITS AVAILABLE FOR CONVENIENCE & PEACE OF MIND

Scan the QR code to view all of our plumbing kits online >>



TOILET INSTALLATION KIT



- Without Stop Valve
- Includes:
 - (1) Wax Ring
 - (1) 12" Stainless Steel Supply Line
 - (2) 5/16" x 2-1/4" Toilet Bolts

Model	ID No.	Desc.
TOILET#1	.3445206	—

TOILET INSTALLATION KIT WITH VALVE



- Includes:
 - (1) Wax Ring
 - (1) 12" Stainless Steel Supply Line
 - (2) 5/16" x 2-1/4" Toilet Bolts
 - (1) Angle Stop Valve
 - (1) 5/8" Chrome Escutcheon

Model	ID No.	Desc.
TOILET#2	.3445210	Compression
TOILET#4	.3445219	PEX-B F1807 Crimp

LAVATORY INSTALLATION KIT



- Without Supply Lines
- Includes:
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons


Model	ID No.	Desc.
LAV#1	.3445820	Compression
LAV#3	.3445822	PEX-B F1807 Crimp

LAVATORY INSTALLATION KIT WITH SUPPLY LINES



- Includes:
 - (1) 1-1/2" PVC Tubular P-Trap
 - (1) 1-1/2" White Escutcheon
 - (2) 16" Stainless Steel Supply Lines
 - (2) Angle Stop Valves
 - (2) 5/8" Chrome Escutcheons

Model	ID No.	Desc.
LAV#4	.3445221	Compression
LAV#6	.3445223	PEX-B F1807 Crimp



Plumbing kits crafted for any project.

BRASS DISHWASHER BRANCH TAILPIECE



- Durable 17GA Brass Construction
- Chrome-Plated



Model	ID No.	Desc.
S33-EFBRDW-1708	.3403167	1-1/2" x 8"

BRASS DOUBLE CONNECT SLIP JOINT EXTENSION TUBE



- Durable 17GA Brass Construction
- Chrome-Plated
- Nuts Included



Model	ID No.	Desc.
S33-EFBRDS-1714	.3403162	1-1/4" x 16"
S33-EFBRDS-1712	.3403163	1-1/2" x 16"

BRASS CENTER OUTLET WASTE SLIP JOINT



- Durable 17GA Brass Construction
- Chrome-Plated
- Nuts Included



Model	ID No.	Desc.
S33-EFBRSJ-1712	.3403160	1-1/2" x 16"

BRASS THREADED BOTH ENDS EXTENSION TUBE



- Durable 17GA Brass Construction
- Chrome-Plated



Model	ID No.	Desc.
S33-EFBRTE-1714	.3403165	1-1/4" x 12"

BRASS END DISPOSER KIT



- Durable 17GA Brass Construction
- Chrome-Plated
- Nuts Included



Model	ID No.	Desc.
S33-EFBRDK-1712	.3403161	1-1/2" x 13"

BRASS STRAIGHT DOUBLE FLANGED TAILPIECE



- Durable 17GA Brass Construction
- Chrome-Plated



Model	ID No.	Desc.
S33-EFBRSF-1712	.3403164	1-1/2" x 12"

BRASS END OUTLET CONTINUOUS WASTE SLIP JOINT



- Durable 17GA Brass Construction
- Chrome-Plated
- Nuts Included
- With Baffle



Model	ID No.	Desc.
S33-EFBRLJ-1712SJ	.3403158	1-1/2" x 16"

BRASS P-TRAP WITH CLEANOUT



- Durable 17GA Brass Construction
- Chrome-Plated
- With Cleanout
- Escutcheon Included



Model	ID No.	Desc.
S33-EFBRPT-1714C	.3403152	1-1/4" x 1-1/4"
S33-EFBRPT-1412C	.3403153	1-1/2" x 1-1/4"
S33-EFBRPT-1712C	.3403154	1-1/2" x 1-1/2"

BRASS P-TRAP LESS CLEANOUT



- Durable 17GA Brass Construction
- Chrome-Plated
- Escutcheon Included



Model	ID No.	Desc.
S33-EFBRPT-1714CO	.3403155	1-1/4" x 1-1/4"
S33-EFBRPT-1412CO	.3403156	1-1/2" x 1-1/4"
S33-EFBRPT-1712CO	.3403157	1-1/2" x 1-1/2"

CAST BRASS P-TRAP WITH CLEANOUT



- Durable 17GA Brass Construction
- Chrome-Plated
- With Cleanout
- Escutcheon Included



Model	ID No.	Desc.
S33-EFBRTB-17114	.3403147	1-1/4" x 1-1/4"
S33-EFBRTB-17112	.3403149	1-1/2" x 1-1/2"

CAST BRASS P-TRAP LESS CLEANOUT



- Durable 17GA Brass Construction
- Chrome-Plated
- Escutcheon Included



Model	ID No.	Desc.
S33-EFBRTB-17114CO	.3403150	1-1/4" x 1-1/4"
S33-EFBRTB-17112CO	.3403151	1-1/2" x 1-1/2"

TRAP WRAP & SUPPLY COVERS



- Protects Exposed P-Traps (up to 1-1/2")
- Removable & Reusable Fastener
- Antimicrobial & Anti-Fungal Non-Laminated Molded Vinyl
- Snap & Click - No Tools Required
- Fade Resistant
- Does Not Fit SCH40 P-Traps



Model	ID No.	Desc.
S33TWC-O	.3597047	(1) Offset Trap Wrap Cover
S33TWC2	.3597041	(1) P-Trap Wrap Cover, (2) Supply Covers
S33TWC2-O	.3597046	(1) P-Trap Wrap Cover, (2) Supply Covers, (1) Offset Cover

SPRING LOADED PUSH DRAIN ASSEMBLY



- Plastic Drain Tube
- Chrome-Plated Brass Body
- 1-1/4" Drain Diameter



BRASS GRID DRAIN WITH OVERFLOW



- Durable 17GA Brass Construction
- Chrome-Plated
- 1-1/4" Drain Diameter
- 6" Tailpiece
- Patent Overflow Plug



Model	ID No.	Desc.	Total Dim.
S33DA-CH	.3560741	Chrome	2-3/8" x 9"
S33DA-BN	.3560742	Brushed Nickel	2-3/8" x 9"
S33DA-MB	.3560743	Matte Black	2-3/8" x 9"

Model	ID No.	Total Dim.
S33-EFBRPO-1706	.3403168	2-1/4" x 8-1/2"

BRASS LAVATORY POP-UP DRAIN



- Durable 17GA Brass Construction
- Chrome-Plated
- 1-1/4" Drain Diameter
- Lift Rod and Linkage Components Included



BRASS OPEN GRID OFFSET LAVATORY STRAINER



- Durable 17GA Brass Construction
- Chrome-Plated
- 1-1/4" Drain Diameter
- 9" Offset Tailpiece
- Elbow Included



Model	ID No.	Total Dim.
S33-EFBRPL-1714	.3403170	2-1/8" x 8-9/16"

Model	ID No.	Total Dim.
S33-EFBRPF-1709	.3403169	4-5/16" x 10-5/16"



ESSENTIAL
COLLECTION

ORIGINAL
COLLECTION

DESIGNER
COLLECTION

craft33[®]

THE RIGHT COLLECTIONS
FOR ANY PROJECT

Explore our cabinetry solutions & accessories at craft33products.com

BATH WASTE LIFT AND TURN ROUGH-IN KIT



- Lock-in-Place Faceplate
- Testable up to 4 Floors
- Includes Test Plug and Cap
- 1-Year Warranty



Model	ID No.	Desc.
S33SLWRK100	.3441776	—

LIFT AND TURN TRIM KIT




- Lock-in-Place Faceplate
- No Retest Required
- Fits S33SLWRK100 Rough-In Kit
- 1-Year Warranty



Model	ID No.	Desc.
S33SL101CP	.3441783	Chrome
S33SL712BNBGF	.3441780	Brushed Nickel
S33SL712CBGGF	.3441782	Classic Bronze
S33SL712FBBGF	.3487478	Matte Black

COMPARE ALL LAVATORY, TUB & SHOWER DRAINS ONLINE

Scan the QR code to view all of our drains online >>



PVC SHOWER DRAIN WITH STRAINER



- 2"
- Solvent Weld Connection
- With White Plastic or Stainless Steel Strainer
- 1-Year Warranty



Model	ID No.	Desc.
S33-PSD2	.3466679	White Plastic Strainer
S33-PSDSS2	.3477329	Stainless Steel Strainer

SHOWER DRAIN WITH STAINLESS STEEL STRAINER



- 2"
- No Caulk Drain
- Available in Brass or PVC
- With Stainless Steel Strainer
- 1-Year Warranty



Model	ID No.	Desc.
S33-BSD2	.3466678	Brass Drain
S33-PSDNCSS2	.3495769	PVC Drain

OD COMP X BALLCOCK NUT TOILET CONNECTOR



- OD Comp x Ballcock Nut
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-387809	.3406506	3/8" x 7/8" x 9"
S33-EFSL-387812	.3406507	3/8" x 7/8" x 12"
S33-EFSL-387816	.3406508	3/8" x 7/8" x 16"
S33-EFSL-387820	.3406509	3/8" x 7/8" x 20"

COMP X COMP DISHWASHER CONNECTOR



- Comp x Comp
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-DWSL-383812	.3578561	3/8" x 3/8" x 12"
S33-DWSL-383816	.3578563	3/8" x 3/8" x 16"
S33-DWSL-383820	.3578564	3/8" x 3/8" x 20"

OD COMP X FIP FAUCET CONNECTOR



- OD Comp x FIP
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-381212	.3406501	3/8" x 1/2" x 12"
S33-EFSL-381216	.3406503	3/8" x 1/2" x 16"
S33-EFSL-381220	.3406504	3/8" x 1/2" x 20"
S33-EFSL-381230	.3406505	3/8" x 1/2" x 30"

FIP X PUSH WATER HEATER CONNECTOR



- FIP x Push
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-343418	.3406497	3/4" x 3/4" x 18"

COMP X OD COMP FAUCET CONNECTOR



- Comp x OD Comp
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-FSL-383812	.3578565	3/8" x 3/8" x 12"

COMP X COMP ICE MAKER CONNECTOR



- Comp x Comp
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-141472	.3406499	1/4" x 1/4" x 72"

FGH X MIP DISHWASHER CONNECTOR



- FGH x MIP
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers
- 90° Elbow Included



Model	ID No.	Desc.
S33-EFSL-383872	.3406500	3/4" x 3/8" x 72"

FEMALE X FEMALE WASHING MACHINE CONNECTOR



- Female Hose Threaded Both Ends
- Flexible, Corrosion Resistant Design
- Reinforced PVC Inner Hose
- Rubber Washers



Model	ID No.	Desc.
S33-EFSL-343460	.3406498	3/4" x 3/4" x 60"

COMP X FEMALE COMP WATER HAMMER ARRESTOR



- Comp x Female Comp
- Cold-Rolled, Spun Closed Seamless Chamber End
- Pressurized Air Cushion
- Lead-Free Solder Joint



Model	ID No.	Desc.
S33-WHA38	.3527253	3/8" x 3/8"

FIP X MALE WATER HAMMER ARRESTOR



- FIP Swivel x Male Hose Tee
- Cold-Rolled, Spun Closed Seamless Chamber End
- Pressurized Air Cushion
- Lead-Free Solder Joint



Model	ID No.	Desc.
S33-WHA34	.3527251	3/4" x 3/4"

ESCUTCHEON



- Available in White or Chrome
- 1-Year Warranty

Model	ID No.	Desc.
S3338IPSESC-CP	.3344928	3/8" IPS Chrome
S3312CTSESC-CP	.3344926	1/2" CTS Chrome
S3312CTSESC-WHPL	.3543911	1/2" CTS White
S33112IPSESC-WHPL	.3344930	1-1/2" IPS White
S332IPSESC-WHPL	.3543909	2" IPS White

LOOKING FOR MORE PRODUCT INFORMATION?

Scan the QR code to view all of our plumbing connectors online >>



YOUR LOGO HERE

Promote your business with our **THERMOSTAT DOOR PROGRAM** in 5 easy steps!

1. **Upload** your logo & fill out our online form
2. **Review** your order
3. **Receive** your logoed doors in the mail
4. **Install** your logoed battery doors
5. **Promote** your brand at no additional cost to you



Start promoting your brand today by scanning the QR code or visiting breeze33.com/private-label-thermostat-program/

OD COMP X OD COMP STRAIGHT STOP VALVE



- OD Comp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with OD Comp x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTST-7038	.3389356	3/8" x 3/8"
S33-EFQTST-7058	.3403219	5/8" x 3/8"

OD COMP X OD COMP ANGLE STOP VALVE



- OD Comp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with OD Comp x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTAS-7014	.3403073	5/8" x 1/4"
S33-EFQTAS-7058	.3344927	5/8" x 3/8"

PEX-B F1807 CRIMP X OD COMP STRAIGHT STOP VALVE



- PEX-B F1807 Crimp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with PEX-B x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTST-1238WPE	.3399070	1/2" x 3/8"

PEX-B F1807 CRIMP X OD COMP ANGLE STOP VALVE



- PEX-B F1807 Crimp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with PEX-B x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTAS-1238WPE	.3387072	1/2" x 3/8"

PEX-A F1960 EXPANSION X OD COMP STRAIGHT STOP VALVE



- PEX-A F1960 Expansion x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with PEX-A x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTST-1238UPE	.3315235	1/2" x 3/8"

PEX-A F1960 EXPANSION X OD COMP ANGLE STOP VALVE



- PEX-A F1960 Expansion x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with PEX-A x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTAS-1214UPE	.3391398	1/2" x 1/4"
S33-EFQTAS-1238UPE	.3387029	1/2" x 3/8"

PUSH X OD COMP STRAIGHT STOP VALVE



- Push x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with Push x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTST-1238PU	.3389350	1/2" x 3/8"

PUSH X OD COMP ANGLE STOP VALVE



- Push x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with Push x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTAS-1214PU	.3360594	1/2" x 1/4"
S33-EFQTAS-1238PU	.3360592	1/2" x 3/8"

CPVC X OD COMP STRAIGHT STOP VALVE



- CPVC x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with CPVC x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTCPVC-7012	.3344931	1/2" x 3/8"

CPVC X OD COMP ANGLE STOP VALVE



- CPVC x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with CPVC x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTASCPVC-1238	.3406733	1/2" x 3/8"

FIP X OD COMP STRAIGHT STOP VALVE



- FIP x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with FIP x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTSS-7038	.3389313	3/8" x 3/8"
S33-EFQTSS-7012	.3390557	1/2" x 3/8"

FIP X OD COMP ANGLE STOP VALVE



- FIP x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with FIP x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTAS-3838	.3360591	3/8" x 3/8"
S33-EFQTAS-1238	.3360595	1/2" x 3/8"

SWEAT X OD COMP STRAIGHT STOP VALVE



- Sweat x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with Sweat x OD Comp Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTSWT-7012	.3389298	1/2" x 3/8"

SWEAT X OD COMP ANGLE STOP VALVE



- Sweat x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with Sweat x OD Comp Straight Stop Valve



Model	ID No.	Desc.
S33-EFQTSWT-1238	.3406510	1/2" x 3/8"

OD COMP X OD COMP X OD COMP DUAL STOP VALVE



- OD Comp x OD Comp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with OD Comp x OD Comp Loose Key Angle Stop Valve



Model	ID No.	Desc.
S33-EFQTD5-5838	.3344932	5/8" x 3/8" x 3/8"

OD COMP X OD COMP X OD COMP DUAL HANDLE STOP VALVE



- Forged One-Piece Brass Body Construction
- Multi-Turn
- Dual Handle



Model	ID No.	Desc.
S33-383858DHSV	.3570413	3/8" x 3/8" x 5/8"

OD COMP X OD COMP LOOSE KEY ANGLE STOP VALVE



- OD Comp x OD Comp
- Lead-Free Chrome-Plated Brass Body
- Quarter Turn Handle
- Recommended with OD Comp x OD Comp x OD Comp Dual Stop Valve



Model	ID No.	Desc.
S33-EFQTLK-5838	.3403074	5/8" x 3/8"



VIEW SPECS & CERTIFICATIONS

Scan the QR code to view all of our stop valves online >>

SUBMERSIBLE SUMP PUMP WITH VERTICAL FLOAT



- Top Suction Stops Air Locks & Filters
- Corrosion-Resistant, Reinforced Thermoplastic Construction
- Oil-Filled Permanent Split Capacitor Motor & Built-In Automatic Thermal Overload Protector
- For 14" or Larger Sump Basins
- 1-1/2" NPT Discharge & 1-1/4" NPT Adapter Included




Model	ID No.	Desc.
S33SP-13	.3561352	1/3 HP
S33SP-12	.3561353	1/2 HP

SUMP CHECK VALVE



- Reversible End Adapters Allow for Installation on 1-1/4" or 1-1/2" Pipe (Smaller Size Only)
- Vertical or Horizontal Installation
- For Low Pressure Sump Pump Discharge Systems
- Not Suitable for Compressed Air or Steam Service



Model	ID No.	Desc.
S33SCV1	.3551380	1-1/4" or 1-1/2"
S33SCV2	.3551381	2"



**FULL SPECS
AVAILABLE ONLINE**

Scan the QR code to view all of
 << our sump products online

SUMP PUMP PERFORMANCE CHARTS



SWEAT FULL PORT BALL VALVE



- Sweat
- Cast Brass Body
- Lead-Free
- 600 PSI WOG



Model	ID No.	Desc.
S3312SBV	.3470434	1/2"
S3334SBV	.3470435	3/4"
S331SBV	.3470436	1"
S33114SBV	.3470437	1-1/4"
S33112SBV	.3470438	1-1/2"
S332SBV	.3470439	2"

PEX-B F1807 CRIMP BALL VALVE



- PEX-B F1807 Crimp
- High Performance ECO Brass Body
- Lead-Free



Model	ID No.	Desc.
S3312PEXBBV	.3470539	1/2"
S3334PEXBBV	.3470540	3/4"
S331PEXBBV	.3470541	1"

THREADED FULL PORT BALL VALVE



- FNPT
- Forged Brass Body
- Lead-Free
- 600 PSI WOG



Model	ID No.	Desc.
S3312TBV	.3470424	1/2"
S3334TBV	.3470427	3/4"
S331TBV	.3470429	1"
S33114TBV	.3470430	1-1/4"
S33112TBV	.3470432	1-1/2"
S332TBV	.3470433	2"

PRESS FULL PORT BALL VALVE



- Press
- Two-Piece Brass Body
- Lead-Free



Model	ID No.	Desc.
S3312PBV	.3470521	1/2"
S3334PBV	.3470530	3/4"
S331PBV	.3470532	1"
S33114PBV	.3470533	1-1/4"
S33112PBV	.3470534	1-1/2"
S332PBV	.3470537	2"

THREADED GAS BALL VALVE



- FNPT
- Cast Brass Body
- Quarter Turn



Model	ID No.	Desc.
S3312TGBV	.3470418	1/2"
S3334TGBV	.3470421	3/4"
S331TGBV	.3470422	1"

THREADED FULL PORT BALL VALVE WITH LOCKING HANDLE



- FNPT
- Forged Brass Body
- 600 PSI WOG
- Lead-Free
- Includes Locking Handle



Model	ID No.	Desc.
S3312TBV-LH12	.3562210	1/2"
S3334TBV-LH34	.3562205	3/4"
S331TBV-LH1	.3562207	1"
S33114TBV-LH114	.3562209	1-1/4"
S33112TBV-LH112	.3562208	1-1/2"
S332TBV-LH2	.3562206	2"

PEX-A F1960 EXPANSION FULL PORT BALL VALVE



- PEX-A F1960 Expansion
- Brass-Copper Alloy Body
- Lead-Free



Model	ID No.	Desc.
S3312PEXABV	.3470542	1/2"
S3334PEXABV	.3470544	3/4"
S331PEXABV	.3470546	1"



VALVES FOR ANY PROJECT

Scan the QR code to view all of our valves online >>



SWEAT THERMOSTATIC MIXING VALVE



- Sweat
- Lead-Free Brass Body
- Adjustment Cap with Locking Feature
- With Filter Washers & Check Valves
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV12SW	.3573723	1/2"

CPVC THERMOSTATIC MIXING VALVE



- CPVC
- Lead-Free Brass Construction
- With Filters & Check Valves
- Adjustment Cap with Locking Feature
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV12CPVC	.3569550	1/2"

PEX-B F1807 CRIMP THERMOSTATIC MIXING VALVE



- PEX-B F1807 Crimp
- Lead-Free Brass Construction
- With Filter Screens & Check Valves
- Adjustment Cap with Locking Feature
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV12PEXB	.3569548	1/2"

COMPRESSION THERMOSTATIC MIXING VALVE



- Compression
- Lead-Free Chrome-Plated Brass Body
- Fittings & Cap Included for 3 or 4 Port
- Adjustment Cap with Locking Feature
- With Filter Screens & Check Valves
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV38COMP	.3569551	3/8"

FNPT THERMOSTATIC MIXING VALVE



- FNPT
- Lead-Free Brass Construction
- With Filter Screens & Check Valves
- Adjustment Cap with Locking Feature
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV12FNPT	.3569549	1/2"

PEX-A F1960 EXPANSION THERMOSTATIC MIXING VALVE



- PEX-A F1960 Expansion
- Lead-Free Brass Body
- Adjustment Cap with Locking Feature
- With Filter Washers & Check Valves
- 1-Year Warranty



Model	ID No.	Desc.
S33TMV12PEXA	.3573722	1/2"

BOILER DRAIN VALVE



- MNPT
- Full Pattern Body
- Max. Pressure: 125 PSI



Model	ID No.	Desc.
S3312BDV	.3547425	1/2"
S3334BDV	.3547424	3/4"

HOSE BIBB VALVE



- MNPT
- Quarter Turn



Model	ID No.	Desc.
S3312HBV	.3547422	1/2"
S3334HBV	.3547423	3/4"

THREADED ANTI-SIPHON FROST FREE SILLCOCK



- Threaded
- Quarter Turn Heavy Duty Rubberized Handle
- 3/4" Male Hose Thread Outlet
- Max. Pressure/Temperature: 125 PSI at 140°F



Model	ID No.	Desc.
S333420-3008	.3347094	1/2" x 8"
S333420-3010	.3331294	1/2" x 10"

PEX-B F1807 CRIMP ANTI-SIPHON FROST FREE SILLCOCK



- PEX-B F1807 Crimp
- Quarter Turn Heavy Duty Rubberized Handle
- 3/4" Male Hose Thread Outlet
- Max. Pressure/Temperature: 125 PSI at 140°F



Model	ID No.	Desc.
S33FFSPEXB-8	.3408278	1/2" x 8"

PEX-A F1960 EXPANSION ANTI-SIPHON FROST FREE SILLCOCK



- PEX-A F1960 Expansion
- Quarter Turn Heavy Duty Rubberized Handle
- 3/4" Male Hose Thread Outlet
- Max. Pressure/Temperature: 125 PSI at 140°F



Model	ID No.	Desc.
S33FFSPEXA-8	.3408277	1/2" x 8"

AIR ADMITTANCE VALVE



- Includes Threaded Adapter for Sch. 40 Pipe
- 6-20 DFU's
- -40°F - 150°F Temperature Range
- 2" x 1-1/2" Adapter Bushing
- Made in USA



Model	ID No.	Desc.	DFU
S33-AAV6TA-PVC	.3586972	PVC	6
S33-AAV20TA-PVC	.3586963	PVC	20
S33-AAV20TA-ABS	.3586973	ABS	20

FIP X FIP STAINLESS STEEL FLEXIBLE GAS CONNECTOR



- 1/2" FIP x 1/2" FIP
- 0.5 PSI Max. Pressure
- 100% Leak Tested
- -40° F - 150° F Operating Temperature
- 5/8" Nom. O.D., 1/2" Nom. I.D.



Model	ID No.	Desc.
S33FGC24FXF	.3553952	24"
S33FGC48FXF	.3553953	48"

FIP X MIP STAINLESS STEEL FLEXIBLE GAS CONNECTOR



- 1/2" FIP x 1/2" MIP
- 0.5 PSI Max. Pressure
- 100% Leak Tested
- -40° F - 150° F Operating Temperature
- 5/8" Nom. O.D., 1/2" Nom. I.D.



Model	ID No.	Desc.
S33FGC12FXM	.3553947	12"
S33FGC18FXM	.3553948	18"
S33FGC24FXM	.3553949	24"
S33FGC36FXM	.3553950	36"
S33FGC48FXM	.3553951	48"
S33FGC60FXM	.3563742	60"

VIEW INSTALLATION INSTRUCTIONS & MORE

Scan the QR code to view all of our gas connectors online >>



PVC J-HOOK



- Secures Sch. 40 DWV Pipe in Accordance with National or Local Code Requirements
- Includes 2 Nails
- White ABS Plastic



Model	ID No.	Desc.
S33-JH1127DWV-G2-WH	.3570412	1-1/2" x 7"
S33-JH27DWV-G2-WH	.3570410	2" x 7"
S33-JH37DWV-G2-WH	.3570408	3" x 7"
S33-JH47DWV-G2-WH	.3570406	4" x 7"

PLASTIC TUBE CLAMP



- Plastic Clamp
- Compatible with all PEX Pipe

Model	ID No.	Desc.
S33PTC12	.3532911	1/2"
S33PTC34	.3532912	3/4"
S33PTC1	.3597327	1"

PLASTIC SUSPENSION TUBE CLAMP



- Plastic Clamp
- Compatible with all PEX Pipe

Model	ID No.	Desc.
S33STC12	.3532908	1/2"
S33STC34	.3532909	3/4"
S33STC1	.3597333	1"

PLASTIC TUBE TALON WITH NAIL



- Plastic Clamp
- Steel Ring Nail
- Compatible with all PEX Pipe

Model	ID No.	Desc.
S33TAL12	.3532913	1/2"
S33TAL34	.3532914	3/4"
S33TAL1	.3532915	1"

BOCA PLATE



- For Use with Pre-Treated Lumber
- Self-Nailing Design
- 16 GA
- Made in USA

Model	ID No.	Desc.	Fastening
S33BP58	.3561347	5" x 8"	Self-Nailing
S33BP56-6H-G2	.3634917	5" x 6"	3-Hole/Side
S33BP31218-8H	.1976604	3-1/2" x 18"	8-Hole/Side
S33BP56-16H	.3621499	5" x 6"	8-Hole/Side
S33BP512-16H	.3621500	5" x 12"	8-Hole/Side
S33BP518-10H	.3577297	5" x 18"	10-Hole/Side

STUD GUARD



- For Use with Pre-Treated Lumber
- Made in USA

Model	ID No.	GA	Desc.	Fastening
S33SG3	.3561350	16	1-1/2" x 3"	Self-Nailing
S33SG5	.3561349	16	1-1/2" x 5"	Self-Nailing
S33SG6	.3561348	16	1-1/2" x 6"	Self-Nailing
S33SG3-1H	.946661	16	1-1/2" x 3"	1-Hole/Side
S33SG6-1H	.933539	16	1-1/2" x 6"	1-Hole/Side
S33SG36-1H	.3582783	16	3-1/2" x 6"	1-Hole/Side
S33SG18-8H	.3123195	18	1-1/2" x 18"	8-Hole/Side
S33SG24-8H	.1804286	16	1-1/2" x 24"	8-Hole/Side

STUD SHOE



- For Use with Pre-Treated Lumber
- Single Stud Fastening Method
- 16 GA
- Made in USA

Model	ID No.	Desc.	Fastening
S331SS	.734517	5-3/8" x 3-3/8" x 1-1/2"	Single Stud
S332SS	.3593074	5-3/8" x 3-3/8" x 3-1/16"	Double Stud


PIPE STRAP



- Galvanized Metal
- Secures Pipe to Wood, Masonry & Other Surfaces
- Pre-Drilled for Mounting
- Corrosion Resistant

Model	ID No.	Desc.	Holes	Gauge
S33-1HPS-12	.3592854	1/2"	1	14
S33-2HPS-12	.3592845	1/2"	2	24
S33-1HPS-34	.3592853	3/4"	1	14
S33-2HPS-34	.3592846	3/4"	2	24
S33-2HPS-1	.3592847	1"	2	20
S33-2HPS-114	.3592848	1-1/4"	2	20
S33-2HPS-112	.3592849	1-1/2"	2	20
S33-2HPS-2	.3592850	2"	2	20
S33-2HPS-3	.3592851	3"	2	16
S33-2HPS-4	.3592852	4"	2	16

STRUT CHANNEL



- Hot Rolled Steel Green Finish or Hot Drip Pre-Galvanized Steel
- Elongated Hole Pattern
- Supports Ducts, Cable Trays, Cables, Pipes & Conduits

Model	ID No.	Desc.	Size	GA
S33-SC134EH1-GR	.3590804	Green	13/16" x 1-5/8" x 10'	14
S33-SC134EH2-GR	.3590806	Green	13/16" x 1-5/8" x 20'	14
S33-SC582EH1-GR	.3590807	Green	1-5/8" x 1-5/8" x 10'	12
S33-SC582EH2-GR	.3590809	Green	1-5/8" x 1-5/8" x 20'	12
S33-SC134EH1-PG	.3590805	Pre-Galv.	13/16" x 1-5/8" x 10'	14
S33-SC134EH2-PG	.3582297	Pre-Galv.	13/16" x 1-5/8" x 20'	14
S33-SC582EH1-PG	.3590808	Pre-Galv.	1-5/8" x 1-5/8" x 10'	12
S33-SC582EH2-PG	.3590810	Pre-Galv.	1-5/8" x 1-5/8" x 20'	12

TUBE STRAP



- Copper-Coated Steel
- Secures Pipe to Wood, Masonry & Other Surfaces
- Pre-Drilled for Mounting
- Corrosion Resistant

Model	ID No.	Desc.	Holes	Gauge
S33-CC2HTS-12	.3592859	1/2"	2	22
S33-CC2HTS-34	.3592858	3/4"	2	22
S33-CC2HTS-1	.3592857	1"	2	22
S33-CC2HTS-112	.3592856	1-1/2"	2	22
S33-CC2HTS-2	.3592855	2"	2	22



VIEW MOUNTING ACCESSORIES

Scan the QR code to view all of our << mounting accessories online

STANDARD CAST IRON/PLASTIC TRANSITION COUPLING



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 140°F Max.



Model	ID No.	Desc.
S33C56-22	.3330354	2" CI/PL x 2" CI/PL
S33C56-33	.3330356	3" CI/PL x 3" CI/PL
S33C56-44	.3330357	4" CI/PL x 4" CI/PL
S33C56-66	.3330358	6" CI/PL x 6" CI/PL

CAST IRON/PLASTIC/STEEL/EXTRA HEAVY CAST IRON TRANSITION COUPLING



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 180°F Max.



Model	ID No.	Desc.
S33C150	.3330344	1-1/2" CI/PL/ST x 1-1/2" x PL/ST
S33C200	.3330331	2" CI/PL/ST x 2" PL/ST
S33C300	.3330334	3" PL/ST/XH CI x 3" PL/ST/XH CI
S33C400	.3330335	4" PL/ST/XH CI x 4" PL/ST/XH CI

REDUCING TRANSITION COUPLING



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 140°F Max.



Model	ID No.	Desc.
S33C56-15/125	.3330347	1-1/2" CI/PL x 1-1/2" Copper or 1-1/4" PL
S33C56-15	.3330349	1-1/2" CI/PL x 1-1/2" CI/PL
S33C56-215	.3330351	2" CI/PL x 1-1/2" CI/PL
S33C02-44	.3330337	4" Clay x 4" CI/PL
S33C02-66	.3330341	6" Clay x 6" CI/PL

CAST IRON/PLASTIC DRAIN PIPE CONNECTOR



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 140°F Max.



Model	ID No.	Desc.
S33CDTC-150S	.3330359	1-1/4" or 1-1/2" CI/PL x 1-1/4" or 1-1/2" CI/PL

CAST IRON/PLASTIC/STEEL/EXTRA HEAVY CAST IRON TRANSITION COUPLING



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps & Shield
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 180°F Max.



Model	ID No.	Desc.
S33C33	.3330332	3" CI x 3" PL/ST/XH CI
S33C44	.3330333	4" CI x 4" PL/ST/XH CI

END CAP



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 140°F Max.



Model	ID No.	Desc.
S33GC-101	.3330310	1-1/2"
S33GC-102	.3330314	2"
S33GC-103	.3330315	3"
S33GC-104	.3330316	4"

CAST IRON/PLASTIC/STEEL/COPPER TRANSITION COUPLING



- Chemical & UV Ray Resistant
- Stainless Steel Hose Clamps & Shield
- Installation Torque: 60 lbs Max.
- Max. Pressure: 4.3 PSI
- -30°F Min. - 180°F Max.



Model	ID No.	Desc.
S33C115	.3330327	1-1/2" CI/PL/ST x 1-1/2" Copper
S33C22	.3330336	2" CI/PL/ST x 2" Copper

VIEW SPECS & CERTIFICATIONS

Scan the QR code to view all of our couplings online >>

UNITARY KITS

Available for Purchase



EACH KIT INCLUDES

- Furnace
- Condensing Unit
- Cased Coil
- Pad
- A/C Whip
- Disconnect
- Fuses
- Furnace Legs
- Furnace Whip
- Media Air Cleaner with Filter
- Thermostat



Scan QR code to Learn More about Breeze33 Unitary



Explore our HVAC equipment & accessories at [breeze33.com](https://www.breeze33.com)

5 REGIONAL DISTRIBUTION CENTERS

Cleveland RDC | 23
216-438-5000
5700 Lee Rd S.
Maple Heights, OH 44137
After Hours: 440-251-4755

Columbus RDC | 25
614-643-2377
711 Distribution Dr.
Columbus, OH 43228
After Hours: 614-582-7832

Sebring RDC | 29
330-938-6350
350 Courtney Rd.
Sebring, OH 44672
After Hours: 330-803-3492

Toledo RDC | 83
419-470-6590
4500 N Detroit Ave.
Toledo, OH 43612
After Hours: 419-764-5578

Youngwood RDC | 24
724-404-4021
72 E. Hillis St.
Youngwood, PA 15697
After Hours: 724-221-0149

36 BRANCHES | 5 KITCHEN, BATH, WINDOW & DOOR SHOWROOMS | 20 CLASSROOMS

Akron | 4 ☺
234-352-1166
166 N. Union St.
Akron, OH 44304
After Hours: 330-697-1085

Ashtabula | 13
440-992-2116
4625 Foster Ave.
Ashtabula, OH 44004
After Hours: 440-228-3603

Bedford Heights | 14 📺
216-285-2900
26200 Richmond Rd.
Bedford Heights, OH 44146
After Hours: 330-219-7749

Bethel Park | 46
412-835-8043
3131 Industrial Blvd.
Bethel Park, PA 15102
After Hours: 412-310-8228

Brooklyn | 123
216-293-7798
8550 Brookpark Rd.
Brooklyn OH 44129
After Hours: 216-570-8974

Byesville | 18 ☺
740-421-4758
354 West Main
Byesville, OH 43723
After Hours: 740-398-8653

Canton | 12
330-456-4508
1215 McKinley Ave. SW
Canton, OH 44707
After Hours: 330-933-5598

Cleveland East | 20 ☺
216-881-5700
6420 Woodland Ave.
Cleveland, OH 44104
After Hours: 216-570-8974

Cleveland West | 21 ☺
216-529-1010
11200 Madison Ave.
Cleveland, OH 44102
After Hours: 216-570-8974

Columbus East | 19 ☺
614-294-3500
1356 Cleveland Ave.
Columbus, OH 43211
After Hours: 614-582-7832

Columbus West | 35 📺
614-503-0875
4300 Roberts Rd.
Columbus, OH 43228
After Hours: 614-582-7832

Dayton | 84 ☺
937-242-6980
1054 Gateway Dr.
Dayton, Ohio 45404
After Hours: 937-242-6980

Dubois | 128
814-217-0050
302 Aspen Way
Dubois, PA 15801

Erie | 39 ☺
814-314-1516
3003 Pittsburgh Ave.
Erie, PA 16508
After Hours: 814-243-5141

Fremont | 11
419-332-2636
641 South Front St.
Fremont, OH 43420
After Hours: 419-455-5996

Jamestown | 133 ☺
716-815-6450
2148 Allen St., Ext.
Falconer, NY 14733

Johnstown | 126 ☺
814-304-1776
339 Walnut St.
Johnstown, PA 15091
After Hours: 814-304-1776

Lorain | 2 ☺
440-245-6874
125 East 20th St.
Lorain, OH 44052
After Hours: 440-654-3974

Mansfield | 7
419-524-0411
83 Smith Ave.
Mansfield, OH 44905
After Hours: 419-571-9953

Medina | 122 ☺
234-378-9505
160 Commerce Dr.
Medina, OH 44256
After Hours: 330-813-5210

Melwood | 44
412-622-8100
434 Melwood Ave.
Pittsburgh, PA 15213
After Hours: 412-310-8228

Mentor | 120 ☺
440-391-5000
7300 Industrial Park Blvd.
Mentor, OH 44060
After Hours: 440-479-3553

Mount Vernon | 85
740-263-4313
330 Commerce Drive
Mount Vernon, OH 43050
After Hours: 567-241-8073

New Kensington | 45
724-335-8343
419 Hileman Dr.
New Kensington, PA 15068
After Hours: 412-780-6461

Newark | 9 📺
740-345-9617
25 South 11th St.
Newark, OH 43055
After Hours: 740-219-9623

North Hills | 47
412-366-3143
331 Rochester Rd.
Pittsburgh, PA 15237
After Hours: 412-522-8970

Sandusky | 10
419-625-5354
1341 Olds St.
Sandusky, OH 44870
After Hours: 419-656-0566

Sebring | 29 ☺
330-938-6350
350 Courtney Rd.
Sebring, OH 44672
After Hours: 330-803-3492

Steubenville | 3 ☺ 📺
740-282-0951
934 W. Adams St.
Steubenville, OH 43952
After Hours: 304-914-1689

Toledo | 15 ☺
419-478-0343
220 Matzinger Rd.
Toledo, OH 43612
After Hours: 419-392-2669

Uniontown | 8 ☺
724-437-9806
85 Pittsburgh St.
Uniontown, PA 15401
After Hours: 724-880-5131

Warren | 5
330-369-2563
2436 Niles Rd. SE
Warren, OH 44484
After Hours: 330-509-9437

Washington | 16 ☺ 📺
724-225-8330
1110 W Chestnut St.
Washington, PA 15301
After Hours: 330-604-7372

Wheeling | 6
304-232-3310
2300 Market St.
Wheeling, WV 26003
After Hours: 304-830-1324

Youngstown | 38 ☺
234-706-3525
886 E. Midlothian Blvd.
Youngstown, OH 44502
After Hours: 330-301-1040

Youngwood | 24 ☺
724-404-4021
72 E. Hillis St.
Youngwood, PA 15697
After Hours: 724-221-0149

Customer Support Center ☺

800-362-9532 | Mon-Fri 6:30 AM-4:30 PM

Jay Blaushild Training & Education Center ☺

5700 Lee Rd S. Maple Heights, OH 44137 | Mon-Fri 8:00 AM-4:00 PM