

Brachytherapy Bibliography*

Gynecologic

Post-Op Endometrial

Onal C, Guler OC, Dolek Y. The impact of air pockets around the vaginal cylinder on vaginal vault brachytherapy. *Br J Radiol.* 2015 Jan 6;20140694.

Harkenrider MM, Block AM, Siddiqui ZA, Small W Jr. The Role of Vaginal Cuff. Brachytherapy in Endometrial Cancer. *Gynecol Oncol.* 2014 Dec 30.

Wiltink LM, Nout RA, Fiocco M, Meershoek-Klein Kranenbarg E, Jürgenliemk-Schulz IM, Jobsen JJ, Nagtegaal ID, Rutten HJ, van de Velde CJ, Creutzberg CL, Marijnen CA. No Increased Risk of Second Cancer After Radiotherapy in Patients Treated for Rectal or Endometrial Cancer in the Randomized TME, PORTEC-1, and PORTEC-2 Trials. *J Clin Oncol.* 2014 Dec 22.

Klopp A, Smith BD, Alektiar K, Cabrera A, Damato AL, Erickson B, Fleming G, Gaffney D, Greven K, Lu K, Miller D, Moore D, Petereit D, Schefter T, Small W Jr, Yashar C, Viswanathan AN. The role of postoperative radiation therapy for endometrial cancer: Executive summary of an American Society for Radiation Oncology evidence-based guideline. *Pract Radiat Oncol.* 2014 May-Jun;4(3):137-44.

Landrum LM, Nugent EK, Zuna RE, Syzek E, Mannel RS, Moore KN, Walker JL, McMeekin DS. Phase II trial of vaginal cuff brachytherapy followed by chemotherapy in early stage endometrial cancer patients with high-intermediate risk factors. *Gynecol Oncol.* 2014 Jan;132(1):50-4.

Park SJ, Chung M, Demanes DJ, Banerjee R, Steinberg M, Kamrava M. Dosimetric comparison of 3-dimensional planning techniques using an intravaginal multichannel balloon applicator for high-dose-rate gynecologic brachytherapy. *Int J Radiat Oncol Biol Phys.* 2013 Nov 15;87(4):840-6.

Mustea A, Koensgen D, Belau A, Sehouli J, Lichtenegger W, Schneidewind L, Sommer H, Markmann S, Scharf JP, Ehmke M, Ledwon P, Braicu I, Zygmunt M, Koehler G. Adjuvant sequential chemoradiation therapy in high-risk endometrial cancer: results of a prospective, multicenter phase-II study of the NOGGO (North-Eastern German Society of Gynaecological Oncology). *Cancer Chemother Pharmacol.* 2013 Nov;72(5):975-83.

Morneau M, Foster W, Lalancette M, Van Nguyen-Huynh T, Renaud MC, Samouëlian V, Letarte N; Comité de l'évolution des pratiques en oncologie; Comité de l'évolution des pratiques en oncologie, Almanric K, Boily G, Bouchard P, Boulanger J, Cournoyer G, Couture F, Gervais N, Goulet S, Guay MP, Kavanagh M, Lemieux J, Lespérance B, Letarte N, Morneau M, Ouellet JF, Pineau G, Rajan R, Roy I, Samson B, Sidéris L, Vincent F. Adjuvant treatment for endometrial cancer: literature review and recommendations by the Comité de l'évolution des pratiques en oncologie (CEPO). *Gynecol Oncol.* 2013 Oct;131(1):231-40.

Corso CD, Jarrio C, Nunnery EW, Ali AN, Ghavidel S, Rossi PJ, Diaz R. Dosimetric and cost comparison of first fraction imaging versus fractional re-imaging on critical organ dose in vaginal cuff brachytherapy. *Pract Radiat Oncol.* 2013 Oct-Dec;3(4):256-62.

Monroe AT, Pikaart D, Peddada AV. Clinical outcomes of image guided radiation therapy (IGRT) with gold fiducial vaginal cuff markers for high-risk endometrial cancer. *Acta Oncol.* 2013 Jun;52(5):1010-6.

Ko EM, Funk MJ, Clark LH, Brewster WR. Did GOG99 and PORTEC1 change clinical practice in the United States? *Gynecol Oncol.* 2013 Apr;129(1):12-7.

Humphrey P, Cornes P, Al-Booz H. Vaginal vault brachytherapy in endometrial cancer: verifying target coverage with image-guided applicator placement. *Br J Radiol.* 2013 Mar;86(1023):20120428.

Diavolitsis V, Rademaker A, Lurain J, Hoekstra A, Strauss J, Small W Jr. Clinical outcomes in international federation of gynecology and obstetrics stage IA endometrial cancer with myometrial invasion treated with or without postoperative vaginal brachytherapy. *Int J Radiat Oncol Biol Phys.* 2012 Oct 1;84(2):415-9.

* This bibliography is a comprehensive selection of articles but is not necessarily an exhaustive list of literature pertaining to brachytherapy

Kim H, Kim H, Houser C, Beriwal S. Is there any advantage to three-dimensional planning for vaginal cuff brachytherapy? *Brachytherapy*. 2012 Sep-Oct;11(5):398-401.

Sorbe BG, Horvath G, Andersson H, Boman K, Lundgren C, Pettersson B. External pelvic and vaginal irradiation versus vaginal irradiation alone as postoperative therapy in medium-risk endometrial carcinoma: a prospective, randomized study—quality-of-life analysis. *Int J Gynecol Cancer*. 2012 Sep;22(7):1281-8.

Nout RA, Putter H, Jürgenliemk-Schulz IM, Jobsen JJ, Lutgens LC, van der Steen-Banasik EM, Mens JW, Slot A, Stenfort Kroese MC, Nijman HW, van de Poll-Franse LV, Creutzberg CL. Five-year quality of life of endometrial cancer patients treated in the randomised Post Operative Radiation Therapy in Endometrial Cancer (PORTEC-2) trial and comparison with norm data. *Eur J Cancer*. 2012 Jul;48(11):1638-48.

Cervix

Vargo JA, Beriwal S. Image-based brachytherapy for cervical cancer. *World J Clin Oncol*. 2014 Dec 10;5(5):921-30.

Otahal B, Dolezel M, Cvek J, Simetka O, Klat J, Knybel L, Molenda L, Skacelikova E, Hlavka A, Feltl D. Dosimetric comparison of MRI-based HDR brachytherapy and stereotactic radiotherapy in patients with advanced cervical cancer: A virtual brachytherapy study. *Rep Pract Oncol Radiother*. 2014 May 1;19(6):399-404.

Petric P, Hudej R, Hanuna O, Marolt P, Al-Hammadi NM, Riyas MP, Segedin B. MRI-assisted cervix cancer brachytherapy pre-planning, based on application in paracervical anaesthesia: final report. *Radiol Oncol*. 2014 Jul 10;48(3):293-300.

Kharofa J, Morrow N, Kelly T, Rownd J, Paulson E, Rader J, Uyar D, Bradley W, Erickson B. 3-T MRI-based adaptive brachytherapy for cervix cancer: treatment technique and initial clinical outcomes. *Brachytherapy*. 2014 Jul-Aug;13(4):319-25.

Tanderup K, Viswanathan AN, Kirisits C, Frank SJ. Magnetic resonance image guided brachytherapy. *Semin Radiat Oncol*. 2014 Jul;24(3):181-91.

Mazeron R, Kamsu Kom L, Rivin del Campo E, Dumas I, Farha G, Champoudry J, Chargari C, Martinetti F, Lefkopoulos D, Haie-Meder C. Comparison between the ICRU rectal point and modern volumetric parameters in brachytherapy for locally advanced cervical cancer. *Cancer Radiother*. 2014 Jun;18(3):177-82.

Gaudet M, Lim P, Yuen C, Zhang S, Spadinger I, Dubash R, Aquino-Parsons C. Comparative analysis of rectal dose parameters in image-guided high-dose-rate brachytherapy for cervical cancer with and without a rectal retractor. *Brachytherapy*. 2014 May-Jun;13(3):257-62.

Dempsey C, Arm J, Best L, Govindarajulu G, Capp A, O'Brien P. Optimal single 3T MR imaging sequence for HDR brachytherapy of cervical cancer. *J Contemp Brachytherapy*. 2014 Mar;6(1):3-9.

Hashim N, Jamalludin Z, Ung NM, Ho GF, Malik RA, Phua VC. CT based 3-dimensional treatment planning of intracavitary brachytherapy for cancer of the cervix: comparison between dose-volume histograms and ICRU point doses to the rectum and bladder. *Asian Pac J Cancer Prev*. 2014;15(13):5259-64.

Madan R, Pathy S, Subramani V, Sharma S, Mohanti BK, Chander S, Thulker S, Kumar L, Dadhwal V. Comparative evaluation of two-dimensional radiography and three dimensional computed tomography based dose-volume parameters for high-dose-rate intracavitary brachytherapy of cervical cancer: a prospective study. *Asian Pac J Cancer Prev*. 2014;15(11):4717-21.

Chakraborty S, Patel FD, Patil VM, Oinam AS, Sharma SC. Magnitude and Implications of Interfraction Variations in Organ Doses during High Dose Rate Brachytherapy of Cervix Cancer: A CT Based Planning Study. *ISRN Oncol*. 2014 Feb 3;2014:687365.

Hegazy N, Pötter R, Kirisits C, Berger D, Federico M, Sturdza A, Nesvacil N. High-risk clinical target volume delineation in CT-guided cervical cancer brachytherapy: impact of information from FIGO stage with or without systematic inclusion of 3D documentation of clinical gynecological examination. *Acta Oncol*. 2013 Oct;52(7):1345-52.

Awunor OA, Dixon B, Walker C. Direct reconstruction and associated uncertainties of ¹⁹²Ir source dwell positions in ring applicators using gafchromic film in the treatment planning of HDR brachytherapy cervix patients. *Phys Med Biol*. 2013 May 21;58(10):3207-25.

Lang S, Nesvacil N, Kirisits C, Georg P, Dimopoulos JC, Federico M, Pötter R. Uncertainty analysis for 3D image-based cervix cancer brachytherapy by repetitive MR imaging: assessment of DVH-variations between two HDR fractions within one applicator insertion and their clinical relevance. *Radiother Oncol*. 2013 Apr;107(1):26-31.

Tanderup K, Nesvacil N, Pötter R, Kirisits C. Uncertainties in image guided adaptive cervix cancer brachytherapy: impact on planning and prescription. *Radiother Oncol*. 2013 Apr;107(1):1-5.

Petrič P, Hudej R, Rogelj P, Blas M, Tanderup K, Fidarova E, Kirisits C, Berger D, Dimopoulos JC, Pötter R, Hellebust TP. Uncertainties of target volume delineation in MRI guided adaptive brachytherapy of cervix cancer: a multi-institutional study. *Radiother Oncol.* 2013 Apr;107(1):6-12.

Nesvacil N, Pötter R, Sturdza A, Hegazy N, Federico M, Kirisits C. Adaptive image guided brachytherapy for cervical cancer: a combined MRI-/CT-planning technique with MRI only at first fraction. *Radiother Oncol.* 2013 Apr;107(1):75-81.

Dolezel M, Odrazka K, Zizka J, Vanasek J, Kohlova T, Kroulik T, Spitzer D, Ryska P, Tichy M, Kostal M, Jalcova L. MRI-based preplanning using CT and MRI data fusion in patients with cervical cancer treated with 3D-based brachytherapy: feasibility and accuracy study. *Int J Radiat Oncol Biol Phys.* 2012 Sep 1;84(1):146-52.

Eipe N, Penning J, Boscaroli R, Samant R, E C. Does multimodal analgesia premedication improve the management of carcinoma cervix brachytherapy? *Pain Res Manag.* 2012 Sep-Oct;17(5):353-4.

Petric P, Hudej R, Rogelj P, Blas M, Segedin B, Logar HB, Dimopoulos JC. Comparison of 3D MRI with high sampling efficiency and 2D multiplanar MRI for contouring in cervix cancer brachytherapy. *Radiol Oncol.* 2012 Sep;46(3):242-51.

Georg P, Pötter R, Georg D, Lang S, Dimopoulos JC, Sturdza AE, Berger D, Kirisits C, Dörr W. Dose effect relationship for late side effects of the rectum and urinary bladder in magnetic resonance image-guided adaptive cervix cancer brachytherapy. *Int J Radiat Oncol Biol Phys.* 2012 Feb 1;82(2):653-7.

Lee LJ, Das IJ, Higgins SA, Jhingran A, Small W Jr, Thomadsen B, Viswanathan AN, Wolfson A, Eifel P; American Brachytherapy Society. American Brachytherapy Society consensus guidelines for locally advanced carcinoma of the cervix. Part III: low-dose-rate and pulsed-dose-rate brachytherapy. *Brachytherapy.* 2012 Jan-Feb;11(1):53-7.

Viswanathan AN, Beriwal S, De Los Santos JF, Demanes DJ, Gaffney D, Hansen J, Jones E, Kirisits C, Thomadsen B, Erickson B; American Brachytherapy Society. American Brachytherapy Society consensus guidelines for locally advanced carcinoma of the cervix. Part II: high-dose-rate brachytherapy. *Brachytherapy.* 2012 Jan-Feb;11(1):47-52.

Viswanathan AN, Thomadsen B; American Brachytherapy Society Cervical Cancer Recommendations Committee: American Brachytherapy Society. American Brachytherapy Society consensus guidelines for locally advanced carcinoma of the cervix. Part I: general principles. *Brachytherapy.* 2012 Jan-Feb;11(1):33-46.

Georg P, Lang S, Dimopoulos JC, Dörr W, Sturdza AE, Berger D, Georg D, Kirisits C, Pötter R. Dose-volume histogram parameters and late side effects in magnetic resonance image-guided adaptive cervical cancer brachytherapy. *Int J Radiat Oncol Biol Phys.* 2011 Feb 1;79(2):356-62.

Haie-Meder C, Mazeron R, Magné N. Clinical evidence on PET-CT for radiation therapy planning in cervix and endometrial cancers. *Radiother Oncol.* 2010 Sep;96(3):351-5.

Van Dyk S, Byram D, Bernshaw D. Use of 3D imaging and awareness of GEC-ESTRO recommendations for cervix cancer brachytherapy throughout Australia and New Zealand. *J Med Imaging Radiat Oncol.* 2010 Aug;54(4):383-7.

Hellebust TP, Kirisits C, Berger D, Pérez-Calatayud J, De Brabandere M, De Leeuw A, Dumas I, Hudej R, Lowe G, Wills R, Tanderup K; Gynaecological (GYN) GEC-ESTRO Working Group. Recommendations from Gynaecological (GYN) GEC-ESTRO Working Group: considerations and pitfalls in commissioning and applicator reconstruction in 3D image-based treatment planning of cervix cancer brachytherapy. *Radiother Oncol.* 2010 Aug;96(2):153-60.



A partner for **life**

© 2015 Varian Medical Systems, Inc. All rights reserved. Varian, and Varian Medical Systems are registered trademarks of Varian Medical Systems, Inc.

Intended Use Summary

Varian Medical Systems' software, afterloaders, and applicators are intended to provide radiotherapy for lesions, tumors, and conditions anywhere in the body where radiation treatment is indicated.

Safety

Radiation treatments may cause side effects varying with the part of the body being treated. This may include, but not be limited to irritation to the mouth, respiratory system, digestive system, genitourinary system, fatigue, nausea, skin irritation, and hair loss. In a minority of patients, side effects can be severe. Typically, the side effects are temporary. Radiation treatment is not appropriate for all cancers. Treatment sessions may vary in complexity and time. Side effects of applicator placement and/or implantation may occur. These side effects may include, but are not limited to, localized discomfort, bleeding, and infection or other localized side effects based on the location the applicator is placed. Patients should discuss the treatment and side effects with their physicians before starting.

Medical Advice Disclaimer

Varian as a medical device manufacturer cannot and does not recommend specific treatment approaches. Individual treatment results may vary.

USA Headquarters, California

Varian Medical Systems
Palo Alto, CA
Tel: 650.424.5700
800.544.4636
Fax: 650.493.5637
varian.com

Headquarters Europe, Eastern Europe, Africa, Middle & Near East

Varian Medical Systems
International AG
Cham, Switzerland
Tel: 41.41.749.8844
Fax: 41.41.749.8899
email: info.europe@varian.com



Document Signing Page

This document has been reviewed and electronically signed by the following people:

Workflow ID: 57364293, Doc Title: Brachy Bibliography GYN RAD4251.pdf, Doc No:MARC #0204, Approver: Lisa Levine (llevine), Title: Dir Clinical, Date: Wednesday, 04/29/2015 09:32 PM Pacific Daylight Time, Meaning: I acknowledge my electronic signature carries the same meaning as a handwritten signature

Workflow ID: 57364293, Doc Title: Brachy Bibliography GYN RAD4251.pdf, Doc No:MARC #0204, Approver: William Waller (wwaller), Title: Legal, Date: Thursday, 06/11/2015 12:45 PM Pacific Daylight Time, Meaning: I acknowledge my electronic signature carries the same meaning as a handwritten signature