



Date: 9/26/2018

Version: 3

# Check Point VPN E80 Installation and Configuration Instructions

**CONFIDENTIAL & PROPRIETARY INFORMATION OF SOMOS, INC.**

The information contained in this document is confidential and proprietary to Somos, Inc. and is intended for the express use of the intended recipients. Any unauthorized release of this information is prohibited and punishable by law. Somos, Somos and Design, 4 Quarters Design, SMS/800 and SMS/800 Toll-Free Means Business are trademarks of Somos, Inc. Copyright © 2018 Somos, Inc. All rights reserved.

# Important Notice:

The Check Point VPN E80 software may be used on any Windows 10 or 7 (32 and 64 BIT) Operating System (OS). However, the SMS/800 Platform accessed via the Web Based Access (WBA) ([app.somos.com](http://app.somos.com)) is not currently supported on Windows OS 10 or the Edge browser. The SMS/800 Platform WBA has been optimized with the Windows OS 7, the Internet Explorer (IE) 11 browser and the Java Runtime Environment 1.8 (JRE 1.8, also known as Java 8).

The new SMS/800 Toll-Free Number (TFN) Registry User Interface (UI), is OS and browser agnostic. Also, it does not require this software to access the Somos network. Please visit [tfnregistry.somos.com](http://tfnregistry.somos.com) and login with your valid SMS/800 Platform credentials to begin managing your Responsible Organization's (Resp Org's) Toll-Free Numbers.

**Note:** Not all available features of the SMS/800 Platform WBA have been moved into the new SMS/800 TFN Registry UI at this time, therefore, it is still recommended to have an RSA Token and this software installed to access and use all available features.

## Step 1

- Access the Somos Website ([somos.com](http://somos.com)).
- From the main page, select the “Help Center” menu, and then scroll down to the “FAQs” portion of the page.
- Click on the tab “Voice”, and then scroll down to the “What software is needed...” question.

## Step 2

- Select the “E80 Remote Access Client for Windows OS (32 bit and 64 bit)” link to access the software. This link will direct you to the E80.72 Remote Access Clients for Windows page to download the software.
- Once this page is displayed, select the “Download” button to download the “E80.72\_CheckPointVPN.msi” file.


## Step 3


- On the Save As window, choose Desktop or your preferred location.
- Next, double click on the zipped file from your selected location.
- To begin installation, click on the saved file and proceed with slide 4.

## Step 4

- **Important Note:** If you currently have the Check Point VPN software installed and are upgrading it, you do not need to uninstall the older version of the software. It will keep your settings during the upgrade including any Sites.
- Please proceed with slides 4, 6, 8, 9 21, 22, and 23.

When the Welcome screen is displayed, click Next.





Select SecuRemote and  
click Next.

Select the “I accept the terms...” option and click Next.

The screenshot shows a window titled "Check Point VPN Installation Wizard". The window has a blue header bar with the text "License Agreement" and "Please read the following license agreement carefully." on the left, and the Check Point logo on the right. The main content area is a scrollable text box containing the following text:

**Software License Agreement & Limited Hardware Warranty**  
**Check Point Software Technologies Ltd.**

**PART I - SOFTWARE LICENSE AGREEMENT**


This License Agreement (the "Agreement") is an agreement between you (both the individual installing the Product and any legal entity on whose behalf such individual is acting) (hereinafter "You" or "Your") and Check Point Software Technologies Ltd. (hereinafter "Check Point").

At the bottom of the window, there are two radio button options:


- I accept the terms in the license agreement
- I do not accept the terms in the license agreement

At the very bottom of the window, there are three buttons: "Back", "Next", and "Cancel". The "Next" button is highlighted with a blue border.

Click Install.




Please wait while the program features are being installed. When it's complete, click Next.






Click Finish.




# How to Connect (new Site)

- 1  
• Right click on the padlock in the system tray.
- 2  
• Select Connect.
- 3  
• You will see a pop up displaying, "No site is configured. Would you like to configure a new site?" click Yes.



When the Site Wizard opens, click Next.



Site Wizard

**Welcome to the Site Wizard**  
A site is your gateway to network resources.

To continue, fill in the required information and click next.

Server address or Name: 216.160.25.70

Display name: Production


Back Next Cancel Help


The server address is: 216.160.25.70 for the SMS/800 Platform Production (IMSE1) and Tutorial (IMSE3) Environments. If you would like to access the SMS/800 Platform's Delta Environment, you will need to create a new site and use the server address: 67.96.131.55.

You can add a display name but this is not required. Click Next when the required information has been entered.

If you previously entered a Site Name, the Resolving Site Name window will appear.

When the Site Name is resolved, the Site Wizard will proceed automatically to the next window.





When this message is displayed, click "Trust and Continue".

Select SecurID and click Next.


Site Wizard

**Authentication Method**  
Select the authentication method to be used.

- Username and Password**  
Click if you use an account name and password.
- Certificate**  
Click if you use Hardware tokens or any other certificate type.
- SecurID**  
Click if you use RSA SecurID.
- Challenge Response**  
Click if you are required to provide different responses to a challenge.
- Secure Authentication API (SAA)**  
Click if you use third party authentication.


Back Next Cancel Help

Select Use Key FOB hard token and click Next.






Click Finish.



In the "Would you like to connect?" window, select Yes to connect.

# How to Connect (new PIN Mode)

- 1  
• Right click on the padlock in the system tray.
- 2  
• Select Connect.
- 3  
• Enter the Username, leave the PIN field blank, Tokencode and then select the Connect button.



If you are in new PIN mode, you will see the prompt below. Type 'Y' in the Response field and click Connect.

TrGUI

SecuRemote

Check Point  
SOFTWARE TECHNOLOGIES LTD

Site: Production

**Authentication**

Authenticating user 'zktest11'. Please fill the required input.

User zktest11 authenticated by SecurID  
New PIN required. Do you wish to continue? [y/n] [n]


Response: .

Connect Cancel Help

### Prompt Message

- User Login ID authenticated by SecurID.
- New PIN required. Do you wish to continue? [y/n] [n]

After you enter a new PIN in the Response field, click Connect.




Next, you will see a pop up displaying "New PIN accepted". Click OK.

### Prompt Message


- Enter your new PIN, containing 4 to 8 characters:

# How to Connect (with PIN)


- 1 • Right click on the padlock in the system tray.
- 2 • Select Connect.
- 3 • Enter the Username, enter the PIN, Tokencode and then select the Connect button.



After you clicked connect, you may see this screen displayed, "Connecting to..." if you are using the Site Wizard.



When you have connected, a message will display "Connection succeeded" above your system tray and your VPN connection will now be ACTIVE. The padlock will have a green circle next to it.



## Web Addresses:

- In the address bar of your IE11 browser go to one of the following Environments of the SMS/800 Platform WBA:
  - Production: [app.somos.com](http://app.somos.com)
  - Tutorial: [tutorial-app.somos.com](http://tutorial-app.somos.com)
  - Delta Test: [delta-app.somos.com](http://delta-app.somos.com)

## Logging In:

- Once the page of the Environment you selected is displayed, you will then need to login to the SMS/800 Platform WBA.

## Contact Us!

- If you have any questions concerning the Check Point VPN E80 Installation and Configuration Instructions, please call or text the Help Desk at 844.HEY.SOMOS (844.439.7666), Option 1.

**Thank you.**

