



ELECTRICAL

Technology:	LED
Watts:	10W/12W/24W
Volts:	12V-34V
Lumens:	750L/950L/1800L
Lamp Base :	Connector
Lamp Shape :	Integrated LED
CRI:	90
Rg Value :	78
CCT (Kelvins):	3000K
Temperature:	Warm White
Beam Spread :	280
Hours Rated:	25000
Dimmable:	Yes-Dimmable
Incandescent Equivalent :	45W/65W
Operating Temperature :	-20C (-4F) to +45C (+113F)
Lamp Included :	Integrated
Number of LEDs :	28
Power Factor :	>0.9
Warranty:	2 Year Limited

PACKAGING

Each UPC:	045923862168
Each Quantity:	1
Each Dimensions:	4.75 x 4.75 x 6.25
Case UPC:	10045923862165
Case Quantity:	24
Case Dimensions:	19.69 x 14.76 x 13.78

INFO

Installation Note:	Requires driver (Not included)
Includes:	Driver not included

Project/Job Name:

Location:

Fixture Type:

Notes:

86-216 - Temporary work light; LED; For use with remote drivers; Low voltage 10W/12W/24W; 3000K; 12 Volts

- Wattage Selectable



PHYSICAL

Finish:	Frost
Lens Finish:	Frost
Finish Family:	White
Dimensions:	L:5.91" W:4.59"
Weight (Lbs.):	0.40
Material:	Plastic

COMPLIANCE

Location Rating:	Wet
Energy Star Qualified:	No
FCC Compliant:	Yes
SDS Class:	LED_Lamp
Restrictions:	No Restrictions

ACCESSORIES

	S11600	10 watt LED Direct Wire Downlight; Edge-lit; 4 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver
	S11601	10 watt LED Direct Wire Downlight; Edge-lit; 4 inch; 4000K; 120 volt; Dimmable; Round; Remote Driver
	S11602	10 watt LED Direct Wire Downlight; Edge-lit; 4 inch; 5000K; 120 volt; Dimmable; Round; Remote Driver
	S11603	12 watt LED Direct Wire Downlight; Edge-lit; 6 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver
	S11604	12 watt LED Direct Wire Downlight; Edge-lit; 6 inch; 4000K; 120 volt; Dimmable; Round; Remote Driver
	S11605	12 watt LED Direct Wire Downlight; Edge-lit; 6 inch; 5000K; 120 volt; Dimmable; Round; Remote Driver
	S11606	24 watt LED Direct Wire Downlight; Edge-lit; 8 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver
	S11607	24 watt LED Direct Wire Downlight; Edge-lit; 8 inch; 4000K; 120 volt; Dimmable; Round; Remote Driver
	S11608	24 watt LED Direct Wire Downlight; Edge-lit; 8 inch; 5000K; 120 volt; Dimmable; Round; Remote Driver
	S11609	10 watt LED Direct Wire Downlight; Edge-lit; 4 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver
	S11610	10 watt LED Direct Wire Downlight; Edge-lit; 4 inch; 4000K; 120 volt; Dimmable; Square; Remote Driver
	S11611	10 watt LED Direct Wire Downlight; Edge-lit; 4 inch; 5000K; 120 volt; Dimmable; Square; Remote Driver
	S11612	12 watt LED Direct Wire Downlight; Edge-lit; 6 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver
	S11613	12 watt LED Direct Wire Downlight; Edge-lit; 6 inch; 4000K; 120 volt; Dimmable; Square; Remote Driver
	S11614	12 watt LED Direct Wire Downlight; Edge-lit; 6 inch; 5000K; 120 volt; Dimmable; Square; Remote Driver
	S11615	24 watt LED Direct Wire Downlight; Edge-lit; 8 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver

ACCESSORIES

	S11616	24 watt LED Direct Wire Downlight; Edge-lit; 8 inch; 4000K; 120 volt; Dimmable; Square; Remote Driver
	S11617	24 watt LED Direct Wire Downlight; Edge-lit; 8 inch; 5000K; 120 volt; Dimmable; Square; Remote Driver
	S11618	12 watt LED Direct Wire Downlight; Gimbaled; 4 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver; White
	S11619	12 watt LED Direct Wire Downlight; Gimbaled; 4 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver; Black
	S11620	12 watt LED Direct Wire Downlight; Gimbaled; 4 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver; Brushed Nickel
	S11621	12 watt LED Direct Wire Downlight; Gimbaled; 4 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver; White
	S11622	12 watt LED Direct Wire Downlight; Gimbaled; 4 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver; Black
	S11623	12 watt LED Direct Wire Downlight; Gimbaled; 4 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver; Brushed Nickel
	S11624	12 watt LED Direct Wire Downlight; Gimbaled; 3.5 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver; White
	S11625	12 watt LED Direct Wire Downlight; Gimbaled; 3.5 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver; Black
	S11626	12 watt LED Direct Wire Downlight; Gimbaled; 3.5 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver; Brushed Nickel
	S11627	12 watt LED Direct Wire Downlight; Gimbaled; 3.5 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver; White
	S11628	12 watt LED Direct Wire Downlight; Gimbaled; 3.5 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver; Black
	S11629	12 watt LED Direct Wire Downlight; Gimbaled; 3.5 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver; Brushed Nickel
	S11630	12 watt LED Direct Wire Downlight; 3.5 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver; White
	S11631	12 watt LED Direct Wire Downlight; 3.5 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver; Black

ACCESSORIES

	S11632	12 watt LED Direct Wire Downlight; 3.5 inch; 3000K; 120 volt; Dimmable; Round; Remote Driver; Brushed Nickel
	S11633	12 watt LED Direct Wire Downlight; 3.5 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver; White
	S11634	12 watt LED Direct Wire Downlight; 3.5 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver; Black
	S11635	12 watt LED Direct Wire Downlight; 3.5 inch; 3000K; 120 volt; Dimmable; Square; Remote Driver; Brushed Nickel
	S11826	10 Watt; LED Direct Wire Downlight; Edge-lit; 4 inch; CCT Selectable; 120 volt; Dimmable; Round; Remote Driver
	S11827	12 Watt; LED Direct Wire Downlight; Edge-lit; 6 inch; CCT Selectable; 120 volt; Dimmable; Round; Remote Driver
	S11828	24 Watt; LED Direct Wire Downlight; Edge-lit; 8 inch; CCT Selectable; 120 volt; Dimmable; Round; Remote Driver
	S11829	10 Watt; LED Direct Wire Downlight; Edge-lit; 4 inch; CCT Selectable; 120 volt; Dimmable; Square; Remote Driver
	S11830	12 Watt; LED Direct Wire Downlight; Edge-lit; 6 inch; CCT Selectable; 120 volt; Dimmable; Square; Remote Driver
	S11831	24 Watt; LED Direct Wire Downlight; Edge-lit; 8 inch; CCT Selectable; 120 volt; Dimmable; Square; Remote Driver
	S11840	9 Watt; CCT Selectable; LED Direct Wire Downlight; Gimbaled; 4 Inch Round; Remote Driver; White
	S11841	9 Watt; CCT Selectable; LED Direct Wire Downlight; Gimbaled; 4 Inch Square; Remote Driver; White
	S11842	9 Watt; CCT Selectable; LED Direct Wire Downlight; Gimbaled; 4 Inch Round; Remote Driver; Black
	S11843	9 Watt; CCT Selectable; LED Direct Wire Downlight; Gimbaled; 4 Inch Square; Remote Driver; Black