



Project/Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Notes: \_\_\_\_\_

**S11451** - 5 Watt A19 LED; 3000K; Dimmable; Medium base; 230 deg. Beam Angle; 4-pack

- Rated for Enclosed Fixture



### ELECTRICAL

Technology:	LED
Watts:	5W
Volts:	120V
Lumens:	450L
CRI:	80
CCT (Kelvins):	3000K
Temperature:	Soft White
Beam Spread :	230
Hours Rated:	15000
Dimmable:	Yes-Dimmable
Dimmable Down To %:	100 to 20 percent
Incandescent Equivalent :	40W
Operating Temperature :	-20C (-4F) to +45C (+113F)
Light Source:	LED
Warranty:	3 Year Limited

### PACKAGING

Each UPC:	045923101519
Each Quantity:	1
Each Dimensions:	7.24 x 2.44 x 4.69
Case UPC:	10045923101516
Case Quantity:	12
Case Dimensions:	15.16 x 7.48 x 9.84

### PHYSICAL

ANSI Base:	E26
Base:	Medium
Shape:	A19
Finish:	Frost
MOD (In.):	2.38
MOL (In.):	4.17
Weight (Lbs.):	0.31
Material:	Polycarbonate (PC) / High Heat Conductive Plastic Housing
Housing Color:	White

### COMPLIANCE

Safety Listing:	cULus - Listed
Location Rating:	Damp
Indoor/Outdoor:	Indoor
Energy Star Qualified:	Pending
UL/ETL File Listing:	US/CN - E335148
UL/ETL Standard:	ANSI/UL 1993; CSA-C22.2 No. 1993
Enclosure Rating:	Enclosed Rated Lamp
Rated For Enclosed Fixture:	Yes
FCC Compliant:	Yes
RoHS Compliant:	Yes
SDS Class:	LED_Lamp
Restrictions:	No Restrictions

**DIMMER COMPATIBILITY**

---

**Leviton** 6672

---

**Leviton** 6674

---

**Lutron** AYCL-153P

---

**Lutron** AYCL-253P

---

**Lutron** CTCL-153P

---

**Lutron** CTRP-253P

---

**Cooper** DALo6P-C2

---

**Leviton** DDMX1

---

**Leviton** DG6HD

---

**Leviton** DH6HD

---

**Leviton** DL6HD

---

**Leviton** DSLo6

---

**Leviton** DSLo6-1LZ

---

**Cooper** DULo6P-C2

---

**Lutron** DVCL-153P

---

**Lutron** DVCL-253P

---

**Lutron** DVRP-253P

---

**Leviton** DW6HD

---

**Leviton** DZ6HD

---

**Lutron** HQRD-10D

---

**Lutron** HQRD-10NBD

---

**Lutron** HQRD-6ND

---

**Lutron** HQRD-HN6BRL

---

**Leviton** IPLo6

---

**Lutron** LECL-153P

---

**Lutron** MACL-153M

---

<b>Lutron</b>	MACL-LFQ
<b>Lutron</b>	MSCL-OP153M
<b>Lutron</b>	NTCL-250
<b>Lutron</b>	NTRP-250
<b>Lutron</b>	PD-10NXD
<b>Lutron</b>	PD-6WCL
<b>Lutron</b>	RCL-153PNL
<b>Cooper</b>	RF9640-ND
<b>Legrand</b>	RH703PTUTC
<b>Legrand</b>	RHCL450PTC
<b>Leviton</b>	RNL06-10Z
<b>Lutron</b>	RRD-6CL
<b>Lutron</b>	RRD-6ND
<b>Lutron</b>	RRD-H6BRL
<b>Satco</b>	S11268
<b>Cooper</b>	SAL06P
<b>Lutron</b>	SCL-153P
<b>Lutron</b>	STCL-153M
<b>Cooper</b>	TAL06P-C2
<b>Lutron</b>	TGCL-153PH
<b>Leviton</b>	TSL06
<b>Lutron</b>	TTCL-100H
<b>Cooper</b>	VSUL06D