



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

S11841 - 9 Watt; CCT Selectable; LED Direct Wire Downlight;
Gimbaled; 4 Inch Square; Remote Driver; White

- Air Tight
- Has Driver
- CCT Selectable
- IC Rated



ELECTRICAL

Technology:	LED
Watts:	9W
Volts:	120V
Lumens:	650L-750L
CRI:	90
CCT (Kelvins):	2700K/3000K/3500K/4000K/5000K
Temperature:	Warm to Cool White
Beam Spread :	36
Hours Rated:	50000
Dimmable:	Yes-Dimmable
Dimmable Down To %:	100 to 20 percent
Incandescent Equivalent :	50W
Operating Temperature :	-20C (-4F) to +45C (+113F)
Replaceable Light Source :	No
Number of LEDs :	16
Connection:	Direct Wired
Power Factor :	>0.9
Warranty:	5 Year Limited - Fixtures

PACKAGING

Each UPC:	045923118418
Each Quantity:	1
Each Dimensions:	6.34 x 3.07 x 5.08
Case UPC:	10045923118415
Case Quantity:	12
Case Dimensions:	13.39 x 9.84 x 10.87

PHYSICAL

Finish:	White
Lens Finish:	Clear
Lens Material:	Plastic (PS)
Finish Family:	White
Dimensions:	H:1.42" D:4.92"
Weight (Lbs.):	1.00
Material:	Aluminum

INSTALLATION

Ceiling Aperture:	4.25 in. Cutout
Max Drywall Thickness:	1 in.
Rec. Spacing Between Fixtures:	3 ft. to 4 ft.
Clearance Height:	3
Sloped Ceiling Compatible:	Yes
Can Size:	4 in.

COMPLIANCE

Safety Listing:	cETLus - Listed
Location Rating:	Damp
Indoor/Outdoor:	Indoor
Energy Star Qualified:	Yes
Energy Star Unique ID:	ESID-2393126
Energy Star Lamp Category:	Downlight Recessed
UL/ETL File Listing:	ETL 5014520
UL/ETL Standard:	1993
CA Prop 65:	Lead
FCC Compliant:	Yes
IP Rating:	IP42
RoHS Compliant:	Yes
Restrictions:	No Restrictions

INFO

Additional Info:	Candlepower: 750
------------------	------------------



S11841 - 9 Watt; CCT Selectable; LED Direct Wire Downlight;
Gimbale; 4 Inch Square; Remote Driver; White

ACCESSORIES



80-949

6 Foot Remote Driver Extension Cable



86-216

Temporary work light; LED; For use with remote drivers; Low voltage 10W/12W/24W; 3000K; 12 Volts



S11841 - 9 Watt; CCT Selectable; LED Direct Wire Downlight;
Gimballed; 4 Inch Square; Remote Driver; White

DIMMER COMPATIBILITY

Leviton	6674
Leviton	66ELV
Satco	86/103
Legrand	ADTP703TU
Lutron	AYCL-153P
Cooper	DAL06P-C2
Leviton	DDMX1
Leviton	DSE06-10Z
Leviton	DSL06
Leviton	DSL06-1LZ
Leviton	DSM10
Cooper	DUL06P-C2
Lutron	DVCL-153P
Lutron	DVRP-253P
Leviton	IPE04-1L
Leviton	IPL06
Lutron	LECL-153PH
Lutron	MA-PRO
Lutron	MACL-153M
Lutron	MSCL-OP153M
Lutron	NTRP-250
Lutron	PD-10WX
Lutron	PD-6WCL
Lutron	RCL-153PNL
Cooper	RF9640-ND
Legrand	RH703PTUTC

Legrand	RHCL450PTC
Lutron	RRD-6CL
Lutron	RRD-PRO
Cooper	SAL06P
Cooper	SUF7
Cooper	TAL06P-C2
Leviton	TSL06
Leviton	TSM10
Cooper	VSUL06D