



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

S21356 - 8 Watt T9 LED; Frost; Medium base; 90 CRI; 2700K; 120 Volt

- Rated for Enclosed Fixture



ELECTRICAL

Technology:	LED
Watts:	8W
Volts:	120V
Lumens:	700L
CRI:	90
Rg Value :	54
CCT (Kelvins):	2700K
Temperature:	Warm White
Beam Spread :	320
Hours Rated:	15000
Dimmable:	Yes-Dimmable
Incandescent Equivalent :	65W
Operating Temperature :	-20C (-4F) to +45C (+113F)
Power Factor :	>0.7
Light Source:	LED
Warranty:	3 Year Limited

PACKAGING

Each UPC:	045923206634
Each Quantity:	1
Each Dimensions:	1.38 x 1.38 x 7.40
Inner UPC:	20045923206638
Inner Quantity:	6
Inner Dimensions:	7.76 x 3.15 x 4.84
Case UPC:	10045923206631
Case Quantity:	24
Case Dimensions:	8.46 x 7.05 x 10.83

PHYSICAL

ANSI Base:	E26
Base:	Medium
Shape:	T9
Finish:	Frost
MOD (In.):	1.18
MOL (In.):	7.20
Weight (Lbs.):	0.110
Material:	Glass / Nickel Plated Aluminum

COMPLIANCE

Safety Listing:	cETLus
Location Rating:	Wet
Indoor/Outdoor:	Indoor
Energy Star Qualified:	No
Enclosure Rating:	Enclosed Rated Lamp
Rated For Enclosed Fixture:	Yes
FCC Compliant:	Yes
NSF Approved:	No
RoHS Compliant:	Yes
SDS Class:	LED_Lamp
Restrictions:	No Restrictions



S21356 - 8 Watt Tg LED; Frost; Medium base; 90 CRI; 2700K; 120 Volt

DIMMER COMPATIBILITY

Leviton	6672
Leviton	6674
Satco	86/103
Lutron	AYCL-153P
Lutron	CTRP-253P
Cooper	DALo6P-C2
Leviton	DDMX1
Leviton	DG6HD
Leviton	DH6HD
Leviton	DL6HD
Leviton	DSL06
Leviton	DSM10
Cooper	DULO6P-C2
Lutron	DVCL-153P
Lutron	DVRP-253P
Leviton	DW6HD
Leviton	DZ6HD
Leviton	IPL06
Lutron	LECL-153PH
Lutron	MA-PRO
Lutron	MACL-153M
Lutron	NTCL-250
Lutron	NTRP-250
Lutron	PD-6WCL
Lutron	RCL-153PNL

Cooper RF9640-ND

Legrand	RH703PTUTC
Legrand	RHCL450PTC
Leviton	RNLo6-10Z
Lutron	RRD-6CL
Lutron	RRD-PRO
Satco	S11268
Cooper	SALo6P
Cooper	SUF7
Cooper	TALo6P-C2
Leviton	TSLo6
Leviton	TSM10
Cooper	VSULo6D