



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

S21357 - 8 Watt T9 LED; Frost; Medium base; 90 CRI; 3000K; 120 Volt

- Rated for Enclosed Fixture



ELECTRICAL

Technology:	LED
Watts:	8W
Volts:	120V
Lumens:	700L
CRI:	90
Rg Value :	58
CCT (Kelvins):	3000K
Temperature:	Warm White
Beam Spread :	320
Hours Rated:	15000
Dimmable:	Yes-Dimmable
Incandescent Equivalent :	65W
Operating Temperature :	-20C (-4F) to +45C (+113F)
Power Factor :	>0.7
Light Source:	LED
Warranty:	3 Year Limited

PACKAGING

Each UPC:	045923206641
Each Quantity:	1
Each Dimensions:	1.38 x 1.38 x 7.40
Inner UPC:	20045923206645
Inner Quantity:	6
Inner Dimensions:	7.76 x 3.15 x 4.84
Case UPC:	10045923206648
Case Quantity:	24
Case Dimensions:	8.46 x 7.05 x 10.83

PHYSICAL

ANSI Base:	E26
Base:	Medium
Shape:	T9
Finish:	Frost
MOD (In.):	1.18
MOL (In.):	7.20
Weight (Lbs.):	0.110
Material:	Glass / Nickel Plated Aluminum

COMPLIANCE

Safety Listing:	cETLus
Location Rating:	Wet
Indoor/Outdoor:	Indoor
Energy Star Qualified:	No
Enclosure Rating:	Enclosed Rated Lamp
Rated For Enclosed Fixture:	Yes
FCC Compliant:	Yes
NSF Approved:	No
RoHS Compliant:	Yes
SDS Class:	LED_Lamp
Restrictions:	No Restrictions

DIMMER COMPATIBILITY

Leviton 6672

Leviton 6674

Satco 86/103

Lutron AYCL-153P

Lutron CTRP-253P

Cooper DALo6P-C2

Leviton DDMX1

Leviton DG6HD

Leviton DH6HD

Leviton DL6HD

Leviton DSLo6

Leviton DSM1o

Cooper DULO6P-C2

Lutron DVCL-153P

Lutron DVRP-253P

Leviton DW6HD

Leviton DZ6HD

Leviton IPLo6

Lutron LECL-153PH

Lutron MA-PRO

Lutron MACL-153M

Lutron NTCL-250

Lutron NTRP-250

Lutron PD-6WCL

Lutron RCL-153PNL

Cooper RF964o-ND

Legrand	RH703PTUTC
Legrand	RHCL450PTC
Leviton	RNLo6-10Z
Lutron	RRD-6CL
Lutron	RRD-PRO
Satco	S11268
Cooper	SALo6P
Cooper	SUF7
Cooper	TALo6P-C2
Leviton	TSLo6
Leviton	TSM10
Cooper	VSULo6D