



Project/Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Notes: \_\_\_\_\_

**S23151** - 27/22/18 Wattage Selectable; LED HID Replacement; CCT Selectable; Extended Mogul base; 100-277 Volt; ColorQuick Technology; PowerQuick Technology

- Wattage Selectable
- CCT Selectable
- Rated for Enclosed Fixture



### ELECTRICAL

|                           |                                                                      |
|---------------------------|----------------------------------------------------------------------|
| Technology:               | LED                                                                  |
| Watts:                    | 27W/22W/18W                                                          |
| Volts:                    | 100V-277V                                                            |
| Lumens:                   | 3780L/3080L/2520L                                                    |
| CRI:                      | 80                                                                   |
| CCT (Kelvins):            | 3000K/4000K/5000K                                                    |
| Temperature:              | Warm to Cool White                                                   |
| Beam Spread :             | 360                                                                  |
| Hours Rated:              | 50000                                                                |
| Dimmable:                 | Yes-Dimmable                                                         |
| DimmableText:             | Dimmable only via the wattage/lumen selectable dial included on lamp |
| HID Equivalent :          | 125W/100W/75W                                                        |
| Operating Temperature :   | -30C (-22F) to +45C (+113F)                                          |
| Lamp Ballast Type A/B/C : | Type B                                                               |
| Number of LEDs :          | 228                                                                  |
| Burning Position :        | Universal                                                            |
| Surge Protection :        | Built-in surge protection - 4KV                                      |
| Power Factor :            | >0.9                                                                 |
| Light Source:             | LED                                                                  |
| Warranty:                 | 5 Year Limited - 12 hr per day                                       |

### PACKAGING

|                   |                       |
|-------------------|-----------------------|
| Each UPC:         | 045923231513          |
| Each Quantity:    | 1                     |
| Each Dimensions:  | 8.86 x 2.83 x 2.83    |
| Inner UPC:        | 20045923231517        |
| Inner Quantity:   | 12                    |
| Inner Dimensions: | 12.20 x 9.25 x 9.45   |
| Case UPC:         | 10045923231510        |
| Case Quantity:    | 24                    |
| Case Dimensions:  | 19.37 x 12.99 x 10.55 |

### PHYSICAL

|                |                |
|----------------|----------------|
| ANSI Base:     | EX39           |
| Base:          | Mogul Extended |
| Finish:        | White          |
| Lens Material: | Plastic        |
| MOD (In.):     | 2.32           |
| MOL (In.):     | 7.48           |
| Weight (Lbs.): | 0.75           |
| Material:      | Aluminum       |
| Housing Color: | Dark Gray      |

### COMPLIANCE

|                             |                                                                               |
|-----------------------------|-------------------------------------------------------------------------------|
| Safety Listing:             | cULus - Listed                                                                |
| Location Rating:            | Damp                                                                          |
| Indoor/Outdoor:             | Indoor and Outdoor                                                            |
| Energy Star Qualified:      | No                                                                            |
| DLC Approved:               | Yes                                                                           |
| DLC Classification:         | Standard                                                                      |
| DLC ID:                     | S-HJ4T6Y                                                                      |
| DLC Primary Use:            | Replacement Lamps for Outdoor Pole/Arm-mounted Decorative Luminaires (Type B) |
| UL/ETL File Listing:        | US/CN - E356817; US/CN - E335148                                              |
| UL/ETL Standard:            | ANSI/UL 1598C; ANSI/UL 1993; CSA-C22.2 No. 250.1; CSA-C22.2 No. 1993          |
| Rated For Enclosed Fixture: | Yes                                                                           |
| FCC Compliant:              | Yes                                                                           |
| IP Rating:                  | IP64                                                                          |
| NSF Approved:               | No                                                                            |
| RoHS Compliant:             | Yes                                                                           |
| SDS Class:                  | LED_Lamp                                                                      |
| Restrictions:               | No Restrictions                                                               |

### INFO

Additional Info:  
SATCO.COM | 800-437-2826

Power selectable  
© Satco Products, Inc.  
All rights reserved 2022





**S23151** - 27/22/18 Wattage Selectable; LED HID Replacement; CCT Selectable; Extended Mogul base; 100-277 Volt; ColorQuick Technology; PowerQuick Technology

#### DIMMER COMPATIBILITY

|         |      |
|---------|------|
| Leviton | 6672 |
|---------|------|

|         |      |
|---------|------|
| Leviton | 6674 |
|---------|------|

|       |        |
|-------|--------|
| Satco | 86/103 |
|-------|--------|

|        |           |
|--------|-----------|
| Lutron | AYCL-153P |
|--------|-----------|

|        |           |
|--------|-----------|
| Lutron | CTRP-253P |
|--------|-----------|

|         |       |
|---------|-------|
| Leviton | DDMX1 |
|---------|-------|

|         |       |
|---------|-------|
| Leviton | DG6HD |
|---------|-------|

|         |       |
|---------|-------|
| Leviton | DH6HD |
|---------|-------|

|         |       |
|---------|-------|
| Leviton | DL6HD |
|---------|-------|

|         |           |
|---------|-----------|
| Leviton | DSE06-10Z |
|---------|-----------|

|         |       |
|---------|-------|
| Leviton | DSL06 |
|---------|-------|

|         |           |
|---------|-----------|
| Leviton | DSL06-1LZ |
|---------|-----------|

|         |       |
|---------|-------|
| Leviton | DSM10 |
|---------|-------|

|        |           |
|--------|-----------|
| Cooper | DUL06P-C2 |
|--------|-----------|

|        |           |
|--------|-----------|
| Lutron | DVCL-153P |
|--------|-----------|

|        |           |
|--------|-----------|
| Lutron | DVRP-253P |
|--------|-----------|

|         |       |
|---------|-------|
| Leviton | DW6HD |
|---------|-------|

|         |       |
|---------|-------|
| Leviton | DZ6HD |
|---------|-------|

|         |       |
|---------|-------|
| Leviton | IPL06 |
|---------|-------|

|        |            |
|--------|------------|
| Lutron | LECL-153PH |
|--------|------------|

|        |        |
|--------|--------|
| Lutron | MA-PRO |
|--------|--------|

|        |             |
|--------|-------------|
| Lutron | MSCL-OP153M |
|--------|-------------|

|        |          |
|--------|----------|
| Lutron | NTRP-250 |
|--------|----------|

|        |         |
|--------|---------|
| Lutron | PD-10WX |
|--------|---------|

|        |         |
|--------|---------|
| Lutron | PD-6WCL |
|--------|---------|

|        |            |
|--------|------------|
| Lutron | RCL-153PNL |
|--------|------------|

|                |            |
|----------------|------------|
| <b>Cooper</b>  | RF9640-ND  |
| <b>Legrand</b> | RHCL450PTC |
| <b>Leviton</b> | RNL06-10Z  |
| <b>Lutron</b>  | RRD-6CL    |
| <b>Lutron</b>  | RRD-PRO    |
| <b>Satco</b>   | S11268     |
| <b>Cooper</b>  | SAL06P     |
| <b>Cooper</b>  | SUF7       |
| <b>Cooper</b>  | TAL06P-C2  |
| <b>Leviton</b> | TSL06      |
| <b>Leviton</b> | TSM10      |
| <b>Cooper</b>  | VSUL06D    |