



# 12.5% SODIUM HYPOCHLORITE SOLUTION

## Material Safety Data Sheet

Emergency 24 Hour Telephone: CHEMTREC 800.424.9300

Corporate Headquarters: Hasa Inc.  
23119 Drayton Street  
Saugus, California 91350  
Telephone • 661.259.5848  
Fax • 661.259.1538



**HASA 12.5% SODIUM HYPOCHLORITE SOLUTION**  
Material Safety Data Sheet MSDS No. 106

### IDENTIFICATION OF PRODUCT

<b>Product Name:</b>	HASA 12.5% Sodium Hypochlorite Solution
<b>Common Chemical Names:</b>	Hypochlorite solution sodium salt, sodium hypochlorite
<b>Chemical Names of Ingredients [&gt;1.0% by weight]:</b>	Sodium hypochlorite
<b>Chemical Family:</b>	Inorganic halogen compound
<b>CAS Registry Number:</b>	7681-52-9
<b>Empirical Formula:</b>	NaOCl
<b>Molecular Weight:</b>	74.45

### PHYSICAL AND CHEMICAL PROPERTIES

<b>Vapor Pressure:</b>	12.1 mm Hg at 20°C [12.5% solution]	<b>Flash Point:</b>	Not Applicable.
<b>Weight/Gallon:</b>	10.0 lbs. (4.54 kg.)	<b>pH:</b>	11.2 – 11.4
<b>Density [liquid]:</b>	1.20 at 20°C (68°F)	<b>Odor:</b>	Slight Bleach
<b>Bulk Density:</b>	Not Applicable.	<b>Boiling Point:</b>	Decomposes
<b>Melting Point:</b>	Not Applicable.	<b>Freezing Point:</b>	-20° Fahrenheit
<b>Physical State:</b>	Liquid Solution	<b>Color:</b>	Straw Yellow
<b>Solubility in Water:</b>	Complete	<b>Stability:</b>	Stable

### PHYSICAL HAZARDS

<b>Potential for Fire:</b>	None. Nonflammable and Noncombustible liquid.
<b>Potential for Explosion:</b>	None. Nonflammable and Noncombustible liquid.
<b>Reactivity:</b>	Violent reactions with amines, ammonium aldehyde, ammonium carbonate, aziridine, methanol, phenylacetonitrile, ammonium nitrate, ammonium oxylate, ammonium phosphate, cellulose, ethylene imine. Do not mix acids, aqua ammonia, or other organic or inorganic chemicals with this product.
<b>Extinguishing Media</b>	N/A
<b>Fire Fighting Procedures:</b>	N/A

HEALTH HAZARDS	
<b>Signs and Symptoms of Exposure:</b>	Eyes and skin irritation. Chemical burns to broken skin.
<b>Medical Conditions Aggravated by Exposure:</b>	No data available.
<b>Oral [ingestion] LD<sub>50</sub>:</b>	No data available.
<b>Dermal [skin absorption] LD<sub>50</sub>:</b>	No data available.
<b>Inhalation [breathing] LC<sub>50</sub>:</b>	No data available.
<b>Eye Irritation:</b>	Irritating. May cause eye damage.
<b>Skin Irritation:</b>	Mild irritation. Not considered to be a skin sensitizer.
<b>OSHA PEL:</b>	None established.
<b>ACGIH TLV/TWA:</b>	None established.

POTENTIAL ROUTE [S] OF ENTRY	
<b>Inhalation [Breathing]:</b>	Unlikely to occur. Vapor may cause irritation to upper respiratory tract.
<b>Dermal [Skin]:</b>	Contact with broken skin may cause burning, blistering, and tissue destruction if not washed off immediately.
<b>Eyes:</b>	Corrosive to eyes.
<b>Ingestion:</b>	Not anticipated. May cause severe chemical burns to esophagus and to stomach lining.

CARCINOGENIC [CANCER POTENTIAL] INFORMATION	
<b>National Toxicological Program [NTP] <i>Sixth Annual Report on Carcinogens</i>:</b>	Not listed.
<b>International Agency for Research on Cancer [IARC] <i>Monographs, V. 1-53, Supps. 1-8</i>:</b>	Not listed.
<b>Listed by Federal OSHA as Carcinogens:</b>	Not listed.
<p><b>Safe Drinking Water and Toxic Enforcement Act of 1986 [Proposition 65, California only]:</b>                      Small quantities – less than 100 ppm (parts per million) – of impurities, including bromates, may be found in all chlorinating products, including this product. Bromates are derived from bromides, which are present in sodium chloride (table salt) from which chlorine is manufactured. Additional small quantities of bromates may be generated during the disinfection process. Bromates are known by the State of California to cause cancer when administered by the oral (drinking or ingesting) route. Read and follow label directions and use care when handling or using this product. The US Environmental Protection Agency has established a maximum contaminant level (MCL) for bromates in drinking water at 10 ppb (parts per billion). Application of this product in accordance with label directions at use dilution will not exceed this level.</p> <p>This warning is provided pursuant to Proposition 65, the Safe Drinking Water and Toxic Enforcement act of 1986, Chapter 6.6 of the California Health and Safety Code, which requires the Governor of California to publish a list of chemicals “known to the state to cause cancer or reproductive toxicity.” This list is compiled in accordance with the procedures established under the proposition, and can be obtained on the internet from California’s Office of Environmental Health Hazard Assessment at <a href="http://www.oehha.ca.gov">http://www.oehha.ca.gov</a>. There are over 700 chemical substances on this list.</p>	

**GENERAL PRECAUTIONS FOR SAFE USE AND HANDLING**

Open containers carefully. Sodium hypochlorite solutions are packaged with vented closures. Do not use containers which are leaking or show evidence of having leaked. Mix only with water. Do not mix with other chemicals. Use clean, dry utensils when mixing. Do not discharge this product or mixtures of this product into lakes, streams, ponds, bays, estuaries, or the ocean. Sodium hypochlorite is toxic to aquatic organisms at very low levels.

**PERSONAL PROTECTION AND HYGIENE**

Wear goggles or face shield and rubber gloves when handling. Remove and wash contaminated clothing before reuse. Wash hands after handling.

**CLEAN-UP OF SPILLS**

Store this product in a cool, dry area, away from sunlight and heat to avoid deterioration. In case of spill, flood area where spill has occurred with large quantities of water. With permission from local authorities, diluted product may be flushed to a sanitary sewer. Product may also be absorbed with sand or diatomaceous earth. Absorbed products must be disposed of in accordance with applicable Federal, State, and/or local regulations. Contact HASA, Inc. for guidance.

**FIRST AID**

<b>Eye Contact:</b>	Flush with water. Remove contact lenses [if applicable]. Hold eyelids open. Continue flushing with water for 15 minutes. Get prompt medical attention.
<b>Skin Contact:</b>	Wash affected area with water for 15 minutes. Get medical attention.
<b>Ingestion [swallowing]:</b>	Drink large quantities of water. DO NOT give vinegar or other acids. DO NOT induce vomiting. Get prompt medical attention.

**FEDERAL/STATE LISTS/REGISTRATION/S/REPORTING REQUIREMENTS**

<b>CERCLA Hazardous Substance [Section 1010 [4], P.L. 96-510]:</b>	RQ=100 lbs [80 gallons for 12.5% solution]
<b>Extremely Hazardous Substance [40 CFR 355, Appendix A]:</b>	Not listed.
<b>Pesticide Product 7 U.S.C. 136 et seq.:</b>	Registered as a pesticide product by Federal EPA.
<b>Toxic Substance under TSCA:</b>	Not reported.
<b>Pesticide Product [various State Laws]:</b>	Registered as pesticide product in states where marked.

**MATERIAL CLASSIFICATION**

<b>OSHA Hazard Communication Standard, Department of Labor, Occupational Safety and Health Division, 29 CFR 1910.1200:</b>	Irritant
--	----------

**Hazardous Materials Transportation Regulations,  
Department of Transportation (Federal) 49 CFR 172.101**

<b>Proper Shipping Description [1 gallon or less]:</b>	Consumer Commodity, ORM-D
<b>Proper Shipping Description [greater than 1 gallon]:</b>	Hypochlorite Solutions, 8, UN1791, P.G. III

<b>National Fire Protection Association NFPA 704 [1990]:</b>	2-0-0
<b>BOCA National Fire Prevention Code/National Building Code [1999 editions]:</b>	Irritant
<b>Standard Fire Prevention Code/Standard Building Code [1997 editions]:</b>	Irritant
<b>Uniform Fire Code/Uniform Building Code [1997 editions]:</b>	Irritant

<b>Uniform Fire Code Standards 79-3, Uniform Fire Code, V. II [1997 edition]:</b>	2-0-0
---	-------

RETURNABLE CONTAINERS
Returnable (deposit) containers must be resealed and the contents drained therefrom prior to return to the distributor or manufacturer for credit. Do not offer leaking or damaged containers for transportation. Call HASA, Inc. or your distributor for instructions.

**Please Note:** The information contained herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge and belief. NO WARRANTY OR GUARANTEE, expressed or implied, is made regarding the product performance, product stability, or as to any other condition of use, handling, transportation, and storage. Customer use, handling, transportation, and storage may involve additional safety and/or performance considerations. Our technical personnel will be happy to respond to questions regarding safe handling, storage, transportation and use procedures. The safe handling, storage, transportation and use procedures remain the sole responsibility of the customer. No suggestions for handling, storage, transportation or use are intended as or to be construed as recommendations which may infringe on any existing patents or violate any Federal, State, and/or local law and/or regulation, ordinance, standard, etc.. This Material Safety Data Sheet has been prepared by HASA, Inc. staff from test reports and other information available in the public domain.