

ADDENDUM NO.: ONE

DATE: 20 January 2017

PROJECT TITLE: LAKE CITY PARK SHELTER

Florence Conuty

WRITTEN BY: J. Sanders Tate, AIA LEED AP

TO: Prospective Bidders / Plan Holders

---

This addendum is issued pursuant to Article 1.1.1 of the AIA General Conditions of the Contract (A201) in connection with the revision of Bidding Documents which have been previously issued.

Addenda are issued prior to execution of Contract. All instructions contained herein shall be reflected in the Contract Sum and this Addendum will be made a part of the Contract Documents, if, as, and when a Construction Contract is awarded.

This Addendum forms a part of the Contract Documents and modifies the original documents as noted below. Acknowledge receipt of this Addendum in this space provided on the Bid Form. Failure to do so will subject the Bidder to disqualification.

This Addendum consists of 01 page:

**REVISIONS TO THE PROJECT MANUAL:**

1. Section 0099123 Painting—At Paragraph 2.8.E revise the paint schedule for “WOOD” to be:
  2. Cementitious Siding and Trim: Painted.  
Latex Systems, Gloss Finish:
    - a. 1st Coat: S-W Exterior Latex Wood Primer, B42W8041 (4 mils wet, 1.4 mils dry).
    - b. 2nd Coat: S-W A-100 Exterior Latex Gloss, A8 Series.
    - c. 3rd Coat: S-W A-100 Exterior Latex Gloss, A8 Series (4 mils wet, 1.3 mils dry per coat).
  3. Exposed Exterior Wood: Painted  
Water Based Semi-Transparent Stain: 2 coats of Sherwin Williams Log Cabin

**REVISIONS TO THE DRAWINGS:**

1. Sheet S1 – Wood Notes: 8x8 exterior columns to be treated.
2. Architectural Sheets – ceiling note: Ceilings to be cement backer board, same as walls.

**END OF ADDENDUM**