

Approved Bats

When not specified by WESA Rules (our Appendices), WESA defaults to SPN Rules.

For bats, SPN defaults to Amateur Softball Association (ASA). The rules are: (http://www.asasoftball.com/about/certified_equipment.asp):

- The Official bat must bear either the ASA approved 2000 certification mark, the **ASA 2004 certification mark** as shown below, or the **ASA 2013 Certification Mark (Slo-Pitch ONLY)** as shown below and must not be listed on an ASA Non-Approved Bat List with Certification Marks



- All approved bats manufactured between 2004 and 2012 must have the ASA 2004 Certified sticker.
- All approved bats manufactured between 2000 and 2004 must have the ASA 2000 sticker.
- Non-approved bats are bats that have no certification sticker, or were previously certified but no longer approved.
- Bats prior to 2000 are at Umpire's discretion.
- Approved bats must have one of the above listed three stickers.
- Other certification stickers (NSA ...etc) are irrelevant and bats bearing these are to be considered non-approved

Quick Reference Guide:



..... **LEGAL**
(EXCEPT bats that are listed on the ASA NON-APPROVED BAT LIST)



..... **LEGAL**



..... **LEGAL**



..... **LEGAL**



..... **LEGAL**

For a complete list of approved bats go to the certified equipment section of

- www.asasoftball.com (Last Updated: Jan 26, 2017) 'Exception for ASA only stamped bats for NAGAAA World Series Preparation'
- The below bats have certification stickers but are no longer permitted under SPN/ASA rules.

USA Softball Non-Approved Bat List with Certification Marks

1/10/2017

Bass	Quake	Combat	VIRSP3 Lady Virus	Easton	SCN1
Easton	SCN11BH	Easton	SCN1B	Easton	SCN2B New
Easton	SCN3 New	Easton	SCN4B New	Easton	SCN5 New
Easton	SCN5B New	Easton	SCN6B New	Easton	SCN7 New
Easton	SCN7B New	Easton	SCN8 New	Easton	SCN8B New
Easton	SCN9 New	Easton	SCX14 New	Easton	SCX14B New
Easton	SCX2 Synergy New	Easton	SCX22 Synergy 2 New	Easton	SCX24B New
Easton	SCX3 New	Louisville Slugger	FP136	Louisville Slugger	FP1368 New
Louisville Slugger	FP1369 New	Louisville Slugger	FPC305 Catalyst (-8)	Louisville Slugger	SB304
Louisville Slugger	SB34 Genesis	Louisville Slugger	SB404	Louisville Slugger	SB73V TPS Voltage
Miken	MSF Freak	Miken	MSU Ultra	Miken	MSU2 Ultra II
Miken	MSUM Ultra Maxload	Nokona	Tomahawk	Schutt	Red/Silver Schutt Bat
Worth	EST9	Worth	QESTFP	Worth	SBWK(Wicked)
Worth	SBWKA	Worth	WWSC Wicked Comp. (SP Only)	Worth	WWSCA
Worth	XEST9X	Worth	XGold	Worth	XPST4
Worth	XRed	Worth	XWICKX Wicked (SP Only)		

For a complete list of approved bats go to the certified equipment section of <http://www.teamusa.org/usa-softball/play-usa-softball/certified-usa-softball-equipment>

Last Updated: January, 2017