


Winstars Technology Ltd

Product Catalog
2024Q2





www.winstars.com

ABOUT WINSTARS

Founded in 2003 and headquartered in Shenzhen, being a global leading manufacturer. Winstars owns the expertise in comprehensive PC connectivity peripherals, wireless networking, Storage and Energy products.

Backed by an 200+ experienced engineers R&D team, 750+ factory staff and complete in-house supply chain with strict control of every step (hardware and software, ID and MD, molding, injection, SMT, assembly, QC and packing) from A to Z. Winstars dedicates all to supplying the best products and professional services, creating values for customers.

Contact us winstars@win-star.com

Operation Center

17-19F. Block 3C, Huaqiang Idea Park,
Guangming District, Shenzhen



Office & Factories

R & D Center



44th Floor, Block C, Digital Innovation Center.
Longhua District, Shenzhen

Shenzhen Factory



Winstars technology(Longhua)
Longhua District, Shenzhen

Logistics & Sales Support



Kowloon, Hong Kong

Vietnam Factory



Bac Ninh, Vietnam

Dongguan Factory



Winstars Technology (Dongguan)
PSU Factory

Jiangxi Factory



Winstars Technology (Jiangxi)
Longnan, Jiangxi

Production Line

Hardware&Software



ID&MD Design



Molding



Injection



SMT



DIP



Assembly



Testing



Aging Test



Packing



QC



Warehouse



Winstars Capability



Product

Winstars boasts five specialized and commercially driven production bases, strategically located both domestically and internationally. These state-of-the-art facilities are equipped with cutting-edge technology and staffed by a highly skilled workforce of over 750 professionals. With our robust production capacity and stringent quality control measures, we consistently deliver efficient and market-ready products to meet the demands of our customers.



Design

With a dedicated team of talented designers, we prioritize aesthetics, functionality, and user-centricity in all our product development efforts. We follow a user-centered design approach, conducting extensive research to understand the needs, preferences, and pain points of our target audience. By empathizing with users, we are able to develop solutions that truly meet their requirements and exceed their expectations.



Supply Chain


Winstars boasts a well-established and highly efficient supply chain. We have forged long-term strategic partnerships with prominent chips companies, enabling us to secure the necessary components for our products. With four state-of-the-art production facilities located both domestically and internationally, along with our in-house power supply and mold factories, we have comprehensive control over cost management while ensuring superior quality, timely delivery, and exceptional flexibility.



R & D

Winstars is driven by product innovation and cutting-edge technology. With a dedicated R&D team in hardware and software, we focus on applying the latest technologies to create value for our customers. We continuously explore new use cases and ideologies, aiming to stay ahead of industry trends and provide innovative solutions that drive digital transformation and enhance our clients' competitiveness.

Testimony of Honor



CONTENTS

01 Wireless Networking

Mesh System	1
Wireless Router	4
Travel Router	11
5G/4G CPE Router	12
Ceiling Router	14
Access Point	15
AC Controller	20
Range Extender	21
Wi-Fi Adapter	24
Powerline Adapter	27

02 USB Docking Station

Thunderbolt 5/4/3 Dock	29
USB 4 Dock	36
Wireless Dock	38
USB-C Universal Dock	39
USB-C MST Dock	45
Ergonomic Dock	50
USB-C Steam Deck Dock	50
USB-C SST Mini Dock	51

03 USB Hub & Adapter

USB Hub	53
USB Display Adapter	56
USB Ethernet Adapter	59
USB Network Print Server	60
USB KVM Switch	60
Video Capture Card	61

04 Storage & Peripherals

NVMe SSD	63
USB SSD Enclosure	64
HDD/SSD Enclosure	65
HDD/SSD Adapter	65
HDD/SSD Storage Dock	66
NAS Storage	67

05 Power & Charging Devices

GaN Charger	68
Power Adapter	70
Wireless Charger	72
Special Purpose Power Adapter	74

06 Professional AV Solutions

Wireless Video Transmission Kit	75
Wireless Headset Intercom System	78
Wireless Lavalier Microphone	79
Video Capture Card	81



19000Mbps

BE19000



PID: WS-WN591BE3

Wi-Fi 7, 11528Mbps(6GHz) + 5764Mbps(5GHz)
+ 1376Mbps(2.4GHz)
8x 5dBi External Foldable Antennas
1x 10Gigabit WAN/LAN + 4x 2.5Gigabit WAN/LAN ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP,
AI QoS, OpenVPN, WireGuard, Adguard
1x USB-A 3.0

7200Mbps

BE7200



PID: WS-WN592BE2

Wi-Fi 7, 5764Mbps(5GHz) + 1376Mbps(2.4GHz)
8x 5dBi External Foldable Antennas
4x 2.5Gigabit WAN/LAN ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP,
AI QoS, OpenVPN, WireGuard, Adguard
1x USB-A 3.0

6500Mbps

BE6500



PID: WS-WN591BE2

Wi-Fi 7, 5764Mbps(5GHz) + 688Mbps(2.4GHz)
8x 5dBi External Foldable Antennas
4x 2.5Gigabit WAN/LAN ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP,
AI QoS, OpenVPN, WireGuard, Adguard
1x USB-A 3.0

3600Mbps

BE3600



PID: WS-WN530BE1

Wi-Fi 7, 2882Mbps(5GHz) + 688Mbps(2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN + 3x Gigabit LAN ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP,
AI QoS, OpenVPN, WireGuard, Adguard

Wi-Fi 6 Mesh System

AX3000, AX1800 Whole Home Mesh Wi-Fi System

3000Mbps



AX3000

PID: WS-WN551X3, X2, X1

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
5x 5dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
160MHz, OFDMA, MU-MIMO
MeshGo APP, Parental Control
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology

3000Mbps



AX3000

PID: WS-WN537X3, X2, X1

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
5x 5dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
160MHz, OFDMA, MU-MIMO
MeshGo APP, Parental Control
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology

3000Mbps



AX3000

PID: WS-WN553X3, X2, X1

Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)
5x 5dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
160MHz, OFDMA, MU-MIMO
MeshGo APP, Parental Control
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology

1800Mbps



AX1800

PID: WS-WN552X3, X2, X1

Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
160MHz, OFDMA, MU-MIMO
MeshGo APP, Parental Control
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology

TouchLink Technology

TouchLink technology is a password-free and secure Wi-Fi connection technology developed by Winstars. Just touch the device's TouchLink sensing area, when the device's LED light flashes, you can connect your phone, tablet, pad, etc. to a network SSID with a "Touch" suffix within 2 minutes, without entering a password. This greatly facilitates users to share WiFi with your friends and guests without password, meanwhile ensures the safety of network use.



Wi-Fi 5 Mesh System

AC3000, AC2100, AC1200 Whole Home Mesh Wi-Fi System

 3000Mbps



AC3000

PID: WS-WN551K3, K2, K1

Wi-Fi 5, 1733Mbps + 867Mbps (5GHz) + 400Mbps (2.4GHz)
2x 5dBi + 6x 7dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
MU-MIMO, Beamforming
MeshGo APP, Parental Control
Patented TouchLink Technology

 2100Mbps



AC2100

PID: WS-WN552K3, K2, K1

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
6x 3dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
MeshGo APP, Parental Control
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology

 2100Mbps



AC2100

PID: WS-WN583K3, K2, K1

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
6x 3dBi Internal Antennas
1x Gigabit WAN port + 1x Gigabit LAN Port
Easy Mesh, Wi-Fi Router, Mesh Router + Mesh Extender
MeshGo APP, Parental Control
VLAN, PPTP, L2TP
Patented TouchLink Technology

 1200Mbps



AC1200

PID: WS-WN535M3, M2, M1

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 3dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
MeshGo APP, Parental Control
VLAN, PPTP, L2TP
Patented TouchLink Technology

 1200Mbps



AC1200

PID: WS-WN553M3, M2, M1

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 3dBi Internal Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Easy Mesh, Wi-Fi Router, Mesh Router/Extender
MeshGo APP, Parental Control
VLAN, PPTP, L2TP
Patented TouchLink Technology

 1200Mbps



AC1200

PID: WS-WN576K3, K2, K1

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 3dBi Internal Antennas
1x Gigabit WAN port + 1x Gigabit LAN Port
Easy Mesh, Wi-Fi Router, Mesh Router + Mesh Extender
MeshGo APP, Parental Control
V-LAN, PPTP, L2TP
Patented TouchLink Technology

Wi-Fi 6 Mesh Router

AX6000 Mesh Router



USB Over IP Technology
Wireless HDMI Video Display



6000Mbps



AX6000

PID: WS-WN592AX6H

Wi-Fi 6, 4804Mbps(5GHz) + 1148Mbps(2.4GHz)
8x 5dBi External Foldable Antennas
1x 2.5Gigabit WAN + 1x 2.5Gigabit LAN + 3x Gigabit LAN
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
AI QoS, OpenVPN, WireGuard, Adguard, SPI Firewall

1x USB-A 3.0, supports USB over IP technology
Supports Wireless HDMI Video Display from notebook to monitor, TV, etc. via Router.

6000Mbps



AX6000

PID: WS-WN592AX6

Wi-Fi 6, 4804Mbps (5GHz) + 1148Mbps (2.4GHz)
8x 5dBi External Foldable Antennas
1x 2.5Gigabit WAN port + 1x 2.5Gigabit LAN Port
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
1x USB-A 3.0

6000Mbps



AX6000

PID: WS-WN536AX6

Wi-Fi 6, 6000Mbps (5GHz) + 1148Mbps (2.4GHz)
8x 5dBi External Foldable Antennas
1x 2.5Gigabit WAN port + 4x Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
1x USB-A 3.0

6000Mbps



AX6000

PID: WS-WNR500AX6

Wi-Fi 6, 6000Mbps (5GHz) + 1148Mbps (2.4GHz)
8x 3dBi Internal Foldable Antennas
1x Gigabit WAN + 1x Gigabit LAN
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP, SPI Firewall

Wi-Fi 6 Mesh Router

AX3000 Mesh Router

3000Mbps

AX3000



PID: WS-WN591AX3H

Wi-Fi 6, 2402Mbps(5GHz) + 573Mbps(2.4GHz)
6x 5dBi External Foldable Antennas
1x Gigabit WAN + 4x Gigabit LAN
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
OpenVPN, WireGuard, SPI Firewall

1x USB-A 3.0, supports USB over IP technology
Supports Wireless HDMI Video Display from notebook to monitor, TV, etc. via Router.

3000Mbps

AX3000



PID: WS-WN591AX3G

Wi-Fi 6, 2402Mbps(5GHz) + 573Mbps(2.4GHz)
6x 5dBi External Foldable Antennas
1x Gigabit WAN + 4x Gigabit LAN
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
AI QoS, OpenVPN, WireGuard, Adguard, SPI Firewall
1x USB-A 3.0

3000Mbps

AX3000



PID: WS-WN591AX3

Wi-Fi 6, 2402Mbps(5GHz) + 573Mbps(2.4GHz)
6x 5dBi External Foldable Antennas
1x Gigabit WAN + 4x Gigabit LAN
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP, SPI Firewall

3000Mbps

AX3000



PID: WS-WNR500AX3

Wi-Fi 6, 2402Mbps(5GHz) + 573Mbps(2.4GHz)
5x 3dBi Internal Foldable Antennas
1x Gigabit WAN + 1x Gigabit LAN
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP, SPI Firewall

3000Mbps

AX3000



PID: WS-WN536AX3

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN/LAN port + 4x Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
1x USB-A 3.0

3000Mbps

AX3000



PID: WS-WN531AX3

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
Wi-Fi Router, Mesh Router/Extender
TR069, VLAN, PPTP, L2TP
Patented TouchLink Technology
1x USB-A 3.0

Wi-Fi 6 Mesh Router

AX3000, AX1800 Mesh Router

3000Mbps

AX3000

**PID: WS-WN586AX3-B**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
 4x 5dBi External Foldable + 1x 5dBi Internal Antenna
 1x Gigabit WAN/LAN port + 2x Gigabit LAN Ports
 Wi-Fi Router, Mesh Router/Extender
 VLAN, PPTP, L2TP

3000Mbps

AX3000

**PID: WS-WN587X3**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
 4x 5dBi External Foldable + 1x 5dBi Internal Antenna
 1x Gigabit WAN/LAN port
 Wi-Fi Router, Mesh Router/Extender
 VLAN, PPTP, L2TP

3000Mbps

AX3000

**PID: WS-WN532AX3-B**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
 4x 5dBi External Foldable + 1x 5dBi Internal Antenna
 1x Gigabit WAN/LAN port + 2x Gigabit LAN Ports
 Wi-Fi Router, Mesh Router/Extender
 VLAN, PPTP, L2TP

3000Mbps

AX3000

**PID: WS-WN532AX3-A**

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
 4x 5dBi External Foldable + 1x 5dBi Internal Antenna
 1x Gigabit WAN/LAN port + 2x Gigabit LAN Ports
 Wi-Fi Router, Mesh Router/Extender
 VLAN, PPTP, L2TP

1800Mbps

AX1800

**PID: WS-WN536AX2**

Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)
 4x 5dBi External Foldable Antennas
 1x Gigabit WAN port + 4x Gigabit LAN Ports
 Wi-Fi Router, Mesh Router/Extender
 VLAN, PPTP, L2TP

1800Mbps

AX1800

**PID: WS-WN531AX2**

Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)
 4x 5dBi External Foldable Antennas
 1x Gigabit WAN port + 4x Gigabit LAN Ports
 Wi-Fi Router, Mesh Router/Extender
 VLAN, PPTP, L2TP
 Patented TouchLink Technology

Wi-Fi 5 Wireless Router

AC3200, AC3000, AC2100 Wireless Wi-Fi Router

3000Mbps

AC3200



PID: WS-WN538A8

Wi-Fi 5, 2167Mbps (5GHz) + 1000Mbps (2.4GHz)
8x 5dBi Internal Antennas
1x Gigabit WAN port + 3x Gigabit LAN Ports
1x USB-A 3.0



3000Mbps

AC3000



PID: WS-WN536A8

Wi-Fi 5, 1733Mbps + 863Mbps (5GHz) + 400Mbps (2.4GHz)
8x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
1x USB-A 3.0

3000Mbps

AC3000



PID: WS-WN533A8

Wi-Fi 5, 1733Mbps + 863Mbps (5GHz) + 400Mbps (2.4GHz)
8x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
Patented TouchLink Technology
1x USB-A 3.0

2100Mbps

AC2100



PID: WS-WN536A6

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
6x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
1x USB-A 3.0

2100Mbps

AC2100



PID: WS-WN531A6

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
6x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
Patented TouchLink Technology
1x USB-A 3.0

Wi-Fi 5 Wireless Router

AC1200 Dual Band Wireless Wi-Fi Router


 A black, rectangular Wi-Fi router with four external antennas. The front panel features a series of status LEDs.

1200Mbps

AC1200

PID: WS-WN536P3

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
1x USB-A 3.0


 A black, circular Wi-Fi router with four external antennas. The top surface is smooth and features a touch-sensitive control area.

1200Mbps

AC1200

PID: WS-WN531P3

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 4x Gigabit LAN Ports
Patented Touchlink Technology
1x USB-A 3.0


 A black, rectangular Wi-Fi router with four external antennas. The front panel features a series of status LEDs.

1200Mbps

AC1200

PID: WS-WN532HG3

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Built with High Power Amplifier


 A black, circular Wi-Fi router with four external antennas. The top surface is smooth and features a touch-sensitive control area.

1200Mbps

AC1200

PID: WS-WN530HG3

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x Gigabit WAN port + 2x Gigabit LAN Ports
Built with High Power Amplifier
Patented Touchlink Technology

Wi-Fi 5 Wireless Router

AC1200 Dual Band Wireless Wi-Fi Router

1200Mbps

AC1200



PID: WS-WN531A3

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Foldable Antennas
1x 100M WAN port + 4x 100M LAN Ports
Patented TouchLink Technology
1x USB-A 2.0

1200Mbps

AC1200



PID: WS-WN529B3

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x 100M WAN port + 2x 100M LAN Ports

1200Mbps

AC1200



PID: WS-WN530HG4

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN port + 4x 100M LAN Ports

1200Mbps

AC1200



PID: WS-WS-WN530H4

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x 100M WAN Port + 4x 100M LAN Ports
Built with High Power Amplifier

1200Mbps

AC1200



PID: WS-WN513A3

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x 100M WAN port + 2x 100M LAN Ports

Wi-Fi 4 Wireless Router

N300 Single Band Wireless Wi-Fi Router

300Mbps

N300

**PID: WS-WN532N2**

Wi-Fi 4, 300Mbps (2.4GHz)

4x 5dBi External Foldable Antennas

1x 100M WAN port + 4x 100M LAN Ports

300Mbps

N300

**PID: WS-WN530N2**

Wi-Fi 4, 300Mbps (2.4GHz)

4x 5dBi External Foldable Antennas

1x 100M WAN port + 4x 100M LAN Ports

300Mbps

N300

**PID: WS-WN532H2**

Wi-Fi 4, 300Mbps (2.4GHz)

4x 5dBi External Foldable Antennas

1x 100M WAN port + 2x 100M LAN Ports

1x USB-A 3.0

300Mbps

N300

**PID: WS-WN530K2**

Wi-Fi 4, 300Mbps (2.4GHz)

2x 5dBi External Foldable Antennas

1x 100M WAN port + 2x 100M LAN Ports

300Mbps

N300

**PID: WS-WN529R2P**

Wi-Fi 4, 300Mbps (2.4GHz)

4x 5dBi Internal Antennas

1x 100M WAN port + 2x 100M LAN Ports

1x USB-A 3.0

300Mbps

N300

**PID: WS-WN529K2**

Wi-Fi 4, 300Mbps (2.4GHz)

2x 5dBi Internal Antennas

1x 100M WAN port + 2x 100M LAN Ports

Secure Travel Wi-Fi Router

Wi-Fi 6 AX3000 Dual Band (5GHz + 2.4GHz)



3000Mbps

PID: WS-WNT100X3

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)

2x 3dBi Rotatable External Antennas + 1x 3dBi Internal Antenna

Portable, compact design makes it easy to take with you on the go.

1x Gigabit WAN Port + 1x Gigabit LAN ports

IPv6 supported, keep your Internet Safe.

OpenVPN & WireGuard pre-installed, compatible with 30+ VPN service providers.

Cloud flare encryption supported to protect the privacy.

Convert a public network(wired/wireless) to a private Wi-Fi for secure surfing.



Access Point



Router



Bridge



5G CPE Router

5G NR AX6000, AX5400, AX3000 Wi-Fi 6 CPE Router

Outdoor
CPE
Router

5G

3000Mbps

AX3000

PID: WS-WN588RC4

Wi-Fi 6, 2402Mbps(5GHz) + 573Mbps(2.4GHz)

5G RedCap SA Mode

5G NR-Light: (DL/UL) 150Mbps/50Mbps

LTE: (DL/UL) 150Mbps/50Mbps


6x 7dBi External Detachable Antennas

1x Gigabit WAN/LAN/POE port

1x SIM Card Slot

Support Active and Passive POE

Durable Waterproof IP67 Enclosure



5G

3000Mbps

AX3000

6000Mbps

AX6000

3000Mbps

AX3000

Indoor
CPE
Router

PID	WS-W N592AX3NR	WS-W NF100X6NR-B	WS-W NF100X3NR-B
Wi-Fi Standard	Wi-Fi 6 Technology		
Bandwith	2402Mbps(5GHz) 573Mbps(2.4GHz)	4804Mbps(5GHz) 1148Mbps(2.4GHz)	2402Mbps(5GHz) 573Mbps(2.4GHz)
Working Mode	Router, 5G LTE, 5G SA NSA mode		
5G NR / LTE / WCDMA	NR NSA(Mbps) Max. 3470 DL / Max. 555 UL NR SA(Mbps) Max. 2470 DL / Max. 900 UL LTE(Mbps) Max. 1600 DL / Max. 211 UL WCDMA(Mbps) Max. 42 DL / Max. 5.76 UL		
Antennas	6x 5dBi Antennas	8x 3dBi Antennas	8x 3dBi Antennas
Ethernet Port	1x Gigabit WAN port 4x Gigabit LAN Ports	1x 2.5 Gigabit WAN port 1x Gigabit LAN Port 1x RJ11Tel Port	1x Gigabit WAN port 1x Gigabit LAN Port
RJ11Tel Port	—	1x RJ11Tel Port	—
SIM Card Slot	2x SIM Card Slot	1x SIM Card Slot	1x SIM Card Slot


4G CPE Router

4G LTE AX3000, AC1200, N300 CPE Router

4G LTE

3000Mbps

AX3000



PID: WS-WN588HE4/E4D

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4G CPE Outdoor AP
Cat 4: 150Mbps download, 50Mbps upload
6x 7dBi External Antennas
1x Gigabit WAN/LAN/POE, 1x Gigabit LAN Port
Support POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

4G LTE

1200Mbps

AC1200



PID: WS-WN572HE4/E4D

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4G CPE Outdoor AP
Cat 4: 150Mbps download, 50Mbps upload
4x 7dBi External Antennas
1x Gigabit WAN/LAN/POE port, 1x Gigabit LAN Port
Support POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

4G LTE

1200Mbps

AC1200



PID: WS-WN531E4/E4D

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
6x 5dBi External Foldable Antennas
4G LTE Indoor Router
Cat 4: 150Mbps download, 50Mbps upload
1x Gigabit WAN port + 4x Gigabit LAN Ports
Patented TouchLink Technology

4G LTE

1200Mbps

AC1200



PID: WS-WN536E4/E4D

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
6x 5dBi External Foldable Antennas
4G LTE Indoor Router
Cat 4: 150Mbps download, 50Mbps upload
1x Gigabit WAN port + 4x Gigabit LAN Ports

4G LTE

1200Mbps

AC1200



PID: WS-WN535E4/E4D

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4G CPE Outdoor AP
Cat 4: 150Mbps download, 50Mbps upload
4x 5dBi External Antennas
1x Gigabit WAN Port + 1x Gigabit LAN Port
Patented TouchLink Technology

4G LTE

300Mbps

N300



PID: WS-WN529E4/E4D

Wi-Fi 4, 300Mbps (2.4GHz)
Cat 4: 150Mbps download, 50Mbps upload
4x 5dBi External Antennas
1x 100M WAN port + 2x 100M LAN Ports

Wireless Ceiling AP/Router

BE12800, AX5400, AX3000, AC1200 Ceiling AP/Router with POE

 12800Mbps
BE12800**PID: WS-WNZ712A**

Wi-Fi 7, 1337Mbps (2.4GHz) + 5765Mbps (5GHz) + 5765Mbps (6GHz)
1x 10Gigabit SFP + 1x 10Gigabit WAN (PoE)
+ 1x 10Gigabit LAN + 1x M.2 Prot
AP, Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP
Support Winstars AC Controller

 5400Mbps
AX5400**PID: WS-WNZ611B**

Wi-Fi 6E, 1337Mbps (2.4GHz) + 5765Mbps (5GHz)
+ 5765Mbps (6GHz)
1x Gigabit SFP + 1x Gigabit WAN + 1x Gigabit LAN
AP, Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP
Support Winstars AC Controller

 3000Mbps
AX3000**PID: WS-WNA202X3**


Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
5x 5dBi Internal Antennas
1x Gigabit WAN/POE In port + 1x Gigabit LAN/POE Out Port
AP, Wi-Fi Router, Mesh Router/Extender
VLAN, PPTP, L2TP
Support Winstars AC Controller

 1200Mbps
AC1200**PID: WS-WNA202A2-B**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Fast WAN/LAN/POE port + 2x Fast LAN Ports
AP, Wi-Fi Router
VLAN, PPTP, L2TP
Support Winstars AC Controller

AC Controller + Ceiling AP**PID: WS-WN701AE-A**

Please refer to page 20
for more details.



Wi-Fi 6 AX3000 High Power Outdoor AP

Powered by Solar Panel




WiFi 6

3000Mbps



2.4GHz + 5GHz



AX3000

PID: WS-WN573HX3S

Special Design for Outdoor Use

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)

4x 8dBi detachable omni-directional glass-steel antennas for excellent wireless performance

1x Gigabit WAN/LAN/POE (Power Over Ethernet)

AP, Wi-Fi Extender, Wi-Fi Router, Mesh Router/Extender

Supports POE and Powered by Solar Panel

Durable, Weatherproof IP67 Enclosure


Wi-Fi 6 Outdoor AP

High Power AX3000, AX1800 Outdoor AP with POE



8dBi
Antennas

PID: WS-WN573HX3



7dBi
Antennas

WS-WN588HX3

Directional Antennas



12dBi
Antennas

WS-WN573HP3



AX3000



3000Mbps

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)

Special Design for Outdoor Use
Wi-Fi 6, Dual Band : 5GHz + 2.4GHz

1x Gigabit WAN/LAN/POE (Power Over Ethernet)
AP, Wi-Fi Extender, Wi-Fi Router, Mesh Router/Extender
Durable, Weatherproof IP67 Enclosure



AX1800




1800Mbps

Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)



8dBi
Antennas

PID: WS-WN573HX1



7dBi
Antennas

WS-WN588HX1


Directional Antennas



12dBi
Antennas


WS-WN573HP1

Wi-Fi 6/5 Outdoor AP High Power AX3000, AC1200, AC600 Dual Band Outdoor AP with POE




4G LTE
3000Mbps
AX3000

PID: WS-WN588HE4/E4D
Wi-Fi 6, 5402Mbps(5GHz) + 300Mbps(2.4GHz)
7dBi External Omini Directional Antennas
1x Gigabit WAN/LAN/POE
Support Active POE (Power Over Ethernet)
Support AP, Router, 4G LTE Cellular Router Mode



1200Mbps
AC1200

PID: WS-WN588HG3
Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x Gigabit WAN/LAN/POE
Support Active POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure
Support AP, Router Mode



4G LTE
1200Mbps
AC1200

PID: WS-WN572HE4
Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 7dBi External Omini Directional Antennas
1x Gigabit WAN/LAN/POE port, 1x Gigabit LAN Port
Support Passive POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure
Support AP, Router Mode



1200Mbps
AC1200

PID: WS-WN572HP3
Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x 100M WAN/LAN/POE port
Support Active POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure
Support AP, Router Mode



1200Mbps
AC1200

PID: WS-WN570HA2
Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x 100M WAN/LAN/POE port
Support Active POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure
Support AP, Router Mode



600Mbps
AC600


PID: WS-WN570HA1
Wi-Fi 5, 433Mbps (5GHz) + 150Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x 100M WAN/LAN/POE port
Support Passive POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure
Support AP, Router Mode

Wi-Fi 4 Outdoor AP

High Power N300 Single Band Outdoor AP with POE

300Mbps

N300



PID: WS-WN589HN2

Wi-Fi 4, 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x 100M WAN/LAN/POE
Support Active POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

300Mbps

N300



PID: WS-WN570HN2-B

Wi-Fi 4, 300Mbps (2.4GHz)
7dBi External Omini Directional Antennas
1x 100M WAN/LAN/POE
Support Active POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

300Mbps

N300




PID: WS-WN570HP2

Wi-Fi 4, 300Mbps (2.4GHz)
11dBi External Directional Antennas
1x 100M WAN/LAN/POE port
Support POE (Power Over Ethernet)
Durable, Weatherproof IP67 Enclosure

AC Controller + Outdoor AP

PID: WS-WN701AE-A

Please refer to page 20 for more details.



WS-WN588HX3



WS-WN573HX3



WS-WN572HP3



WS-WN570HN2

Wi-Fi 6/5 Socket AP

Dual Band Socket AP with POE for System Integrators

3000Mbps

AX3000



PID: WS-WN557X3

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
3dBi External Omini Directional Antennas
1x Gigabit WAN (801.3 AF/AT POE)
1x Gigabit LAN
Wi-Fi ON/OFF Button
Support POE (Power Over Ethernet)



1800Mbps

AX1800



PID: WS-WN557X1

Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)
3dBi Omini Directional Antennas
1x Gigabit WAN (801.3 AF/AT POE)
1x Gigabit LAN
Wi-Fi ON/OFF Button
Support POE (Power Over Ethernet)

1200Mbps

AC1200



PID: WS-WN890A2

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
3dBi Omini Directional Antennas
1x Gigabit WAN (801.3 AF/AT POE)
1x Gigabit LAN
Wi-Fi ON/OFF Button
Support POE (Power Over Ethernet)

AC Controller + Socket AP

PID: WS-WN701AE-A

Please refer to page 20
for more details.



WS-WN557X3



WS-WN557X1



WS-WN890FA2






PID: WS-WN701AE-A

Built-in AC function can manage Winstars AP in a unified way. As both a router and a wireless controller, can uniformly control up to 64pcs AP theoretically and easily expand the enterprise wireless network. Gigabit port, meet the mainstream specifications of optical fiber access services. Integrates three technologies: Poe power supply, AC (wireless control) and routing. Miniaturization of the fuselage design, single-handedly controlled, and easily put into the information box/weak box. Built-in standard PoE network cable power supply module power supply at the same time, convenient wiring.




PID: WS-WN701AE-A

8-Port Gigabit AC Controller



AC Controller + AP



Page 14

Page 18

Page 19

Wi-Fi 6 Range Extender

AX3000, AX1800 Dual Band with Full Gigabit Ports

3000Mbps

AX3000



PID: WS-WN583HX3

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi Omini Directional External Antennas
1x 5dBi Omini Directional Internal Antennas
High Power with ultra long range Wi-Fi coverage
1x Gigabit WAN/LAN
Wi-Fi Range Extender, Mesh Extender

3000Mbps

AX3000



PID: WS-WN583AX3

W-F6.2402Vbps(5GHz)+ 573bps(2.4GHz)
4x 5dBi External Omini Directional Antennas
1x Gigabit WAN/UAN
Wi-Fi Range Extender, Mesh Extender

3000Mbps

AX3000



PID: WS-WN589X3

Wi-Fi 6, 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi Omini Directional External Antennas
1x Gigabit WAN/LAN + 1x Gigabit LAN
Wi-Fi Range Extender, Mesh Extender


1800Mbps

AX1800



PID: WS-WN583AX1

Wi-Fi 6, 1201Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi Omini Directional External Antennas
1x Gigabit WAN/LAN + 1x Gigabit LAN
Wi-Fi Range Extender, Mesh Extender



Wi-Fi 5 Range Extender

AC2100, AC1200, Dual Band 2.4GHz + 5GHz


 2100Mbps

AC2100

**PID: WS-WN583A6**

Wi-Fi 5, 1733Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi Internal Antennas
1x Gigabit WAN/LAN + 1x Gigabit LAN
Range Extender, AP, Router


 1200Mbps

AC1200

**PID: WS-WN579G3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN + 1x Gigabit LAN
Range Extender, AP, Router


 1200Mbps

AC1200

**PID: WS-WN579X3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN + 1x Gigabit LAN
Range Extender, AP, Router


 1200Mbps

AC1200

**PID: WS-WN576G3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 5dBi External Antennas
1x Gigabit WAN
Range Extender, AP, Router


 1200Mbps

AC1200

**PID: WS-WN575A3**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
4x 3dBi External Antennas
1x 100M WAN/LAN, 1x 100M LAN
Range Extender, AP, Router


 1200Mbps

AC1200

**PID: WS-WN576A2**

Wi-Fi 5, 867Mbps (5GHz) + 300Mbps (2.4GHz)
3x 3dBi External Antennas
1x 100M LAN
Range Extender, AP, Router

Wi-Fi 5 Range Extender

AC750, Dual Band 2.4GHz + 5GHz

750Mbps **wps**

AC750

Wi-Fi 5, 433Mbps (5GHz)
+ 300Mbps (2.4GHz)
3x 5dBi Antennas
1x 100M WAN/LAN + 1x 100M LAN
Range Extender, AP, Router



WS-WN575A2



WS-WN576A2



WS-WN577A2



WS-WN566A2

Wi-Fi 4 Range Extender

N300, Single Band 2.4GHz

300Mbps **wps**

N300

Wi-Fi 4, 300Mbps (2.4GHz)
2x 3dBi Antennas
1x 100M WAN/LAN + 1x 100M LAN
Range Extender, AP



WS-WN578HR2



WS-WN578R2



WS-WN578S2



WS-WN523N2

High Power

300Mbps **wps**

N300

Wi-Fi 4, 300Mbps (2.4GHz)
2x 3dBi Antennas
1x 100M LAN
Range Extender, AP



WS-WN560N2



WS-WN518W2




WS-WN581N2



WS-WN519N2

Wi-Fi 7/6E/6 PCI-e Adapter

BE8800, AX5400, AX3000, Tri-Band 2.4GHz + 5GHz + 6GHz



8800Mbps

BE8800



PID: WS-WN685BE3-A

Wi-Fi 7, 5800Mbps(6GHz) + 2400Mbps(5GHz) + 574Mbps(2.4GHz)
2x 5dBi External Antennas
PCI-e Interface
Support Bluetooth 5.4

8800Mbps

BE8800



PID: WS-WN685BE3-B

Wi-Fi 7, 5800Mbps(6GHz) + 2400Mbps(5GHz) + 574Mbps(2.4GHz)
2x 5dBi External Antennas
PCI-e Interface
Support Bluetooth 5.4

5400Mbps

AX5400



PID: WS-WN675X3-A

Wi-Fi 6E, 2402Mbps (6GHz)
+ 2400Mbps (5GHz) + 573Mbps (2.4GHz)
2x 5dBi Antennas
PCI-e Interface
Support Bluetooth 5.3

5400Mbps

AX5400



PID: WS-WN675X3-C

Wi-Fi 6E, 2402Mbps (6GHz)
+ 2400Mbps (5GHz) + 573Mbps (2.4GHz)
2x 5dBi Antennas
PCI-e Interface
Support Bluetooth 5.3

3000Mbps

AX3000



PID: WS-WN675X2

Wi-Fi 6, 1200Mbps (6GHz)
+ 1200Mbps (5GHz) + 573Mbps (2.4GHz)
2x 5dBi Antennas
PCI-e Interface
Support Bluetooth 5.0

5400Mbps

AX5400

3000Mbps

AX3000



PID: WS-WN673X2M, WS-WN672X2M

Wi-Fi 6E, 2402Mbps (6GHz) + 2400Mbps (5GHz)
+ 573Mbps (2.4GHz), Support Bluetooth 5.3
Wi-Fi 6, 1200Mbps (6GHz)+ 1200Mbps (5GHz)
+ 573Mbps (2.4GHz), Support Bluetooth 5.0
PCI-e Interface

Wi-Fi 6/6E USB Adapter

AX5400, AX3000, AX1800, AX600, AX300

5400Mbps

AX5400

PID: WS-WN695X2

Wi-Fi 6E, 2402Mbps (6GHz)
+ 2402Mbps (5GHz) + 573Mbps (2.4GHz)
4x 5dBi Antennas
USB-A 3.0 Interface



1800Mbps

AX1800

PID: WS-WN690X1F

Wi-Fi 6, Dual Band
1201Mbps (5GHz) + 573Mbps (2.4GHz)
2x 3dBi Antennas
USB-A 3.0 Interface
Driver Free Installation



1800Mbps

AX1800

PID: WS-WN693X1F

Wi-Fi 6, Dual Band
1201Mbps (5GHz) + 573Mbps (2.4GHz)
4x 3dBi Antennas
USB-A 3.0 Interface
Driver Free Installation



600Mbps

AX600

PID: WS-WN683X1F

Wi-Fi 6, Dual Band
278Mbps (5GHz) + 278Mbps (2.4GHz)
1x 3dBi Antenna
USB-A 2.0 Interface
Support Bluetooth 5.2



600Mbps

AX600

PID: WS-WN681XEF

Wi-Fi 6, Dual Band
278Mbps (5GHz) + 278Mbps (2.4GHz)
1x 3dBi Antenna
USB-A 2.0 Interface



600Mbps

AX600

PID: WS-WN681X1F

Wi-Fi 6, Dual Band
278Mbps (5GHz) + 278Mbps (2.4GHz)
1x 3dBi Antenna
USB-A 2.0 Interface



300Mbps

AX300

PID: WS-WN687X1F

Wi-Fi 6, Single Band
278Mbps (2.4GHz)
1x 3dBi Antenna
USB-A 2.0 Interface



Wi-Fi 5/4 USB Adapter

AC1900, AC1300, AC650, N300, N150

 **1900Mbps**
**AC1900****PID: WS-WN693A5**

Wi-Fi 5, 1300Mbps (5GHz) + 600Mbps (2.4GHz)
4x 5dBi Antennas
USB-A 3.0 Interface

 **1900Mbps**
**AC1900****PID: WS-WN690A5D**

Wi-Fi 5, 1300Mbps (5GHz) + 600Mbps (2.4GHz)
2x 3dBi Antennas
USB-A 3.0 Interface

 **1300Mbps**
AC1300

Wi-Fi 5 Dual Band
867Mbps (5GHz) + 400Mbps (2.4GHz)
2x 5dBi Antennas
USB-A 3.0 Interface

**WS-WN692A3****WS-WN688A3****WS-WN688U3**
 **650Mbps**
AC650**PID: WS-WN691A1, WS-WN681A1**

Wi-Fi 5, 433Mbps (5GHz) + 200Mbps (2.4GHz)
2x 5dBi Antennas
USB-A 2.0 Interface


 **650Mbps**
AC650**PID: WS-WN691AEF, WS-WN681AEF**

Wi-Fi 5, 433Mbps (5GHz) + 200Mbps (2.4GHz)
2x 5dBi Antennas
USB-A 2.0 Interface


 **300Mbps**
N300**PID: WS-WN683N2P**

Wi-Fi 4, 300Mbps (2.4GHz)
1x 3dBi Antenna
USB-A 2.0 Interface


 **150Mbps**
N150**PID: WS-WN687S1**

Wi-Fi 4, 150Mbps (2.4GHz)
1x 3dBi Antennas
USB-A 2.0 Interface



Wi-Fi Powerline Adapter

G.Hn 1500Mbps, HomePlug AV1200, AV500

1500Mbps

G.Hn 1500

PID: WS-NWP505G2

G.hn1500, speed up to 1500Mbps
1x Gigabit Ethernet Port
Integrated Passthrough Power Socket
Supports up to 16 Powerline Extenders



1500Mbps

G.Hn 1500

PID: WS-NWP101G2

G.hn1500, speed up to 1500Mbps
1x Gigabit Ethernet Port
Supports up to 16 Powerline Extenders



500Mbps

AV500

PID: WS-NWU505D2

HomePlug AV500, speed up to 500Mbps
Wi-Fi 5, 433Mbps (5GHz) + 300Mbps (2.4GHz)
1x Gigabit Ethernet Port
Integrated Passthrough Power Socket
Supports up to 7 Powerline Extenders



750Mbps

AV500

PID: WS-NWU505AD

HomePlug AV500, speed up to 500Mbps
1x Gigabit Ethernet Port
Integrated Passthrough Power Socket
Supports up to 7 Powerline Extenders



500Mbps

AV500

PID: WS-NWP502M2

HomePlug AV500, speed up to 500Mbps
1x Fast Ethernet Port
Supports up to 7 Powerline Extenders



300Mbps

AV500


PID: WS-WS-NWU502WM

HomePlug AV500, speed up to 500Mbps
Wi-Fi 4, 300Mbps (2.4GHz)
1x Fast Ethernet Port
Supports up to 7 Powerline Extenders








Thunderbolt™ 5 The Next Generation

The best solution for creators and gamers



New Capabilities Powered by Thunderbolt™ 5

	Thunderbolt 4	Thunderbolt 5
 Video	 <ul style="list-style-type: none">Two 4K monitorsResolution vs. refresh rate tradeoffsTwo 4K limited to 60Hz	 <ul style="list-style-type: none">Multiple 8K for CreatorsUp to 540Hz for GamersThree 4K@144Hz
 Data	<ul style="list-style-type: none">32Gb/s of data bandwidthDual 4K video limits bandwidth for data	<ul style="list-style-type: none">2x more bandwidth for external SSDs, eGFX, Creator tools, and moreBandwidth flexibility for better use
 PC connection	<ul style="list-style-type: none">Second cable for charging gamer, creator PCs and workstations	<ul style="list-style-type: none">A single cable for more notebooks


Winstars Technology Limited

Intel Certified Thunderbolt ODM Design & Manufacturing Service Provider

Thunderbolt™ 5

Triple Display Dock with Tool Free SSD Enclosure, 140W & 30W Charging

Based on Intel Thunderbolt 5 solution / Tool Free SSD Enclosure / Driverless, Plug & Play



PID: WS-UTD59


- 1x Thunderbolt 5 Port to Host
- 2x Thunderbolt 5 Ports (downstream)
- 1x DisplayPort 2.1
- 1x NVMe SSD Enclosure (PCIe 4.0x4, 2280 SSD)
- 3x USB-A (10G)
- 1x SD/Micro SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 48V
- 1x Power ON/OFF Switch



Thunderbolt™ 5

Hub with Triple Display, Tool Free SSD Enclosure, 90W & 15W Charging

Based on Intel Thunderbolt 5 solution / Tool Free SSD Enclosure / Driverless, Plug & Play




PID: WS-UTD57

- 1x Thunderbolt 5 Port to Host
- 3x Thunderbolt 5 Ports (downstream)
- 1x USB-A (10G, BC1.2)
- 1x DC IN 20V
- 1x NVMe SSD Enclosure (PCIe 4.0x4, 2280 SSD)



Thunderbolt™ 5

Graphics Card Docking Station



PID: WS-GTD01


- 1x Thunderbolt 5 Port to Host
- 3x Thunderbolt 5 Ports (downstream)
- 3x USB-A (10G)
- 1x 5 Gigabit Ethernet
- 1x PCI-E x 16
- External Graphic Card Dock for Graphic Upgrading



Thunderbolt™ 5

Tool Free NVMe SSD Enclosure

Based on Intel Thunderbolt 5 solution / Tool Free SSD Enclosure / Driverless, Plug & Play



PID: WS-UTE50

- 1x Thunderbolt 5 Port to Host
- 1x NVMe SSD Enclosure (PCIe 4.0x4, 2280 SSD)






Thunderbolt™ 4 & USB4

Quad Display Docking Station with 98W Charging

Certified by Intel / Based on Thunderbolt 4 & DisplayLink solution / Highest Spec. available in global market



PID: WS-UTD42


- 1x Thunderbolt 4 Port to Host
- 3x Thunderbolt 4 Ports (downstream)
- 2x DisplayPort 1.2 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Triple Display Docking Station with 96W & 30W Charging

Certified by Intel / Based on Thunderbolt 4 & MST Solution / Driverless, Plug & Play



PID: WS-UTD46


- 1x Thunderbolt 4 Port to Host
- 1x Thunderbolt 4 Ports (downstream)
- 2x HDMI 2.1 (4K@60Hz)
- 1x USB-C (10G, PD 30W)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD/Micro SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Dual Display Docking Station with 98W & 30W Charging

Certified by Intel / Based on Thunderbolt 4 solution / Driverless, Plug & Play



PID: WS-UTD44


- 1x Thunderbolt 4 Port to Host
- 3x Thunderbolt 4 Ports (downstream)
- 4x USB-A (2x 10G, 2x 5G)
- 1x SD 4.0 Card Slot
- 1x 2.5 Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



THUNDERBOLT™ 4 & USB4

Dual Display Dock with 65W Charging & Tool Free NVMe SSD Enclosure

Certified by Intel / Based on Thunderbolt 4 solution / Driverless, Plug & Play



PID: WS-UTE06

- 1x Thunderbolt 4 Port to Host
- 2x Thunderbolt 4 Ports (downstream)
- 1x HDMI 2.1 (8K@30Hz)
- 3x USB-A (1x 10G, 2x 480Mbps)
- 1x SSD Enclosure (SATA/NVMe 2280)
- 1x DC IN 20V
- 1x Power ON/OFF Switch
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Hub with Dual DP Display & 85W Charging

Certified by Intel / Based on Thunderbolt 4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design

40 Gbps 85W

2x 4K 60Hz 1x 8K 60Hz

2x DP 10G

PLUG & PLAY

PID: WS-UTD52

- 1x Thunderbolt 4 Port to Host
- 2x DisplayPort 1.4 (8K@60Hz)
- 1x Thunderbolt 4 downstream port
- 3x USB-A (1x 10G, 2x 280Mbps)
- 1x DC IN 20V
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Thunderbolt™ 4 & USB4

Hub with Dual Display & 90W Charging

Certified by Intel / Based on Thunderbolt 4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design

40 Gbps 90W

2x 4K 60Hz 1x 8K 60Hz

10G PLUG & PLAY

PID: WS-UTD50T

- 1x Thunderbolt 4 Port to Host
- 3x Thunderbolt 4 Ports (downstream)
- 1x USB-A (10G, BC1.2)
- 1x DC IN 20V
- 1x Thunderbolt 4 Cable (2.6ft/80cm)



Optional Accessory

for Thunderbolt™ 4 Docking Station and Hub

Thunderbolt 4 Cable

Certified by Intel

PID	Length	Data Transfer
WS-T4C5P	50cm	40Gbps
WS-T4C7P	70cm	40Gbps
WS-T4C8P	80cm	40Gbps
WS-T4C10P	100cm	40Gbps



40 Gbps 100W

2x 4K 60Hz 1x 8K 30Hz

PLUG & PLAY

Thunderbolt™ 3 **Dual Display Docking Station**

PID: WS-UTD21, WS-UTD23

Certified by Intel
 1x 8K@30Hz or 2x 4K@60Hz
 65W Power Delivery
 10Gbps data transfer
 Gigabit Ethernet
 Combo Audio
 1x Thunderbolt™ 3 Cable (2.3ft/70cm)
 DP to HDMI adapter 4K@60Hz (Optional)



PID: WS-UTD01, WS-UTD03

Certified by Intel
 2x 4K@60Hz
 85W Power Delivery
 5Gbps data transfer
 1x SD/Micro SD 3.0 Card Slot
 Gigabit Ethernet
 Combo Audio
 1x Thunderbolt™ 3 Cable (2.3ft/70cm)
 DP to HDMI adapter 4K@60Hz (Optional)



PID: WS-UTD04, WS-UTD05

Certified by Intel
 2x 4K@60Hz
 5Gbps data transfer
 Gigabit Ethernet
 1x Thunderbolt™ 3 Cable (1.6ft/50cm)
 DP to HDMI adapter 4K@60Hz (Optional)



Optional Accessory **for Thunderbolt™ 3 Docking Station and Display Adapter**

Thunderbolt 3 Cable

Certified by Intel

PID	Length	Data Transfer
WS-TC5P	50cm	40Gbps
WS-TC7P	70cm	40Gbps
WS-TC10P	100cm	20Gbps
WS-TC18A	180cm	40Gbps



DisplayPort to HDMI Adapter
 4K@60Hz



PID: WS-CAH5

THUNDERBOLT™ 3**to Dual Display Adapter****PID: WS-UTA21D**

Certified by Intel
 2x DisplayPort 1.4
 1x 8K@30Hz or 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**PID: WS-UTA01D, WS-UTA02D**

Certified by Intel
 2x DisplayPort 1.2
 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**PID: WS-UTA01H, WS-UTA02H**

Certified by Intel
 2x HDMI 2.0
 2x 4K@60Hz
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 Driverless, Plug and Play
 DP to HDMI adapter 4K@60Hz (Optional)

**THUNDERBOLT™ 3****to M.2 NVMe SSD Enclosure**

Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure

PID: WS-UTE01, WS-UTE02

Certified by Intel
 Special design for Apple users
 Up to 40Gbps data transfer
 Compatible with M.2 NVMe SSD 2280
 Support up to 2TB capacity SSD
 Driverless, Plug and Play
 1x Thunderbolt 3 Cable (1.6ft/50cm)
 SSD is not included



Note: Winstars supply high performance 256G/512G/1TB/2TB SSD, pls refer to catalog Page 61.

USB4 40Gbps

to M.2 NVMe Dual SSD Enclosure (Tool Free)

Based on ASMedia USB4 solution / The True USB4 to NVMe SSD Enclosure available in global market

PID: WS-ST401C

- Up to 40Gbps data transfer
- Compatible with M.2 NVMe SSD 2230/2242/2260/2280
- Support up to 4TB capacity SSD
- CNC Aluminum Enclosure
- Groove Design with Efficient Heat Dissipation
- Continuous High-Speed Performance
- Tool free design, friendly to use
- Driverless, Plug and Play
- 1x USB 4 Cable (0.8ft/25cm)
- SSD is not included



USB4 40Gbps

to M.2 NVMe Single SSD Enclosure (Tool Free)

Based on ASMedia USB4 solution / The True USB4 to NVMe SSD Enclosure available in global market

PID: WS-ST402C

- Up to 40Gbps data transfer
- Compatible with M.2 NVMe SSD 2230/2242/2260/2280
- Support up to 4TB capacity SSD
- CNC Aluminum Enclosure
- Groove Design with Efficient Heat Dissipation
- Continuous High-Speed Performance
- Tool free design, friendly to use
- Driverless, Plug and Play
- 1x USB 4 Cable (0.8ft/25cm)
- SSD is not included



Reference Design

for USB4 to NVMe SSD Enclosure





USB4 40G Type-C **Dual DP Display Docking Station with 85W Charging**

Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design

2x	1x


PID: WS-UTD08
 1x USB4 Port to Host with fixed USB4 cable 25cm
 2x DisplayPort 1.4 (8K@60Hz)
 1x USB-C (10G)
 3x USB-A (1x 10G, 2x 480Mbps)
 1x USB-C PD IN 100W



New!

USB4 40G Type-C **Dual HDMI Display Docking Station with 85W Charging**

Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design




PID: WS-UTD10
 1x USB4 Port to Host with fixed USB4 cable 25cm
 2x HDMI 2.1 (8K@60Hz)
 1x USB-C (10G, 15W)
 3x USB-A (1x 10G, 2x 480Mbps)
 1x USB-C PD IN 100W



USB4 40G Type-C **Dual HDMI Display Docking Station with 85W Charging**

Based on Intel USB4 solution / Driverless, Plug & Play / Aluminum Alloy Shell with Slim Design




PID: WS-UHP4405
 1x USB4 Port to Host with fixed USB4 cable 15cm
 1x HDMI 2.0 (1x 8K@30Hz)
 1x HDMI 2.0 (1x 4K@60Hz)
 1x USB-C (10G)
 6x USB-A (2x 10G, 2x 5G, 1x 480Mbps)
 1x Gigabit Ethernet
 1x USB-C PD IN 100W



USB4 40G Type-C **Single HDMI Display Docking Station with 85W Charging**

Certified by Intel / Based on solution / Driverless, Plug & Play / World's First Thunderbolt 4 Dock with SSD Enclosure



PID: WS-UHP4401
 1x USB4 Port to Host with fixed USB4 cable 25cm
 1x HDMI 2.0 (1x 8K@30Hz)
 1x USB-C (10G)
 6x USB-A (2x 10G, 2x 5G, 2x 480Mbps)
 1x SD/Micro SD 4.0 (312Mbps)
 1x Gigabit Ethernet
 1x USB-C PD IN 100W





Wi-Fi 6 Wireless Dock | **Dual Display, 100W + 30W Power Delivery**

World's First Wi-Fi 6 based Wireless Dock available in global market / Connection with Wireless Mode or USB Mode

2x 4K 60Hz	
1x 4K 60Hz	5 Gbps

- PID: WS-WD19PD1**
- Wi-Fi 6 module supports 5GHz
 - 4x External omni directional antennas
 - 1x USB-C Port to Host
 - 2x DisplayPort 1.2 (4K@60Hz)
 - 2x HDMI 2.0 (4K@60Hz)
 - 1x USB-C (5G, PD 30W)
 - 4x USB-A (5G)
 - 1x Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x Mode Switch Button



Wireless Mode works with Windows only
USB Mode works with both macOS and Windows

Wi-Fi 6 Wireless Dock | **Dual Display, 100W Power Delivery**

World's First Wi-Fi 6 based Wireless Dock in Mass Production / Connection with Wireless Mode or USB Mode

1x 4K 30Hz	1x 1080P 60Hz
5 Gbps	

- PID: WS-WD76PD1**
- Wi-Fi 6 module supports 5GHz
 - 2x External omni directional antennas
 - 1x USB-C Port to Host
 - 1x HDMI (4K@30Hz)
 - 1x HDMI (1080P@60Hz)
 - 1x USB-C (5G, 7.5W)
 - 3x USB-A (5G)
 - 1x Gigabit Ethernet
 - 1x 3.5mm Combo Audio
 - 1x Mode Switch Button




World's Highest Spec.

DisplayLink Universal Dock available in global market

1x 4K@144Hz | 2x 8K@60Hz | 3x 5K@60Hz | 4x 4K@120Hz


PID: WS-UG75PD2



DisplayLink USB-C /A

Quad Display Docking Station with 100W & 30W Charging

Powered by DisplayLink / Work with USB-C&A laptop / Highest Spec. DisplayLink Universal Dock available in global market



PID: WS-UG75PD2, WS-UG75PD4

1x USB-C Port to Host
4x DP 1.4 (UG75PD2)
2x DP 1.4 + 2x HDMI 2.0 (UG75PD4)
1x USB-C (10G)
1x USB-C (10G, PD 30W)
3x USB-A (10G)
1x SD/Micro SD 4.0 (312Mbps)
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch



WS-UG75PD2 supports up to 4x 4K@120Hz display, WS-UG75PD4 supports up to 2x 4K@120Hz display + 2x 4K@60Hz. Works with Thunderbolt 3/4, USB4, USB-C laptops based on Windows, macOS (including M1/M2/M3 Mac), Chromes, etc. M1/M2/M3 Mac systems support up to four external displays extended or duplicated with the latest DisplayLink drivers.

DisplayLink PCIe

Quad Display Adapter

PID: WS-UG7500D-GT

4x DisplayPort 1.4
1x PCIe 3.0 x 2
4x 4K@120Hz



PID: WS-UG7500H-GT

4x HDMI 2.0
1x PCIe 3.0 x 2
4x 4K@60Hz



PID: WS-7500DH-GT


2x DisplayPort 1.4 + 2x HDMI 2.0
1x PCIe 3.0 x 2
4x 4K@60Hz



DisplayLink USB-C /A

Quad Display Universal Docking Station with 100W & 30W Charging

Powered by DisplayLink / Work with USB-C&A laptop / Support Windows & macOS (includes M1 & M2)



PID: WS-UG69PD8

1x USB-C Port to Host
4x DisplayPort 1.2 (4K@60Hz)
4x 4HDMI 2.0(4K@60Hz)
1x USB-C (2x 10G, 2x 5G)
1x USB-C (10G, PD 30W)
4x USB-A (2x 10G, 2x 5G)
1x SD/Micro SD 4.0
1x 2.5 Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Power ON/OFF Switch



Works with Thunderbolt 3/4, USB4, USB-C laptops
Compatible with Windows, macOS (including M1/M2/M3 Mac), Chromes, etc.
M1/M2/M3 Mac systems support up to four external displays extended or duplicated with the latest DisplayLink drivers.

DisplayLink USB-C /A Triple Display Universal Docking Station with PD Charging

PID: WS-UG69PD25

1x USB-C Port to Host
2x DP 1.2 + 3x HDMI 2.0
1x 4K@60Hz or 3x 4K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG63PD25

1x USB-C Port to Host
2x DP 1.2 + 3x HDMI 2.0
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG69PD24

1x USB-C Port to Host
2x DP 1.2 + 1x HDMI 2.0
1x 4K@60Hz or 3x 4K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG63PD24

1x USB-C Port to Host
2x DP 1.2 + 1x HDMI 2.0
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG39PD5

1x USB-C Port to Host
2x HDMI + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG39PD1

1x USB-C Port to Host
2x HDMI 2.0 + 1x DVI
1x 4K@60Hz or
1x 4K@60Hz + 2x 2K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



DisplayLink USB-C /A Triple Display Universal KVM Docking Station with Dual 100W Charging

Powered by DisplayLink / Work with USB-C&A laptop / Support the True Sharing between Two Hosts with Different Systems

PID: WS-UG69PD27

2x USB-C Port to two Hosts
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (10G)
4x USB-A (2x10G, 2x 480Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x DC IN 20V
1x Hosts Switch Button
1x Power ON/OFF Switch



DisplayLink USB-C /A

Dual Display Universal Docking Station with 100W Charging

PID: WS-UG69PD1M Pro

2x DP 1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out



PID: WS-UG63PD1M Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 2K@60Hz or 2x 2K@60Hz
100W Power Delivery
10Gbps data transfer
Gigabit Ethernet
Mic In + Audio Out



PID: WS-UG69PD1 Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG63PD1 Pro

1x USB-C Port to Host
2x DP 1.2 + 2x HDMI 2.0
1x 2K@60Hz or 2x 2K@60Hz
100W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG69PD5

1x USB-C Port to Host
2x DP1.2 + 2x HDMI 2.0
1x 4K@60Hz or 2x 4K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



PID: WS-UG69PD6


1x USB-C Port to Host
2x DP1.2 + 2x HDMI 2.0
1x 4K@60Hz or
2x 4K@60Hz or 1x 4K@60Hz
65W Power Delivery
5Gbps data transfer
Gigabit Ethernet
Combo Audio



DisplayLink USB-C /A

Dual Display Universal Docking Station with Ergonomic Laptop Stand

Powered by DisplayLink / Work with USB-C&A laptop / World's First DisplayLink Dock with Ergonomic Laptop Stand.



PID: WS-WS-UG69PD18 Pro

1x USB-C Port to Host
2x DisplayPort 1.2 (4K@60Hz)
2x HDMI 2.0 (4K@60Hz)
1x USB-C (5G)
3x USB-A (1x 5G, 2x 480Mbps)
1x SD/Micro SD 3.0 (104Mbps)
1x Gigabit Ethernet
1x 3.5mm Combo Audio
1x USB-C PD IN 100W



DisplayLink USB-C /A

Dual Display Universal Docking Station

PID: WS-UG39DK1, WS-UG39DK4V

- 1x USB-B Port to Host
- 1x HDMI 1.3 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 5Gbps data transfer
- Gigabit Ethernet
- Mic In + Audio Out
- Vertical stand for dock is optional



5Gbps



5Gbps

PID: WS-UG39DK7, WS-UG39DK8

- 1x USB-B Port to Host
- 1x HDMI 1.3 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 5Gbps data transfer
- Gigabit Ethernet
- Mic In + Audio Out



5Gbps



5Gbps

PID: WS-UG39DK3

- 1x USB-B Port to Host
- 1x HDMI 1.3 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 5Gbps data transfer
- BC1.2 12W Fast Charging
- Gigabit Ethernet
- Mic In + Audio Out
- Bauhaus Design



5Gbps

PID: WS-UG39DH2

- 1x USB-A to Host with fixed cable 13cm
- 1x HDMI 1.3 + 1x VGA
- 1x 4K@30Hz or 1x 4K@30Hz + 1x 1080P@60Hz
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- 2-in-1 Combo Design




5Gbps

DisplayLink USB-C /A

Dual Display Universal Docking Station with 2.5" HDD Enclosure

Powered by DisplayLink / Work with USB-C&A laptop / Support the True Sharing between Two Hosts with Different Systems



PID: WS-UG39DK2D

- 1x USB-B Port to Host
- 1x HDMI 1.3 + 1x DVI
- 1x 2K@60Hz or 2x 2K@60Hz
- 6x USB-A (4x 5G, 2x 480Mbps)
- 1x USB-A (5V 2.4A, 12W Charging)
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x 2.5" HDD Enclosure
- 1x DC IN 20V
- 1x Power ON/OFF Switch



5Gbps

Silicon Motion USB-C /A

Dual Display Universal Docking Station

PID: WS-UG76PD2 Pro, WS-UG76PD4 Pro

1x USB-A Port to Host
 1x HDMI 1.4 + 1x DVI
 1x 4K@30Hz or 1x 4K@30Hz + 1x 2K@60Hz
 100W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio
 Vertical stand for dock is optional

**PID: WS-UG49PD1 Pro, WS-UG49PD5 Pro**

1x USB-C Port to Host
 2x HDMI 1.4 + 1x DVI
 1x 4K@60Hz or
 1x 4K@60Hz + 1x 4K@30Hz + 1x 2K@60Hz
 100W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio

**PID: WS-UG49DK1**

1x USB-B Port to Host
 1x HDMI 1.4 + 1x DVI
 1x 2K@60Hz or 2x 2K@60Hz
 5Gbps data transfer
 BC1.2 12W Fast Charging
 Gigabit Ethernet
 Mic In + Audio Out
 Bauhaus Design

**PID: WS-UG49DH2**


1x USB-A to Host with fixed cable
 1x HDMI 2.0 + 1x VGA
 1x 4K@30Hz or
 1x 4K@30Hz + 1x 2K@60Hz
 5Gbps data transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 2-in-1 Combo Design



Silicon Motion USB-C /A

Dual Display Universal Docking Station with 100W Charging

Powered by Silicon Motion / Work with USB-C&A laptop

**PID: WS-UG76PD5 Pro**

1x USB-C Port to Host
 2x HDMI 2.0
 1x 4K@60Hz or 1x 4K@30Hz
 or 1x 4K@60Hz + 1x 4K@30Hz
 1x USB-C (10G)
 4x USB-A (1x 10G, 2x 5G, 1x 480Mbps)
 1x Gigabit Ethernet
 1x Combo Audio
 1x SD/Micro SD 4.0 (312Mbps)
 1x DC IN 20V
 1x Power ON/OFF Switch





PD 3.1 USB-C MST

Triple Display Docking Station with 125W Charging

Based on PD 3.1 Technology supporting PD 140W Pass Through Charging / Driverless, Plug & Play



3x	1x
1x	2x

PID: WS-UMD26, UMD27


- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (8K@30Hz)
- 2x HDMI 2.1 (8K@30Hz)
- 125W Passthrough Charging
- 1x USB-C (10G)
- 2x USB-A (5G)
- 1x SD/Micro SD 3.0 (UMD26)
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x USB-C PD IN 140W



PD 3.1 USB-C MST

Triple Display Docking Station with 125W Charging

Based on PD 3.1 Technology supporting PD 140W Pass Through Charging / Driverless, Plug & Play



PID: WS-UMD28, UMD29


1x USB-C Port to Host
 2x DisplayPort 1.4 (8K@30Hz)
 1x HDMI 2.1 (8K@30Hz)
 125W Power Delivery
 1x USB-C (10G)
 2x USB-A (5G)
 1x SD/Micro SD 3.0 (UMD28)
 1x Gigabit Ethernet
 1x 3.5mm Combo Audio
 1x USB-C PD IN 140W



PD 3.1 USB-C SST

Single Display Mini Docking Station with 125W Charging

Based on PD 3.1 Technology supporting 140W Pass Through Charging / Driverless, Plug & Play



PID: WS-UHP3419M


1x USB-C to Host with fixed cable 25cm
 1x HDMI 2.0 (4K@60Hz)
 1x USB-C (10G)
 2x USB-A (1x 10G, 1x 480Mbps)
 125W Power Delivery
 1x USB-C PD IN 140W



PD 3.1 USB-C SST

Single Display Docking Station with 125W Charging

Based on PD 3.1 Technology supporting 140W Pass Through Charging / Driverless, Plug & Play



PID: WS-UHP3419L

1x USB-C to Host with fixed cable 25cm
 1x HDMI 2.0 (4K@60Hz)
 1x USB-C (5G)
 2x USB-A (1x 5G, 1x 480Mbps)
 125W Power Delivery
 1x USB-C PD IN 140W



PD 3.0 USB-C MST

Triple Display Docking Station with 85W or 100W Charging

PID: WS-UMD01M Pro, WS-UMD02M Pro

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (4K@144Hz)
- 1x HDMI 2.0 (4K@60Hz)
- 100W Power Delivery
- 10Gbps data transfer
- Gigabit Ethernet
- Combo Audio



PID: WS-UMD01R Pro, WS-UMD02R Pro

- 1x USB-C Port to Host
- 2x DisplayPort 1.4 (4K@144Hz)
- 1x HDMI 2.0 (4K@60Hz)
- 100W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio



PID: WS-UMD03, WS-UMD04

- 1x USB-C to Host with fixed cable 50cm
- 1x DisplayPort 1.2 (4K@30Hz)
- 1x HDMI 1.4 (4K@30Hz)
- 1x VGA (1080p@60Hz)
- 85W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio
- PD 100W Power Adapter (optional)



PID: WS-UMD05 Pro, WS-UMD06 Pro

- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 100W Power Delivery
- 5Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio



PID: WS-UMD05M, WS-UMD06M

- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (4K@144Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 100W Power Delivery
- 10Gbps data transfer
- SD/Micro SD 3.0 (104Mbps)
- Gigabit Ethernet
- Combo Audio

PD 3.0 USB-C MST

Triple Display Docking Station with 100W or 85W Charging

PID: WS-UMD08, WS-UMD09

1x USB-C to Host with fixed cable 50cm
 1x DisplayPort 1.4 (4K@60Hz)
 2x HDMI 2.0 (4K@60Hz)
 85W Power Delivery
 5Gbps data transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 Combo Audio
 PD 100W Power Adapter (optional)

*5Gbps***PID: WS-UMD18, WS-UMD19**

1x USB-C to Host with fixed cable 50cm
 2x DisplayPort 1.4 (4K@60Hz)
 1x HDMI 2.0 (4K@60Hz)
 85W Power Delivery
 5Gbps data transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 Combo Audio
 PD 100W Power Adapter (optional)

*5Gbps***PID: WS-UMD20, WS-UMD21**

1x USB-C to Host with fixed cable 50cm
 3x DisplayPort 1.4 (4K@60Hz)
 85W Power Delivery
 5Gbps data transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 Combo Audio
 PD 100W Power Adapter (optional)

*5Gbps***PID: WS-UMD15**

1x USB-C Port to Host
 2x DisplayPort 1.4 (4K@60Hz)
 1x HDMI 2.0 (4K@60Hz)
 85W Power Delivery
 5Gbps data transfer
 Gigabit Ethernet
 Combo Audio
 PD 100W Power Adapter (optional)

*5Gbps***PID: WS-UMD22**

1x USB-C Port to Host
 2x DisplayPort 1.4 (4K@60Hz)
 1x HDMI 2.0 (4K@60Hz)
 85W Power Delivery
 5Gbps data transfer
 SD/Micro SD 3.0 (104Mbps)
 Gigabit Ethernet
 Combo Audio
 PD 100W Power Adapter (optional)

*5Gbps*

PD 3.0 USB-C MST

Triple/Dual Display Docking Station with 85W Charging



WS-UMD311 WS-UMD301

5Gbps

2x HDMI 1.4 (4K@30Hz)
1x VGA (1080P@60Hz)



WS-UMD312 WS-UMD302

5Gbps

2x HDMI 2.0 (4K@60Hz)
1x DisplayPort (4K@60Hz)

USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm

85W Power Delivery | 5Gbps data transfer | SD/Micro SD 3.0 (104Mbps) | Gigabit Ethernet | Combo Audio



WS-UMD313 WS-UMD303

5Gbps



WS-UMD316 WS-UMD306

10Gbps



WS-UMD319 WS-UMD309

10Gbps

USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm

2x DisplayPort 1.4 (4K@144Hz) | 1x HDMI 2.0 (4K@60Hz)

85W Power Delivery | SD/Micro SD 3.0 (104Mbps) | Combo Audio

2.5Gigabit Ethernet (UMD316/UMD306), Gigabit Ethernet (UMD313/UMD303)

USB-C MST Triple Display Dock

1x USB-C to Host with fixed cable 25cm

1x HDMI 2.0 (4K@60Hz)


1x HDMI 2.0 (4K@30Hz)

85W Power Delivery | Gigabit Ethernet

PD 3.0 USB-C MST

Triple Display Docking Station with 100W Charging & Tool Free SSD Enclosure

Hybrid USB-C Dock with SSD Enclosure supporting SATA & NVMe Protocol / PD 100W Pass Through Charging



PID: WS-UMD23M


- 1x USB-C Port to Host
- 1x DisplayPort 1.4 (4K@60Hz)
- 2x HDMI 2.0 (4K@60Hz)
- 1x USB-C (10G)
- 3x USB-A (2x 10G, 1x 5G)
- 1x SD/Micro SD 3.0 (104Mbps)
- 1x Gigabit Ethernet
- 1x 3.5mm Combo Audio
- 1x SSD Enclosure(SATA/NVMe)
- 1x USB-C PD IN 100W (Pass Through)
- 1x DC IN 20V
- 1x Power ON/OFF Switch



PD 3.0 USB-C MST

Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand

USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play

**PID: WS-UMD07, WS-UMD07 Pro**


1x USB-C Port to Host
 2x HDMI 2.0 (4K@60Hz)
 2x USB-A (5G)
 1x SD/Micro SD 3.0 (104Mbps)
 1x Gigabit Ethernet
 1x USB-C PD IN 100W
 1x Ergonomic Laptop Stand
 PD 100W Power Adapter (WS-UMD07 Pro)



PD 3.0 USB-C MST

Dual Display Docking Station with 85W Charging & Ergonomic Laptop Stand

Powered by DisplayLink / USB-C Dock with Ergonomic Laptop Stand / Driverless, Plug & Play


**PID: WS-UMD17, WS-UMD13**

1x USB-C to Host
 2x HDMI 2.0 (4K@60Hz), UMD17
 2x HDMI 2.0 (2K@60Hz), UMD13
 1x USB-C (10G)
 5x USB-A (3x 10G, 2x 5G)
 85W Power Delivery
 1x USB-C PD IN 100W
 1x Ergonomic Laptop Stand



PD 3.0 USB-C SST

Steam Deck Docking Station with 85W Power Delivery

**PID: WS-UHP3426**

1x USB-C to Host with fixed cable 25cm
 1x HDMI (4K@120Hz)
 1x USB-C (10G)
 2x USB-A (10G)
 1x Gigabit Ethernet
 1x USB-C PD IN 100W



USB-C SST

Single Display Mini Docking Station with PD Charging

New!

10Gbps

4K
60Hz



PID	WS-UHP3419M	WS-UHP3419	WS-UHP3418	WS-UHP3412	WS-UHP3420
USB-C to Host	10G	10G	10G	10G	10G
PD Charging	125W	85W	85W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@60Hz	4K@60Hz	4K@144Hz
USB-C Ports	1x 10G	1x 10G	1x 10G	1x 10G	1x 10G
USB-A Ports	1x 10G+1X USB2.0	1x 10G+1X USB2.0	2x 10G	2x 10G	1x 10G + 1x 480Mbps
SD/Micro SD	—	—	—	—	3.0
RJ45 Ethernet	—	—	2.5Gigabit	—	—
SSD Enclosure	—	—	—	—	√
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

New!

5Gbps

4K
60Hz



PID	WS-UHP3419L	WS-UHP3416	WS-UHP3409 Pro	WS-UHP3417
USB-C to Host	5G	5G	5G	5G
PD Charging	125W	85W	85W	85W
HDMI	4K@60Hz	4K@60Hz	4K@60Hz	4K@60Hz
USB-C Ports	1x 5G	—	—	—
USB-A Ports	1x5G+1x USB2.0	3x 5G	3x 5G	2x 5G
SD/Micro SD	—	3.0	3.0	—
RJ45 Ethernet	—	—	Gigabit	Gigabit
USB-C PD IN	√	√	√	√

USB-C SST

Single Display Mini Docking Station with PD Charging

5Gbps

4K
60Hz



PID	WS-UHP3417	WS-UHP3407/Pro	WS-UHP3406	WS-UHP3405M/Pro	WS-UHP3404M
USB-C to Host	5G	5G	5G	5G	5G
PD Charging	85W	85W	60W	85W	85W
HDMI	4K@30Hz	4K@30Hz/60Hz	4K@30Hz	4K@30Hz/60Hz	4K@30Hz
USB-C Ports	—	—	—	1x 5G	—
USB-A Ports	3x 5G	3x 5G	2x 5G	2x 5G	2x 5G
SD/Micro SD	—	3.0	3.0	3.0	3.0
RJ45 Ethernet	Gigabit	—	Gigabit	—	—
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN

5Gbps

4K
60Hz



PID	WS-UHP3403H	WS-UHP3403HR	WS-UHP3402	WS-UHP3D01	WS-UHP3D01G
USB-C to Host	5G	5G	5G	5G	5G
PD Charging	85W	85W	85W	18W	18W
HDMI	4K@30Hz	4K@30Hz	4K@30Hz	4K@30Hz	4K@30Hz
USB-C Ports	—	—	—	1x 5G	1x 5G
USB-A Ports	4x 5G	3x 5G	1x 5G	2x 5G	2x 5G
SD/Micro SD	—	3.0	—	—	—
RJ45 Ethernet	—	—	—	—	Gigabit
Power Supply	USB-C PD IN	USB-C PD IN	USB-C PD IN	DC IN	DC IN

USB-C or A Multi Function

Hub with Ethernet Port



PID	WS-UHP3033G	WS-UH3033G	WS-UH3031GC1	WS-UH3031GC	WS-UH3031G
USB to Host	USB-C 10G	USB-C 10G	USB-C 5G	USB-C 5G	USB-A 5G
PD Charging	85W	—	—	—	—
USB-C Ports	1x 10G + PD	1x 10G	1x 10G	—	—
USB-A Ports	2x 10G	2x 10G	1x 10G + 1x 480Mbps	3x 5G	3x 5G
RJ45 Ethernet	2.5 Gigabit	2.5 Gigabit	Gigabit	Gigabit	Gigabit
Power Supply	USB-C PD IN	USB Bus Power	USB Bus Power	DC 5V IN	DC 5V IN

USB-C or A Multi Function

Hub with Card Reader



PID	WS-UH3047RC	WS-UH3047R
USB to Host	USB-C 5G	USB-A 5G
SD/Micro SD	3.0	3.0
USB-A Ports	3x 5G	3x 5G
Power Supply	DC 5V IN	DC 5V IN

USB-C 10Gbps

Hub with 4 Ports



PID	WS-UHP3412	WS-UH30422
USB-C to Host	10G	10G
PD Charging	85W	—
USB-C Ports	4x 10G (1x PD IN)	2x 5G
USB-A Ports	—	2x 5G

USB Multi Port

Hub with Fast Charging and Switch

5Gbps



PID	WS-UH3076	WS-UH3049
USB-B to Host	5G	5G
USB-A Ports	7x 5G + 7.5W Fast Charging	7x 5G + 7.5W Fast Charging
Switch	7x Switches	4x Switches
Power Supply	DC 20V IN	DC 12V IN

5Gbps



PID	WS-UH3101A	WS-UH3072P2A	WS-UH3072A
USB-B to Host	5G	5G	5G
USB-A Ports	8x 5G	7x 5G	5x 5G
	2x 5G or 7.5W	12W	2x 5G + 7.5W
Switch	1x Switch	1x Switch	—
Power Supply	DC 12V IN	DC 12V IN	DC 12V IN

5Gbps



PID	WS-UH3042P1	WS-UH3043
USB-B to Host	5G	5G
USB-A Ports	4x 5G	4x 5G
	12W	—
Switch	—	—
Power Supply	DC 5V IN	DC 5V IN

USB-C or A 5Gbps Hub

With 7x USB Ports



5Gbps



PID	WS-UH3075C	WS-UH3074C1	WS-UH3074C	WS-UH3074	WS-UH3075
USB to Host	USB-C 5G	USB-C 5G	USB-C 5G	USB-A 5G	USB-A 5G
USB-C Ports	—	1x 5G	—	—	—
USB-A Ports	7x 5G	6x 5G	7x 5G	7x 5G	7x 5G
Power Supply	DC 5V IN	DC 12V IN	DC 5V IN	DC 5V IN	DC 5V IN

USB-A 5Gbps

Hub with 4 Ports

5Gbps



PID	WS-UH30414	WS-UH30413	WS-UH30412	WS-UH30411	WS-UH30410
USB-A to Host	5G	5G	5G	5G	5G
USB-A Ports	4x 5G	4x 5G	4x 5G	4x 5G	4x 5G
Hub Switch	4x Switches	—	—	—	—

USB2.0 Hub

WS-UH2042: 4 Ports Hub
WS-UH2040: 4 Ports Hub
WS-UH2070: 7 Ports Hub



Thunderbolt 3 Display Adapter

Dual DisplayPort, Dual HDMI



PID	WS-UTA21D	WS-UTA01D	WS-UTA02D	WS-UTA01H	WS-UTA02H
USB to Host	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3	Thunderbolt 3
DisplayPort 1.4	2	2	2	—	—
HDMI 2.0	—	—	—	2	2
Single Display	8K@30Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz	1x 4K@60Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz

Note:

- * Based on Thunderbolt 3 solution, work with Thunderbolt 3/4 Laptop, Comaptible with Windows and macOS
- * M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.

DisplayLink Display Adapter

DisplayPort, HDMI, DVI and VGA



PID	WS-UG69DH2	WS-UG63DH2	WS-UG6902H	WS-UG39DH1	WS-UG39DH4
USB to Host	USB-A/C	USB-A/C	USB-A/C	USB-A	USB-A
DisplayPort 1.2	2	2	—	—	—
HDMI2.0	2	2	2	1	1
DVI	—	—	—	1	1
VGA	—	—	—	—	1
Single Display	1x 4K@60Hz	1x 2K@60Hz	1x 2K@60Hz	1x 2K@60Hz	1x 2K@60Hz
Dual Display	2x 4K@60Hz	2x 2K@60Hz	2x 2K@60Hz	2x 2K@60Hz	2x 2K@60Hz
RJ45 Ethernet	—	—	—	Gigabit	—

Note:

- * Work with Thunderbolt 3/4, USB4, USB3.0/2.0 Laptop, Comaptible with Windows and macOS.
- * M1/M2 MacBooks Support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

Silicon Motion Display Adapter

Dual HDMI, Single HDMI, Single DisplayPort



PID	WS-UG7602HC	WS-UG7602H	WS-UG7601HC	WS-UG7601H	WS-UG7601DPC	WS-UG7601DP
USB to Host	USB-A/C	USB-A	USB-A/C	USB-A	USB-A/C	USB-A
HDMI 2.0	2	2	—	—	—	—
Single Display	1x 4K@30Hz					
Dual Display	1x 4K@30Hz + 2K@60Hz					

Note:

- * Based on Silicon Motion solution, work with Thunderbolt 3/4, USB4.0/3.0/2.0 Laptop, compatible with Windows and macOS.
- * M1/M2 MacBooks Support up to 2 external duplicated or extended displays on Windows and macOS including M1/M2.

USB-C MST Display Adapter

Quad Display, Triple Display, Dual Display






PID	WS-UMD314	WS-UMD315	WS-UMD317	WS-UMD318	WS-UMD321	WS-UHP511
USB to Host	USB-C	USB-C	USB-C	USB-C	USB-C	USB-C
PD Charging	—	—	—	85W	95W	87W
DisplayPort 1.4	1	1	2	1	—	—
HDMI 2.0	2	2	2	2	2	2
VGA	1	—	1	—	—	—
Single Display	1x 4K@60Hz	1x 4K@60Hz	1x 8K@60Hz	1x 8K@60Hz	1x 8K@30Hz	1x 4K@30Hz
Dual Display	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@60Hz	2x 4K@30Hz
Triple Display	1x 4K@60Hz + 2x 4K@30Hz		3x 4K@60Hz	—	—	—
Quad Display	3x 4K@30Hz + 1x 1080p@30Hz		2x 4K@60Hz + 1x 4K@30Hz + 1080p@60Hz	—	—	—
USB-C	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN	USB-C PD IN
USB-A	2x 480Mbps	3x 480Mbps	3x 480Mbps	3x 480Mbps	—	—

Note:

- * Based on USB-C MST solution, work with Thunderbolt 3/4, USB4, USB-C Laptop, Compatible with Windows and macOS.
- * M1/M2 MacBooks will only support 1 external duplicated or extended display due to the laptop limitation.

USB to Display Adapter

DisplayPort, HDMI, DVI and VGA

**PID: WS-C2DP1**USB-C to DisplayPort
8K@30Hz**PID: WS-C2DP2**USB-C to DisplayPort
4K@60Hz**PID: WS-UG5501H**USB-A to HDMI
4K@30Hz**PID: WS-UG3501H**USB-A to HDMI
2K@30Hz**PID: WS-UG3501HC**USB-C to HDMI
2K@60Hz**PID: WS-UG35H5**USB-A to HDMI
2K@60Hz**PID: WS-UG17H2**USB-C to HDMI
1920x1080@60Hz**PID: WS-UG3501D**USB-A to DVI
2K@60Hz**PID: WS-UG3501DC**USB-A to DVI
2K@60Hz**PID: WS-UG35D4**USB-C to DVI
2K@60Hz**PID: WS-UG35D6**USB-C to DVI
2K@60Hz**PID: WS-UG19D1**USB-A to DVI
2K@60Hz**PID: WS-UG17D1**USB-A to DVI
1920*1080@60Hz**PID: WS-UG17V2**USB-A to VGA
1920*1080@60Hz**PID: WS-C2VGC1**USB-C to VGA
1920*1080@60Hz**PID: WS-UG321V**USB-A to VGA
1080P

USB Ethernet Adapter

10G, 5G, 2.5G and Gigabit

Thunderbolt 3 10GbE Adapter

PID: WS-NWU001D

USB-C to 5G Ethernet
with PD 100W



PID: WS-NWU340G

USB-C to 5G Ethernet



PID: WS-NWU330GC

USB-C to 2.5G Ethernet



PID: WS-NWU331GC

USB-C 3.0 to 2.5G Ethernet



PID: WS-NWU327GC

USB-C 3.0 to 1G Ethernet



PID: WS-NWU332GC

USB-C 3.0 to 1G Ethernet



PID: WS-NWU326GC

USB-C 3.0 to 1G Ethernet



PID: WS-NWU326G

USB-A 3.0 to 1G Ethernet



PCIe Ethernet Adapter

5G, 2.5G and Gigabit

PID: WS-WN676G5

PCI Express 5GbE Adapter



PID: WS-WN676G2

PCI Express 2.5GbE Adapter



PID: WS-WN676G1

PCI Express 1GbE Adapter



USB Print Server

USB Wireless and Wired Print Server

PID: WS-NU516U1

Wireless USB2.0 Printer Server
Wireless & Wired Mode
Support WPS Function
1x 100Mbps Ethernet In
1x 100Mbps Ethernet Out

**PID: WS-NU88M43**

Wired USB 2.0 Printer Server
1x Gigabit Ethernet Port
4x USB2.0

**PID: WS-NU88M41**

Wired USB 2.0 Printer/Network Server
1x Gigabit Ethernet Port

**PID: WS-NU78M41**

Wired USB 2.0 Printer/Network Server
1x 100Mbps Ethernet Port

**PID: WS-NU72P11**

Wired USB 2.0 Printer Server
1x 100Mbps Ethernet Port



USB KVM Switch

2x HDMI, One Select Button for Easily Switching Between Two Notebooks

PID: WS-UHP3424

KVM Switch with 2-port HDMI support 4K@60Hz Display
Select button can control 2 computers and share 1 monitor with 1 set of keyboard and mouse.


Space saving and easily sharing between two notebook and.
Compatible with Windows 10/8/8.1/7/Vista/XP and Mac operating systems, Linux and Chrome.

Plug and play, no external power required.



USB to HDMI Video Caputer 4K HDMI AV Capture


Support HDMI 2.0 Video Pass Through / 4K@60Hz Video Input & Output /4K@30Hz Video Capture



PID: WS-HG900U
 1x USB-C to Host
 1x HDMI 2.0 In (4K@60Hz)
 1x HDMI 2.0 Out (4K@60Hz)
 Support 4K@30Hz Video Capture
 1x Mic In
 1x Line In
 1x Line Out
 OBS software supported
 Support UVC 1.0/1.1/1.5, UAC 1.0
 Support HDR10 to SDR conversion
 Compaible with Windows, macOS, Android, Linux, etc.



USB-C MST Video Caputer 4K HDMI AV Capture



PID: WS-VR204
 1x USB-C to Host
 1x HDMI 2.0 In (4K@60Hz)
 1x HDMI 2.0 Out (4K@60Hz)
 1x DP 1.4 Out (4K@144Hz)
 1x USB-C supports PD 3.0 and 4K@144Hz Video Display
 2x USB-A 2.0 for Mouse, Keyboard, etc.
 OBS software and HDCP supported
 Support UVC 1.0/1.1/1.5, UAC 1.0
 Support HDR10 to SDR conversion
 Compaible with Windows, macOS, Android, Linux, etc.



PID: WS-WS-VR203T
 USB2.0 Audio & Video Capture supporting resolution 720x576



NVMe SSD



SSD Enclosure



HDD/SSD Dock



M.2 PCIe NVMe SSD

With Capacity 256G, 512G, 1TB, 2TB and 4TB

PCI EXPRESS 4.0 x4



PID	RapidFire880X-4TB	RapidFire880X-2TB	RapidFire880X-1TB
Capacity	4TB	2TB	1TB
Interface	Gen 4.0 x 4	Gen 4.0 x 4	Gen 4.0 x 4
Form Factor	M.2 2280	M.2 2280	M.2 2280
Read Speed	7400Mbps	7400Mbps	7400Mbps
Write Speed	6600Mbps	6600Mbps	6600Mbps

PCI EXPRESS 3.0 x4



PID	WS-Thunderdrive 02	WS-Thunderdrive 01	WS-Thunderdrive 512	WS-Thunderdrive 256
Capacity	2TB	1TB	512G	256G
Interface	Gen 3.0 x 4	Gen 3.0 x 4	Gen 3.0 x 4	Gen 3.0 x 4
Form Factor	M.2 2280	M.2 2280	M.2 2280	M.2 2280
Read Speed	3300Mbps	3000Mbps	3000Mbps	3000Mbps
Write Speed	3000Mbps	2700Mbps	1300Mbps	1300Mbps

Portable Solid State Storage

PID: WS-PS512G1

Support USB-C 20Gbps Host Port
Max Read: 2000MB/s and Write: 1900MB/s
3D Nand Flash, Memory Capacity: ≤ 512GB
Support OTG



MagSafe Snap-On SSD Enclosure for iPhone 15 Pro

PID: WS-ST349

MagSafe design perfectly matches iPhone's Magnet back
1x USB-C for connection with iPhone and external SSD
1x USB-C PD IN supports PD charging for iPhone
Fit 2280 SSD, max 10Gbps, support SATA/NVME protocol



USB4 40Gps SSD Enclosure

USB4 40Gbps to NVMe SSD Enclosure (Tool Free)

PID: WS-ST402C

USB4 to Single NVMe SSD Enclosure



PID: WS-ST420C

USB4 to Dual NVMe SSD Enclosure



Note: More details, please refer to catalog page 32

Thunderbolt™ 3 SSD Enclosure

M.2 NVMe Single SSD Enclosure

Certified by Intel / World's First Thunderbolt™ 3 to NVMe SSD Enclosure

PID: WS-UTE01, WS-UTE02

Thunderbolt 3 to Single NVMe SSD Enclosure
with Thunderbolt 3 cable



Note: More details, please refer to catalog page 35

USB-C Dual SSD Enclosure

M.2 SATA & NVMe Dual Protocol (Tool Free)

PID: WS-ST348, WS-ST347

Up to 20Gbps(ST348)/10Gbps(ST347) data transfer
Dual Bay M.2 SSD Enclosure
One Bay supports M.2 SATA III 6G or PCIe 3.0x4 Nvme
One Bay supports M.2 PCIe 3.0x4 Nvme
Support 2230/2242/2260/2280 Size SSD
Built-in Heat-Conducting Silicone
Support OTG, Off On Line Clone



(WS-ST348 supports M.2 SATA/ACHI)
(WS-ST347 supports M.2 SATA and NVMe)

USB-C Dual SSD Enclosure

M.2 SATA & NVMe Dual Protocol (Tool Free)

PID: WS-ST420

USB-C Port Support Data Transfer Up to 40Gbps
Dual Bay M.2 PCIe 4.0 SSD Enclosure
Support 2230/2242/2260/2280 Size SSD
Built-in Heat-Conducting Silicone
Support OTG, Off On Line Clone



USB-C Single SSD Enclosure

M.2 SATA or NVMe Dual Protocol



PID	WS-ST340C	WS-ST338C	WS-ST238C	WS-ST237C	WS-ST236C
Interface	M.2	M.2	M.2	M.2	M.2
USB-C	10G	10G	10G	10G	10G
NVMe Protocol	√	√	√	—	—
SATA Protocol	√	—	—	√	√
SSD Size		2230 / 2242 / 2260 / 2280			2230 / 2242
OTG	√	√	√	√	√

SATA HDD/SSD Enclosure

USB-C 10Gbps, USB-B 5Gbps



PID	WS-ST235C1	WS-ST239C	WS-ST235C	WS-ST235	WS-ST239
Interface	SATA III	SATA III	SATA III	SATA III	SATA III
USB	10G	10G	5G	5G	5G
HDD/SSD	√	√	√	√	√
Form Factor	2.5"	2.5"	2.5"	2.5"	2.5"
OTG	√	√	√	√	√

SATA HDD/SSD Adapter

USB-C or USB-C to SATA III 6G



PID	WS-ST345A	WS-ST345AP	WS-ST345C	WS-ST345CP
Interface	SATA III	SATA III	SATA III	SATA III
USB to Host	USB-A, 5G	USB-A, 5G	USB-C, 5G	USB-C, 5G
HDD/SSD	√	√	√	√
SSD Size	2.5"	2.5"	2.5"	2.5"
OTG	√	√	√	√
Power Adapter	—	DC 12V/2A	—	DC 12V/2A

HDD/SSD Storage Dock

5Gbps and Dual Bay



PID	WS-ST334UA	WS-ST341U	WS-ST336A
Interface	SATA III	SATA III	SATA III
USB to Host	USB-B, 5G	USB-B, 5G	USB-B, 5G
HDD/SSD	√	√	√
SSD Size	2.5" & 3.5"	2.5" & 3.5"	2.5" & 3.5"
SD/Micro SD	—	—	3.0
USB-A	—	—	2x 5G, 2x 7.5W
Power Adapter	DC 12V/3A	DC 12V/3A	DC 12V/4A

HDD/SSD Storage Dock

5Gbps and Single Bay



PID	WS-ST33UA	WS-ST335A	WS-ST331A
Interface	SATA III	SATA III	SATA III
USB to Host	USB-C, 5G	USB-B, 5G	USB-B, 5G
HDD/SSD	√	√	√
SSD Size	2.5" & 3.5"	2.5" & 3.5"	2.5" & 3.5"
SD/Micro SD	—	3.0	3.0
USB-A	—	2x 5G	2x 5G
Power Adapter	DC 12V/3A	DC 12V/3A	DC 12V/3A

NAS (Network Attached Storage)

Single Bay, Dual Bay for Small Business and Home Office




PID: WS-NAS201

Dual Bay for 2.5"/3.5" HDD
 Support capacity up to 2x 20TB
 AI Image Recognition & Intelligent Classification
 1x 2.5Gigabit Ethernet Port
 1x USB-A 3.0



PID: WS-NAS201

Single Bay for 2.5"/3.5" HDD
 Support capacity up to 1x 20TB
 1x Gigabit Ethernet Port
 1x USB-A 3.0





PD 3.1 GaN Charger

240W/200W/140W Wall Charger, Desktop Charger



PID	WS-G1402	WS-G1402D	WS-G2003D	WS-G2403D
Charger Type	Wall Charger	Desktop Charger	Desktop Charger	Desktop Charger
PD Version	PD3.1	PD3.1	PD3.1	PD3.1
USB Ports	2C1A	2C1A	3C1A	3C1A
Single Port(Max)	140W	140W	200W	240W
Multi Port(Max)	100W+12W+12W	100W+12W+ 12W	100W+65W+12W+12W	140W+65W+12W+12W

Note:

* The GaN Power Adapter above are foldable US plug, interchangeable EU/UK/AU are optional

PD 3.0 GaN Charger

130W/100W Wall Charger, Desktop Charger

PID: WS-G1001, WS-G1001D

100W 1C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W



PID: WS-G1301, WS-G1301D

130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W

PID: WS-G1002, WS-G1002D

100W 2C2A GaN Charger
Single Port: 100W
Multi Port: 38W + 30W+20W + 12W



PID: WS-G1302, WS-G1302D

130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W+20W + 12W

WS-G1003, WS-G1003D

100W 3C1A GaN Charger
Single Port: 100W
Multi Port: 45W + 30W+12W + 12W



PID: WS-G1303, WS-G1303D

130W 3C1A GaN Charger
Single Port: 100W
Multi Port: 65W + 30W+12W + 12W

Note:

* The GaN Power Adapter above are foldable US plug, interchangeable EU/UK/AU are optional.

PD 3.0 GaN Charger

65W/30W Wall Charger

PID: WS-G6502

65W 1C GaN Charger
Single Port: 65W
Foldable US plug

**PID: WS-G6502F**

65W 1C GaN Charger
Single Port: 65W
Fixed US or UK plug

**PID: WS-G6502FA**

65W 1C1A GaN Charger
Single Port: 65W
Multi Port: 12W + 12W
Fixed US or UK plug

**PID: WS-G6502FC**

65W 1C GaN Charger
Single Port: 65W
Foldable US plug

**PID: WS-G6505**

65W 2C1A GaN Charger
Single Port: 65W
Multi Port: 30W + 12W + 12W
Foldable EU or US plug
Fixed UK or AU plug

**PID: WS-G3002**

30W 1C GaN Charger
Single Port: 30W
Foldable US plug

**Note:**


* For WS-G6502 and WS-G3002, interchangeable EU/UK/AU are optional.

PD 3.0 GaN Power Adapter


100V/130W

PID: WS-G1004C, WS-G1304C

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter

**PID: WS-G1005C, WS-G1305C**

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter

**PID: WS-G1004D, WS-G1304D**

DC 100W GaN Power Adapter
DC 130W GaN Power Adapter

PID: WS-G1005D, WS-G1305D

USB-C PD 100W GaN Power Adapter
USB-C PD 130W GaN Power Adapter

PD 3.0 Power Adapter

112W/77W, with 1x USB-A Charging Port

PID: WS-P1101

USB-C PD 3.0 112W (100W+ 12W) Power Adapter
USB-C PD 100W to Host
USB-A 12W to USB device



PID: WS-P701

USB-C PD 3.0 77W (65W+ 12W) Power Adapter
USB-C PD 65W to Host
USB-A 12W to USB device



Desktop DC Power Adapter

360W/230W/180W/160W/130W/100W

PID: WS-P3601D

360W 20V18A AC/DC
Desktop Power Adapter



PID: WS-C2301

230W 20V11.5A AC/DC
Desktop Power Adapter



PID: WS-C1801

180W 20V9A AC/DC
Desktop Power Adapter



PID: WS-C1601

160W 20V8A AC/DC
Desktop Power Adapter



PID: WS-P1301

130W 20V6.5A AC/DC
Desktop Power Adapter



PID: WS-C1001

100W 20V5A AC/DC
Desktop Power Adapter



Qi1 15W Wireless Charger

Stand Charger, Car Charger

Qi 1 ⚡ 15W

Magnetic Design

Foreign Object
Detection (FOD)Over Temperature
Protection(OTP)Over Current
Protection (OCP)Under Current
Protection (UCP)**PID: WS-CW101**

Magnetic 15W wireless charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
Ergonomic stand with adjustable height
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!****PID: WS-CW104**

Magnetic 15W wireless car charger
5W/7.5W/10W/15W Charging
Support Apple & Android Mobile Phone
WPC-Qi V1.2.4 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP

**New!**

Qi1 15W Wireless Charger

More items for you to choose

PID: WS-CW301

3-IN-1 15W Wireless Charger
For Phone, Apple Watch, Air Pod

**PID: WS-CW002**

3-IN-1 15W Wireless Charger
For Phone, Apple Watch, Air Pod

**PID: WS-CW006**

15W Single Wireless Charger
For Phone



Qi2 15W Wireless Charger **Pad Charger**

Qi2 15W

- Magnetic Design
- Foreign Object Detection (FOD)
- Over Temperature Protection(OTP)
- Over Current Protection (OCP)
- Under Current Protection (UCP)

PID: WS-CW105
 15W Single wireless charger
 5W/7.5W/10W/15W Charging
 Special designed for iPhone 15s
 WPC Qi 2.0 compatible
 QC2.0/3.0 & PD2.0/3.0 supported
 Support FOD, OCP, OTP and UCP



PID: WS-CW106
 Magnetic 15W wireless
 5W/7.5W/10W/15W Charging
 Special designed for iPhone 15s
 WPC Qi 2.0 compatible
 QC2.0/3.0 & PD2.0/3.0 supported
 Support FOD, OCP, OTP and UCP



Qi2 15W

- Magnetic Design
- Foreign Object Detection (FOD)
- Over Temperature Protection(OTP)
- Over Current Protection (OCP)
- Under Current Protection (UCP)

PID: WS-CW303
 15W Single wireless charger
 5W/7.5W/10W/15W Charging
 Special designed for iPhone 15s
 WPC Qi 2.0 compatible
 QC2.0/3.0 & PD2.0/3.0 supported
 Support FOD, OCP, OTP and UCP



PID: WS-CW302
 Magnetic 15W wireless
 5W/7.5W/10W/15W Charging
 Special designed for iPhone 15s
 WPC Qi 2.0 compatible
 QC2.0/3.0 & PD2.0/3.0 supported
 Support FOD, OCP, OTP and UCP



Qi2 15W Wireless Charger

Pad Charger

Qi2 ⚡ 15W

🧲 Magnetic Design

🔑 Foreign Object Detection (FOD)

🌡️ Over Temperature Protection(OTP)

⚡ Over Current Protection (OCP)

⚡ Under Current Protection (UCP)

PID: WS-CW601

15W Single wireless charger
5W/7.5W/10W/15W Charging
Special designed for iPhone 15s
WPC Qi 2.0 compatible
QC2.0/3.0 & PD2.0/3.0 supported
Support FOD, OCP, OTP and UCP



Special Purpose Power Adapter

450W, 280W Intelligent Battery Charger



450W



Input Voltage: 100-240V 6A 50-60Hz

Protection: Short circuit protection/OTP
Reverse polarity Protection

Led indicate charging status

Size: 304x114x55mm(L*W*H)

Battery type: LiFePO4/
lithium battery/
Lead acid battery

280W



Rated Output Voltage(Vdc)	Rated Output Current(A)	Rated Output Power(W Max.)	LCD Indication
6V	10A/20A	225W	Yes
12V	10A/20A/35A	450W	Yes
24V	10A/20A	450W	Yes

Wireless Video Transmission Kit



Portable design for Videographer, Filmmaker, Cinematographer, etc.

WS-WH300M

Transmitter with 1x HDMI 1.4 IN + 1x HDMI 1.4 Out
Receiver with 2x HDMI 1.4 Out

WS-WH300S

Transmitter with 1x HDMI 1.4 IN + 1x SDI Out
Receiver with 1x HDMI 1.4 Out + 1x SDI Out

- 1x Transmitter supports up to 3x Receivers
- Detachable high gain omni directional antennas
- Working frequency band: wireless 5GHz
- H.264 Encoding Algorithm
- 1.3 inch OLED screen display the working status
- Up to 150 meters Range & 80ms Ultra-low Latency
- App supports simultaneous monitoring of mobile phone & tablet
- Power supply modes: NP-F battery, USB-C Power, DC Power



PID: WS-WH300M

1080P Wireless HDMI Transmitter and Receiver Kit



PID: WS-WH300-4K

4K@30Hz Wireless HDMI Transmitter and Receiver Kit

Wireless Video Transmission Kit



IR Remote Terminal



Wide Range 328ft/100m

**Desktop design for Meeting, Education, E-Billboard, Project Display, etc.**

1x Transmitter supports up to 2x Receivers
 Transmitter with 1x HDMI 1.4 IN + 1x HDMI 1.4 Out
 Receiver with 2x HDMI 1.4 Out
 Detachable high gain omni directional antennas
 1x USB-A port for firmware upgrade
 Power supply mode: DC Power

Video resolution up to 1080p@60Hz (WS-WH1000-HD)
 Video resolution up to 4K@30Hz (WS-WH1000-4K)
 Working frequency band: wireless 5GHz
 H.264 Encoding Algorithm
 Up to 100 meters Range & 80ms Ultra-low Latency
 Support IR (infrared return) control

**PID: WS-WH1000-HD**

1080P Wireless HDMI Transmitter and Receiver Kit

**PID: WS-WH1000-4K**

4K@30Hz Wireless HDMI Transmitter and Receiver Kit

Wireless Video Transmission Kit

AHDMI Wireless Transmitter adopts standard 802.11AC protocol to transmit HD audio and video signals via 5G Wi-Fi. It can transmit HDMI HD video from DVDs, players, PCs and other devices via Wi-Fi, which can realize one-to-one application. The device has excellent image processing and transmission capability, which makes the signal transmission smoother and more stable.

PID: WS-WH50A2-A

Transmit HDMI video and audio signals over Wi-Fi over long distances, up to 50 meters.
 Support Display resolution up to 4K@30Hz.
 Compatible with HDMI 1.4, 1.3 standards.
 Able to automatically recognize and configure various display modes.
 Built-in automatic equalization system, smooth, clear and stable picture.
 Receive/transmit are HDMI interface, no software, no setup, no driver, connect to cast screen.
 Work with Windows 10/11, mac OS 10.15 or later



PID: WS-WH50A1-A

Transmit HDMI video and audio signals over Wi-Fi over long distances, up to 50 meters.
 Support Display resolution up to 1920x1080@60Hz.
 Compatible with HDMI 1.4, 1.3 standards.
 Able to automatically recognize and configure various display modes.
 Built-in automatic equalization system, smooth, clear and stable picture.
 Receive/transmit are HDMI interface, no software, no setup, no driver, connect to cast screen.
 Work with Windows 10/11, mac OS 10.15 or later



Full-duplex Wireless Headset Intercom System

**PID: WS-WI810H**

This is full-duplex wireless headset intercom system allowing up to 9 people to communicate simultaneously. Ideal for film, TV, stage, photo shoots, and sports, it offers hands-free communication and allows for movement with its wireless design. It boasts a range of 400m with extended battery life, all stored in a rugged, water-tight case.



Hand-free
Operation



Easy for
Teamwork



Lever-type
Switch Design



Ultra Long Distance
Transmission



1.9GHz wire le ss
Frequency Range

Master Headset

Duplex mode: Full-Duplex(FDX)

Modulation: GFSK

Carrier frequencies: 1787MHz-1928MHz

Microphone type: Condenser microphone

Operating range: Up to 1312ft (400m) without obstacles

Remote Headset

Duplex mode: Full-Duplex(FDX)

Modulation: GFSK

Carrier frequencies: 1787MHz-1928MHz

Microphone type: Condenser microphone

Operating range: Up to 1312ft(400m) without obstacles

Wireless Lavalier Microphone



PID: WS-WA920Q1

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics & 3.5mm Mic Inputs
Up to 200 meters Range & 13ms Ultra-low Latency
Selectable Stereo or Mono Output Modes
Bigger Vivid OLED Screen for Vital Info
Compatible with DSLR, mirrorless, mixers, modern
Computers, smartphones, tablets and so much more
Real-Time and Playback Monitoring
Powerful Charging Box for Charging and Contain
Up to 7-Hr Recording & USB-C Charging Port (5V)



PID: WS-WA280S1

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics & 3.5mm Mic Inputs
Up to 200 meters Range & 13ms Ultra-low Latency
Selectable Stereo or Mono Output Modes
RX with Bigger Vivid OLED Screen for Vital Info
Compatible with DSLR, mirrorless, mixers, modern
Computers, smartphones, tablets and so much more
Real-Time and Playback Monitoring
Powerful Charging Box for Charging and Contain
Up to 8-Hr Recording & USB-C Charging Port (5V)

Wireless Lavalier Microphone

**PID: WS-WAJ600D1**

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics
Up to 50 meters Range & 20ms Ultra-low Latency
Powerful Charging Box for Charging and Contain
Up to 6-Hr Recording & USB-C Charging Port (5V)

**PID: WS-WAJ606D1**

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics
Up to 50 meters Range & 20ms Ultra-low Latency
Powerful Charging Box for Charging and Contain
Up to 6-Hr Recording & USB-C Charging Port (5V)


**PID: WS-WAJ610D1**

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics
Up to 50 meters Range & 20ms Ultra-low Latency
Powerful Charging Box for Charging and Contain
Up to 6-Hr Recording & USB-C Charging Port (5V)

**PID: WS-WAJ660D1**

Advanced 2.4GHz wireless transmission technology
Built-In Omni Mics
Up to 50 meters Range & 20ms Ultra-low Latency
Powerful Charging Box for Charging and Contain
Up to 6-Hr Recording & USB-C Charging Port (5V)

HDMI AV Capture + High Definition Game Recorder



4K@60Hz HDMI AV Capture + High Definition Game Recorder

With the HDMI AV Capture, you can record your amazing gaming moments with stunning graphics and improve the quality of your content. This easy-to-use capture device lets you quickly start the game with the streaming platform and software you prefer, such as OBS Studio, Streamlabs OBS, XSplit, etc. You'll enjoy a great time playing 4K@60Hz resolution games with HDR10 to SDR support while the device captures footage without causing any control delay.


PID: WS-HG900U, WS-HG901U

- 1x USB-C to Host
- 1x HDMI 2.0 In (4K@60Hz)
- 1x HDMI 2.0 Out (4K@60Hz)
- 1x USB 2.0 (4K@30Hz)
- 1x Mic In, 1x Line In, 1x Line Out
- OBS software supported
- Support UVC 1.0/1.1/1.5, UAC 1.0
- Support HDR10 to SDR conversion
- Compatible with Windows, macOS, Android, Linux, etc.



USB-C MST Video Caputer

4K HDMI AV Capture



PID: WS-VR204

- 1x USB-C to Host
- 1x HDMI 2.0 In (4K@60Hz)
- 1x HDMI 2.0 Out (4K@60Hz)
- 1x DP 1.4 Out (4K@144Hz)
- 1x USB-C supports PD 3.0 and 4K@144Hz Video Display
- 2x USB-A 2.0 for Mouse, Keyboard, etc.
- OBS software and HDCP supported
- Support UVC 1.0/1.1/1.5, UAC 1.0
- Support HDR10 to SDR conversion
- Compatible with Windows, macOS, Android, Linux, etc.





www.winstars.com



E-mail : winstars@winstars.com

Tel : (86) 755 8882 3721

Fax : (86)755 8302 2207

Factory (Vietnam): Bac Ninh, Vietnam

Factory(Shenzhen): Longhua District, Shenzhen, China

Factory (Jiangxi): Longnan, Jiangxi, China

Factory (Dongguan): Hengli Town, Dongguan, China