



LKT Laboratories, Inc.

5-Aminosalicylic Acid


Phone: 888-558-5227
651-644-8424
Fax: 888-558-7329
Email: getinfo@lktlabs.com
Web: lktlabs.com

Product Information

Product ID A5035
CAS No. 89-57-6
Chemical Name 5-amino-2-hydroxybenzoic acid

Synonym 5-ASA, Mesalamine, Asacol, Salofalk, 5-amino-2-hydroxybenzoic acid

Formula $C_7H_7NO_3$
Formula Wt. 153.14
Melting Point 275-280°C (dec)
Purity ≥98%
Solubility



Pricing and Availability

Bulk quantities available upon request

Product ID	Size	List Price
A5035	5 g	\$30.00
A5035	25 g	\$97.30
A5035	100 g	\$299.60

Store Temp Ambient

Ship Temp Ambient

Description 5-Aminosalicylic acid exhibits anti-inflammatory, antioxidative, and anticancer activities; it is clinically used to treat inflammatory bowel disease (IBD), Crohn's disease, and colitis, as it acts primarily in the colon. In vitro, 5-aminosalicylic acid decreases levels of ROS, increases levels of catalase and PPAR γ , and stimulates PTEN signaling. In colorectal cancer cells, this compound decreases proliferation by inhibiting phospholipase D (PLD) activity and mTOR signaling.

References Poh J, Knowles S. Safety of 5-Aminosalicylic Acid Derivatives in Patients with Sensitivity to Acetylsalicylic Acid and Nonsteroidal Anti-inflammatory Drugs. *Can J Hosp Pharm.* 2014 Jan;67(1):35-8. PMID: 24634525.

Managlia E, Katzman RB, Brown JB, et al. Antioxidant properties of mesalamine in colitis inhibit phosphoinositide 3-kinase signaling in progenitor cells. *Inflamm Bowel Dis.* 2013 Sep;19(10):2051-60. PMID: 23867870.

Baan B, Dihal AA, Hoff E, et al. 5-Aminosalicylic acid inhibits cell cycle progression in a phospholipase D dependent manner in colorectal cancer. *Gut.* 2012 Dec;61(12):1708-15. PMID: 22187071.

Caution: This product is intended for laboratory and research use only. It is not for human or drug use.