Phone: 888-558-5227

651-644-8424 888-558-7329

Fax: Email: getinfo@lktlabs.com

Web: lktlabs.com

Product Information

Product ID C3263

CAS No. 86393-32-0

Chemical Name 1-cyclopropyl-6-fluoro-1,4-dihydro-4-oxo-7-(1-piperazinyl)-3-

quinolinecarboxylic acid monohydrochloride

Synonym CiproR, Ciflan, Floxacipron, Proxacin

Formula C₁₇H₁₈FN₃O₃ • HCl • H₂O

Formula Wt. 385.82 Melting Point 314-324°C

Purity ≥98%

Solubility Soluble in water (3.5 g/100 ml), ethanol (1.6 mg/ml).

Reconstitute with suitable solvent. Aliquot and store at -20°C. Solutions should be protected from light. Reconstituted product is stable for 6

months at -20°C.

Store Temp 4°C Ship Temp Ambient

Description Ciprofloxacin is a second generation fluoroquinolone antibiotic that exhibits antibacterial activity against both gram negative

and gram positive bacteria. Ciprofloxacin inhibits DNA gyrase and topoisomerase IV, preventing DNA replication.

· HCI · H₂O

Pricing and Availability

Bulk quanitites available upon request

Product ID	Size	List Price
C3263	5 g	\$56.90
C3263	25 g	\$157.50
C3263	50 g	\$268.20

References Rajendram M, Hurley KA, Foss MH, et al. Gyramides Prevent Bacterial Growth by Inhibiting DNA Gyrase and Altering Chromosome Topology. ACS Chem Biol. 2014 Apr 22. [Epub ahead of print]. PMID: 24712739.

Oliphant CM, Green GM. Quinolones: a comprehensive review. Am Fam Physician. 2002 Feb 1;65(3):455-64. PMID: 11858629.

Drlica K, Zhao X. DNA gyrase, topoisomerase IV, and the 4-quinolones. Microbiol Mol Biol Rev. 1997 Sep;61(3):377-92. PMID: 9293187.

Aldred KJ, McPherson SA, Wang P, et al. Drug interactions with Bacillus anthracis topoisomerase IV: biochemical basis for quinolone action and resistance. Biochemistry. 2012 Jan 10;51(1):370-381. PMID: 22126453.

Caution: This product is intended for laboratory and research use only. It is not for human or drug use.