Phone: 888-558-5227 651-644-8424

Fax: 888-558-7329

Email: getinfo@lktlabs.com

Web: lktlabs.com

## **Product Information**

Product ID G0181 CAS No. 93755-85-2

**Chemical Name** 

Synonym GRP

Formula C<sub>130</sub>H<sub>204</sub>N<sub>38</sub>O<sub>31</sub>S<sub>2</sub>

Formula Wt. 2859.40

**Melting Point** 

Purity ≥95%

Solubility Soluble in water (1 mg/mL), DMSO.

Val-Pro-Leu-Pro-Ala-Gly-Gly-Gly-Thr-Val-Leu-Thr-Lys-Met-Tyr-Pro-Arg-Gly-Asn-His-Trp-Ala-Val-Gly-His-Leu-Met-NH<sub>2</sub>

## **Pricing and Availability**

Bulk quanitites available upon request

Product ID	Size	List Price
G0181	1 mg	\$173.30
G0181	2.5 mg	\$299.30
G0181	5 ma	\$519.80

Store Temp -20°C Ship Temp Ambient

Description Gastrin-releasing peptide (BB2) is an endogenous bombesin-like peptide that stimulates the release of gastrin by binding BB2 receptors; it is involved in feeding behavior (acting as an anorexigenic), circadian rhythms, and stress signaling. BB2 induces scratching behavior in vivo and exhibits pro-angiogenic activity in cancer models, inducing expression of IL-8 in a hepatocyte growth factor-dependent manner in gastric cancer cells.

References Kallingal GJ, Mintz EM. Site-specific effects of gastrin-releasing peptide in the suprachiasmatic nucleus. Eur J Neurosci. 2014 Feb;39(4):630-9. PMID: 24528136.

> Lee KH, Koh SA, Kim JR. Hepatocyte growth factor-mediated gastrin-releasing peptide induces IL-8 expression through Ets-1 in gastric cancer cells. Oncol Res. 2013;20(9):393-402. PMID: 23924923.

Sukhtankar DD, Ko MC. Physiological function of gastrin-releasing peptide and neuromedin B receptors in regulating itch scratching behavior in the spinal cord of mice. PLoS One. 2013 Jun 24;8(6):e67422. PMID: 23826298.

Merali Z, McIntosh J, Anisman H. Role of bombesin-related peptides in the control of food intake. Neuropeptides. 1999 Oct;33 (5):376-86. PMID: 10657515.

Caution: This product is intended for laboratory and research use only. It is not for human or drug use.