Phone: 888-558-5227

651-644-8424

888-558-7329 Fax:

Email: getinfo@lktlabs.com

Web: lktlabs.com

## **Product Information**

Product ID 09458 CAS No. 14698-29-4

Chemical Name 5-ethyl-8-oxo-[1,3]dioxolo[4,5-g]quinoline-7-carboxylic acid

Synonym Nidantin, Dioxacin, Emyrenil

Formula C<sub>13</sub>H<sub>11</sub>NO<sub>5</sub> Formula Wt. 261.23 **Melting Point** 

Purity ≥98% Solubility

O HO

## **Pricing and Availability**

Bulk quanitites available upon request

Product ID	Size	List Price
O9458	1 g	\$45.00
O9458	5 g	\$77.80
O9458	25 g	\$346.00

Store Temp Ambient Ship Temp Ambient

Description Oxolinic acid is a fluoroquinolone antibiotic that is used in plants and veterinary medicine; it's antibacterial efficacy stems

from inhibition of bacterial DNA gyrase. When combined with metals such as ruthenium, manganese, nickel, or zinc, the metaloxolinic acid complex intercalates with DNA. Additionally, oxolinic acid may lower the threshold for induction of seizure

through activation of excitatory amino acid receptors.

References Kljun J, Bratsos I, Alessio E, et al. New uses for old drugs: attempts to convert quinolone antibacterials into potential anticancer agents containing ruthenium. Inorg Chem. 2013 Aug 5;52(15):9039-52. PMID: 23886077.

> Tarushi A, Lafazanis K, Kljun J, et al. First- and second-generation quinolone antibacterial drugs interacting with zinc(II): structure and biological perspectives. J Inorg Biochem. 2013 Apr;121:53-65. PMID: 23353082.

Kwon HR, Choi GJ, Choi YH, et al. Suppression of pine wilt disease by an antibacterial agent, oxolinic acid. Pest Manag Sci. 2010 Jun;66(6):634-9. PMID: 20151406.

Williams PD, Helton DR. The proconvulsive activity of quinolone antibiotics in an animal model. Toxicol Lett. 1991 Sep;58(1):23 -8. PMID: 1897004.

Caution: This product is intended for laboratory and research use only. It is not for human or drug use.