Phone: 888-558-5227

651-644-8424

888-558-7329 Fax: Email: getinfo@lktlabs.com

Web: lktlabs.com

Product Information

Product ID C822706 CAS No. 10140-70-2

Chemical Name (4S)-11,13-Dihydroxy-4-methyl-4,5,6,7,8,9-hexahydro-2H-3-

benzoxacyclododecine-2,10(1H)-dione

Synonym

Formula C₁₆H₂₀O₅ Formula Wt. 292.33 Melting Point 203-205°C Purity ≥98%

Solubility Soluble in DMSO, ethanol,

methanol and DMF. Insoluble in water.

Store Temp -20°C Ship Temp Ambient

Description Curvularin is a macrocyclic lactone metabolite produced in several fungi. In a model of transgenic DBA/1 mice curvularin

significantly reduced the expression of proinflammatory genes involved in the pathogenesis of collagen-induced arthritis and rheumatoid arthritis. In another study using human epithelial alveolar cell line A549/8 as the model, curvularin was shown to inhibit the cytokine-mixture-induced inducible-nitric-oxide-synthase promoter activity in a dose-dependent manner.

ООН

Pricing and Availability

Bulk quanitites available upon request

Product ID	Size	List Price
C822706	1 mg	\$46.30
C822706	5 mg	\$193.00
C822706	25 mg	\$893.00

References Schmidt N, Art J, Forsch I, et al. The anti-inflammatory fungal compound (S)-curvularin reduces proinflammatory gene expression in an in vivo model of rheumatoid arthritis. J Pharmacol Exp Ther. 2012 Oct;343(1):106-114. PMID: 22767531.

> Yao Y, Hausding M, Erkel G, et al. Sporogen, \$14-95, and S-curvularin, three inhibitors of human inducible nitric-oxide synthase expression isolated from fungi. Mol Pharmacol. 2003 Feb;63(2):383-391. PMID: 12527810.

> Kumar CG, Mongolla P, Sujitha P, et al. Metabolite profiling and biological activities of bioactive compounds produced by Chrysosporium lobatum strain BK-3 isolated form Kaziranga National Park, Assam, India. Springerplus. 2013 Dec;2(1):122. PMID: 23565355.

Caution: This product is intended for laboratory and research use only. It is not for human or drug use.