Phone: 888-558-5227

651-644-8424 888-558-7329

Email: getinfo@lktlabs.com

Web: lktlabs.com

Product Information

Fax:

Product ID P2817 CAS No. 73-05-2

Chemical Name 3-[[(4,5-Dihydro-1H-imidazol-2-yl)methyl](4-methyl- phenyl)amino]

phenol hydrochloride

Synonym

Formula C₁₇H₁₉N₃O • HCl

Formula Wt. 317.81 Melting Point 239-240°C

Purity ≥98%

Solubility Soluble in water (1g/50mL) and

alcohol (1g/70mL). Slightly soluble in chloroform. Practically insoluble in acetone

Store Temp Ambient

Ship Temp Ambient

 $\textbf{Description} \quad \text{Phentolamine is a nonselective } \alpha\text{-adrenergic receptor antagonist that exhibits vasodilatory and antihypertensive activities}.$

Phentolamine is occasionally used to treat erectile dysfunction. In vivo, phentolamine inhibits fructose-induced increases in

blood pressure and activates ATP-sensitive K+ channels, altering Ca2+ signaling. TEST!!!!!!

HN N HCI

Pricing and Availability

Bulk quanitites available upon request

Product ID	Size	List Price
P2817	50 mg	\$63.70
P2817	100 mg	\$95.20
P2817	500 mg	\$367.90

References Zhou K, Kumar U, Yuen VG, et al. The effects of phentolamine on fructose-fed rats. Can J Physiol Pharmacol. 2012 Aug;90 (8):1075-85. PMID: 22783820.

Ahn SW, Kim SH, Kim JH, et al. Phentolamine inhibits the pacemaker activity of mouse interstitial cells of Cajal by activating ATP-sensitive K+ channels. Arch Pharm Res. 2010 Mar;33(3):479-89. PMID: 20361315.

Dinsmore WW, Wyllie MG. Vasoactive intestinal polypeptide/phentolamine for intracavernosal injection in erectile dysfunction. BJU Int. 2008 Sep;102(8):933-7. PMID: 18485029.

Caution: This product is intended for laboratory and research use only. It is not for human or drug use.