



STAINLESS STEEL

WORK TABLES

PREMIUM Series - 5" Backsplash - Undershelf Style



Item #: _____ Qty #: _____
 Model #: _____
 Project #: _____

FEATURES:

Top is furnished with a 1 5/8" sanitary rolled rim edge on front, 1 5/8" square side edges, and a 5" splash with a 1" return on the rear side.

24" wide tables supplied with TWO hat channels stud welded to reinforce and maintain a level working surface. 30" and 36" wide tables supplied with THREE hat channels.

Pre-engineered welded angle adapters insure ease of future drawer installation.

Aluminum die cast "leg-to-shelf" clamp secures shelf to leg eliminating unsightly nuts and bolts. Undershelf is adjustable.

CONSTRUCTION:

All TIG welded. Exposed weld areas polished to match adjacent surfaces.

Entire top mechanically polished to a satin finish.

Top is sound deadened.


Roll formed embossed galvanized hat channels are secured to top by means of structural adhesive and weld studs.

Gussets welded to support hat sections.



NEW

Rolled Rim Edges on Front & Splash on Back and Square Side Edges



Featuring as Standard:
"THE PROVEN"
 ORIGINAL ADVANCE TABCO
Adjustable Undershelf with Die Cast Leg Clamp

MATERIAL:

KSS-SERIES: Stainless Steel Legs & Undershelf

TOP: 14 gauge stainless steel type "304" series.

SHELF: 18 gauge stainless steel.

LEGS: 1 5/8" diameter tubular stainless steel.
 1" adjustable stainless steel bullet feet.
 Stainless steel gussets.

KLG-SERIES: Galvanized Legs & Undershelf

TOP: 14 gauge stainless steel type "304" series.

SHELF: 18 gauge galvanized steel.

LEGS: 1 5/8" diameter tubular galvanized steel.
 1" adjustable plastic bullet feet.
 Galvanized steel gussets.

KSS-Series: Stainless Steel Legs & Undershelf

L	24" Wide	30" Wide	36" Wide
30"	KSS-240	KSS-300	
24"	KSS-242	KSS-302	
36"	KSS-243	KSS-303	KSS-363
48"	KSS-244	KSS-304	KSS-364
60"	KSS-245	KSS-305	KSS-365
72"	KSS-246	KSS-306	KSS-366
84"	KSS-247	KSS-307	KSS-367
96"	KSS-248	KSS-308	KSS-368
108"	KSS-249	KSS-309	KSS-369
120"	KSS-2410	KSS-3010	KSS-3610
132"	KSS-2411	KSS-3011	KSS-3611
144"	KSS-2412	KSS-3012	KSS-3612

KLG-Series: Galvanized Steel Legs & Undershelf

L	24" Wide	30" Wide	36" Wide
30"	KLG-240	KLG-300	
24"	KLG-242	KLG-302	
36"	KLG-243	KLG-303	KLG-363
48"	KLG-244	KLG-304	KLG-364
60"	KLG-245	KLG-305	KLG-365
72"	KLG-246	KLG-306	KLG-366
84"	KLG-247	KLG-307	KLG-367
96"	KLG-248	KLG-308	KLG-368
108"	KLG-249	KLG-309	KLG-369
120"	KLG-2410	KLG-3010	KLG-3610
132"	KLG-2411	KLG-3011	KLG-3611
144"	KLG-2412	KLG-3012	KLG-3612



Create Your Own Efficient Workstation with the Available Standard Accessories (Visit Section K)



NEW YORK
 (800) 645-3166
 Fax: (631) 242-6900

GEORGIA
 (800) 832-1218
 Fax: (770) 775-5625

TEXAS
 (800) 527-0353
 Fax: (972) 932-4795

NEVADA
 (800) 446-8684
 Fax: (775) 972-1578

For Assistance with
 Smart Modifications & Accessories Call:



1-800-498-6634 Fax: 631-586-2933
 smartfab@advancetabco.com


DETAILS and SPECIFICATIONS

ALL DIMENSIONS ARE TYPICAL TOL ± .500"



All Units Shipped Unassembled (KD) for Reduced Shipping Costs.

KSS & KLG Series Undershelf Style 5" Backsplash

Finished size of undershelf = Length minus 5 3/4"
Width minus 5 3/4"



Units 8ft. and larger are furnished with six (6) legs



KSS-Series: Stainless Steel Legs & Undershelf

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	KSS-240	55 lbs.	KSS-300	70 lbs.		
24"	KSS-242	50 lbs.	KSS-302	56 lbs.		
36"	KSS-243	66 lbs.	KSS-303	77 lbs.	KSS-363	92 lbs.
48"	KSS-244	81 lbs.	KSS-304	92 lbs.	KSS-364	101 lbs.
60"	KSS-245	95 lbs.	KSS-305	111 lbs.	KSS-365	121 lbs.
72"	KSS-246	113 lbs.	KSS-306	129 lbs.	KSS-366	142 lbs.
84"	KSS-247	135 lbs.	KSS-307	153 lbs.	KSS-367	169 lbs.
96"	KSS-248	150 lbs.	KSS-308	171 lbs.	KSS-368	189 lbs.
108"	KSS-249	165 lbs.	KSS-309	195 lbs.	KSS-369	260 lbs.
120"	KSS-2410	268 lbs.	KSS-3010	294 lbs.	KSS-3610	315 lbs.
132"	KSS-2411	301 lbs.	KSS-3011	331 lbs.	KSS-3611	358 lbs.
144"	KSS-2412	316 lbs.	KSS-3012	346 lbs.	KSS-3612	373 lbs.

KLG-Series: Galvanized Steel Legs & Undershelf

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	KLK-240	55 lbs.	KLK-300	70 lbs.		
24"	KLK-242	50 lbs.	KLK-302	56 lbs.		
36"	KLK-243	66 lbs.	KLK-303	77 lbs.	KLK-363	92 lbs.
48"	KLK-244	81 lbs.	KLK-304	92 lbs.	KLK-364	101 lbs.
60"	KLK-245	95 lbs.	KLK-305	111 lbs.	KLK-365	121 lbs.
72"	KLK-246	113 lbs.	KLK-306	129 lbs.	KLK-366	142 lbs.
84"	KLK-247	135 lbs.	KLK-307	153 lbs.	KLK-367	169 lbs.
96"	KLK-248	150 lbs.	KLK-308	171 lbs.	KLK-368	189 lbs.
108"	KLK-249	165 lbs.	KLK-309	195 lbs.	KLK-369	260 lbs.
120"	KLK-2410	268 lbs.	KLK-3010	294 lbs.	KLK-3610	315 lbs.
132"	KLK-2411	301 lbs.	KLK-3011	331 lbs.	KLK-3611	358 lbs.
144"	KLK-2412	316 lbs.	KLK-3012	346 lbs.	KLK-3612	373 lbs.





STAINLESS STEEL

WORK TABLES

STANDARD Series - 5" Backsplash - Undershef Style



Item #: _____ Qty #: _____
 Model #: _____
 Project #: _____

FEATURES:

Top is furnished with a 1 5/8" sanitary rolled rim edge on front, 1 5/8" square side edges, and a 5" splash with a 1" return on the rear side.

TWO hat channels stud welded to reinforce and maintain a level working surface. 30" and 36" wide tables supplied with THREE hat channels.

Pre-engineered welded angle adapters insure ease of future drawer installation.

Aluminum die cast "leg-to-shelf" clamp secures shelf to leg eliminating unsightly nuts and bolts. Undershef is adjustable.

CONSTRUCTION:

All TIG welded. Exposed weld areas polished to match adjacent surfaces.

Entire top mechanically polished to a satin finish.

Top is sound deadened.

Roll formed embossed galvanized hat channels are secured to top by means of structural adhesive and weld studs.

Gussets welded to support hat sections.



NEW
 Rolled Rim Edges on
 Front & Splash on
 Back and Square
 Side Edges



Featuring as Standard:
"THE PROVEN"
 ORIGINAL ADVANCE TABCO
Adjustable Undershef
 with Die Cast Leg Clamp

MATERIAL:

KMS-SERIES: Stainless Steel Legs & Undershef

TOP: 16 gauge stainless steel type "304" series.

SHELF: 18 gauge stainless steel.

LEGS: 1 5/8" diameter tubular stainless steel.
 1" adjustable stainless steel bullet feet.
 Stainless steel gussets.

KMG-SERIES: Galvanized Legs & Undershef

TOP: 16 gauge stainless steel type "304" series.

SHELF: 18 gauge galvanized steel.

LEGS: 1 5/8" diameter tubular galvanized steel.
 1" adjustable plastic bullet feet.
 Galvanized steel gussets.

KMS-Series: Stainless Steel Legs & Undershef

L	24" Wide	30" Wide	36" Wide
30"	KMS-240	KMS-300	
24"	KMS-242	KMS-302	
36"	KMS-243	KMS-303	KMS-363
48"	KMS-244	KMS-304	KMS-364
60"	KMS-245	KMS-305	KMS-365
72"	KMS-246	KMS-306	KMS-366
84"	KMS-247	KMS-307	KMS-367
96"	KMS-248	KMS-308	KMS-368
108"	KMS-249	KMS-309	KMS-369
120"	KMS-2410	KMS-3010	KMS-3610
132"	KMS-2411	KMS-3011	KMS-3611
144"	KMS-2412	KMS-3012	KMS-3612

KMG-Series: Galvanized Steel Legs & Undershef

L	24" Wide	30" Wide	36" Wide
30"	KMG-240	KMG-300	
24"	KMG-242	KMG-302	
36"	KMG-243	KMG-303	KMG-363
48"	KMG-244	KMG-304	KMG-364
60"	KMG-245	KMG-305	KMG-365
72"	KMG-246	KMG-306	KMG-366
84"	KMG-247	KMG-307	KMG-367
96"	KMG-248	KMG-308	KMG-368
108"	KMG-249	KMG-309	KMG-369
120"	KMG-2410	KMG-3010	KMG-3610
132"	KMG-2411	KMG-3011	KMG-3611
144"	KMG-2412	KMG-3012	KMG-3612



Create Your Own Efficient Workstation with the Available Standard Accessories (Visit Section K)



NEW YORK
 (800) 645-3166
 Fax: (631) 242-6900

GEORGIA
 (800) 832-1218
 Fax: (770) 775-5625

TEXAS
 (800) 527-0353
 Fax: (972) 932-4795

NEVADA
 (800) 446-8684
 Fax: (775) 972-1578

For Assistance with Smart Modifications & Accessories Call: **1-800-498-6634** Fax: 631-586-2933
 smartfab@advancetabco.com


DETAILS and SPECIFICATIONS

ALL DIMENSIONS ARE TYPICAL TOL ± .500"



All Units Shipped Unassembled (KD) for Reduced Shipping Costs.

KMS & KMG Series Undershelf Style 5" Backsplash

Finished size of undershelf = Length minus 5 3/4"
Width minus 5 3/4"



Units 8ft. and larger are furnished with six (6) legs



KMS-Series: Stainless Steel Legs & Undershelf

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	KMS-240	55 lbs.	KMS-300	70 lbs.		
24"	KMS-242	50 lbs.	KMS-302	56 lbs.		
36"	KMS-243	66 lbs.	KMS-303	77 lbs.	KMS-363	92 lbs.
48"	KMS-244	81 lbs.	KMS-304	92 lbs.	KMS-364	101 lbs.
60"	KMS-245	95 lbs.	KMS-305	111 lbs.	KMS-365	121 lbs.
72"	KMS-246	113 lbs.	KMS-306	129 lbs.	KMS-366	142 lbs.
84"	KMS-247	135 lbs.	KMS-307	153 lbs.	KMS-367	169 lbs.
96"	KMS-248	150 lbs.	KMS-308	171 lbs.	KMS-368	189 lbs.
108"	KMS-249	165 lbs.	KMS-309	195 lbs.	KMS-369	260 lbs.
120"	KMS-2410	268 lbs.	KMS-3010	294 lbs.	KMS-3610	315 lbs.
132"	KMS-2411	301 lbs.	KMS-3011	331 lbs.	KMS-3611	358 lbs.
144"	KMS-2412	316 lbs.	KMS-3012	346 lbs.	KMS-3612	373 lbs.

KMG-Series: Galvanized Steel Legs & Undershelf

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	KMG-240	55 lbs.	KMG-300	70 lbs.		
24"	KMG-242	50 lbs.	KMG-302	56 lbs.		
36"	KMG-243	66 lbs.	KMG-303	77 lbs.	KMG-363	92 lbs.
48"	KMG-244	81 lbs.	KMG-304	92 lbs.	KMG-364	101 lbs.
60"	KMG-245	95 lbs.	KMG-305	111 lbs.	KMG-365	121 lbs.
72"	KMG-246	113 lbs.	KMG-306	129 lbs.	KMG-366	142 lbs.
84"	KMG-247	135 lbs.	KMG-307	153 lbs.	KMG-367	169 lbs.
96"	KMG-248	150 lbs.	KMG-308	171 lbs.	KMG-368	189 lbs.
108"	KMG-249	165 lbs.	KMG-309	195 lbs.	KMG-369	260 lbs.
120"	KMG-2410	268 lbs.	KMG-3010	294 lbs.	KMG-3610	315 lbs.
132"	KMG-2411	301 lbs.	KMG-3011	331 lbs.	KMG-3611	358 lbs.
144"	KMG-2412	316 lbs.	KMG-3012	346 lbs.	KMG-3612	373 lbs.



ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.



STAINLESS STEEL

WORK TABLES

SUPER SAVER Series - 5" Backsplash - Undershelf Style



Item #: _____ Qty #: _____
 Model #: _____
 Project #: _____

FEATURES:

Top is furnished with a 1 5/8" sanitary rolled rim edge on front, 1 5/8" square side edges, and a 5" splash with a 1" return on the rear side.

TWO hat channels stud welded to reinforce and maintain a level working surface. 30" and 36" wide tables supplied with THREE hat channels.

Pre-engineered welded angle adapters insure ease of future drawer installation.

Aluminum die cast "leg-to-shelf" clamp secures shelf to leg eliminating unsightly nuts and bolts. Undershelf is adjustable.

CONSTRUCTION:

All TIG welded. Exposed weld areas polished to match adjacent surfaces.

Entire top mechanically polished to a satin finish.


Top is sound deadened.

Roll formed embossed galvanized hat channels are secured to top by means of structural adhesive and weld studs.

Gussets welded to support hat sections.



NEW
 Rolled Rim Edges on Front & Splash on Back and Square Side Edges



Featuring as Standard: **"THE PROVEN"**
 ORIGINAL ADVANCE TABCO
Adjustable Undershelf with Die Cast Leg Clamp

MATERIAL:

SKG-SERIES: Stainless Steel Legs & Undershelf

TOP: 16 gauge stainless steel type "430" series.

SHELF: 18 gauge stainless steel.

LEGS: 1 5/8" diameter tubular stainless steel.

Stainless steel gussets.

1" adjustable bullet feet.

KAG-SERIES: Galvanized Legs & Undershelf

TOP: 16 gauge stainless steel type "430" series.

SHELF: 18 gauge galvanized steel.

LEGS: 1 5/8" diameter tubular galvanized steel.

Galvanized steel gussets.

1" adjustable bullet feet.

SKG-Series: Stainless Steel Legs & Undershelf

L	24" Wide	30" Wide	36" Wide
30"	SKG-240	SKG-300	
24"	SKG-242	SKG-302	
36"	SKG-243	SKG-303	SKG-363
48"	SKG-244	SKG-304	SKG-364
60"	SKG-245	SKG-305	SKG-365
72"	SKG-246	SKG-306	SKG-366
84"	SKG-247	SKG-307	SKG-367
96"	SKG-248	SKG-308	SKG-368
108"	SKG-249	SKG-309	SKG-369
120"	SKG-2410	SKG-3010	SKG-3610
132"	SKG-2411	SKG-3011	SKG-3611
144"	SKG-2412	SKG-3012	SKG-3612

KAG-Series: Galvanized Steel Legs & Undershelf

L	24" Wide	30" Wide	36" Wide
30"	KAG-240	KAG-300	
24"	KAG-242	KAG-302	
36"	KAG-243	KAG-303	KAG-363
48"	KAG-244	KAG-304	KAG-364
60"	KAG-245	KAG-305	KAG-365
72"	KAG-246	KAG-306	KAG-366
84"	KAG-247	KAG-307	KAG-367
96"	KAG-248	KAG-308	KAG-368
108"	KAG-249	KAG-309	KAG-369
120"	KAG-2410	KAG-3010	KAG-3610
132"	KAG-2411	KAG-3011	KAG-3611
144"	KAG-2412	KAG-3012	KAG-3612



Create Your Own Efficient Workstation with the Available Standard Accessories (Visit Section K)



NEW YORK
 (800) 645-3166
 Fax: (631) 242-6900

GEORGIA
 (800) 832-1218
 Fax: (770) 775-5625

TEXAS
 (800) 527-0353
 Fax: (972) 932-4795

NEVADA
 (800) 446-8684
 Fax: (775) 972-1578

For Assistance with
 Smart Modifications & Accessories Call: >>>

1-800-498-6634 Fax: 631-586-2933
 smartfab@advancetabco.com


DETAILS and SPECIFICATIONS

ALL DIMENSIONS ARE TYPICAL TOL ± .500"



All Units Shipped Unassembled (KD) for Reduced Shipping Costs.

SKG & KAG Series Undershelf Style 5" Backsplash

Finished size of undershelf = Length minus 5 3/4"
Width minus 5 3/4"



Units 8ft. and larger are furnished with six (6) legs



SKG-Series: Stainless Steel Legs & Undershelf

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	SKG-240	55 lbs.	SKG-300	70 lbs.		
24"	SKG-242	50 lbs.	SKG-302	56 lbs.		
36"	SKG-243	66 lbs.	SKG-303	77 lbs.	SKG-363	92 lbs.
48"	SKG-244	81 lbs.	SKG-304	92 lbs.	SKG-364	101 lbs.
60"	SKG-245	95 lbs.	SKG-305	111 lbs.	SKG-365	121 lbs.
72"	SKG-246	113 lbs.	SKG-306	129 lbs.	SKG-366	142 lbs.
84"	SKG-247	135 lbs.	SKG-307	153 lbs.	SKG-367	169 lbs.
96"	SKG-248	150 lbs.	SKG-308	171 lbs.	SKG-368	189 lbs.
108"	SKG-249	165 lbs.	SKG-309	195 lbs.	SKG-369	260 lbs.
120"	SKG-2410	268 lbs.	SKG-3010	294 lbs.	SKG-3610	315 lbs.
132"	SKG-2411	301 lbs.	SKG-3011	331 lbs.	SKG-3611	358 lbs.
144"	SKG-2412	316 lbs.	SKG-3012	346 lbs.	SKG-3612	373 lbs.

KAG-Series: Galvanized Steel Legs & Undershelf

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	KAG-240	55 lbs.	KAG-300	70 lbs.		
24"	KAG-242	50 lbs.	KAG-302	56 lbs.		
36"	KAG-243	66 lbs.	KAG-303	77 lbs.	KAG-363	92 lbs.
48"	KAG-244	81 lbs.	KAG-304	92 lbs.	KAG-364	101 lbs.
60"	KAG-245	95 lbs.	KAG-305	111 lbs.	KAG-365	121 lbs.
72"	KAG-246	113 lbs.	KAG-306	129 lbs.	KAG-366	142 lbs.
84"	KAG-247	135 lbs.	KAG-307	153 lbs.	KAG-367	169 lbs.
96"	KAG-248	150 lbs.	KAG-308	171 lbs.	KAG-368	189 lbs.
108"	KAG-249	165 lbs.	KAG-309	195 lbs.	KAG-369	260 lbs.
120"	KAG-2410	268 lbs.	KAG-3010	294 lbs.	KAG-3610	315 lbs.
132"	KAG-2411	301 lbs.	KAG-3011	331 lbs.	KAG-3611	358 lbs.
144"	KAG-2412	316 lbs.	KAG-3012	346 lbs.	KAG-3612	373 lbs.

