



STAINLESS STEEL
WORK TABLES

PREMIUM Series - 1 1/2" Splash - UNDERSHELF Style



Item #: _____ Qty #: _____
 Model #: _____
 Project #: _____

FEATURES:

Top is furnished with a 1 5/8" sanitary rolled rim edge on front, 1 5/8" square side edges, and a 1 1/2" splash of single metal thickness on the rear side.

24" wide tables supplied with TWO hat channels stud welded to reinforce and maintain a level working surface. 30" and 36" wide tables supplied with THREE hat channels.

Pre-engineered welded angle adapters insure ease of future drawer installation.

Aluminum die cast 'leg-to-shelf' clamp secures shelf to leg eliminating unsightly nuts and bolts. Undershelf is adjustable.

CONSTRUCTION:

All TIG welded. Exposed weld areas polished to match adjacent surfaces.

Entire top mechanically polished to a satin finish.


Top is sound deadened.

Roll formed embossed galvanized hat channels are secured to top by means of structural adhesive and weld studs.

Gussets welded to support hat sections.



NEW
 Rolled Rim Edges on
 Front and Splash on
 Back and Square
 Side Edges



Featuring as Standard:
"THE PROVEN"
 ORIGINAL ADVANCE TABCO
**Adjustable Undershelf
 with Die Cast Leg Clamp**

MATERIAL:

FSS-SERIES: Stainless Steel Legs & Undershelf

TOP: 14 gauge stainless steel type "304" series.

SHELF: 18 gauge stainless steel.

LEGS: 1 5/8" diameter tubular stainless steel.
 1" adjustable stainless steel bullet feet.
 Stainless steel gussets.

FLG-SERIES: Galvanized Legs & Undershelf

TOP: 14 gauge stainless steel type "304" series.

SHELF: 18 gauge galvanized steel.

LEGS: 1 5/8" diameter tubular galvanized steel.
 1" adjustable plastic bullet feet.
 Galvanized steel gussets.

**FSS-Series:
 Stainless Steel Legs & Undershelf**

L	24" Wide	30" Wide	36" Wide
30"	FSS-240	FSS-300	
24"	FSS-242	FSS-302	
36"	FSS-243	FSS-303	FSS-363
48"	FSS-244	FSS-304	FSS-364
60"	FSS-245	FSS-305	FSS-365
72"	FSS-246	FSS-306	FSS-366
84"	FSS-247	FSS-307	FSS-367
96"	FSS-248	FSS-308	FSS-368
108"	FSS-249	FSS-309	FSS-369
120"	FSS-2410	FSS-3010	FSS-3610
132"	FSS-2411	FSS-3011	FSS-3611
144"	FSS-2412	FSS-3012	FSS-3612

**FLG-Series:
 Galvanized Steel Legs & Undershelf**

L	24" Wide	30" Wide	36" Wide
30"	FLG-240	FLG-300	
24"	FLG-242	FLG-302	
36"	FLG-243	FLG-303	FLG-363
48"	FLG-244	FLG-304	FLG-364
60"	FLG-245	FLG-305	FLG-365
72"	FLG-246	FLG-306	FLG-366
84"	FLG-247	FLG-307	FLG-367
96"	FLG-248	FLG-308	FLG-368
108"	FLG-249	FLG-309	FLG-369
120"	FLG-2410	FLG-3010	FLG-3610
132"	FLG-2411	FLG-3011	FLG-3611
144"	FLG-2412	FLG-3012	FLG-3612



Create Your Own Efficient Workstation with the Available Standard Accessories (Visit Section K)



NEW YORK
 (800) 645-3166
 Fax: (631) 242-6900

GEORGIA
 (800) 832-1218
 Fax: (770) 775-5625

TEXAS
 (800) 527-0353
 Fax: (972) 932-4795

NEVADA
 (800) 446-8684
 Fax: (775) 972-1578

For Assistance with
 Smart Modifications & Accessories Call:

1-800-498-6634 Fax: 631-586-2933
 smartfab@advancetabco.com


DIMENSIONS and SPECIFICATIONS

ALL DIMENSIONS ARE TYPICAL TOL ± .500"



All Units Shipped Unassembled (KD) for Reduced Shipping Costs.

FSS & FLG Series Undershef Style 1 1/2" Backsplash

Finished size of undershef = Length minus 5 3/4"
Width minus 5 3/4"



Units 8ft. and larger are furnished with six (6) legs



FSS-Series: Stainless Steel Legs & Undershef

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	FSS-240	49 lbs.	FSS-300	65 lbs.		
24"	FSS-242	31 lbs.	FSS-302	55 lbs.		
36"	FSS-243	64 lbs.	FSS-303	72 lbs.	FSS-363	88 lbs.
48"	FSS-244	79 lbs.	FSS-304	89 lbs.	FSS-364	98 lbs.
60"	FSS-245	92 lbs.	FSS-305	107 lbs.	FSS-365	118 lbs.
72"	FSS-246	109 lbs.	FSS-306	125 lbs.	FSS-366	138 lbs.
84"	FSS-247	130 lbs.	FSS-307	148 lbs.	FSS-367	164 lbs.
96"	FSS-248	145 lbs.	FSS-308	166 lbs.	FSS-368	184 lbs.
108"	FSS-249	161 lbs.	FSS-309	176 lbs.	FSS-369	190 lbs.
120"	FSS-2410	261 lbs.	FSS-3010	287 lbs.	FSS-3610	308 lbs.
132"	FSS-2411	293 lbs.	FSS-3011	324 lbs.	FSS-3611	358 lbs.
144"	FSS-2412	308 lbs.	FSS-3012	339 lbs.	FSS-3612	373 lbs.

FLG-Series: Galvanized Steel Legs & Undershef

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	FLG-240	49 lbs.	FLG-300	65 lbs.		
24"	FLG-242	31 lbs.	FLG-302	55 lbs.		
36"	FLG-243	64 lbs.	FLG-303	72 lbs.	FLG-363	88 lbs.
48"	FLG-244	79 lbs.	FLG-304	89 lbs.	FLG-364	98 lbs.
60"	FLG-245	92 lbs.	FLG-305	107 lbs.	FLG-365	118 lbs.
72"	FLG-246	109 lbs.	FLG-306	125 lbs.	FLG-366	138 lbs.
84"	FLG-247	130 lbs.	FLG-307	148 lbs.	FLG-367	164 lbs.
96"	FLG-248	145 lbs.	FLG-308	166 lbs.	FLG-368	184 lbs.
108"	FLG-249	161 lbs.	FLG-309	176 lbs.	FLG-369	190 lbs.
120"	FLG-2410	261 lbs.	FLG-3010	287 lbs.	FLG-3610	308 lbs.
132"	FLG-2411	293 lbs.	FLG-3011	324 lbs.	FLG-3611	358 lbs.
144"	FLG-2412	308 lbs.	FLG-3012	339 lbs.	FLG-3612	373 lbs.





STAINLESS STEEL
WORK TABLES

STANDARD Series - 1 1/2" Splash - UNDERSHELF Style



Item #: _____ **Qty #:** _____
Model #: _____
Project #: _____

FEATURES:

Top is furnished with a 1 5/8" sanitary rolled rim edge on front and square sides, and a 1 1/2" splash of single metal thickness on the rear side.

TWO hat channels stud welded to reinforce and maintain a level working surface. 30" and 36" wide tables supplied with THREE hat channels.

Pre-engineered welded angle adapters insure ease of future drawer installation.

Aluminum die cast "leg-to-shelf" clamp secures shelf to leg eliminating unsightly nuts and bolts. Undershelf is adjustable.

CONSTRUCTION:

All TIG welded. Exposed weld areas polished to match adjacent surfaces.

Entire top mechanically polished to a satin finish.

Top is sound deadened.


Roll formed embossed galvanized hat channels are secured to top by means of structural adhesive and weld studs.

Gussets welded to support hat sections.



NEW

Rolled Rim Edges on Front and Splash on Back and Square Side Edges



Featuring as Standard:
"THE PROVEN"

ORIGINAL ADVANCE TABCO Adjustable Undershelf with Die Cast Leg Clamp

MATERIAL:

FMS-SERIES: Stainless Steel Legs & Undershelf

TOP: 16 gauge stainless steel type "304" series.

SHELF: 18 gauge stainless steel.

LEGS: 1 5/8" diameter tubular stainless steel.
1" adjustable stainless steel bullet feet.
Stainless steel gussets.

FMG-SERIES: Galvanized Legs & Undershelf

TOP: 16 gauge stainless steel type "304" series.

SHELF: 18 gauge galvanized steel.

LEGS: 1 5/8" diameter tubular galvanized steel.
1" adjustable plastic bullet feet.
Galvanized steel gussets.

**FMS-Series:
Stainless Steel Legs & Undershelf**

L	24" Wide	30" Wide	36" Wide
30"	FMS-240	FMS-300	
24"	FMS-242	FMS-302	
36"	FMS-243	FMS-303	FMS-363
48"	FMS-244	FMS-304	FMS-364
60"	FMS-245	FMS-305	FMS-365
72"	FMS-246	FMS-306	FMS-366
84"	FMS-247	FMS-307	FMS-367
96"	FMS-248	FMS-308	FMS-368
108"	FMS-249	FMS-309	FMS-369
120"	FMS-2410	FMS-3010	FMS-3610
132"	FMS-2411	FMS-3011	FMS-3611
144"	FMS-2412	FMS-3012	FMS-3612

**FMG-Series:
Galvanized Steel Legs & Undershelf**

L	24" Wide	30" Wide	36" Wide
30"	FMG-240	FMG-300	
24"	FMG-242	FMG-302	
36"	FMG-243	FMG-303	FMG-363
48"	FMG-244	FMG-304	FMG-364
60"	FMG-245	FMG-305	FMG-365
72"	FMG-246	FMG-306	FMG-366
84"	FMG-247	FMG-307	FMG-367
96"	FMG-248	FMG-308	FMG-368
108"	FMG-249	FMG-309	FMG-369
120"	FMG-2410	FMG-3010	FMG-3610
132"	FMG-2411	FMG-3011	FMG-3611
144"	FMG-2412	FMG-3012	FMG-3612



Create Your Own Efficient Workstation with the Available Standard Accessories (Visit Section K)



NEW YORK
(800) 645-3166
Fax: (631) 242-6900

GEORGIA
(800) 832-1218
Fax: (770) 775-5625

TEXAS
(800) 527-0353
Fax: (972) 932-4795

NEVADA
(800) 446-8684
Fax: (775) 972-1578

For Assistance with
Smart Modifications & Accessories Call:

1-800-498-6634 Fax: 631-586-2933
smartfab@advancetabco.com


DIMENSIONS and SPECIFICATIONS

ALL DIMENSIONS ARE TYPICAL TOL ± .500"



All Units Shipped Unassembled (KD) for Reduced Shipping Costs.

FMS & FMG Series UNDERSHELF Style 1 1/2" Backsplash

Finished size of undershelf = Length minus 5 3/4"
Width minus 5 3/4"



Units 8ft. and larger are furnished with six (6) legs



FMS-Series: Stainless Steel Legs & Undershelf

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	FMS-240	49 lbs.	FMS-300	65 lbs.		
24"	FMS-242	31 lbs.	FMS-302	55 lbs.		
36"	FMS-243	64 lbs.	FMS-303	72 lbs.	FMS-363	88 lbs.
48"	FMS-244	79 lbs.	FMS-304	89 lbs.	FMS-364	98 lbs.
60"	FMS-245	92 lbs.	FMS-305	107 lbs.	FMS-365	118 lbs.
72"	FMS-246	109 lbs.	FMS-306	125 lbs.	FMS-366	138 lbs.
84"	FMS-247	130 lbs.	FMS-307	148 lbs.	FMS-367	164 lbs.
96"	FMS-248	145 lbs.	FMS-308	166 lbs.	FMS-368	184 lbs.
108"	FMS-249	161 lbs.	FMS-309	176 lbs.	FMS-369	190 lbs.
120"	FMS-2410	261 lbs.	FMS-3010	287 lbs.	FMS-3610	308 lbs.
132"	FMS-2411	293 lbs.	FMS-3011	324 lbs.	FMS-3611	358 lbs.
144"	FMS-2412	308 lbs.	FMS-3012	339 lbs.	FMS-3612	373 lbs.

FMG-Series: Galvanized Steel Legs & Undershelf

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	FMG-240	49 lbs.	FMG-300	65 lbs.		
24"	FMG-242	31 lbs.	FMG-302	55 lbs.		
36"	FMG-243	64 lbs.	FMG-303	72 lbs.	FMG-363	88 lbs.
48"	FMG-244	79 lbs.	FMG-304	89 lbs.	FMG-364	98 lbs.
60"	FMG-245	92 lbs.	FMG-305	107 lbs.	FMG-365	118 lbs.
72"	FMG-246	109 lbs.	FMG-306	125 lbs.	FMG-366	138 lbs.
84"	FMG-247	130 lbs.	FMG-307	148 lbs.	FMG-367	164 lbs.
96"	FMG-248	145 lbs.	FMG-308	166 lbs.	FMG-368	184 lbs.
108"	FMG-249	161 lbs.	FMG-309	176 lbs.	FMG-369	190 lbs.
120"	FMG-2410	261 lbs.	FMG-3010	287 lbs.	FMG-3610	308 lbs.
132"	FMG-2411	293 lbs.	FMG-3011	324 lbs.	FMG-3611	358 lbs.
144"	FMG-2412	308 lbs.	FMG-3012	339 lbs.	FMG-3612	373 lbs.





STAINLESS STEEL
WORK TABLES

SUPER SAVER Series - 1 1/2" Splash - UNDERSHELF Style



Item #: _____ **Qty #:** _____
Model #: _____
Project #: _____

FEATURES:

Top is furnished with a 1 5/8" sanitary rolled rim edge on front and square sides, and a 1 1/2" splash of single metal thickness on the rear side.

TWO hat channels stud welded to reinforce and maintain a level working surface. 30" and 36" wide tables supplied with THREE hat channels.

Pre-engineered welded angle adapters insure ease of future drawer installation.

Aluminum die cast 'leg-to-shelf' clamp secures shelf to leg eliminating unsightly nuts and bolts. Undershelf is adjustable.

CONSTRUCTION:

All TIG welded. Exposed weld areas polished to match adjacent surfaces.

Entire top mechanically polished to a satin finish.


Top is sound deadened.

Roll formed embossed galvanized hat channels are secured to top by means of structural adhesive and weld studs.

Gussets welded to support hat sections.



NEW
Rolled Rim Edges on Front and Splash on Back and Square Side Edges



Featuring as Standard: **"THE PROVEN"**
ORIGINAL ADVANCE TABCO
Adjustable Undershelf with Die Cast Leg Clamp

MATERIAL:

SFG-SERIES: Stainless Steel Legs & Undershelf

TOP: 16 gauge stainless steel type "430" series.

SHELF: 18 gauge stainless steel.

LEGS: 1 5/8" diameter tubular stainless steel.
1" adjustable stainless steel bullet feet.
Stainless steel gussets.

FAG-SERIES: Galvanized Legs & Undershelf

TOP: 16 gauge stainless steel type "430" series.

SHELF: 18 gauge galvanized steel.

LEGS: 1 5/8" diameter tubular galvanized steel.
1" adjustable plastic bullet feet.
Galvanized steel gussets.

**SFG-Series:
Stainless Steel Legs & Undershelf**

L	24" Wide	30" Wide	36" Wide
30"	SFG-240	SFG-300	
24"	SFG-242	SFG-302	
36"	SFG-243	SFG-303	SFG-363
48"	SFG-244	SFG-304	SFG-364
60"	SFG-245	SFG-305	SFG-365
72"	SFG-246	SFG-306	SFG-366
84"	SFG-247	SFG-307	SFG-367
96"	SFG-248	SFG-308	SFG-368
108"	SFG-249	SFG-309	SFG-369
120"	SFG-2410	SFG-3010	SFG-3610
132"	SFG-2411	SFG-3011	SFG-3611
144"	SFG-2412	SFG-3012	SFG-3612

**FAG-Series:
Galvanized Steel Legs & Undershelf**

L	24" Wide	30" Wide	36" Wide
30"	FAG-240	FAG-300	
24"	FAG-242	FAG-302	
36"	FAG-243	FAG-303	FAG-363
48"	FAG-244	FAG-304	FAG-364
60"	FAG-245	FAG-305	FAG-365
72"	FAG-246	FAG-306	FAG-366
84"	FAG-247	FAG-307	FAG-367
96"	FAG-248	FAG-308	FAG-368
108"	FAG-249	FAG-309	FAG-369
120"	FAG-2410	FAG-3010	FAG-3610
132"	FAG-2411	FAG-3011	FAG-3611
144"	FAG-2412	FAG-3012	FAG-3612



Create Your Own Efficient Workstation with the Available Standard Accessories (Visit Section K)



NEW YORK
(800) 645-3166
Fax: (631) 242-6900

GEORGIA
(800) 832-1218
Fax: (770) 775-5625

TEXAS
(800) 527-0353
Fax: (972) 932-4795

NEVADA
(800) 446-8684
Fax: (775) 972-1578

For Assistance with Smart Modifications & Accessories Call:

1-800-498-6634 Fax: 631-586-2933
smartfab@advancetabco.com


DIMENSIONS and SPECIFICATIONS

ALL DIMENSIONS ARE TYPICAL TOL ± .500"



All Units Shipped Unassembled (KD) for Reduced Shipping Costs.

SFG & FAG Series UNDERSHELF Style 1 1/2" Backsplash

Finished size of undershelf = Length minus 5 3/4"
Width minus 5 3/4"



Units 8ft. and larger are furnished with six (6) legs



SFG-Series: Stainless Steel Legs & Undershelf

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	SFG-240	49 lbs.	SFG-300	65 lbs.		
24"	SFG-242	31 lbs.	SFG-302	55 lbs.		
36"	SFG-243	64 lbs.	SFG-303	72 lbs.	SFG-363	88 lbs.
48"	SFG-244	79 lbs.	SFG-304	89 lbs.	SFG-364	98 lbs.
60"	SFG-245	92 lbs.	SFG-305	107 lbs.	SFG-365	118 lbs.
72"	SFG-246	109 lbs.	SFG-306	125 lbs.	SFG-366	138 lbs.
84"	SFG-247	130 lbs.	SFG-307	148 lbs.	SFG-367	164 lbs.
96"	SFG-248	145 lbs.	SFG-308	166 lbs.	SFG-368	184 lbs.
108"	SFG-249	161 lbs.	SFG-309	176 lbs.	SFG-369	190 lbs.
120"	SFG-2410	261 lbs.	SFG-3010	287 lbs.	SFG-3610	308 lbs.
132"	SFG-2411	293 lbs.	SFG-3011	324 lbs.	SFG-3611	358 lbs.
144"	SFG-2412	308 lbs.	SFG-3012	339 lbs.	SFG-3612	373 lbs.

FAG-Series: Galvanized Steel Legs & Undershelf

L	24" Wide	Wt.	30" Wide	Wt.	36" Wide	Wt.
30"	FAG-240	49 lbs.	FAG-300	65 lbs.		
24"	FAG-242	31 lbs.	FAG-302	55 lbs.		
36"	FAG-243	64 lbs.	FAG-303	72 lbs.	FAG-363	88 lbs.
48"	FAG-244	79 lbs.	FAG-304	89 lbs.	FAG-364	98 lbs.
60"	FAG-245	92 lbs.	FAG-305	107 lbs.	FAG-365	118 lbs.
72"	FAG-246	109 lbs.	FAG-306	125 lbs.	FAG-366	138 lbs.
84"	FAG-247	130 lbs.	FAG-307	148 lbs.	FAG-367	164 lbs.
96"	FAG-248	145 lbs.	FAG-308	166 lbs.	FAG-368	184 lbs.
108"	FAG-249	161 lbs.	FAG-309	176 lbs.	FAG-369	190 lbs.
120"	FAG-2410	261 lbs.	FAG-3010	287 lbs.	FAG-3610	308 lbs.
132"	FAG-2411	293 lbs.	FAG-3011	324 lbs.	FAG-3611	358 lbs.
144"	FAG-2412	308 lbs.	FAG-3012	339 lbs.	FAG-3612	373 lbs.

