



Technical Data Sheet

OnAdd® PP Oil WW150

INTRODUCTION: OnAdd® PP Oil, WW 150 is a medium white oil formulated from highly refined hydrotreated base oils which is colorless, tasteless and odorless. It meets US FDA 21 CFR 178.3620 (b) requirements for (+25) Saybolt color & UV absorbance.

SPECIFICATIONS

Tests	Unit	Specifications	Test Methods
Appearance	-	Transparent, colorless, bright and clear oily liquid.	Visual
Color	Saybolt	Min (+25)	ASTM D 156
Density @ 29.5 °C	gm/cc	0.830–0.860	ASTM D 1298
Kinematic Viscosity @ 40 °C	cst	28 – 34	ASTM D 445/ D 7042
Flash Point, COC	°C	Min 180	ASTM D 92
Pour Point	°C	Max (-12)	ASTM D 97

APPLICATIONS

OnAdd® PP Oil, WW 150 is used for thermoplastic products. It is also suitable for use in process requiring clear white oils. They find extensive usage in textile processing (non-staining lubrication), incense & perfume manufacture, plastic, paper and cosmetic industries, several oil based formulations, hair oils, hair lotions, shoe polish and petroleum jelly manufacturing industries.

ADVANTAGES

Excellent oxidation resistant
High film strength
Non-staining

Reference No: ITS/I/00092	Issue Date: September 27, 2017	Prepared By: Shraddha Mokul	Date: 09/27/17
Revision No: 00	Revision Date: NA	Approved By: Heena Kudalkar	Date: 09/27/17

Disclaimer: The information above is believed to be accurate and represents the best information currently available to us. There are no warranties which extended beyond the information in the TDS. Integrated Chemical Specialties, a division of Integrated Traffic Systems USA warrants this product to conform to its own specifications. Integrated Chemical Specialties, a division of Integrated Traffic Systems USA liability on this warranty is limited to the return of the purchase price of this product. The buyer assumes all risks and liability resulting from the use of this product. Integrated Chemical Specialties, a division of Integrated Traffic Systems USA neither assumes nor authorizes any person to assume for it any other liability in connection with the sale or use of this product. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall Integrated Chemical Specialties, a division of Integrated Traffic Systems USA will be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Integrated Chemical Specialties, a division of Integrated Traffic Systems USA has been advised of the possibility of such damages. Request an SDS if needed **Note:** Products protected by valid patents are not offered for sale in countries, where the sale of such products constitutes a patent infringement. The Liability for patent infringement is exclusively to be understood as buyer's risk. Products currently covered by valid US Patents are offered for R&D use in accordance with 35 USC 271(e)+A13(1)

Certified by:



National Minority Supplier Development Council

