

***SPRINTER***

**BUILT FOR YOU**



Mercedes-Benz





**SPRINTER**

**BUILT FOR YOU**

Built for you.

## TABLE OF CONTENTS

4	Mercedes-Benz Vans History	16	Sprinter Overview	28	MasterUpfitter
6	The Sprinter	18	Sprinter Cargo	29	Finance Solutions
8	Safety	20	Sprinter Crew	30	Service & Maintenance
10	Performance	22	Sprinter Passenger	32	Sprinter Specifications
12	Cost Efficiency	24	Sprinter Cab Chassis		
14	Infotainment	26	Sprinter 4x4		





**BUILT**







**TO LEAD**

# Proud Sponsor of the Workday.


You don't work to live, you live to work. You embrace the grind, the grit, the early mornings and the long nights. That's why we created the Mercedes-Benz Sprinter. Over one hundred years of empowering hard workers has brought us to this uniquely inspired vehicle. As proud sponsors of the workday, we designed the Sprinter to be modular, customizable, and scalable so that it's ready to meet your needs no matter what gets thrown your way. Built for you. The Sprinter.



## 120 YEARS OF VAN INNOVATION

1896	1929	1956	1967	1977	1986
Benz company invents the motorized van, dubbed a "combination delivery vehicle."	Introduction of the Mercedes-Benz L 1000 Express van.	Mercedes-Benz introduces the L 319 and reinvents the light truck segment.	Mercedes-Benz introduces the new large-capacity van, the L 406 D.	Mercedes-Benz launches a new light van lineup, internally called the TN or T 1.	Mercedes-Benz presents a new van range, internally called the T 2.
					

## MERCEDES-BENZ VANS COME TO CANADA

2010	2015	2018
The Mercedes-Benz Sprinter enters the Canadian market.	The mid-size Mercedes-Benz Metris enters the Canadian market.	The new Sprinter brings an entirely new concept to the large van segment.
		



**BUILT**

**FOR YOU**

# This is your van.

Get the most out of every workday with a van made for you. We continue to lead in safety innovation, with active and passive technology such as Active Brake Assist,<sup>1</sup> Traffic Sign Assist, ATTENTION ASSIST,<sup>®2</sup> Blind Spot Assist<sup>3</sup>, and Rear Cross-Traffic Alert.<sup>4</sup> We refined the Sprinter's operating efficiency even more to keep your total cost of ownership low, and gave you more flexibility by adding a turbocharged gasoline engine with a Best-in-Class 9G-TRONIC 9-speed automatic transmission as standard equipment.\*

The Sprinter's design evolution features a reshaped grille, fenders, and lights, plus a new rear window. The cabin area redefines comfort and functionality with ergonomic seats, a redesigned instrument cluster, and the MBUX (Mercedes-Benz User Experience) Multimedia System that will keep you in touch with your business like never before. The Sprinter is where innovative mobility solutions meet classic Sprinter advantages—for your benefit.



## INFOTAINMENT



## INNOVATIVE CONCEPT



## BOLD DESIGN





# BUILT

## FOR SAFETY

# With safety, we're ahead from every angle.

With the Sprinter, we didn't just aim to set a new benchmark for vans—we set out to make one of the safest vehicles on the road, period. To accomplish this lofty goal, we brought all of our legendary knowledge, research, and development to the task. **Because in the end, when it comes to protecting you and your passengers from danger, no standard is too high.**


### FEATURES



**ACTIVE BRAKE ASSIST<sup>1</sup>** This advanced system senses the likelihood of a collision with a vehicle ahead and sends both a visual and audible warning followed by initiating autonomous braking.



**ACTIVE DISTANCE ASSIST DISTRONIC<sup>®5</sup>** This intelligent cruise control system senses traffic conditions and actively controls your speed to keep you at a safe distance.



**CROSSWIND ASSIST<sup>7</sup>** helps stabilize your van and boosts safety in strong, gusting crosswinds. This standard feature helps ensure that your vehicle remains in its lane at highway speeds.




**HILL START ASSIST** briefly stops the vehicle from rolling backwards or forwards, giving you an extra level of safety and confidence when making a hill start. Hill Start Assist maintains brake pressure for approximately two seconds, so you can remove your foot from the brake pedal without rolling.

European model shown.



**360° CAMERA<sup>6</sup>** When the Reverse gear is selected, this visual parking aid uses four digital cameras to generate various views of the vehicle's surroundings and show them in real time on the multimedia display.



**ATTENTION ASSIST<sup>®2</sup>** helps prevent drowsy driving by monitoring your driving patterns and providing an early warning in case fatigue is detected.




**WITH RESCUE ASSIST<sup>SM</sup>** first responders to an accident can scan a QR code in a Mercedes-Benz Van to quickly see where batteries, airbags, and other structural elements are located in order to safely perform the rescue.



**DRIVER AND PASSENGER AIRBAGS<sup>9</sup>** The driver and passenger front, thorax, and window airbags<sup>9</sup> help protect you and your passengers in the event of a collision.


Sprinter airbags shown are from Model Year 2014.



**TRAFFIC SIGN ASSIST** uses a camera to give drivers additional help with identifying speed restriction signs, No Passing Zones, and No Entry signs.



**HIGHBEAM ASSIST<sup>SM</sup>** adjusts the high- and low-beam headlamps automatically, allowing for continuous adaptation to the prevailing traffic situation. The system helps ensure better and earlier recognition of the course of the road.




**LOAD-ADAPTIVE ELECTRONIC STABILITY PROGRAM (ESP)<sup>®8</sup>** This dynamic handling system actively intervenes to help keep the van firmly under control and safe by automatically braking individual wheels and reducing engine power to help stabilize the vehicle if wheelspin, understeer, or oversteer is detected.

### ENHANCED FEATURES



**BLIND SPOT ASSIST<sup>3</sup>** Blind Spot Assist now has Rear Cross-Traffic Alert (RCTA); which employs automatic braking to avoid a collision with traffic crossing the vehicle's path (e.g., vehicles or pedestrians) when reversing.



**ACTIVE LANE KEEPING ASSIST<sup>10</sup>** can provide you with visual and audible warnings if your van leaves its lane unintentionally. A camera in the windshield monitors the road ahead and helps detect when you may have veered away from lane markings.



**BUILT**

**FOR PERFORMANCE**


# Built to power your workday.

Performance is about having the horsepower, torque, and hauling capabilities to conquer whatever the day throws at you. The Sprinter gives you the ability to choose between two drivetrains, so you can attack every task with confidence and flexibility. Enjoy turbocharged muscle and the convenience of gasoline in one package with a 4-cylinder turbocharged gasoline engine mated to an industry-leading 9G-TRONIC 9-speed automatic transmission as standard equipment\*.

A 3.0L 6-cylinder turbo diesel engine<sup>11</sup> with a 7G-TRONIC Plus 7-speed automatic transmission is also available. If you don't want bad weather or road conditions to stop you from getting to work, we're the only manufacturer in the segment offering an optional 4x4 drivetrain with on-demand 4-wheel drive from the factory.

## THE EFFICIENCY OF DIESEL. THE CONVENIENCE OF GAS. IT'S YOUR CHOICE.

### 3.0L 6-CYLINDER TURBO DIESEL<sup>11</sup>



**CONFIGURATION:**

DOHC

**INDUCTION SYSTEM:**

Common-Rail-Direct-Injection (CDI)

**BORE/STROKE:**

83.0 mm/92.0 mm

**HORSEPOWER @ RPM:**

188 hp @ 3,800 rpm


**TORQUE: lb-ft @ RPM:**

325 lb-ft @ 1,400–2,400 rpm

**TRANSMISSION:**

Automatic Transmission, 7G-TRONIC Plus

### 2.0L 4-CYLINDER TURBO GASOLINE



**CONFIGURATION:**

DOHC

**INDUCTION SYSTEM:**

Bosch injection (200 bar)

**BORE/STROKE:**

83.0 mm/92.0 mm

**HORSEPOWER @ RPM:**

188 hp @ 5,000 rpm



**TORQUE: lb-ft @ RPM:**

258 lb-ft @ 2,500–3,500 rpm

**TRANSMISSION:**

Automatic Transmission, 9G-TRONIC

#### Torque curve:



## TORQUE: IT'S WHAT'S INSIDE THAT COUNTS.

Horsepower numbers are fine, but torque is what your van needs to get up to speed. What's also important is the rpm at which the peak torque numbers come in. Notice how the Sprinter's peak torque comes in at 1,400 rpm—just above an idle. This means that you'll be at peak torque quickly—and moving from a standing stop efficiently.



**BUILT**


**FOR EFFICIENCY**

# Higher satisfaction. Lower cost of ownership.

When you're looking at a commercial van, there are two cost factors to consider: the cost to buy it, and the cost to own it. The Sprinter is designed to deliver cost effectiveness that lasts for years. Combine this with the van's legendary durability, and the Sprinter will keep your day-to-day costs down and your productivity up—so you keep more in your pocket and get the most out of your workday.


In addition to lowering your total cost of ownership, the Sprinter helps keep drivers efficient and productive with amenities such as:

- Ergonomic seats with lowered sides and lumbar supports
- Comfortable pedal position
- Elimination of display reflections in windscreen
- Optimized noise reduction
- Increased steering wheel adjustability for tall/short drivers
- Multiple rear-step variations




## **GASOLINE ENGINE**

The Sprinter offers a turbocharged 4-cylinder gasoline engine with Direct Injection and 258 lb-ft of torque as standard equipment.\*




## **EFFICIENT DIESEL ENGINE<sup>11</sup>**

With turbocharged power, 325 lb-ft of torque, and diesel fuel economy, the Sprinter's impressive 6-cylinder engine delivers power and durability in one compact package.



## **7G-TRONIC PLUS 7-SPEED AUTOMATIC TRANSMISSION**

The low first gear and overdrive high gear in the Sprinter's 7-speed automatic transmission help you accelerate from a stop and conserve fuel on the highway.



## **9G-TRONIC 9-SPEED AUTOMATIC TRANSMISSION**

This transmission is a first for the segment and features rapid response, a smooth transition between gears, and efficient highway driving.

**3 0 0 0 0 0**

## **UP TO A 2-YEAR OR 30,000-KM SERVICE INTERVAL<sup>12</sup>**

Sprinter's Best-in-Class service intervals of up to 2 years or 30,000/km<sup>12</sup> for diesel and up to 1 year or 25,000/km<sup>12</sup> for gas keep you on the road, raising productivity and lowering the total cost of ownership.

*Black Book*

Award

Best Retained Value

2019

We are proud to announce that the Sprinter 2500 has won the Canadian Black Book Best Retained Value Award in the Full-size Van category. This marks the eighth year that the Sprinter has received this highly sought-after recognition.<sup>13</sup>

\*Gasoline engine not available on all models.



**BUILT**

**WITH INFOTAINMENT**


# More than a van — a mobile workspace.

The workday doesn't stop just because you're on the road. The Sprinter's state-of-the-art infotainment system was built with the mobile employee in mind. All the options and controls are placed in "functional islands" and logically incorporated into the overall design of the Sprinter's cabin, making every action smooth, intuitive, and economical. The results are fewer driver distractions and increased efficiency and productivity.

## SPRINTER INFOTAINMENT SYSTEM FEATURES:



**CHARGING OPTIONS** are strategically located on the dashboard and include USB-C ports, wireless, and 12V chargers.



**SMARTPHONE INTEGRATION FOR APPLE CARPLAY® AND ANDROID™ AUTO<sup>14</sup>** as well as Bluetooth® capability are now available in the Sprinter.



**THE INNOVATIVE MBUX (MERCEDES-BENZ USER EXPERIENCE)** delivers content from navigation to entertainment and includes optional "Hey Mercedes" voice control.



**TOUCHSCREENS**  
For the first time, display screens that are activated via touch, voice control, or touch buttons on the steering wheel are available on the Sprinter.



**SIRIUS XM®, SATELLITE RADIO**  
Add a soundtrack to the workday. Now an option on all models, get music, sports, and news live and on-demand with over 140 channels on Sirius XM® radio.



**BUILT**

**FOR SUCCESS**



# Hundreds of configurations. Unlimited potential.

**When we say the Sprinter is built for you, we mean that literally.**

Choose from hundreds of features, configurations, and upfit solutions that give you the ability to build a van equipped to tackle your job's toughest challenges. It's the difference between a van that you merely drive and a van that is driven to help you succeed.



SPRINTER CARGO


Sprinter Cargo Vans are available in 2500, 3500, 3500XD, and 4500 series.

SPECIFICATIONS



Maximum effort.

We believe that perfection isn't an option, it's a requirement. The Sprinter Cargo Van is designed to support your workday. For serious hauling capability, the 4500 model will handle your heaviest jobs. There's also a 2500, a 3500, and a 3500XD model. Whichever you choose, the service intervals of up to 2 years or 30,000 km<sup>12</sup> for diesel and up to 1 year or 25,000 km<sup>12</sup> for gasoline will keep your productivity high and your cost of ownership low.




Available on the Single tire models, this wheel arch covering's square shape and flat top provide extra storage opportunities, as well as protection for the wheel arch.



The rear doors feature new hinges with self-locking mechanisms.



LED strip lighting improves cargo-loading vision.



New pallet bracing and tie-downs help when hauling cargo with unusual sizes and shapes.<sup>15</sup>



The Sprinter 4500 model sets a new benchmark for payload capacity of up to 3,070 kg (6,768 lbs.).

TWO ROOF HEIGHTS

STANDARD ROOF

Max: 242.6 cm (95.5")



- 2500 Max: 244.6 cm (96.3")
- 3500XD Max: 248.7 cm (97.9")
- 4500 Max: 248.4 cm (97.8")

HIGH ROOF

Max: 242.6 cm (95.5")



- 2500 Max: 272.5 cm (107.3")
- 3500 Max: 277.9 cm (109.4")
- 3500XD Max: 277 cm (109.1")
- 4500 Max: 275.7 cm (108.5")

THREE LENGTHS



593.2 cm (233.5") (144" WB)

696.7 cm (274.3") (170" WB)

736.7 cm (290") (170" EXT. WB)

SPRINTER CARGO QUICK FACTS



**MAXIMUM PAYLOAD:**  
3,070 kg (6,768 lbs.)



**ENGINES:**  
2.0L 4-cylinder turbo gasoline\*  
3.0L 6-cylinder turbo diesel<sup>5</sup>



**MAXIMUM CARGO VOLUME:**  
15.1 m<sup>3</sup> (532.6 cu. ft.)



**MAXIMUM CARGO FLOOR WIDTH:**  
178.7 cm (70.4")



**MAXIMUM TOWING CAPACITY:**<sup>16</sup>  
3,402 kg (7,500 lbs.)



**TRANSMISSIONS:**  
9G-TRONIC 9-speed Automatic Transmission, 7G-TRONIC Plus 7-speed Automatic Transmission



**MAXIMUM CARGO FLOOR LENGTH:**  
481 cm (189.4 in)



**MAXIMUM INTERIOR STANDING HEIGHT:**  
200.9 cm (79.1")

\*Gasoline engine not available on all models.

All measurements in centimetres/inches. All width measurements include mirrors. See page 36 for a complete listing of models and specifications.



SPRINTER CREW

Sprinter Crew Vans are available in 2500, 3500, 3500XD, and 4500 series.

SPECIFICATIONS



The removable 3-seat bench is covered in durable upholstery and gives your crew a roomy, safe, and comfortable ride.



In addition to seating for up to five people, the Sprinter Crew Van features ample cargo space.

ONE ROOF HEIGHT

HIGH ROOF

Max: 242.6 cm (95.5")



2500	Max: 273 cm (107.5")
3500	Max: 277.9 cm (109.4")
3500XD	Max: 277.9 cm (109.4")
4500	Max: 276.7 cm (108.9")

TWO LENGTHS



593.2 cm (233.5") (144" WB)

696.7 cm (274.3") (170" WB)

# Carrying you forward.

Getting your team and their equipment to a job can be a battle. We designed the Sprinter Crew Van to win that battle – it seats up to five and still has room for material or cargo. It's the only factory crew configuration in its class, and a 4-cylinder turbocharged gasoline engine with a Best-in-Class 9G-TRONIC 9-speed automatic transmission is now standard equipment.\* A V6 turbo diesel engine<sup>11</sup> with a 7G-TRONIC Plus 7-speed automatic transmission is also available.

SPRINTER CREW QUICK FACTS



**MAXIMUM PAYLOAD:**  
2,860 kg (6,305 lbs)



**MAXIMUM CARGO VOLUME:**  
10.5 m<sup>3</sup> (370.8 cu. ft.)



**MAXIMUM TOWING CAPACITY:**<sup>16</sup>  
3,402 kg (7,500 lbs)



**MAXIMUM CARGO FLOOR LENGTH:**  
366.4 cm (144.3 in)



**ENGINES:**  
2.0L 4-cylinder turbo gasoline\*  
3.0L 6-cylinder turbo diesel<sup>15</sup>



**MAXIMUM INTERIOR STANDING HEIGHT:**  
194.9 cm (76.7")



**TRANSMISSIONS:**  
9G-TRONIC 9-speed Automatic Transmission,  
7G-TRONIC Plus 7-speed Automatic Transmission



**SEATING CAPACITY:**  
Up to five

\*Gasoline engine not available on all models.


All measurements in centimetres/inches. All width measurements include mirrors. See page 38 for a complete listing of models and specifications.



SPRINTER PASSENGER

Sprinter Passenger Van 2500 series.

SPECIFICATIONS



The Sprinter Passenger Van offers seating for up to 15 adults.



An impressive interior standing height of up to 191.8 cm (6'3") provides greater passenger comfort with plenty of room to move.



Roof air conditioning comes in two output levels, including a high-performance air conditioner.



The ergonomic rear seats have individual headrests and an available reclining option.



The maximum 177.4 cm (69.8") floor width and generous legroom mean there's plenty of room to sit and stretch out.

ONE ROOF HEIGHT

HIGH ROOF

234.5 cm (92.3")



2500 Max: 290.1 cm (114.2")

TWO LENGTHS




593.2 cm (233.5") (144" WB)


696.7 cm (274.3") (170" WB)

TWO INTERIOR CONFIGURATIONS

12-PASSENGER (144" WB)



15-PASSENGER (170" WB)



Seats 15. Stands alone.

Looking to carry more passengers? The Sprinter accomplishes that in a big way with seating for up to 15 people, and provides an experience every one of them will enjoy. USB-C ports can keep them connected, and the spacious rear storage area provides ample room for luggage. All the while, you'll know that they're protected by a level of safety only Mercedes-Benz can deliver.

SPRINTER PASSENGER QUICK FACTS



**MAXIMUM PAYLOAD:**  
1,425 kg (3,142 lbs)



**ENGINE:**  
3.0L 6-cylinder turbo diesel<sup>15</sup>



**MAXIMUM CARGO VOLUME:**  
3.1 m<sup>3</sup> (111.2 cu. ft.)



**MAXIMUM INTERIOR STANDING HEIGHT:**  
191.8 cm (75.5")



**MAXIMUM TOWING CAPACITY:**<sup>16</sup>  
2,268 kg (5,000 lbs.)



**STANDARD FRONT + REAR A/C**



**TRANSMISSION:**  
7G-TRONIC Plus 7-speed  
Automatic Transmission



**SEATING CAPACITY:**  
Up to 15

All measurements in centimetres/inches. All width measurements include mirrors. See page 40 for a complete listing of models and specifications.



## SPRINTER CAB CHASSIS

Sprinter Cab Chassis Vans are available in 3500XD and 4500 series.

## SPECIFICATIONS

# Built for on-demand flexibility.

A successful workday starts with a strong foundation. That's exactly what the Sprinter Cab Chassis gives you. From a box truck to a technologically advanced RV, its flat unobstructed frame rails let you design virtually anything you'd like. Motivation for your plans comes from the powerful and efficient V6 turbo diesel engine<sup>11</sup> with a 7G-TRONIC Plus 7-speed automatic transmission.



Choose between the standard 3500XD model (GVWR of 5,003 kg/11,030lbs) or the 4500 model (GVWR of 5,500 kg/11,030lbs) and build the Sprinter Cab Chassis that works best for you.



The Sprinter's flat unobstructed frame rails are the perfect place to bring your vision of the ideal business vehicle to life.

### ONE ROOF HEIGHT

242.6 cm (95.5")



3500XD	Max: 239 cm (94.1")
4500	Max: 239.7 cm (94.4")

### TWO LENGTHS



624.6 cm (245.9") (144" WB)



694.6 cm (273.5") (170" WB)

### SPRINTER CAB CHASSIS QUICK FACTS



**MAXIMUM PAYLOAD:**  
3,370 kg (7,429 lbs.)



**ENGINE:**  
3.0L 6-cylinder turbo diesel<sup>5</sup>



**TRANSMISSION:**  
7G-TRONIC Plus 7-speed Automatic Transmission



**MAXIMUM TOWING CAPACITY:**<sup>16</sup>  
3,402 kg (7,500 lbs.)



**SEATING CAPACITY:**  
Up to three

All measurements in centimetres/inches. All width measurements include mirrors. See page 42 for a complete listing of models and specifications.



SPRINTER 4X4

Sprinter 4x4 Van is available in 2500 and 3500XD series.

# Make your own roads.

The workday doesn't end just because of ice, snow, gravel, or whatever rough terrain is thrown your way. Meet challenges head on with the Mercedes-Benz Sprinter on demand 4-wheel drive option. When your job takes you off-road, this workhorse rises to the occasion. The Sprinter 4x4 features a higher wading depth, a low-range gear, and a standard V6 turbo diesel engine<sup>5</sup> that can power you through even the toughest conditions.



4x4

The Sprinter 4x4 option is available in select Cargo, Crew, or Passenger Van configurations.  
European model shown.

PASSENGER

ONE ROOF HEIGHT

HIGH ROOF

234.5 cm (92.3")



2500 Max: 298.7 cm (117.6")

ONE LENGTH



593.2 cm (233.5") (144" WB)

CREW

ONE ROOF HEIGHT

HIGH ROOF

Max: 242.6 cm (95.5")



2500 Max: 282.6 cm (111.3")  
3500XD Max: 282.5 cm (111.2")

TWO LENGTHS



593.2 cm (233.5") (144" WB)

696.7 cm (274.3") (170" WB)

CARGO

TWO ROOF HEIGHTS

STANDARD ROOF

Max: 242.6 cm (95.5")



2500 Max: 254.3 cm (100.1")  
3500XD Max: 254.2 cm (100.1")

HIGH ROOF

Max: 242.6 cm (95.5")



2500 Max: 281.7 cm (110.9")  
3500XD Max: 281.8 cm (110.9")

THREE LENGTHS



593.2 cm (233.5") (144" WB)

696.7 cm (274.3") (170" WB)

736.7 cm (290") (170" EXT. WB)

All measurements in centimetres/inches. All width measurements include mirrors.  
A complete listing of models and specifications begins on page 36.



# Get your concept up and running.

The Sprinter is built for you, with the safety, performance and cost efficiency you've come to expect from a leader in the segment. And now, you can expect that same expertise from our growing network of MasterUpfitters. The Sprinter is designed to be flexible enough to meet your needs today, and take your business to the next level tomorrow.

And when combined with the expert craftsmanship of a Mercedes-Benz MasterUpfitter, the Sprinter becomes your ultimate foundation, where you can customize a workspace that will help you make the most of your workday. Find a complete list of approved upfitters at [mbvans.ca/upfitters](http://mbvans.ca/upfitters).

## Finance solutions.

The Sprinter is built for you, with the flexibility to configure a solution that will meet your exact needs. That's what Mercedes-Benz Financial Services are designed to do as well. If you're looking to lease or purchase, we offer a variety of products and solutions with flexible benefits and competitive rates that will meet your business needs.<sup>17</sup>

For more information, visit [mercedes-benz.ca/en/financial-services](http://mercedes-benz.ca/en/financial-services)

Mercedes-Benz Financial Services





# We have your back.

VanCARE is a promise to our customers to deliver GenuineParts, superior service, and unparalleled commitment to getting you back to the work you love as quickly as possible. We know that for you, it isn't a van—it's a tool you need to make a living.

Learn more about all that VanCARE can offer you at [mbvans.ca/owners](http://mbvans.ca/owners)



## ROADSIDE ASSISTANCE<sup>18</sup>

All Mercedes-Benz Vans come standard with our 24-hour Roadside Assistance Program<sup>18</sup> and expert advice 24/7 through the Mercedes-Benz Customer Assistance Centre, providing you with peace of mind and help when you need it most.

## ServiceCARE — Service solutions built for you

Whether it's a maintenance service, unexpected warranty work, or wear and tear repair, our ServiceCARE products are customized solutions for you. You can now focus on your business with your vehicles always in top shape, minimizing your downtime and maximizing your financial cost control.



**Complete**  
*The all-inclusive service package*

☒ Service ☒ Repair ☒ Wear & Tear

If you require comprehensive additional protection for your van, look no further than our Complete product. This package covers all workshop work, including wear and tear repairs. The vehicle is ready for action when you need it, and you keep costs safely under control.



**Extended Limited Warranty (ELW)**  
*More warranty. More certainty.*

☐ Service ☒ Repair ☐ Wear & Tear

The Extended Limited Warranty product offers you greater coverage for mechanical, electrical, and electronic components. It protects you against unforeseen repair costs, and without any deductibles, you get the benefit of predictable and attractive conditions.



**Maintenance (PPM)**  
*Keeping your van in top shape*

☒ Service ☐ Repair ☐ Wear & Tear

Regular and accurate checking of the most important vehicle parts and functions ensures that your van continues to deliver outstanding performance and reliability. Maintenance prevents unnecessary repair costs and keeps downtime minimal.

## Mercedes-Benz **SERVICECARE**

### Term\*

3 years / 100,000 km

4 years / 130,000 km

5 years / 160,000 km

### Term\*

5 years / 160,000 km

6 years / 200,000 km

7 years / 250,000 km

### Term\*

2 services / 5 years

4 services / 5 years

6 services / 5 years

<sup>18</sup>For detailed warranty coverage information, please check the vehicle manufacture warranty booklet.



SPRINTER  
OVERVIEW

Applies to all  
Sprinter models

POWERTRAINS

	ENGINE	
	2.0L 4-Cylinder Turbo Gasoline	3.0L V6 Turbo Diesel
Configuration	DOHC	DOHC
Fuel injection	Direct	Direct
Induction system	Bosch Injection	Common-Rail-Direct-Injection
Cylinders	4	6
Cylinder heads	Aluminum	Aluminum
Block material	Aluminum	Aluminum
Bore/stroke	83.0mm/92.0mm	83.0mm/92.0mm
Compression ratio	9.8:1	18.0:1
Transmission	9G-TRONIC 9-Speed Automatic Transmission	7G-TRONIC Plus 7-Speed Automatic Transmission
Horsepower @ rpm	188 hp @ 5,000 rpm	188 hp @ 3,800 rpm
Torque lb-ft @ rpm	258 lb-ft @ 2,500–3,500 rpm	325 lb-ft @ 1,400–2,400 rpm
Recommended fuel	Regular 87 Octane	B5 Diesel
Fuel tank capacity	83.3 Liters	92.7 Liters

STANDARD FEATURES

MECHANICAL			
Gasoline engine only	Diesel engine only	Gasoline and Diesel engines	
• Engine: 2.0L 4-Cylinder Turbo Gasoline	• Engine: 3.0L V6 Turbo Diesel	• Body Builder Connector	• Pre-installation for Switch Panel (not available on 4x4)
• 9G-TRONIC 9-Speed Automatic Transmission	• 7G-TRONIC Plus 7-Speed Automatic Transmission	• Exhaust Straight to Rear	• Pre-wiring for Trailer Hitch
• AGM battery 12V/70Ah	• Alternator 14V/220 A	• Jump-Start Terminal	• Remote Key (315mhz) with Central Locking
• Generator 14V/250A	• 3rd Generation SCR Emission Control System	• Pre-installation PSM	• Starter Battery Disconnect
• SULEV Emissions	• ULEV/SULEV Emissions*		
• Service Interval: 25,000 km/1 Year <sup>12</sup>	• Fuel Filter with Water Separator		
	• Service Interval: 30,000 km/2 Years <sup>12</sup>		
SEATING	EXTERIOR	INTERIOR	
• Adjustable Driver Seat	• Dual-Circuit 4-Wheel Disc Brakes	• Adjustable Steering Wheel (Angle)	• Outside Temperature Gauge
• Adjustable Front Passenger Seat	• Front and Rear Mudflaps	• Air Conditioning, Front	• Pre-wiring Communication Module (LTE) for Dig. Services
• Armrest for Driver's Seat	• Rear Doors Opening to Side-Wall (Optional on 144" & 170" models)	• Cupholder, Front	• Shelf Above Windshield
• Armrest for Front Passenger Seat	• Red Diesel Filler Cap (Diesel only)	• Heater, Auxiliary Electric Hot Air	• Speedometer, km/h
• Fabric, Maturin Black	• Windshield with Filter Band	• Jack, Hydraulic	• Standard Radio
		• Keyless Start	• Storage Compartment Underneath Cockpit
			• USB-C Socket, 5V
			• Wood floor with 6 D-rings available on Crew models.
TIRES & WHEELS	SAFETY & SECURITY		
• All-Season Tires	• 4-Wheel Anti-Lock Braking System (ABS)	• Hill Start Assist	• Thorax-Pelvis Side Airbags, Driver/Passenger
• Unspecified Tire Brand	• Airbag, Driver/Passenger Front	• HOLD Function	• Window Side Airbags, Driver/Passenger
	• Crosswind Assist <sup>7</sup>	• Load-Adaptive Electronic Stability Program (ESP®) <sup>8</sup>	
	• Headlight Assistant	• Seat Belt Reminder, Driver/Passenger	

\* ULEV Emissions below 10,000 lbs.  
SULEV Emissions above 10,000 lbs.

SPRINTER MODEL OVERVIEW

	Body Length	Roof Heights	2500 Model	3500 Model	3500XD Model	4500 Model
CARGO VAN	STANDARD (144")	STANDARD ROOF				
		HIGH ROOF				
	LONG (170")	HIGH ROOF				
	EXTRA LONG (170" EXT)	HIGH ROOF				
CREW VAN	STANDARD (144")	HIGH ROOF				
	LONG (170")	HIGH ROOF				
PASSENGER VAN	STANDARD (144") 12-PASSENGER	HIGH ROOF				
	LONG (170") 15-PASSENGER	HIGH ROOF				
CAB CHASSIS	STANDARD (144")	STANDARD ROOF				
	LONG (170")	STANDARD ROOF				

Gas engine available

Diesel engine available

4x4 only available with diesel engine.



SPRINTER CARGO



ADDITIONAL STANDARD FEATURES (CARGO)	2500	3500	3500XD	4500		2500	3500	3500XD	4500		2500	3500	3500XD	4500
MECHANICAL														
• Aux. fuel sending unit with fuel tap**	X	X	X	X	• Cable duct – side-wall	X	X	X	X	• Stabilization Level I <sup>†</sup>	X			
• Axle ratio 3.923**	X				• Front axle reinforced				X	• Stabilization Level II <sup>†</sup>		X	X	X
• Axle ratio 4.182 (standard on 2500 gas models only)	X	X	X	X	• Omission bulkhead	X	X	X	X	• Tire pressure monitoring lamp	X			
• Cable duct – rear portal	X	X	X	X										

INTERIOR				
• Interior lights, cargo compartment	X	X	X	X

EXTERIOR					TIRES & WHEELS					TIRES & WHEELS (CONTINUED)				
• 3rd brake light	X	X	X	X	• 5.5 J x 16 steel wheels		X	X	X	• Tires LT 215/85 R16		X	X	X
• High roof***	X	X	X	X	• 6.5 J x 16 steel wheels	X				• Tires LT 245/75 R16	X			
• Rear doors, 180° opening	X	X	X		• Dual rear wheel tires		X	X	X	SAFETY & SECURITY				
• Rear mudflaps	X	X	X	X	• Spare wheel	X	X	X	X	• Longitudinal member reinforcement	X	X	X	X
• Sliding door, passenger side	X	X	X	X	• Spare wheel bracket below frame	X	X	X	X	• Rearview camera (rearview mirror display)	X	X	X	X

OPTIONAL FEATURES (CARGO)	2500	3500	3500XD	4500		2500	3500	3500XD	4500		2500	3500	3500XD	4500
MECHANICAL														
• 12V power outlet, rear compartment	X	X	X	X	• Axle ratio 4.182 (optional on 2500 diesel models only)	X				• Misfueling prevention for diesel**	X	X	X	X
• 115V socket	X	X	X	X	• Backup alarm	X	X	X	X	• Omission of D-Rings	X	X	X	X
• Additional bar for driveshaft & exhaust extension <sup>†††</sup>	X	X	X	X	• Cruise control	X	X	X	X	• Parametric Special Module (PSM)	X	X	X	X
• Additional battery for retrofit consumers, driver seat base	X	X	X	X	• Cutoff relay for additional battery	X	X	X	X	• Speed limitation, 65 mph	X	X	X	X
• Additional battery for retrofit consumers, engine compartment	X	X	X	X	• Deactivation lamp monitoring failure	X	X	X	X	• Stabilization Level II <sup>†</sup>	X			
• Additional DIN-slots	X	X	X	X	• Electric parking brake	X				• Suspension for comfort and load protection <sup>†</sup>	X			
• AGM battery 12V 95Ah 850A	X	X	X	X	• Engine oil level display at cold start**	X	X	X	X	• Top speed limitation, 75 mph	X	X	X	X
• Axle ratio 3.923**	X	X	X	X	• Front axle reinforced (standard on 4500 model) <sup>†</sup>	X	X	X		• Front engine bracket for additional alternator	X	X	X	X
					• Fuel gauge, optimized for aux. fuel tap** <sup>†</sup>	X	X	X	X	• Front engine bracket for auxiliary A/C compressor	X	X	X	X
					• Speed limitation, 65 mph				X					
					• Starter upgraded**	X	X	X	X					

SEATING														
• Artico Man-made Leather Black	X	X	X	X	• Heated driver seat	X	X	X	X	• Heated front passenger seat	X	X	X	X
• Fabric Caluma Black	X	X	X	X										

INTERIOR														
• 2nd row, fixed window, driver side	X	X	X	X	• Electrically heated windshield	X	X	X	X	• Optional 3-button keys	X	X	X	X
• 2nd row, fixed window, passenger side	X	X	X	X	• Fixed sunroof (rear roof section)	X	X	X	X	• Overhead storage slot, front center	X	X	X	X
• Acoustic Package	X	X	X		• Floor covering, plastic	X	X	X	X	• Pallet support in sliding door step	X	X	X	X
• Assist handle, B-pillar	X	X	X		• Fuel-fired heater booster (18,000 BTU)**	X	X	X	X	• Rear cabin heater & vents	X	X	X	X
• Assist handle, left rear door	X	X	X	X	• Fuel-fired pre-heater/booster (17,000 BTU)**	X	X	X	X	• Rear doors, opening to side-wall****	X	X	X	X
• Assist handle, right rear door	X	X	X	X	• Half height load compartment trim	X	X	X	X	• Rear heater prep	X	X	X	X
• Cab rear wall liner	X	X	X	X	• Heat insulation, front compartment	X	X	X	X	• Rear window defroster	X	X	X	X
• Cargo lashing rails, head height	X	X	X	X	• Heat insulation, rear compartment	X	X	X	X	• Roof fan, electric	X	X	X	X
• Cargo partition	X	X	X	X	• Hinged lid for storage compartment	X	X	X	X	• Shelving prep	X	X	X	X
• Cargo partition with one window	X	X	X	X	• Illuminated front exits	X	X	X	X	• Side-wall paneling full hardboard	X	X	X	X
• Cargo straps, D-rings <sup>15</sup>	X	X	X	X	• Instrument cluster with color display	X	X	X	X	• Side-wall paneling waist height PVC	X	X	X	X
• Cargo straps, lashing rails <sup>15</sup>	X	X	X	X	• Keys, two additional masters	X	X	X	X	• Sirius Satellite Radio	X	X	X	X
• Charging Package, dashboard	X	X	X	X	• Lashing rails, floor-level (plus four anchors)	X	X	X	X	• THERMOTRONIC automatic climate control	X	X	X	X
• Cigarette lighter & ash cup, front	X	X	X	X	• Lashing rails, waist-level	X	X	X	X	• Tray for smartphones incl. wireless charging	X	X	X	X
• Coat hooks in driver cabin	X	X	X	X	• Light/motion sensor in rear compartment	X	X	X	X	• Warm/cool air duct to rear compartment	X	X	X	X
• DEF fluid filler cap – lockable (Diesel models only)	X	X	X	X	• Luxury interior trim	X	X	X	X	• Wood floor with six D-rings <sup>15</sup>	X	X	X	X
• Door-mounted assist handle, driver & passenger <sup>††</sup>	X	X	X	X	• Lockable storage compartment above windshield	X	X	X	X					
• Door sill – protective edge**	X	X	X	X	• Multifunction steering wheel	X	X	X	X					

EXTERIOR					TIRES & WHEELS				
• Black tinting (90%) for rear windows	X	X	X	X	• Heated rear window(s) with washers/wipers	X	X	X	X
• Bumper step, rear, Grey	X	X	X	X	• High roof (standard 3500 & all 170" and 170" ext wb)	X			
• Bumper step, rear, spring-loaded	X	X	X	X	• Mounting rails for roof rack	X	X	X	X
• Bumpers front/rear primed	X	X	X	X	• Opening limiter, electrically operated sliding door	X	X	X	X
• Deletion of "model" badge, right rear door	X	X	X		• Painted metallic front & rear bumper	X	X	X	X
• Deletion of Sprinter badge, left rear door	X	X	X		• Primed side moldings	X	X	X	X
• Elec. closing assist left sliding door (soft close)	X	X	X	X	• Sliding door, driver side	X	X	X	X
• Elec. closing assist right sliding door (soft close)	X	X	X	X	• Sliding door, right-side deletion	X	X	X	X
• Electric sliding door right	X	X	X	X	• Sliding door, two-stage opening	X	X	X	X
• Electric sliding step	X	X	X	X	• Step, wide, at rear end	X	X	X	X
• Electrically folding exterior mirrors	X	X			• Trailer crossmember 7,500-lb. capacity <sup>†††</sup>		X	X	X
• Fixed window center left	X	X	X	X	• Trailer hitch, 5,000 lbs. (Available only for 170" EXT on 3500, 3500XD & 4500 models)	X	X	X	X
• Fixed window center right	X	X	X	X	• Windows in rear doors	X	X	X	X
• Half-sided step rear (for trailer hitch)	X	X	X	X					

SAFETY & SECURITY					OPTIONAL PACKAGES					OPTIONAL PACKAGES (CONTINUED)				
• Active Distance Assist DISTRONIC <sup>85</sup>	X	X	X	X	• Bench Seat Package	X	X	X	X	• Heavy-Duty-Cargo Protection Package	X	X	X	X
• Blind Spot Assist <sup>3</sup>	X	X	X	X	• Cargo Convenience Package	X	X	X	X	• Premium Package	X	X	X	X
• Emergency flashlight	X	X	X	X	• Cargo Protection Package	X	X	X	X	• Premium Plus Package	X	X	X	X
• First-aid kit	X	X	X	X	• Chrome Grille Package	X	X	X	X	• Super Single Tires Package		X	X	
• Fog lamp with cornering light function	X	X	X	X	• Comfort Package	X	X	X	X	• Swivel Seat Package	X	X	X	X
• Parking Package	X	X	X	X	• Comfort Plus Package	X	X	X	X	• Full Window Package	X	X	X	X
• Parking Package with 360° camera	X	X			• Driver Convenience Package	X	X	X	X					
• Security alarm with interior motion sensor	X	X	X	X	• Exterior Lighting Package	X	X	X	X					
• FMVSS 217 emergency exit <sup>‡</sup>	X	X	X	X										

\* Delayed availability on 3500, 3500XD, 4500 models.  
\*\* Not available with gasoline engine.  
<sup>†</sup> Not standard on 4x4 models.

\*\*\* Standard on all 2500, 3500, 3500xd, 4500 cargo models with a 170" wheelbase.  
\*\*\*\* Standard on all models with 170" extended wheelbase, optional for 144" and 170" wheelbase.  
<sup>††</sup> Standard on 4x4.

<sup>†††</sup> Only available with the Full Window Package  
<sup>††††</sup> Not Available on all models at 170" extended wheelbase.  
<sup>†††††</sup> Available on 2500 gas model.

SPRINTER CREW



ADDITIONAL STANDARD FEATURES (CREW)	2500	3500	3500XD	4500		2500	3500	3500XD	4500		2500	3500	3500XD	4500
MECHANICAL														
• Aux. fuel sending unit with fuel tap**	X	X	X	X	• Omission bulkhead	X	X	X	X	• Stabilization Level II <sup>†</sup>		X	X	X
• Axle ratio 3.923**	X				• Stabilization Level I <sup>†</sup>				X	• Tire pressure monitoring lamp	X			
• Axle ratio 4.182 (standard on 2500 gas models only) <sup>†</sup>	X	X	X	X	• Front axle reinforced				X					

SEATING														
• Aisle-side armrest	X	X	X	X	• Three-seater bench in passenger compartment, first row (narrow); includes ISOFIX	X	X	X	X	• Wall-side armrest	X	X	X	X

INTERIOR														
• Assist handle, B-pillar	X	X	X	X	• Rear window defroster	X	X	X	X	• Wheel house covering	X	X	X	X
• Black tinting (90%) for rear windows	X	X	X	X	• Roof trim	X	X	X	X	• Wood floor with 6-D Rings	X	X	X	X
• Cupholders, front	X	X	X	X	• Storage compartment with net in rear doors	X	X	X	X	• Windows in rear doors	X	X	X	X
• Half height load compartment trim	X	X	X	X	• Warm/cool air duct to rear compartment	X	X	X	X					
• Interior lights, cargo compartment	X	X	X	X										

EXTERIOR					TIRES & WHEELS				
• 2nd row, fixed window, driver side	X	X	X	X	• 5.5 J x 16 steel wheels		X	X	X
• 2nd row, fixed window, passenger side	X	X	X	X	• 6.5 J x 16 steel wheels	X			
• 3rd brake light	X	X	X	X	• Dual rear wheel tires		X	X	X
• Full paneling, hinged rear doors	X	X	X	X	• Spare wheel	X	X	X	X
• High roof	X	X	X	X	• Spare wheel bracket below frame	X	X	X	X
• Laminated glass rear	X	X	X	X	• Tires LT 215/85 R16		X	X	X
• Rear doors, 180° opening	X	X	X	X	• Tires LT 245/75 R16	X			
• Rear mudflaps	X	X	X	X	• Single tires	X			
• Sliding door, passenger side	X	X	X	X					

SAFETY & SECURITY									
• Longitudinal member reinforcement	X	X	X	X	• Rearview camera (rearview mirror display)	X	X	X	X

OPTIONAL FEATURES (CREW)	2500	3500	3500XD	4500		2500	3500	3500XD	4500		2500	3500	3500XD	4500
MECHANICAL														
• Additional bar for driveshaft & exhaust extension	X	X	X	X	• Cruise control	X	X	X	X	• Stabilization Level II <sup>†</sup>	X			
• Additional battery for retrofit consumers, co-driver seat base	X	X	X	X	• Cutoff relay for additional battery	X	X	X	X	• Suspension for comfort & load protection <sup>†</sup>	X			
• Additional battery for retrofit consumers, engine compartment	X	X	X	X	• Deactivation lamp monitoring failure	X	X	X	X	• Top speed limitation, 75 mph	X	X	X	X
• Additional battery for retrofit consumers, engine compartment	X	X	X	X	• Electric parking brake	X				• Front engine bracket for additional alternator	X	X	X	X
• Additional battery for retrofit consumers, engine compartment	X	X	X	X	• Engine oil level display at cold start**	X	X	X	X	• Front engine bracket for auxiliary A/C compressor	X	X	X	X
• Additional battery for retrofit consumers, engine compartment	X	X	X	X	• Front axle reinforced (standard on 4500 model) <sup>†††</sup>	X	X	X	X	• Starter upgraded**	X	X	X	X
• Additional battery for retrofit consumers, engine compartment	X	X	X	X	• Parametric Special Module (PSM)	X	X	X	X					
• Additional battery for retrofit consumers, engine compartment	X	X	X	X	• Rear spring vibration absorbers	X								
• Additional battery for retrofit consumers, engine compartment	X	X	X	X	• Speed limitation, 65 mph	X	X	X	X					

SEATING														
• Artico Man-made Leather Black	X	X	X	X	• Heated driver seat	X	X	X	X	• Heated front passenger seat	X	X	X	X
• Fabric Caluma Black	X	X	X	X										

INTERIOR														
• 12V power outlet, rear compartment	X	X	X	X	• Heat insulation, front compartment	X	X	X	X	• Painted metallic front & rear bumper	X	X	X	X
• 115V socket	X	X	X	X	• Heat insulation, rear compartment	X	X	X	X	• Rear cabin heater & vents	X	X	X	X
• Acoustic Package	X	X	X	X	• Hinged lid for storage compartment	X	X	X	X	• Rear heater prep	X	X	X	X
• Assist handle, left rear door	X	X	X	X	• Illuminated front exits	X	X	X	X	• Roof fan, electric	X	X	X	X
• Assist handle, right rear door	X	X	X	X	• Instrument cluster with color display	X	X	X	X	• Side-wall paneling waist height PVC	X	X	X	X
• Cargo straps, D-rings <sup>15</sup>	X	X	X	X	• Keys, two additional masters	X	X	X	X	• THERMOTRONIC automatic climate control	X	X	X	X
• Charging Package, dashboard	X	X	X	X	• Leather steering wheel	X	X	X	X	• Tray for smartphones incl. wireless charging	X	X	X	X
• Cigarette lighter & ash cup, front	X	X	X	X	• Loadable wheel arch	X				• Plastic floor with six D-rings <sup>15</sup> plastic floor	X	X	X	X
• Door-mounted assist handle, driver & passenger	X	X	X	X	• Multifunction steering wheel	X	X	X	X	• Cargo partition on C-pillar	X			
• Fuel-fired heater booster (18,000 BTU)**	X	X	X	X	• Navigation	X	X	X	X	• Lockable storage compartment above windshield	X	X	X	X
• Fuel-fired pre-heater/booster (17,000 BTU)**	X	X	X	X	• Optional 3-button keys	X	X	X	X	• Side wall paneling full hardboard	X			
• Half-sided step rear (for trailer hitch)	X	X	X	X	• Overhead storage slot, front center	X	X	X	X	• Sirius Satellite Radio	X	X	X	X

EXTERIOR					TIRES & WHEELS									
• Bumper step, rear, Grey	X	X	X	X	• Heated & electrically adjustable exterior mirrors	X	X	X	X	• Light-alloy wheels 6.5 J x 16	X			
• Bumper step, rear, spring-loaded	X	X	X	X	• Heated rear window(s) with washers/wipers	X	X	X	X	• M+S winter tires	X	X	X	X
• Bumpers front/rear primed	X	X	X	X	• Mounting rails for roof rack	X	X	X	X	• Rims painted Arctic White	X	X	X	X
• DEF fluid filler cap – lockable	X	X	X	X	• Opening limiter, electrically operated sliding door	X	X	X	X	• Rims painted Jet Black	X	X	X	X
• Deletion of "model" badge, right rear door	X	X	X	X	• Painted metallic front & rear bumper	X	X	X	X	• Spare tire carrier deletion	X	X	X	X
• Deletion of Sprinter badge, left rear door	X	X	X	X	• Primed side moldings	X	X	X	X	• Spare wheel deletion	X	X	X	X
• Elec. closing assist right sliding door (soft close)	X	X	X	X	• Rear doors, opening to side-wall	X	X	X	X	• Tire Brand Continental	X	X	X	X
• Electric sliding door right	X	X	X	X	• Sliding door two-stage opening	X	X	X	X	• Tire Brand Michelin	X			
• Electric sliding step	X	X	X	X	• Step, wide, at rear end¹	X	X	X	X	• Tire Brand Kumho	X	X	X	X
• Electrically folding exterior mirrors	X	X			• Trailer crossmember 7,500-lb. capacity	X	X	X	X	• Wheel chocks	X	X	X	X
• Electrically heated windshield	X	X	X	X	• Trailer hitch, 5,000 lbs.	X								



SPRINTER CARGO



TECHNICAL SPECIFICATIONS: 2500 & 3500

	2500								3500					
Tires	Single								Dual Rear Wheel					
Wheelbase	144"				170"				144"		170"		170" EXT	
Engine	Diesel	Diesel	Diesel	Diesel	Gas/Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x2	4x2	4x2
Roof height	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof
Passenger capacity	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3
Rows of seats	One	One	One	One	One	One	One	One	One	One	One	One	One	One

EXTERIOR														
Length	593.2 cm (233.5")	593.2 cm (233.5")	593.2 cm (233.5")	593.2 cm (233.5")	696.7 cm (274.3")	696.7 cm (274.3")	736.7 cm (290.0")	736.7 cm (290.0")	593.2 cm (233.5")	696.7 cm (274.3")	736.7 cm (290.0")	696.7 cm (274.3")	736.7 cm (290.0")	736.7 cm (290.0")
Height	244.6 cm (96.3")	254.3 cm (100.1")	273.0 cm (107.5")	282.6 cm (111.3")	272.5 cm (107.3")	281.7 cm (110.9")	271.8 cm (107.0")	280.7 cm (110.5")	277.1 cm (109.1")	276.1 cm (108.7")	275.3 cm (108.4")	277.0 cm (109.1")	276.2 cm (108.7")	276.2 cm (108.7")
Width – excluding mirrors	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")
Width – including mirrors	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")
Tire track front	170.6 cm (67.2")	172.1 cm (67.8")	170.6 cm (67.2")	172.1 cm (67.8")	170.6 cm (67.2")	172.1 cm (67.8")	170.6 cm (67.2")	172.1 cm (67.8")	168.9 cm (66.5")	168.9 cm (66.5")	168.9 cm (66.5")	170.6 cm (67.2")	170.6 cm (67.2")	170.6 cm (67.2")
Tire track rear	173.2 cm (68.2")	173.2 cm (68.2")	173.2 cm (68.2")	173.2 cm (68.2")	173.2 cm (68.2")	173.2 cm (68.2")	173.2 cm (68.2")	173.2 cm (68.2")	154.2 cm (60.7")	154.2 cm (60.7")	154.2 cm (60.7")	165.6 cm (65.2")	165.6 cm (65.2")	165.6 cm (65.2")
Front overhang BA	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")
Rear overhang (rear axle to end of frame)	124.6 cm (49.1")	124.6 cm (49.1")	124.6 cm (49.1")	124.6 cm (49.1")	162.1 cm (63.8")	162.1 cm (63.8")	202.1 cm (79.6")	202.1 cm (79.6")	124.6 cm (49.1")	162.1 cm (63.8")	202.1 cm (79.6")	162.1 cm (63.8")	202.1 cm (79.6")	202.1 cm (79.6")
Load height, unloaded (ground to cargo floor)	70.3 cm (27.7")	79.9 cm (31.5")	70.1 cm G (27.6")	79.7 cm (31.4")	69.8 cm G (27.5")	78.9 cm (31.1")	69.1 cm (27.2")	77.8 cm (30.6")	72.4 cm (28.5")	71.4 cm (28.1")	70.3 cm (27.7")	74.1 cm (29.2")	73.4 cm (28.9")	73.4 cm (28.9")
Load height, loaded (ground to cargo floor)	59.4 cm G (23.4")	68.0 cm (26.8")	59.4 cm G (23.4")	68.0 cm (26.8")	59.4 cm (23.4")	68.1 cm (26.8")	59.6 cm (23.5")	68.1 cm (26.8")	59.0 cm (23.2")	59.0 cm (23.2")	59.1 cm (23.3")	64.1 cm (25.2")	64.6 cm (25.4")	64.6 cm (25.4")
Side-door opening height	151.9 cm (59.8")	151.9 cm (59.8")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")
Side-door opening width – sliding	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")	126 cm (49.6")	126 cm (49.6")	126 cm (49.6")	126 cm (49.6")	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")
Rear cargo door opening height	155.0 cm (61.0")	155.0 cm (61.0")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")
Rear cargo door opening width	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")
Turning radius (curb-to-curb)	12.4 m (40.7")	13.2 m (43.3")	12.4 m (40.7")	13.2 m (43.3")	14.4 m (47.2")	15.3 m (50.2")	14.4 m (47.2")	15.3 m (50.2")	13.8 m (45.3")	16.0 m (52.5")	16.0 m (52.5")	16.0 m (52.5")	16.0 m (52.5")	16.0 m (52.5")
Ground to first step-side	53.0 cm (20.9")	62.9 cm (24.8")	52.9 cm (20.8")	62.7 cm (24.7")	51.7 cm (20.4")	61.5 cm (24.2")	51.7 cm (20.4")	61.3 cm (24.1")	54.8 cm (21.6")	53.2 cm (20.9")	52.9 cm (20.8")	52.5 cm (20.7")	52.2 cm (20.6")	52.2 cm (20.6")

INTERIOR														
Headroom (1st row)	120.1 cm (47.3")	120.1 cm (47.3")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")
Shoulder room (1st row)	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")
Hip room (1st row)	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")
Legroom (1st row)	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")
Cargo length, front (at floor)	337.5 cm (132.9")	337.5 cm (132.9")	337.5 cm (132.9")	337.5 cm (132.9")	441 cm (173.6")	441 cm (173.6")	481 cm (189.4")	481 cm (189.4")	337.5 cm (132.9")	441 cm (173.6")	481 cm (189.4")	441 cm (173.6")	481 cm (189.4")	481 cm (189.4")
Cargo length, front (at belt)	327.2 cm (128.8")	327.2 cm (128.8")	327.2 cm (128.8")	327.2 cm (128.8")	430.7 cm (169.6")	430.7 cm (169.6")	470.7 cm (185.3")	470.7 cm (185.3")	327.5 cm (128.9")	430.7 cm (169.6")	470.7 cm (185.3")	430.7 cm (169.6")	470.7 cm (185.3")	470.7 cm (185.3")
Cargo width between wheelhouses	135.0 cm (53.1")	135.0 cm (53.1")	135.0 cm (53.1")	135.0 cm (53.1")	135.0 cm (53.1")	135.0 cm (53.1")	135.0 cm (53.1")	135.0 cm (53.1")	97.8 cm (38.5")	97.8 cm (38.5")	97.8 cm (38.5")	122.9 cm (48.4")	122.9 cm (48.4")	122.9 cm (48.4")
Cargo height, maximum (without trim)	171.9 cm (67.7")	171.9 cm (67.7")	171.9 cm (67.7")	171.9 cm (67.7")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")
Maximum floor width	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")
Interior standing height	171.9 cm (67.7")	171.9 cm (67.7")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")	200.9 cm (79.1")

CARGO CAPACITY														
Cargo volume (behind last row of seats)	9.0 cu. m. (319.0 cu. ft.)	9.0 cu. m. (319.0 cu. ft.)	10.6 cu. m. (374.3 cu. ft.)	10.6 cu. m. (374.3 cu. ft.)	13.8 cu. m. (488.1 cu. ft.)	13.8 cu. m. (488.1 cu. ft.)	15.1 cu. m. (532.6 cu. ft.)	15.1 cu. m. (532.6 cu. ft.)	9.3 cu. m. (328.5 cu. ft.)	12.2 cu. m. (430.1 cu. ft.)	13.3 cu. m. (469.4 cu. ft.)	13.3 cu. m. (469.2 cu. ft.)	14.5 cu. m. (512.1 cu. ft.)	14.5 cu. m. (512.1 cu. ft.)
Maximum roof load	300 kg (660 lbs.)	300 kg (660 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)
Maximum available GCWR	6,319 kg (13,930 lbs.)	6,319 kg (13,930 lbs.)	6,319 kg (13,930 lbs.)	6,319 kg (13,930 lbs.)	6,319 kg (13,930 lbs.)	6,319 kg (13,930 lbs.)	6,319 kg (13,930 lbs.)	6,319 kg (13,930 lbs.)	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)

MAXIMUM CAPABILITIES														
Maximum payload	1,890 kg G (4,167 lbs. G)	1,735 kg (3,825 lbs.)	2,005 kg G (4,420 lbs. G)	1,690 kg (3,726 lbs.)	1,820 kg G (4,012 lbs. G)	1,550 kg (3,417 lbs.)	1,655 kg (3,649 lbs.)	1,505 kg (3,318 lbs.)	2,035 kg (4,488 lbs.)	1,875 kg (4,135 lbs.)	1,840 kg (4,058 lbs.)	1,875 kg (4,135 lbs.)	1,840 kg (4,058 lbs.)	1,840 kg (4,058 lbs.)
Maximum towing <sup>16</sup>	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)	3,402 kg (7,500 lbs.)	3,402 kg (7,500 lbs.)	3,402 kg (7,500 lbs.)	3,402 kg (7,500 lbs.)	3,402 kg (7,500 lbs.)	3,402 kg (7,500 lbs.)
GVWR	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,490 kg (9,900 lbs.)	4,490 kg (9,900 lbs.)	4,490 kg (9,900 lbs.)	4,490 kg (9,900 lbs.)	4,490 kg (9,900 lbs.)	4,490 kg (9,900 lbs.)
TWR (maximum loaded trailer weight ratings)	227 kg (500 lbs.)	227 kg (500 lbs.)	227 kg (500 lbs.)	227 kg (500 lbs.)	227 kg (500 lbs.)	227 kg (500 lbs.)	227 kg (500 lbs.)	227 kg (500 lbs.)	340 kg (750 lbs.)	340 kg (750 lbs.)	340 kg (750 lbs.)	340 kg (750 lbs.)	340 kg (750 lbs.)	340 kg (750 lbs.)

SPRINTER CARGO



TECHNICAL SPECIFICATIONS: 3500XD CARGO & 4500

	3500XD										4500				
Tires	Dual Rear Wheel								Super Single		Dual Rear Wheel				
Wheelbase	144"				170"		170" EXT		170"	170" EXT	144"		170"	170" EXT	
Engine	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x2	
Roof height	Standard Roof	Standard Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	Standard Roof	High Roof	High Roof	High Roof	
Passenger capacity	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	2-3	
Rows of seats	One	One	One	One	One	One	One	One	One	One	One	One	One	One	



SPRINTER CREW



TECHNICAL SPECIFICATIONS: 2500 & 3500

	2500				3500		
Tires	Single				Dual Rear Wheel		Super Single
Wheelbase	144"		170"		144"	170"	170"
Engines	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x2	4x2
Roof height	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof
Passenger capacity	5	5	5	5	5	5	5
Rows of seats	Two	Two	Two	Two	Two	Two	Two

EXTERIOR							
Length	593.2 cm (233.5")	593.2 cm (233.5")	696.7 cm (274.3")	696.7 cm (274.3")	593.2 cm (233.5")	696.7 cm (274.3")	696.7 cm (274.3")
Height	273.0 cm (107.5")	282.6 cm (111.3")	272.5 cm (107.3")	282.6 cm (111.3")	277.1 cm (109.1")	276.1 cm (108.7")	277.0 cm (109.1")
Width – excluding mirrors	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")
Width – including mirrors	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")
Tire track front	170.6 cm (67.2")	172.1 cm (67.8")	170.6 cm (67.2")	172.1 cm (67.8")	168.9 cm (66.5")	168.9 cm (66.5")	170.6 cm (67.2")
Tire track rear	173.2 cm (68.2")	173.2 cm (68.2")	173.2 cm (68.2")	173.2 cm (68.2")	154.2 cm (60.7")	154.2 cm (60.7")	165.6 cm (65.2")
Front overhang BA	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")
Rear overhang (rear axle to end of frame)	124.6 cm (49.1")	124.6 cm (49.1")	162.1 cm (63.8")	162.1 cm (63.8")	124.6 cm (49.1")	162.1 cm (63.8")	162.1 cm (63.8")
Load height, unloaded (ground to cargo floor)	69.7 cm G (27.4" G)	79.7 cm (31.4")	69.3 cm G (27.3" G)	78.9 cm (31.1")	72.4 cm (28.5")	71.4 cm (28.1")	71.4 cm (28.1")
	70.2 cm D (27.6" D)		69.7 cm D (27.4" D)				
Load height, loaded (ground to cargo floor)	59.3 cm (23.3")	68.0 cm (26.8")	59.4 cm (23.4")	68.1 cm (26.8")	59.0 cm (23.2")	59.0 cm (23.2")	59.0 cm (23.2")
Side-door opening height	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")
Side-door opening width – sliding	129.6 cm (51")	129.6 cm (51")	129.6 cm (51")	129.6 cm (51")	129.6 cm (51")	129.6 cm (51")	129.6 cm (51")
Rear cargo door opening height	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")
Rear cargo door opening width	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")
Turning radius (curb-to- curb)	12.4 m (40.7")	13.2 m (43.3")	14.4 m (47.2")	15.3 m (50.2")	13.8 m (45.3")	16.0 m (52.5")	16.0 m (52.5")
Ground to first step-side	52.9 cm (20.8")	62.7 cm (24.7")	51.7 cm (20.4")	61.5 cm (24.2")	54.8 cm (21.6")	53.2 cm (20.9")	53.2 cm (20.9")

INTERIOR							
Headroom (1st row)	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")
Shoulder room (1st row)	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")
Hip room (1st row)	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")
Legroom (1st row)	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")
Cargo length, front (at floor)	262.9 cm (103.5")	262.9 cm (103.5")	366.4 cm (144.3")	366.4 cm (144.3")	262.9 cm (103.5")	366.4 cm (144.3")	366.4 cm (144.3")
Cargo length, front (at belt)	236.6 cm (93.1")	236.6 cm (93.1")	340.1 cm (133.9")	340.1 cm (133.9")	236.6 cm (93.1")	340.1 cm (133.9")	340.1 cm (133.9")
Cargo width between wheelhouses	135.0 cm (53.1")	135.0 cm (53.1")	135.0 cm (53.1")	135.0 cm (53.1")	97.8 cm (38.5")	97.8 cm (38.5")	122.9 cm (48.4")
Cargo height, maximum (with trim)	191.8 cm (75.5")	191.8 cm (75.5")	191.8 cm (75.5")	191.8 cm (75.5")	191.8 cm (75.5")	191.8 cm (75.5")	191.8 cm (75.5")
Maximum floor width	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")
Interior standing height	194.9 cm (76.7")	194.9 cm (76.7")	194.9 cm (76.7")	194.9 cm (76.7")	194.9 cm (76.7")	194.9 cm (76.7")	194.9 cm (76.7")

CARGO CAPACITY							
Cargo volume (behind last row of seats)	7.4 cu. m. (261.3 cu. ft.)	7.4 cu. m. (261.3 cu. ft.)	10.5 cu. m. (370.8 cu. ft.)	10.5 cu. m. (370.8 cu. ft.)	7.4 cu. m. (261.3 cu. ft.)	10.5 cu. m. (370.8 cu. ft.)	10.5 cu. m. (370.8 cu. ft.)
Maximum roof load	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)
Maximum available GCWR	6,319 kg (13,930 lb)	6,319 kg (13,930 lb)	6,319 kg (13,930 lb)	6,319 kg (13,930 lb)	6,917 kg (15,250 lb)	6,917 kg (15,250 lb)	6,917 kg (15,250 lb)

MAXIMUM CAPABILITIES							
Maximum payload	1,675 kg (3,693 lbs)	1,520 kg (3,351 lbs.)	1,510 kg (3,329 lbs)	1,360 kg (2,998 lbs.)	1,860 kg (4,102 lbs.)	1,685 kg (3,716 lbs.)	1,685 kg (3,716 lbs.)
Maximum towing <sup>16</sup>	2,268 kg (5,000 lbs)	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)	3,402 kg (7,500 lbs.)	3,402 kg (7,500 lbs.)	3,402 kg (7,500 lbs.)
GVWR	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,490 kg (9,900 lbs.)	4,490 kg (9,900 lbs.)	4,490 kg (9,900 lbs.)

SPRINTER CREW



TECHNICAL SPECIFICATIONS: 3500XD & 4500

	3500XD				4500		
Tires	Dual Rear Wheel				Super Single	Dual Rear Wheel	
Wheelbase	144"		170"		170"	144"	170"
Engines	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x4	4x2	4x4	4x2	4x2	4x2
Roof height	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof	High Roof
Passenger capacity	5	5	5	5	5	5	5
Rows of seats	Two	Two	Two	Two	Two	Two	Two

EXTERIOR							
Length	593.2 cm (233.5")	593.2 cm (233.5")	696.7 cm (274.3")	696.7 cm (274.3")	696.7 cm (274.3")	593.2 cm (233.5")	696.7 cm (274.3")
Height	277.0 cm (109.1")	282.5 cm (111.2")	276.1 cm (108.7")	281.8 cm (110.9")	277.0 cm (109.1")	276.7 cm (108.9")	275.7 cm (108.5")
Width – excluding mirrors	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")
Width – including mirrors	242.6 cm (95.5")	242.6 cm (95.5")	242.6 cm (95.5")	242.6 cm (95.5")	242.6 cm (95.5")	242.6 cm (95.5")	242.6 cm (95.5")
Tire track front	168.9 cm (66.5")	169.6 cm (66.8")	168.9 cm (66.5")	169.6 cm (66.8")	170.6 cm (67.2")	167.7 cm (66.0")	167.7 cm (66.0")
Tire track rear	154.2 cm (60.7")	154.2 cm (60.7")	154.2 cm (60.7")	154.2 cm (60.7")	165.6 cm (65.2")	154.2 cm (60.7")	154.2 cm (60.7")
Front overhang BA	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")
Rear overhang (rear axle to end of frame)	124.6 cm (49.1")	124.6 cm (49.1")	162.1 cm (63.8")	162.1 cm (63.8")	162.1 cm (63.8")	124.6 cm (49.1")	162.1 cm (63.8")
Load height, unloaded (ground to cargo floor)	74.1 cm (29.2")	77.7 cm (30.6")	73.3 cm (28.9")	76.9 cm (30.2")	73.3 cm (28.9")	73.7 cm (29.0")	72.9 cm (28.7")
	62.3 cm (24.5")	63.2 cm (24.9")	62.5 cm (24.6")	63.1 cm (24.8")	62.5 cm (24.6")	62.2 cm (24.5")	62.4 cm (24.6")
Side-door opening height	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")
Side-door opening width – sliding	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")	129.6 cm (51.0")
Rear cargo door opening height	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")
Rear cargo door opening width	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")
Turning radius (curb-to- curb)	13.8 m (45.3")	13.2 m (43.3")	16.0 m (52.5")	15.3 m (50.2")	16.0 m (52.5")	13.8 m (45.3")	16.0 m (52.5")
Ground to first step – side	54.8 cm (21.6")	53.2 cm (20.9")	54.8 cm (21.6")	52.9 cm (20.8")	52.9 cm (20.8")	52.9 cm (20.8")	52.9 cm (20.8")

INTERIOR							
Headroom (1st row)	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")
Shoulder room (1st row)	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")
Hip room (1st row)	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")
Legroom (1st row)	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")
Cargo length, front (at floor)	262.9 cm (103.5")	262.9 cm (103.5")	366.4 cm (144.3")	366.4 cm (144.3")	366.4 cm (144.3")	262.9 cm (103.5")	262.9 cm (103.5")
Cargo length, front (at belt)	236.6 cm (93.1")	236.6 cm (93.1")	340.1 cm (133.9")	340.1 cm (133.9")	340.1 cm (133.9")	236.6 cm (93.1")	340.1 cm (133.9")
Cargo width between wheelhouses	97.8 cm (38.5")	97.8 cm (38.5")	97.8 cm (38.5")	97.8 cm (38.5")	122.9 cm (48.4")	97.8 cm (38.5")	97.8 cm (38.5")
Cargo height, maximum (with trim)	191.8 cm (75.5")	191.8 cm (75.5")	191.8 cm (75.5")	191.8 cm (75.5")	191.8 cmv (75.5")	191.8 cm (75.5")	191.8 cm (75.5")
Maximum floor width	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")	178.7 cm (70.4")
Interior standing height	194.9 cm (76.7")	194.9 cm (76.7")	194.9 cm (76.7")	194.9 cm (76.7")	194.9 cm (76.7")	194.9 cm (76.7")	194.9 cm (76.7")

CARGO CAPACITY							
Cargo volume (behind last row of seats)	7.4 cu. m. (261.3 cu. ft.)	7.4 cu. m. (261.3 cu. ft.)	10.5 cu. m. (370.8 cu. ft.)	10.5 cu. m. (370.8 cu. ft.)	10.5 cu. m. (370.8 cu. ft.)	7.4 cu. m. (261.3 cu. ft.)	10.5 cu. m. (370.8 cu. ft.)
Maximum roof load	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)	150 kg (330 lbs.)
Maximum available GCWR	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)	6,917 kg (15,250 lbs.)

MAXIMUM CAPABILITIES							
Maximum payload	2,378 kg (5,243 lbs.)	2,243 kg (4,945 lbs.)	2,203 kg (4,857 lbs)	2,068 kg (4,559 lbs)	2,203 kg (4,857 lbs)	2,860 kg (6,305 lbs)	2,685 kg (5,919 lbs)
Maximum towing <sup>16</sup>	3,402 kg (7,500 lbs)	3,402 kg (7,500 lbs)	3,402 kg (7,500 lbs)	3,402 kg (7,500 lbs)	3,402 kg (7,500 lbs)	3,402 kg (7,500 lbs)	3,402 kg (7,500 lbs)
GVWR	5,003 kg (11,030 lbs.)	5,003 kg (11,030 lbs.)	5,003 kg (11,030 lbs.)	5,003 kg (11,030 lbs.)	5,003 kg (11,030 lbs.)	5,500 kg (12,125 lbs.)	5,500 kg (12,125 lbs.)



SPRINTER PASSENGER



ADDITIONAL STANDARD FEATURES (PASSENGER 2500)		
MECHANICAL		
• Additional bar for driveshaft & exhaust extension	• Front axle reinforced (standard on 2500 170" WB models only) <sup>1/1"</sup>	• Suspension for comfort & load protection
• Axle ratio 3.923	• Rear spring vibration absorbers	• Tire pressure monitoring lamp
• Axle ratio 4.182	• Stabilization Level I <sup>1</sup>	
SEATING		
• Aisle-side armrest	• Storage net, passenger seat backrest	• Wall-side armrest
• Four-seater bench in passenger compartment, third row**	• Three-seater bench in passenger compartment, first row (narrow); includes ISOFIX	• Window pillar trim
• Four-seater bench in passenger compartment, fourth row***	• Three-seater bench in passenger compartment, second row (narrow); includes ISOFIX	• Storage net, driver seat backrest
• Luxury interior trim with USB-sockets	• Three-seater bench in passenger compartment, third row (narrow); includes ISOFIX***	
INTERIOR		
• 12V power outlet, rear compartment	• Front-to-rear outlet in instrument panel	• Rear window defroster
• Air conditioning rear, roof-mounted	• Fuel-fired heater booster (18,000 BTU)	• Sliding door, passenger side
• Assist handle, B-pillar	• Heat insulation, front compartment	• Storage compartment with net in rear doors
• Audio systems speakers, 5 front, 8 rear	• Heat insulation, rear compartment	• Warm/cool air duct to rear compartment
• Coat hooks in passenger compartment	• Hinged lid for storage compartment	• Weight optimized plastic floor
• Cupholders, Front	• Illuminated front exits	• Window pillar trim
• FMVSS 217 emergency exit	• Rear cabin heater & vents	
EXTERIOR		TIRES & WHEELS
• 2nd row, fixed window, passenger side	• High roof	• 6.5 J x 16 steel wheels
• 3rd brake light	• Laminated glass rear	• Spare wheel
• Black tinting (90%) for rear windows	• Rear Doors 180° opening	• Spare wheel bracket below frame
• Fixed window, center left***	• Rear mudflaps	• Tires LT 245/75 R16
• Fixed window, center right***	• Roof trim	• Wheel house covering
• Fixed window, rear left	• Tow hook rear	
• Fixed window, rear right	• Windows in rear doors	
SAFETY & SECURITY		
• Longitudinal member reinforcement	• Rearview camera (rearview mirror display)	
OPTIONAL FEATURES (PASSENGER 2500)		
MECHANICAL		
• Additional battery for retrofit consumers, co-driver seat base	• Cutoff relay for additional battery	• Fuel gauge, optimized for aux. fuel tap
• Additional DIN-slots	• Deactivation lamp monitoring failure	• Misfueling prevention for diesel
• Axle ratio 4.182	• Electric parking brake	• Parametric Special Module (PSM)
• Cruise control	• Engine oil level display at cold start	• Speed limitation, 65 mph
• Front engine bracket for additional alternator	• Front engine bracket for auxiliary A/C compressor	• Top speed limitation, 75 mph
SEATING		
• Artico Man-made Leather Black	• Heated driver seat	
• Fabric Caluma Black	• Heated front passenger seat	
INTERIOR		
• 115V socket	• Electrically heated windshield	• Rear doors, opening to side-wall
• Acoustic Package	• Fuel-fired pre-heater/booster (17,000 BTU)	• Rear heater prep
• Assist handle, left rear door	• Instrument cluster with color display	• THERMOTRONIC automatic climate control
• Assist handle, right rear door	• Keys, two additional masters	• Tray for smartphones incl. wireless charging
• Charging Package, dashboard	• Leather steering wheel	• Navigation
• Cigarette lighter & ash cup, front	• Multifunction steering wheel	• Sirius Satellite Radio
• Door-mounted assist handle, driver & passenger (standard on 4x4)	• Optional 3-button keys	• Lockable storage compartment above windshield
• Electrically folding exterior mirrors	• Overhead storage slot, front center	
EXTERIOR		TIRES & WHEELS
• Bumpers front/rear primed	• Mounting rails for roof rack	• Light-alloy wheels 6.5 J x 16
• Bumper step, rear, Grey	• Opening limiter, electrically operated sliding door	• M+S winter tires
• DEF fluid filler cap - lockable	• Painted metallic front & rear bumper	• Rims painted Arctic White
• Deletion of "model" badge, right rear door	• Primed side moldings	• Rims painted Jet Black
• Deletion of Sprinter badge, left rear door	• Sliding door two-stage opening	• Spare tire carrier deletion
• Elec. closing assist right sliding door (soft close)	• Trailer hitch, 5,000 lbs.**	• Spare wheel deletion
• Half-sided step rear (for trailer hitch)**		• Tire Brand Continental
• Heated & electrically adjustable exterior mirrors		• Tire Brand Kumho
• Heated rear window(s) with washers/wipers		• Tire Brand Michelin
SAFETY & SECURITY		
• Backup alarm	• Emergency flashlight	• Parking Package
• Blind Spot Assist	• First-aid kit	• Parking Package with 360° camera
• Active Distance Assist DISTRONIC®	• Fog lamp with cornering light function	• Security alarm with interior motion sensor*
OPTIONAL PACKAGES		
• Chrome Grille Package	• Passenger Accessibility Package	• Swivel Seat Package
• Comfort Package	• Premium Package	
• Comfort Plus Package	• Premium Plus Package	
• Driver Convenience Package	• Rear Comfort Package	
• Exterior Lighting Package	• High performance air conditioning package	

<sup>\*</sup>Delayed Availability on 15-Seater model  
<sup>\*\*</sup>12-seater model only.  
<sup>\*\*\*</sup>15-seater model only.  
<sup>1</sup>Not available with 4x4.

SPRINTER PASSENGER



TECHNICAL SPECIFICATIONS: 2500

	2500		
Tires	Single		
Wheelbase	144"		170"
Engines	Diesel	Diesel	Diesel
Drivetrain	4x2	4x4	4x2
Roof height	High Roof	High Roof	High Roof
Passenger capacity	12	12	15
Rows of seats	Four	Four	Five
EXTERIOR			
Length	593.2 cm (233.5")	593.2 cm (233.5")	696.7 cm (274.3")
Height	290.1 cm (114.2")	298.7 cm (117.6")	288.4 cm (113.5")
Width – excluding mirrors	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")
Width – including mirrors	234.5 cm (92.3")	234.5 cm (92.3")	234.5 cm (92.3")
Tire track front	170.6 cm (67.2")	172.1 cm (67.8")	170.6 cm (67.2")
Tire track rear	173.2 cm (68.2")	173.2 cm (68.2")	173.2 cm (68.2")
Front overhang BA	102.1 cm (40.2")	102.1 cm (40.2")	102.1 cm (40.2")
Rear overhang (rear axle to end of frame)	124.6 cm (49.1")	124.6 cm (49.1")	162.1 cm (63.8")
Load height, unloaded (ground to cargo floor)	69.6 cm D (27.4" D)	78.1 cm (30.7")	66.7 cm (26.3")
Load height, loaded (ground to cargo floor)	60.5 cm (23.8")	69.2 cm (27.2")	60.7 cm (23.9")
Side-door opening height	181.8 cm (71.6")	181.8 cm (71.6")	181.8 cm (71.6")
Side-door opening width – sliding	129.8 cm (51.1")	129.6 cm (51.0")	129.6 cm (51.0")
Rear cargo door opening height	184.6 cm (72.7")	184.6 cm (72.7")	184.6 cm (72.7")
Rear cargo door opening width	155.5 cm (61.2")	155.5 cm (61.2")	155.5 cm (61.2")
Turning radius (curb-to-curb)	12.4 m (40.7")	13.2 m (43.3")	14.4 m (47.2")
Ground to first step-side	52.1 cm (20.5")	61.5 cm (24.2")	50.7 cm (20")
INTERIOR			
Headroom (1st row)	143.3 cm (56.4")	143.3 cm (56.4")	143.3 cm (56.4")
Shoulder room (1st row)	171.3 cm (67.4")	171.3 cm (67.4")	171.3 cm (67.4")
Hip room (1st row)	161.7 cm (63.7")	161.7 cm (63.7")	161.7 cm (63.7")
Legroom (1st row)	98.9 cm (38.9")	98.9 cm (38.9")	98.9 cm (38.9")
Cargo length, front (at floor)	91.3 cm (35.9")	91.3 cm (35.9")	122.9 cm (48.4")
Cargo length, front (at belt)	65 cm (25.6")	65 cm (25.6")	96.3 cm (37.9")
Cargo width between wheelhouses	134.6 cm (53.0")	134.6 cm (53.0")	134.6 cm (53.0")
Maximum floor width	177.4 cm (69.8")	177.4 cm (69.8")	177.4 cm (69.8")
Interior standing height	191.8 cm (75.5")	191.8 cm (75.5")	191.8 cm (75.5")
CARGO CAPACITY			
Cargo volume (behind last row of seats)	2.2 cu. m. (78.6 cu. ft.)	2.2 cu. m. (78.6 cu. ft.)	3.1 cu. m. (111.2 cu. ft.)
Maximum roof load	110 kg (243 lbs.)	110 kg (243 lbs.)	110 kg (243 lbs.)
Maximum available GCWR	6,319 kg (13,930 lbs.)	6,319 kg (13,930 lbs.)	4,300 kg (9,480 lbs.)
MAXIMUM CAPABILITIES			
Maximum payload	1,425 kg (3,142 lbs.)	1,305 kg (2,877 lbs.)	1,375 kg (3,031 lbs.)
Maximum towing <sup>16</sup>	2,268 kg (5,000 lbs.)	2,268 kg (5,000 lbs.)	0 kg (0 lbs.)
GVWR	4,105 kg (9,050 lbs.)	4,105 kg (9,050 lbs.)	4,300 kg (9,480 lbs.)
TWR (maximum loaded trailer weight ratings)	227 kg (500 lbs.)	227 kg (500 lbs.)	227 kg (500 lbs.)



SPRINTER CAB CHASSIS



ADDITIONAL STANDARD FEATURES (CAB CHASSIS)	3500XD		4500	3500XD		4500	3500XD		4500
MECHANICAL									
• Aux. fuel sending unit with fuel tap	X	X		X	X		X	X	
• Axle ratio 4.182	X	X		X	X		X	X	
EXTERIOR				TIRES & WHEELS			SAFETY & SECURITY		
• Clearance lights pre-wiring	X	X		• 5.5 J x 16 steel wheels	X	X	• Longitudinal member reinforcement	X	X
• Exterior mirror extended (96")	X	X		• Dual rear wheel tires	X	X			
• Identification lamps	X	X		• Provisional spare wheel bracket frame mounted	X	X			
				• Spare wheel	X	X			
				• Tires LT 215/85 R16	X	X			

OPTIONAL FEATURES (CAB CHASSIS)										
MECHANICAL										
• Additional battery for retrofit consumers, co-driver seat base	X	X	• Cutoff relay for additional battery	X	X	• Fuel gauge, optimized for aux. fuel tap	X	X		
• Additional battery for retrofit consumers, engine compartment	X	X	• End crossmember bolted	X	X	• Parametric Special Module (PSM)	X	X		
• Additional DIN-slots	X	X	• Engine oil level display at cold start	X	X	• Speed limitation, 65 mph	X	X		
• AGM BATTERY 12V 92 AH 850 A	X	X	• Front axle reinforced (standard on 4500 model)	X		• Starter upgraded**	X	X		
• Axle ratio 3.923	X	X	• Front engine bracket for additional alternator	X	X	• Top speed limitation, 75 mph	X	X		
• Cruise control	X	X	• Front engine bracket for auxiliary A/C compressor	X	X	• Trailer crossmember 7,500 lbs. capacity	X	X		
SEATING										
• Artico Man-made Leather Black	X	X	• Heated driver seat	X	X					
• Fabric Caluma Black	X	X	• Heated front passenger seat	X	X					

INTERIOR										
• 115V socket	X	X	• Fuel-fired pre-heater/booster (17,000 BTU)	X	X	• Overhead storage slot, front center	X	X		
• Acoustic Package	X	X	• Heat insulation, front compartment	X	X	• Rear heater prep	X	X		
• Cab rear wall liner	X	X	• Hinged lid for storage compartment	X	X	• Rear wall deletion – Chassis cab	X	X		
• Charging Package, dashboard	X	X	• Illuminated front exits	X	X	• Sirius Satellite Radio	X	X		
• Cigarette lighter & ash cup, front	X	X	• Instrument cluster with color display	X	X	• Lockable storage compartment above windshield	X	X		
• Door-mounted assist handle, driver & passenger	X	X	• Keys, two additional masters	X	X	• THERMOTRONIC automatic climate control	X	X		
• Electrical pre-installation for load compartment lighting	X	X	• Leather steering wheel	X	X	• Tray for smartphones incl. wireless charging	X	X		
• Electrically heated windshield	X	X	• Multifunction steering wheel	X	X	• Window in cab rear wall	X	X		
• Fuel-fired heater booster (18,000 BTU)	X	X	• Navigation	X	X					

EXTERIOR										
• Bumpers/detachable body parts painted body color	X	X	• Third brake light pre-wiring	X	X	• Rims painted Jet Black	X	X		
• Bumpers front/rear primed	X	X	• Wire harness tail lamp with extended wiring	X	X	• Spare tire carrier deletion	X	X		
• DEF fluid filler cap – lockable	X	X	• Wiring for additional turn signals	X	X	• Spare wheel deletion	X	X		
• Deletion of "model" badge, right rear door	X	X	TIRES & WHEELS			• Tire Brand Continental	X	X		
• Heated & electrically adjustable exterior mirrors	X	X				• Wheel chocks	X	X		
• Primed side moldings	X	X	• M+S winter tires	X	X					
• Tail lamp deletion	X	X	• Rims painted Arctic White	X	X					

SAFETY & SECURITY										
• Active Distance Assist DISTRONIC®5	X	X	• First-aid kit	X	X	• Pre-wiring rearview camera (head unit display)	X	X		
• Backup alarm	X	X	• Fog lamp with cornering light function	X	X	• Pre-wiring rearview camera (rearview mirror display)	X	X		
• Emergency flashlight	X	X	• Misfueling prevention for diesel	X	X	• Security alarm with interior motion sensor	X	X		

OPTIONAL PACKAGES										
• Bench Seat Package	X	X	• Driver Convenience Package	X	X	• Super Single Tires Package	X			
• Chrome Grille Package	X	X	• Exterior Lighting Package	X	X	• Swivel Seat Package	X	X		
• Comfort Package	X	X	• Premium Package	X	X					
• Comfort Plus Package	X	X	• Premium Plus Package	X	X					

TECHNICAL SPECIFICATIONS: 3500XD & 4500					
	3500XD			4500	
Tires	Dual Rear Wheel		Super Single	Dual Rear Wheel	
Wheelbase	144"	170"	170"	144"	170"
Engines	Diesel	Diesel	Diesel	Diesel	Diesel
Drivetrain	4x2	4x2	4x2	4x2	4x2
Passenger capacity	2-3	2-3	2-3	2-3	2-3
Rows of seats	One	One	One	One	One
EXTERIOR					
Length	624.6 cm (245.9")	694.6 cm (273.5")	694.6 cm (273.5")	624.6 cm (245.9")	694.6 cm (273.5")
Height	239.0 cm (94.1")	238.0 cm (93.7")	237.4 cm (93.5")	239.7 cm (94.4")	238.8 cm (94.4")
Width – excluding mirrors	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")	202.0 cm (79.5")
Width – including mirrors	242.6 cm (95.5")	242.6 cm (95.5")	242.6 cm (95.5")	242.6 cm (95.5")	242.6 cm (95.5")
Front track	168.3 cm (66.3")	168.3 cm (66.3")	170.6 cm (67.2")	168.3 cm (66.3")	168.3 cm (66.3")
Rear track	154.2 cm (60.7")	154.2 cm (60.7")	165.6 cm (65.2")	154.2 cm (60.7")	154.2 cm (60.7")
Front overhang	40.2 cm (15.8")	40.2 cm (15.8")	40.2 cm (15.8")	40.2 cm (15.8")	40.2 cm (15.8")
Rear overhang (rear axle to end of frame)	156.0 cm (61.4")	160.0 cm (63.0")	160.0 cm (63.0")	156.0 cm (61.4")	160.0 cm (63.0")
Turning diameter (curb-to-curb)	13.8 m (45.3')	16.0 m (52.5')	16.0 m (52.5')	13.8 m (45.3')	16.0 m (52.5')
Cab length	252.4 cm (99.4")	252.4 cm (99.4")	252.4 cm (99.4")	252.4 cm (99.4")	252.4 cm (99.4")
Top of frame to top of cab	163.7 cm (64.4")	163.7 cm (64.4")	163.7 cm (64.4")	163.7 cm (64.4")	163.7 cm (64.4")
Frame height, loaded	68.7 cm (27.0")	68.7 cm (27.0")	68.4 cm (26.9")	68.3 cm (26.9")	68.3 cm (26.9")

\* Delayed availability.

EXTERIOR & INTERIOR


EXTERIOR: NON-METALLIC




9147 - Arctic White




9136 - Grey White




7701 - Pebble Grey



7160 - Stone Grey



7708 - Silver Grey



7224 - Graphite Grey




1243 - Calcite Yellow



3432 - Sunset Red




3589 - Jupiter Red



3583 - Velvet Red



6830 - Aqua Green




7709 - Blue Grey




5362 - Brilliant Blue



5389 - Steel Blue



5957 - Vanda Blue




5524 - Black Blue


EXTERIOR: METALLIC




9775 - Iridium Silver




7992 - Selenite Grey Metallic



7755 - Tenorite Grey Metallic



5890 - Cavansite Blue Metallic




9197 - Obsidian Black Metallic



9040 - Jet Black

PREMIUM NON-METALLIC


INTERIOR



VF4 - Caluma Black Upholstery



VF6 - Black Leatherette



VF7 - Maturin Black Upholstery

ACCESSORIES HIGHLIGHTS

- All-Season Floor Mats
- Loading Roller
- Ladder Rack
- Roof Rack
- Cargo Rack
- Grille Cover
- Seat Covers
- Armrest Covers
- Wheel Cover

For paint availability please contact your dealer.

Contact dealer for full list of accessories.



## ENDNOTES

TBD values to be updated at a later date.

1. Active Brake Assist may not be sufficient to avoid an accident. It does not react to certain stationary objects, nor recognize or predict the curvature and/or lane layout of the road or every movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. See Operator's Manual for system's operating speeds and additional information and warnings.
2. Driving while drowsy or distracted is dangerous and must be avoided. ATTENTION ASSIST® may be insufficient to alert a fatigued or distracted driver and cannot be relied on to avoid an accident or serious injury.
3. Blind Spot Assist is a warning system only, and may not be sufficient to avoid all accidents involving vehicles in your blind spot and does not estimate the speed of approaching vehicles. It should not be used as a substitute for driver awareness and checking of surrounding traffic conditions. See Operator's Manual for system's operating speeds and additional information and warnings.
4. Rear Cross-Traffic Alert is not a substitute for actively checking around the vehicle for any obstacles or people. It may not detect certain objects based on their size, path, proximity or speed and angle of approach, or due to sensor obstruction, and does not control steering angle. See Operator's Manual for additional information, tips and warnings.
5. Active Distance Assist DISTRONIC® is no substitute for active driving involvement. It does not adapt cruising speed in response to stationary objects, nor does it predict the curvature and lane layout of the road ahead or the movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. Braking effectiveness also depends on proper brake maintenance, and tire and road conditions. See Operator's Manual for system's operating speeds and additional information and warnings.
6. Rearview camera does not audibly notify driver of nearby objects and is not a substitute for actively checking around the vehicle for any obstacles or people. Images displayed may be limited by camera field of view, weather, lighting conditions, and the presence of dirt, ice, or snow on the camera.
7. Crosswind Assist can engage automatically when sensing dangerous wind gusts at highway speeds exceeding 80 kph. Performance is limited by wind severity and available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions.
8. No system, regardless of how advanced, can overcome the laws of physics or correct careless driving. Please always wear your seat belt. Performance is limited by available traction, which snow, ice, and other conditions can affect. Always drive carefully, consistent with conditions. Best performance in snow is obtained with winter tires.
9. Warning: the forces of a deploying airbag can cause serious or fatal injuries to a child under age 13. The safest seating position for your child is in a rear seat, belted into an appropriate, properly installed child seat, or correctly wearing a seat belt if too large for a child seat. See Operator's Manual for additional warnings and information on airbags, seat belts, and child seats.
10. Active Lane Keeping Assist may be insufficient to alert a fatigued or distracted driver of lane drift and cannot be relied on to avoid an accident or serious injury.
11. Requires the use of ultra-low-sulfur diesel fuel. Mercedes-Benz Sprinters are approved to use B5 biodiesel (approved diesel fuel with a maximum 5% biodiesel content) in all engines. The only approved biodiesel content is one that both meets ASTM D6751 specifications and has the oxidation stability necessary to prevent deposit/corrosion-related damages to the system (min. 6h, proven by EN14112 method). Please see your service station for further information. If the B5 biodiesel blend does not clearly indicate that it meets the above standards, please do not use it. The Mercedes-Benz Vans New Vehicle Limited Warranty does not cover damage caused by fuel standards not approved by Mercedes-Benz Vans.
12. Driver is responsible for monitoring fluid levels and tire pressure between service visits. See Maintenance Booklet for details.
13. 2019 Canadian Black Book Best Retained Value Award winner, Mercedes-Benz Sprinter 2500 – Full-size Van category. Based on value retained from original MSRP for 2015 model year vehicles as published by CBB, as of January 1, 2019. See CanadianBlackBook.com for complete details.
14. Apple CarPlay® is a product of Apple Inc. Android™ Auto is a product of Google Inc. Device and app providers' terms and privacy statements apply. Requires connected compatible device and data plan. Apps, content and features are selected solely by their providers. Connection to apps and streaming services may be limited by the device's network connection. Data usage is routed through device and subject to fees, charges and restrictions in user's wireless plan. Vehicle's factory audio/information interface, including COMAND® navigation, may not be used simultaneously with Apple CarPlay or Android Auto. When Apple CarPlay or Android Auto is in use, the steering-wheel voice control button accesses Siri® or Google voice recognition software for voice commands.
15. Unsecured cargo can become hazardous in a collision. Always secure cargo.
16. Maximum permissible gross weight of the trailer, if the trailer is equipped with a separate functional braking system. Please make sure to comply with local trailer load regulations.
17. Actual rates, terms, down payment, and program eligibility will be determined by the Mercedes-Benz Financial Services Credit Team based upon the creditworthiness of the customer.
18. The Mercedes-Benz Vans Roadside Assistance Program is available for vehicles covered under warranty and includes such services as towing, jump-start in the event of a dead battery, and assistance with the installation of a spare tire. Service charges apply for out-of-warranty vehicles.

©2020 Mercedes-Benz Canada Inc., 98 Vanderhoof Avenue, Toronto, Ontario M4G 4C9, 1-800-387-0100. All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. Volume measurements are according to SAE J1100. Mercedes-Benz reserves the right to make changes at any time, without notice, to colours, materials, equipment, specifications, and models. Any variations in colours shown are due to reproduction variations of the printing process. Illustrations may include test situations. European images may be shown. Some vehicles are shown with optional equipment available at extra cost. Some optional equipment may not be available individually and/or on all models. For current information regarding the range of models, standard features, optional equipment, and/or colours available in Canada and their pricing, please contact your nearest authorized Mercedes-Benz Vans dealer. All rights reserved. Bluetooth® is a registered trademark of Bluetooth SIG, Inc.

[www.mbvans.ca](http://www.mbvans.ca)  
Printed in Canada

Mercedes-Benz

