



E EGGER

Thermofoil Door Manufacturer Program



Quick
Lead Times



16 Panel
Profiles




18 Outside
Profiles



Wrapped
Moulding

38+
Vinyl Colors



White W954 ST14




Came Beige U216 ST9



Misty Blue U502 ST9



Reed Green U604 ST9



Stone Grey U727 St7




London U765 ST7



Folkstone U779 ST7



Monument Grey U780 ST9



Mid-Sun U961 ST7



Beige Textile F416 ST10



Black U999 ST7



Black Texture U999 ST19



White Halifax Oak H1176 ST37



Vincenzo Oak H3157 ST12



Natural Eucalyptus H3041 ST12



Natural Maple H1816 ST14



Chromix Silver F637 S10




Natural Halifax Oak H1180 ST37




Cabinets : Reed Green
Countertop : Natural Halifax Oak

Door Designs

Wilmington




SRP
Class: 110
Min Size: 9½x9½"




SDP
Class: 210
Min Size: 7x7"

Brunswick




FRP-L
Class: 120
Min Size: 9½x10½"




FRP-R
Class: 120
Min Size: 9½x10½"

Providence




ARP
Class: 120
Min Size: 9½x11"




2ARP
Class: 130
Min Size: 9½x13"

New Hampshire




RRP
Class: 120
Min Size: 9½x10½"




2RRP
Class: 130
Min Size: 13x13"

Hartford




CRP
Class: 120
Min Size: 9½x11"




2CRP
Class: 130
Min Size: 9½x13"

New Haven




RRP-L
Class: 120
Min Size: 9½x10½"




RRP-R
Class: 120
Min Size: 9½x10½"

Bedford




FRP
Class: 120
Min Size: 9½x11"




2FRP
Class: 130
Min Size: 9½x13"

Mount Vernon




RRP-TL
Class: 140
Min Size: 9½x10½"




RRP-TR
Class: 140
Min Size: 9½x10½"

Door Designs




ARP-TL
Class: 130
Min Size: 9½x10½"




ARP-TR
Class: 130
Min Size: 9½x10½"

Portsmouth




ARP-L
Class: 120
Min Size: 9½x10½"




ARP-R
Class: 120
Min Size: 9½x10½"

Burlington




DAP
Class: 120
Min Size: 9½x11"




2DAP
Class: 130
Min Size: 9½x13"

Cumberland



RQRP-L
Class: 140
Min Size: 12x12"



RQRP-R
Class: 140
Min Size: 12x12"

Brookhaven



Glass Lite Panels


Mullion Profiles

All mullions are standard 1" wide and match the inside rail profile.

The back of each door is machined out 1/2" larger to accept glass inserts.


G number below are the panel layout designs.

When choosing a door you still need to pick a panel design to determine the rail profile.




G11

Min Size: 8x8"




G21

Min Size: 8x8"




G22

Min Size: 8x8"




G42

Min Size: 10x10"




G33

Min Size: 8x12"




G31

Min Size: 12x8"




G44

Min Size: 8x16"




G41

Min Size: 16x8"




G32T

Min Size: 10x10"




G32B

Min Size: 10x10"



G42B


Min Size: 12x10"




G42-P1

Min Size: 12x15"


Glass Lite Panels




G63
Min Size: 10x12"




G84
Min Size: 10x16"




G105
Min Size: 10x20"




G93
Min Size: 12x12"




G93B
Min Size: 12x12"



G93C
Min Size: 12x12"



G114
Min Size: 16x16"




G135
Min Size: 16x24"

Drawerfronts


Slab Drawerfronts

Slab drawerfronts are the most cost effective solution. Available with the same matching edge profiles any MDF/RTF door.




Raised Panel Drawerfronts

MDF/RTF drawer fronts are priced the same as doors. Smaller fronts that have height constraints may require a narrow version of the rail to be used on the top and bottom to allow for a raised panel profile. Shown is a drawerfront with 2-3/8" side rails and 1-3/8" top and bottom rails. This front style is ordered and priced just like a standard door with a minimum of 1 sq. ft. Minimum panel reveal is dependant on profile choose. See panel profile page for minimum size requirements.




Panel Profiles

Profiles shown with square outside edge OE16



DP41

*Not Recommended for Painting



DP41B

*Not Recommended for Painting




DP41 - Natural Eucalyptus H3041




DP41 - Natural Halifax Oak H1180



DP41 Slim - Reed Green U604



RP21



RP22



RP21 - Warm Grey Eucalyptus H3041




RP21 - Vincenzo Oak H3157



RP21 - White Halifax Oak H1176


Panel Profiles

Profiles shown with square outside edge OE16




DP21

*Not Recommended for Painting




DP24


*Not Recommended for Painting




RP23




RP24




RP25




RP26




RP27




RP30




RP42



RP45




RP46




DP48

Edge Profiles




OE1




OE2




OE3




OE4




OE5




OE6



OE7



OE9



OE12


Edge Profiles




OE13



OE14



OE16




OE20




OE30




OE40



OE42



OE43




OE46

Options

\$3.00 per finger pull



Finger Pulls

Side rail finger pulls are available for both raw and thermofoil wrapped doors. These pulls are a 3/8" x 6-3/8" long x 1/8" deep and are machined 3/32" from the back edge of the door. This will allow the door to have an edge profile with the finger pull. Pulls are machined in the middle of the rail, on center, on any side of the door. Additional charge for finger pulls on multiple sides.



Default finger pull placements are either on center of the frame rail or stile or 1-1/2" from the corner. To determine the proper location, specify the side using T(top), B (bottom), L(left) or R(right). Then specify the location of the pull. L(left), C(center) or R(right) for the top and bottom rail, T(top), C(center) or B(bottom) for the sides. The side is determined by looking at the face of the door. The drawing to the right is for a left side, bottom placement pull.

Placements	Left	Center	Right
	T (top)	TL	TC
B (bottom)	BL	BC	BR
	Top	Center	Bottom
L (left)	LT	LC	LB
R (right)	RT	RC	RB



On Slab Drawer Fronts, the pull placement is always centered.

Full side finger pulls are available for doors for an additional charge. Each pull is machined 1-1/2" from the corners. This option is available for both pulls FP10 and FP20. Additional charge for finger pulls on multiple sides.

Notes:

Minimum length side, width or height for finger pulls is 8".

Additional charge for specified length or special placement finger pulls.

Options

Hinge Boring \$1.50 per Hole for Standard, \$2.50 for Specified.

Door hinge boring is offered for concealed hinges. The cup is drilled 1/2" deep with a diameter of 35mm. We offer the drilling for screw on or knock in pattern for Hettich® or Blum® hinges. Refer to the chart to the right for dimensions.

**Not all edge profiles allow hinge boring. Please refer to the Outside Edge profile pages D9-10 for more information.*

The holes are bored 3" from the end of the door. Special 32mm on center alignment is available for an additional fee. Please specify locations and number of hinges in the notes field of the order form.




Standard Hinge Placement


Door Sizes	# of Hinges	Location
12" and Under	2 Hinges	2-1/4" from end
12-1/16" to 45"	2 Hinges	3" from end
45-1/16" to 65"	3 Hinges	3" from end 1 centered
65-1/16" to 96"	4 Hinges	3" from end spaced equally

Standard Cup Drilling Distance

All standard hinge boring is 4-1/2mm from the edge for Hettich pattern and 4-1/2mm or 2-1/2mm from the edge for Blum pattern. Custom distance is available for an additional fee. Please refer to your hinge specifications for the proper measurement. If using hinges supplied by Georgia Hardwoods, please specify on your order.




"C" = distance from edge of door to edge of cup hole



Boring Side


You must specify the side of the door to be bored. The correct side can be determined by looking at the face of the door. Note the side to bore on the order form.

- T-Top
- B-Bottom
- L-Left
- R-Right
- N-None



Door is bored for "Left".
Door opens to the left.

Moulding Profiles



Valances

Valances:

Built with any OE outside edge.

Only available with any panel profile.


Priced as 2, 3 or 4 panel door plus design fee.

No maximum individual panel width requirement.

Optional keystone center rail can be machined at an angle to accommodate a solid wood keystone block.



VAL-M2P
\$75.00 Design Fee
For widths between 24" to 68"



Required Ordering Information:

A: Width

B: Height

C: Drop From Top to Arch

D: Bottom Width

E: Center Top Width

F: Center Bottom Width

See order page for more information




VAL-M3P
\$75.00 Design Fee
For widths between 48" to 102"

VAL-M4P
\$75.00 Design Fee
For widths between 72" to 136"

Solid Slab Valances

Sold by the square foot. All drawn as 6"x 45" scale. \$35.00 Design fee.

Min Size: 4x12"




Min Size: 5x18"



Min Size: 5x18"



Min Size: 5x18"



Min Size: 4x24"



Min Size: 4x24"



Min Size: 5x18"



Min Size: 5x18"



Min Size: 5x28"



Min Size: 4x24"



MDF/RTF Warranty

Georgia Hardwoods RTF Information & Warranty

- Outside width and height dimension machined exact.
- Doors over 22" wide or 48" high are not guaranteed.

Georgia Hardwoods will warranty RTF doors that have been given reasonable treatment for 3 years from the date of purchase against delaminating and chipping. Our warranty covers only the replacement of defective products manufactured by Georgia Hardwoods. Georgia Hardwoods will not be liable for costs related to travel expenses, installation or labor to remove and install new products. This warranty does not apply to damages resulting from improper handling, alterations made to our doors, or inappropriate storage. Furthermore, this warranty does not cover any product used or installed in connection with our products. Our liability is limited to the net invoice price of defective doors only. No other warranties are implied or expressed.

Reasonable Treatment Requirements:

- Doors are not to be stored in freshly plastered or damp work sites.
- RTF doors should never be left on a construction site that is open to the elements.
- RTF Doors are not to be subjected to excessive moisture or heat. High heat can cause RTF doors to delaminate. Take precautions to avoid exposure to high temperatures. Delaminating due to high heat is not warranted.
- If needed, RTF doors are to be cleaned with warm soapy water and a soft cloth followed by a dry towel. Use of abrasive cleaners or solvents will void the warranty.
- Doors must be inspected at the time of delivery. Any concerns or problems must be reported to Georgia Hardwoods immediately. Warranty claims must be inspected by a Georgia Hardwoods employee.

Replacement Policy

Contact your salesperson within one business week of receiving defective materials. Your representative will arrange to inspect the doors. We may request the defective products be returned for inspection. If so, please repackage the doors for shipment. We will have the materials returned to us at no charge to you. In order to minimize the inconvenience to you, Georgia Hardwoods will do our best to replace any defective products as soon as possible.

Ordering

In order to reduce errors, we highly recommend that you fax or email your orders on one of our door order forms. Once your order has been received, we will send you an acknowledgement with your specifications, sizes, completion dates and pricing. Please read through the acknowledgment completely and notify your sales representative of any changes as soon as possible. If you agree with the acknowledgment and want us to put it into production, we ask that you initial the appropriate box and send back your confirmation approval. If we do not receive your confirmation within 24 hours of placing your order, we will assume you are in agreement and we will proceed with the order as we confirmed. If you do not receive a confirmation please contact your sales representative to affirm that we have your order. Any changes must be made within 24 hours from the time your order was confirmed. Georgia Hardwoods is not responsible for any discrepancies that are not addressed at that time.

- Please order using our style names & numbers. We will not accept orders placed using a competitor's style name or number. We will gladly assist you with our style numbers and send you a current catalog.
- Order in increments of 1/16".
- Customers must give the finished sizes required.
- For new customers, a customer number will be assigned to you after we receive your basic information. Please allow a few days to set up your customer number.
- All orders written up for customers without a customer number will require a 50% deposit. All first time orders will require a 50% deposit unless credit terms have already been approved.
- The account will be COD unless our credit department approves terms. Contact your salesperson for a credit application or for a COD set up form.

Shipping

Shipping

Orders that meet the minimum amount are delivered at no charge on our trucks within our regular delivery area. Contact your sales representative for details. Orders outside of our delivery range are shipped LTL or UPS. There is a \$.15 per square foot handling / packaging charge on all orders plus a \$35.00 crating fee.

Shipping calculated based on order totals. Please see the chart below to determine the percentage of the order total to determine the shipping charge.

Order Totals			Shipping Charge
0	to	\$900	24%
\$901	to	\$1199	21%
\$1200	to	\$1999	19%
\$2000	to	\$2999	16%
\$3000	to	\$5999	13%
\$6000	to	+	10%

Damage claims

- Be sure to inspect all packaging at the time of delivery. If there is no visible damage to the packaging note "Subject to inspection for internal damage" on the freight bill.
- If the packaging looks to be damaged even slightly, note it in detail on the freight bill. If the packaging looks to be compromised, it would be prudent, if at all possible, to open the crate and inspect the doors before the driver leaves. Note any visible damage on the freight bill.
- Notify Georgia Hardwoods immediately of any damage. Damaged products will be replaced as quickly as possible at no charge.
- Georgia Hardwoods will handle filing the damage claims. Please notify us as soon as possible. Claims must be filed with the carriers within 10 days. The carrier may require inspection of the damaged order. Please keep the doors in the original packaging until an onsite inspection is complete. The carrier may choose to pick-up the doors for inspection at their terminal or our facility.
- We do not guarantee the condition of any UPS shipments.



**Georgia
Hardwoods Inc**
3061 Verona Ave • Buford, GA
(770) 932-0640 • (800) 992-6426

EGGER DOOR
QUOTE ONLY

doorshop@gahwd.com

Acct#: _____ Phone: _____ Order: _____
 Job/PO: _____ Fax: _____ Date: _____
 Email: _____ Sales Rep: _____

ALLOW 1-2 DAYS FOR DELIVERY \$300 MINIMUM FOR DELIVERY *circle* VAN LUM UPS CPU LTL

Hinge Boring: Blum 4.5mm+Dowel Blum 2.5mm+Dowel Hettich+Dowel 35mm No Dowel
 Finger Pulls: FP-10 FP-20

MDF: <input type="checkbox"/> White Back / Egger Front: _____ <input type="checkbox"/> Egger Back + Front: _____ <input type="checkbox"/> Other Back _____ / Egger Front: _____	Door Style: _____ Panel Profile: RP/DP- _____ Edge Profile: OE- _____	Drawerfronts <input type="checkbox"/> Slab OE- _____ <input type="checkbox"/> Raised Panel: RP/DP- _____
--	---	--

Qty	Width	Height	Notes	Qty	Width	Height	Notes	Qty	Width	Height	Notes
1				1				1			
2				2				2			
3				3				3			
4				4				4			
5				5				5			
6				6				6			
7				7				7			
8				8				8			
9				9				9			
10				10				10			
11				11				11			
12				12				12			
13				13				13			
14				14				14			
15				15				15			
16				16				16			
17				17				17			
18				18				18			
19				19				19			
20				20							
21				21							
22				22							
23				23							

Total Drawer Fronts _____

Faxed By: _____

Date/Time: _____

Initial if Correct: _____

doorshop@gahwd.com

CONFIRMATIONS NOT RETURNED WITHIN
24 HOURS WILL BE CONSIDERED CORRECT.

Total Doors _____

Total Doors _____