

**BIMAX® DAEBPA-OP****Safety Data Sheet 9091A**

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date: 08/11/2025

Version: 1.0

**SECTION 1: Identification****1.1. Identification**

|                |                                                  |
|----------------|--------------------------------------------------|
| Product name   | : BIMAX® DAEBPA-OP                               |
| Product code   | : 9091A                                          |
| Product form   | : Substance                                      |
| Physical state | : Liquid                                         |
| Formula        | : C <sub>21</sub> H <sub>24</sub> O <sub>2</sub> |
| Synonyms       | : 4,4'-ISOPROPYLIDENE BIS[(ALLYLOXY)BENZENE]     |
| Chemical name  | : DIALLYL ETHER BISPHENOL A                      |

**1.2. Recommended use and restrictions on use**

|                 |                                                     |
|-----------------|-----------------------------------------------------|
| Recommended use | : Manufacture of substances<br>Laboratory chemicals |
|-----------------|-----------------------------------------------------|

**1.3. Supplier**

GELEST, INC.  
158 Industrial Road  
Glen Rock, PA 17327  
USA  
T 717-227-1774 - F 717-227-1775 (M-F): 8:00 AM - 5:30 PM EST  
[CS-Gelest@m-chem.com](mailto:CS-Gelest@m-chem.com) - [www.gelest.com](http://www.gelest.com)

**1.4. Emergency telephone number**

|                  |                                                                   |
|------------------|-------------------------------------------------------------------|
| Emergency number | : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International) |
|------------------|-------------------------------------------------------------------|

**SECTION 2: Hazard(s) identification****2.1. Classification of the substance or mixture****GHS US classification**

|                                               |      |                                      |
|-----------------------------------------------|------|--------------------------------------|
| Skin corrosion/irritation, Category 2         | H315 | Causes skin irritation.              |
| Serious eye damage/eye irritation, Category 2 | H319 | Causes serious eye irritation.       |
| Skin sensitization, Category 1                | H317 | May cause an allergic skin reaction. |
| Full text of H statements : see section 16    |      |                                      |

**2.2. GHS Label elements, including precautionary statements****GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US)

: Warning

Hazard statements (GHS US)

: H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

Precautionary statements (GHS US)

: P261 - Avoid breathing fume, mist, spray, vapors.  
P264 - Wash hands thoroughly after handling.  
P272 - Contaminated work clothing must not be allowed out of the workplace.  
P280 - Wear protective gloves, protective clothing, eye and face protection.  
P302+P352 - If on skin: Wash with plenty of soap and water.

# BIMAX® DAEBPA-OP

## Safety Data Sheet

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.  
P337+P313 - If eye irritation persists: Get medical advice or attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

### 2.3. Hazards not otherwise classified (HNOC)

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Name : BIMAX® DAEBPA-OP  
CAS-No. : 3739-67-1

| Name                      | Product identifier | %    | GHS US classification                                           |
|---------------------------|--------------------|------|-----------------------------------------------------------------|
| Diallyl Ether Bisphenol A | CAS-No.: 3739-67-1 | ≥ 92 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317 |

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : In case of contact with substance, immediately flush skin with running water for at least 15 minutes. Wash skin with soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.  
Symptoms/effects after eye contact : Eye irritation.  
Chronic symptoms : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

# BIMAX® DAEBPA-OP

## Safety Data Sheet

Unsuitable extinguishing media : Avoid the use of streaming water, as this may spread the fire.

### 5.2. Specific hazards arising from the chemical

Fire hazard : None known.  
Explosion hazard : No direct explosion hazard.  
Reactivity : No dangerous reactions known under normal conditions of use.  
Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon oxides.

### 5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire : Stop leak if safe to do so.  
Firefighting instructions : Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Absorb spillage to prevent material-damage.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.  
Emergency procedures : Ventilate spillage area. Avoid breathing fume, mist, spray, vapors. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.  
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing fume, mist, spray, vapors.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed in a dry and well-ventilated place.  
Incompatible materials : Oxidizing agent.

# BIMAX® DAEBPA-OP

## Safety Data Sheet

|                     |                                                                             |
|---------------------|-----------------------------------------------------------------------------|
| Storage temperature | : < 32 °C (Recommended)                                                     |
| Packaging materials | : Store always product in container of same material as original container. |

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

|                                  |                                                |
|----------------------------------|------------------------------------------------|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Environmental exposure controls  | : Avoid release to the environment.            |

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Wear recommended personal protective equipment.

##### Hand protection:

Protective gloves

##### Eye protection:

Safety glasses

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|                                                 |                                         |
|-------------------------------------------------|-----------------------------------------|
| Physical state                                  | : Liquid                                |
| Appearance                                      | : Yellow liquid.                        |
| Molecular mass                                  | : 308.41 g/mol                          |
| Color                                           | : Yellow.                               |
| Odor                                            | : No data available                     |
| Odor threshold                                  | : No data available                     |
| Refractive index                                | : 1.563 at 25 °C                        |
| pH                                              | : No data available                     |
| Relative evaporation rate (butyl acetate=1)     | : No data available                     |
| Melting point                                   | : Not applicable                        |
| Freezing point                                  | : No data available                     |
| Boiling point                                   | : No data available                     |
| Flash point                                     | : 132.7 °C                              |
| Auto-ignition temperature                       | : 334 °C                                |
| Decomposition temperature                       | : No data available                     |
| Flammability (solid, gas)                       | : Not applicable.                       |
| Vapor pressure                                  | : $1.7 \times 10^{-4}$ Pa at 25 °C      |
| Relative vapor density at 20°C                  | : No data available                     |
| Relative density                                | : 1.05                                  |
| Density                                         | : 1.043 g/cm <sup>3</sup> at 25 °C      |
| Solubility                                      | : Insoluble in water.<br>Water: < 0.1 % |
| Partition coefficient n-octanol/water (Log Pow) | : 6.27                                  |
| Partition coefficient n-octanol/water (Log Kow) | : No data available                     |
| Viscosity, kinematic                            | : No data available                     |
| Viscosity, dynamic                              | : No data available                     |
| Explosive properties                            | : No data available                     |
| Oxidizing properties                            | : No data available                     |

# BIMAX® DAEBPA-OP

## Safety Data Sheet

Explosion limits : No data available  
Particle characteristics : No data available

### Diallyl Ether Bisphenol A

|                          |                                |
|--------------------------|--------------------------------|
| Particle characteristics | Particle size : Not applicable |
|--------------------------|--------------------------------|

## 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable under normal temperatures and pressures.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat and light.

### 10.5. Incompatible materials

Oxidizing agents.

### 10.6. Hazardous decomposition products

In the event of fire: see section 5.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                                                     |                                                                                                                                                                               |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Likely routes of exposure                           | : Skin and eye contact                                                                                                                                                        |
| Acute toxicity (oral)                               | : Not classified                                                                                                                                                              |
| Acute toxicity (dermal)                             | : Not classified                                                                                                                                                              |
| Acute toxicity (inhalation)                         | : Not classified                                                                                                                                                              |
| Skin corrosion/irritation                           | : Causes skin irritation.                                                                                                                                                     |
| Serious eye damage/irritation                       | : Causes serious eye irritation.                                                                                                                                              |
| Respiratory or skin sensitization                   | : May cause an allergic skin reaction.                                                                                                                                        |
| Germ cell mutagenicity                              | : Not classified                                                                                                                                                              |
| Carcinogenicity                                     | : Not classified                                                                                                                                                              |
| Reproductive toxicity                               | : Not classified                                                                                                                                                              |
| STOT-single exposure                                | : Not classified                                                                                                                                                              |
| STOT-repeated exposure                              | : Not classified                                                                                                                                                              |
| Aspiration hazard                                   | : Not classified                                                                                                                                                              |
| Potential Adverse human health effects and symptoms | : The hydrolysis byproduct, bisphenol A, is moderately toxic by ingestion, inhalation and skin contact. Experimental teratogenic and reproductive effects have been reported. |
| Symptoms/effects after skin contact                 | : Irritation. May cause an allergic skin reaction.                                                                                                                            |
| Symptoms/effects after eye contact                  | : Eye irritation.                                                                                                                                                             |
| Chronic symptoms                                    | : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons.                                                    |

# BIMAX® DAEBPA-OP

## Safety Data Sheet

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.  
Sewage disposal recommendations : Do not dispose of waste into sewer.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Additional information : Do not re-use empty containers.

### SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

| DOT                                     | TDG            | IMDG           | IATA           |
|-----------------------------------------|----------------|----------------|----------------|
| <b>14.1. UN number</b>                  |                |                |                |
| Not regulated for transport             |                |                |                |
| <b>14.2. Proper Shipping Name</b>       |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable |
| <b>Transport document description</b>   |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable |
| <b>14.3. Transport hazard class(es)</b> |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable |
| <b>14.4. Packing group</b>              |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable |
| <b>14.5. Environmental hazards</b>      |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable |
| No supplementary information available  |                |                |                |

#### 14.6. Special precautions for user

##### DOT

No data available

BIMAX® DAEBPA-OP
Safety Data Sheet

TDG
No data available

IMDG
No data available

IATA
No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Table with 5 columns: Name, CAS-No., Listing, Commercial status, Flags. Row 1: Diallyl Ether Bisphenol A, 3739-67-1, Present, Active.

15.2. International regulations

CANADA

Table with 1 column: Diallyl Ether Bisphenol A (3739-67-1). Row 1: Listed on the Canadian NDSSL (Non-Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Table with 2 columns: Hazard class, H-statements. Row 1: H315, Causes skin irritation. Row 2: H317, May cause an allergic skin reaction. Row 3: H319, Causes serious eye irritation.

# BIMAX® DAEBPA-OP

## Safety Data Sheet

### Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

### NFPA health hazard


: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

### NFPA fire hazard

: 1 - Materials that must be preheated before ignition can occur.

### NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Issue date: 08/11/2025

Version: 1.0

SDS US (GHS HazCom 2012) - Custom

*The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.*

© 2023 Gelest Inc. Glen Rock, PA 17327

Gelest