

**DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER****Reduced Volatility**

Safety Data Sheet DBE-814R

Date of issue: 28/02/2019 Version: 1.0

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form	: Substance
Physical state	: Liquid
Substance name	: DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER Reduced Volatility
Product code	: DBE-814R
Synonyms	: POLYALKYLENEOXIDE MODIFIED POLYDIMETHYLSILOXANE SILOXANES and SILICONES, 3-HYDROXYPROPYL METHYL, ETHER with POLYETHYLENE GLYCOL MONOMETHYL ETHER
Chemical family	: ORGANOSILOXANE
REACH authorisation exemptions	: Exempted from REACH registration

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Use of the substance/mixture : Chemical intermediate

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****GELEST, INC.**11 East Steel Road  
Morrisville, PA 19067**USA**

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

[info@gelest.com](mailto:info@gelest.com) - [www.gelest.com](http://www.gelest.com)**GELEST INC.**Fritz-Klatte-Strasse 8  
65933 Frankfurt**Germany**

T +49 (0) 69 3535106-500 - F +49 (0) 69 3535106-501 - (M-F): 8:00 AM - 4:00 PM

[info@gelestde.com](mailto:info@gelestde.com) - [www.gelestde.com](http://www.gelestde.com)**1.4. Emergency telephone number**

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Acute toxicity (oral), Category 4 H302

Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H302 - Harmful if swallowed.  
H319 - Causes serious eye irritation.

# DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER

## Reduced Volatility

### Safety Data Sheet

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P264 - Wash hands thoroughly after handling.  
P330 - Rinse mouth.  
P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 - If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Substance type : Polymer  
Name : DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER Reduced Volatility  
CAS-No. : 117272-76-1

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dimethylsiloxane-ethylene oxide block copolymer	(CAS-No.) 117272-76-1	95 - 100	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Allyloxy(polyethylene oxide), methyl ether	(CAS-No.) 27252-80-8 (EC-No.) 608-068-9	0 - 5	Acute Tox. 4 (Oral), H302

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.  
First-aid measures after skin contact : Wash with plenty of water/.... Get medical advice/attention.  
First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.  
First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.  
Symptoms/effects after skin contact : May cause skin irritation. May be harmful in contact with skin.  
Symptoms/effects after eye contact : Causes serious eye irritation.  
Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Water fog. Foam. Carbon dioxide. Dry chemical.  
Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.

# DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER

## Reduced Volatility

### Safety Data Sheet

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapour and mist.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### 6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

###### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

##### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

##### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

##### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapour and mist. Use only in well ventilated areas.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

##### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Incompatible materials : Oxidizing agent.

Storage area : Store in a well-ventilated place. Store away from heat.

##### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

##### 8.1. Control parameters

No additional information available

##### 8.2. Exposure controls

###### Appropriate engineering controls:

Provide local exhaust or general room ventilation.

###### Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

###### Hand protection:

Neoprene or nitrile rubber gloves

###### Eye protection:

Chemical goggles. Contact lenses should not be worn

###### Skin and body protection:

Wear suitable protective clothing

###### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.

# DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER

## Reduced Volatility

### Safety Data Sheet

#### SECTION 9: Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear liquid.
Colour	: Colorless to straw colored.
Odour	: No data available
Odour threshold	: No data available
Refractive index	: No additional information available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -12 °C
Freezing point	: No data available
Boiling point	: > 205 °C
Flash point	: 182 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: < 5 mm Hg
Relative vapour density at 20 °C	: No data available
Relative density	: 1.04
% Volatiles	: < 5 %
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 32 - 60 cSt
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

##### 9.2. Other information

No additional information available

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

No additional information available

##### 10.2. Chemical stability

Stable.

##### 10.3. Possibility of hazardous reactions

No additional information available

##### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

##### 10.5. Incompatible materials

Oxidizing agent.

##### 10.6. Hazardous decomposition products

Organic acid vapors. Formaldehyde. Silicon dioxide.

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

##### DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER Reduced Volatility (117272-76-1)

ATE CLP (oral)	1329.229 mg/kg bodyweight
----------------	---------------------------

##### Allyloxy(polyethylene oxide), methyl ether (27252-80-8)

LD50 oral rat	> 500 mg/kg
---------------	-------------

ATE CLP (oral)	500 mg/kg bodyweight
----------------	----------------------

# DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER

## Reduced Volatility

### Safety Data Sheet

#### Dimethylsiloxane-ethylene oxide block copolymer (117272-76-1)

LD50 oral rat	1533 mg/kg (male and female)
LD50 dermal rabbit	> 2000 mg/kg (male and female)
ATE CLP (oral)	1533 mg/kg bodyweight

Skin corrosion/irritation	: Not classified OECD-Guideline 404 (Acute Dermal/Corrosion) (Rabbit): Non irritating.
Serious eye damage/irritation	: Causes serious eye irritation. OECD-Guideline 405 (Acute Eye irritation/Corrosion) (Rabbit): Slightly irritating.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified Ames- Test: negative This material was negative in a bacterial reverse (Salmonella typhimurium/Escherichia coli) mutation assay. This material was not mutagenic in three mammalian test systems including the Chinese Hamster Ovary (CHO)/HGPRT gene mutation assay, a micronucleus cytogenetic assay in mice, and an in vitro mammalian cytogenetic test.
Carcinogenicity	: Not classified None of the components in this product at concentrations >0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified In a repeated skin application study with rats, this material caused moderate skin irritation which resolved during a post application recovery period. There was no evidence for percutaneous cumulative or specific organ toxicity, and no effect on male or female reproductive systems. This material did not produce sensitization in guinea pigs. Findings from a 14-day dietary feeding study with rats show that high dosage repeated ingestion of this material causes reversible adverse effects on the male and female reproductive tracts. Additional effects seen include increased liver weight, altered blood cytology/chemistry, and thyroid enlargement (primarily hypertrophy, with some hyperplasia). Evidence of partial or complete recovery was found over a 28-day recovery period.
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. May be harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. Harmful if swallowed.

## SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Sewage disposal recommendations	: Do not dispose of waste into sewer.
Product/Packaging disposal recommendations	: Incinerate. Dispose in a safe manner in accordance with local/national regulations.

# DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER

## Reduced Volatility

### Safety Data Sheet

Ecology - waste materials : Avoid release to the environment.

#### SECTION 14: Transport information

##### 14.1. UN number

In accordance with ADR / RID / IMDG / IATA / ADN

##### 14.1. UN number

UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (ADN) : Not applicable  
UN-No. (RID) : Not applicable

##### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable

##### 14.3. Transport hazard class(es)

###### ADR

Transport hazard class(es) (ADR) : Not applicable

###### IMDG

Transport hazard class(es) (IMDG) : Not applicable

###### IATA

Transport hazard class(es) (IATA) : Not applicable

###### ADN

Transport hazard class(es) (ADN) : Not applicable

###### RID

Transport hazard class(es) (RID) : Not applicable

##### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

##### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

##### 14.6. Special precautions for user

###### - Overland transport

No data available

###### - Transport by sea

No data available

###### - Air transport

No data available

###### - Inland waterway transport

No data available

# DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER

## Reduced Volatility

### Safety Data Sheet

#### - Rail transport

No data available

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER Reduced Volatility is not on the REACH Candidate List

DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER Reduced Volatility is not on the REACH Annex XIV List

DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER Reduced Volatility is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER Reduced Volatility is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

% Volatiles : < 5 %

##### 15.1.2. National regulations

###### Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

###### Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

#### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

Abbreviations and acronyms:

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor

Other information : Prepared by safety and environmental affairs.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H319	Causes serious eye irritation.

SDS EU (REACH Annex II) - Custom

# DIMETHYLSILOXANE-ETHYLENE OXIDE BLOCK COPOLYMER

## Reduced Volatility

### Safety Data Sheet

*The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.*

© 2019 Gelest Inc. Morrisville, PA 19067

