



A MITSUBISHI CHEMICAL GROUP company

**SILANOL TERMINATED POLYDIMETHYLSILOXANE****Safety Data Sheet DMS-S12**

Issue date: 10/27/2014

Revision date: 02/27/2024

Version: 4.4

**SECTION 1: Identification****1.1. Identification**

|                 |   |
|-----------------|---|
| Product name    | : SILANOL TERMINATED POLYDIMETHYLSILOXANE |
| Product code    | : DMS-S12                                 |
| Product form    | : Substance                               |
| Physical state  | : Liquid                                  |
| Synonyms        | : HYDROXY TERMINATED POLYDIMETHYLSILOXANE |
| Chemical family | : ORGANOSILOXANE                          |

**1.2. Recommended use and restrictions on use**

|                 |                         |
|-----------------|-------------------------|
| Recommended use | : Chemical intermediate |
|-----------------|-------------------------|

**1.3. Supplier****GELEST, INC.**11 East Steel Road  
Morrisville, PA 19067**USA**

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

[info@gelest.com](mailto:info@gelest.com) - [www.gelest.com](http://www.gelest.com)**1.4. Emergency telephone number**

|                  |   |
|------------------|---|
| Emergency number | : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International) |
|------------------|---|

**SECTION 2: Hazard(s) identification****2.1. Classification of the substance or mixture****GHS US classification**

|  |      |   |
|--|------|---|
| Reproductive toxicity Category 2           | H361 | Suspected of damaging fertility or the unborn child |
| Full text of H statements : see section 16 |      |   |

**2.2. GHS Label elements, including precautionary statements****GHS US labeling**

Hazard pictograms (GHS US)



|                                   |  |
|-----------------------------------|--|
| Signal word (GHS US)              | : Warning  |
| Hazard statements (GHS US)        | : H361 - Suspected of damaging fertility or the unborn child   |
| Precautionary statements (GHS US) | : P201 - Obtain special instructions before use.<br>P202 - Do not handle until all safety precautions have been read and understood.<br>P280 - Wear protective gloves/protective clothing/eye protection/face protection.<br>P308+P313 - If exposed or concerned: Get medical advice/attention.<br>P405 - Store locked up.<br>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. |

**2.3. Hazards not otherwise classified (HNOC)**

No additional information available

# SILANOL TERMINATED POLYDIMETHYLSILOXANE

## Safety Data Sheet

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Substance type : Polymer  
Name : SILANOL TERMINATED POLYDIMETHYLSILOXANE  
CAS-No. : 70131-67-8

| Name                                    | Product identifier  | %     | GHS US classification  |
|---|---------------------|-------|--|
| Silanol terminated polydimethylsiloxane | CAS-No.: 70131-67-8 | > 97  | Not classified   |
| Octamethylcyclotetrasiloxane            | CAS-No.: 556-67-2   | < 1.1 | Flam. Liq. 3, H226<br>Acute Tox. 4 (Oral), H302<br>Repr. 2, H361 |
| Decamethylcyclopentasiloxane            | CAS-No.: 541-02-6   | < 0.2 | Flam. Liq. 4, H227   |

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. Get medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Get medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May be harmful if inhaled.

Symptoms/effects after skin contact : May cause skin irritation.

Symptoms/effects after eye contact : May cause eye irritation.

Symptoms/effects after ingestion : No information available.

### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Water fog. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : None known.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

# SILANOL TERMINATED POLYDIMETHYLSILOXANE

## Safety Data Sheet

| 5.3. Special protective equipment and precautions for fire-fighters |   |
|---|---|
| Firefighting instructions   | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.  |
| Protection during firefighting                                      | : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist. |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

| 6.1.1. For non-emergency personnel |  |
|------------------------------------|--|
| Protective equipment               | : Wear protective equipment as described in Section 8.   |
| Emergency procedures               | : Evacuate unnecessary personnel.  |
| 6.1.2. For emergency responders    |  |
| Protective equipment               | : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection". |

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  |
| Methods for cleaning up | : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. |

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Avoid all eye and skin contact and do not breathe vapor and mist. Spillage of this material may create a slippery condition for foot or vehicle traffic. Use only in well ventilated areas. |
| Hygiene measures              | : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.                              |

### 7.2. Conditions for safe storage, including any incompatibilities

|                        |   |
|------------------------|---|
| Storage conditions     | : Keep container tightly closed.                          |
| Incompatible materials | : Oxidizing agent.  |
| Storage area           | : Store in a well-ventilated place. Store away from heat. |

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Octamethylcyclotetrasiloxane (556-67-2)   |        |
|---|--------|
| USA - AIHA - Occupational Exposure Limits |        |
| WEEL TWA                                  | 10 ppm |

### 8.2. Appropriate engineering controls

|                                  |  |
|----------------------------------|--|
| Appropriate engineering controls | : Provide local exhaust or general room ventilation. |
|----------------------------------|--|

# SILANOL TERMINATED POLYDIMETHYLSILOXANE

## Safety Data Sheet

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Avoid all unnecessary exposure.

#### Hand protection:

Neoprene or nitrile rubber gloves

#### Eye protection:

Chemical goggles. Contact lenses should not be worn

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                            |
|---|----------------------------|
| Physical state                                  | : Liquid                   |
| Appearance                                      | : Clear liquid.            |
| Molecular mass                                  | : 400 – 700 g/mol          |
| Color   | : Colorless.               |
| Odor  | : Mild menthol-like aroma. |
| Odor threshold                                  | : No data available        |
| pH  | : No data available        |
| Relative evaporation rate (butyl acetate=1)     | : No data available        |
| Melting point                                   | : < -60 °C                 |
| Freezing point                                  | : No data available        |
| Boiling point                                   | : > 205 °C                 |
| Flash point                                     | : 205 °C                   |
| Auto-ignition temperature                       | : 490 °C                   |
| Decomposition temperature                       | : No data available        |
| Flammability (solid, gas)                       | : No data available        |
| Vapor pressure                                  | : No data available        |
| Relative vapor density at 20°C                  | : No data available        |
| Relative density                                | : 0.98                     |
| Solubility                                      | : Insoluble in water.      |
| Partition coefficient n-octanol/water (Log Pow) | : No data available        |
| Partition coefficient n-octanol/water (Log Kow) | : No data available        |
| Viscosity, kinematic                            | : 18 – 38 cSt              |
| Viscosity, dynamic                              | : No data available        |
| Explosive properties                            | : No data available        |
| Oxidizing properties                            | : No data available        |
| Explosion limits                                | : No data available        |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable.

# SILANOL TERMINATED POLYDIMETHYLSILOXANE

## Safety Data Sheet

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

Formaldehyde. Organic acid vapors. Silicon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Silanol terminated polydimethylsiloxane (70131-67-8)

|                       |   |
|-----------------------|---|
| LD50 oral rat         | > 64 mg/kg Source: Corporate Solution From Thomson Micromedex |
| LD50 dermal rabbit    | > 16 ml/kg  |
| LC50 Inhalation - Rat | > 8750 mg/m <sup>3</sup> (Exposure time: 7 h)                 |

#### Octamethylcyclotetrasiloxane (556-67-2)

|                       |            |
|-----------------------|------------|
| LD50 oral rat         | 1540 mg/kg |
| LD50 dermal rat       | 2400 mg/kg |
| LC50 Inhalation - Rat | 36 mg/l    |

#### Decamethylcyclopentasiloxane (541-02-6)

|                       |  |
|-----------------------|--|
| LD50 oral rat         | > 24134 mg/kg Source: Corporate Solution From Thomson Micromedex   |
| LD50 dermal rabbit    | > 16000 mg/kg Source: Corporate Solution From Thomson Micromedex   |
| LC50 Inhalation - Rat | 8.67 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OTS 798.1150 (Acute inhalation toxicity), 95% CL: 7,3 - 10,32 |
| LC50 inhalation rat   | (lethal concentration)   |
| Toxicity information  | > 2700 mg/m <sup>3</sup> (lethal concentration: inhalation, rat)   |

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Suspected of damaging fertility or the unborn child.  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

#### Decamethylcyclopentasiloxane (541-02-6)

|                          |   |
|--------------------------|---|
| NOAEL (oral,rat,90 days) | ≥ 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
|--------------------------|---|

# SILANOL TERMINATED POLYDIMETHYLSILOXANE

## Safety Data Sheet

### Decamethylcyclopentasiloxane (541-02-6)

|                                   |  |
|-----------------------------------|--|
| NOAEL (dermal,rat/rabbit,90 days) | ≥ 1600 mg/kg body weight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) |
|-----------------------------------|--|

|                                     |                              |
|-------------------------------------|------------------------------|
| Aspiration hazard                   | : Not classified             |
| Symptoms/effects after inhalation   | : May be harmful if inhaled. |
| Symptoms/effects after skin contact | : May cause skin irritation. |
| Symptoms/effects after eye contact  | : May cause eye irritation.  |
| Symptoms/effects after ingestion    | : No information available.  |

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Octamethylcyclotetrasiloxane (556-67-2)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | > 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)    |
| EC50 - Crustacea [1] | > 15 µg/l Test organisms (species): Daphnia magna                |
| LC50 - Fish [2]      | > 1000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) |

#### Decamethylcyclopentasiloxane (541-02-6)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | > 16 µg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | > 2.9 µg/l Test organisms (species): Daphnia magna                                       |

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

#### Silanol terminated polydimethylsiloxane (70131-67-8)

|   |   |
|---|---|
| Partition coefficient n-octanol/water (Log Pow) | 2.43 Source: Quantitative Structure Activity Relation |
|---|---|

#### Octamethylcyclotetrasiloxane (556-67-2)

|   |       |
|---|-------|
| BCF - Fish [1]                                  | 12400 |
| Partition coefficient n-octanol/water (Log Pow) | 5.1   |

#### Decamethylcyclopentasiloxane (541-02-6)

|   |  |
|---|--|
| Partition coefficient n-octanol/water (Log Pow) | 5.2 Source: Corporate Solution From Thomson Micromedex |
| Partition coefficient n-octanol/water (Log Kow) | 5.5  |

### 12.4. Mobility in soil

#### Decamethylcyclopentasiloxane (541-02-6)

|                  |                    |
|------------------|--------------------|
| Mobility in soil | 16000 Source: HSDB |
|------------------|--------------------|

### 12.5. Other adverse effects

|                           |                                       |
|---------------------------|---------------------------------------|
| Effect on the ozone layer | : No additional information available |
|---------------------------|---------------------------------------|

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

|  |   |
|--|---|
| Sewage disposal recommendations            | : Do not dispose of waste into sewer.   |
| Product/Packaging disposal recommendations | : Incinerate. Dispose in a safe manner in accordance with local/national regulations. |

# SILANOL TERMINATED POLYDIMETHYLSILOXANE

## Safety Data Sheet

Ecological information : Avoid release to the environment.

### SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

| DOT                                    | TDG            | IMDG           | IATA           |
|--|----------------|----------------|----------------|
| 14.1. UN number                        |                |                |                |
| Not regulated for transport            |                |                |                |
| 14.2. Proper Shipping Name             |                |                |                |
| Not applicable                         | Not applicable | Not applicable | Not applicable |
| Transport document description         |                |                |                |
| Not applicable                         | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es)       |                |                |                |
| Not applicable                         | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group                    |                |                |                |
| Not applicable                         | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards            |                |                |                |
| Not applicable                         | Not applicable | Not applicable | Not applicable |
| No supplementary information available |                |                |                |

### 14.6. Special precautions for user

**DOT**  
No data available

**TDG**  
No data available

**IMDG**  
No data available

**IATA**  
No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

| Name                                    | CAS-No.    | Listing | Commercial status | Flags |
|---|------------|---------|-------------------|-------|
| Silanol terminated polydimethylsiloxane | 70131-67-8 | Present | Active            | XU    |
| Octamethylcyclotetrasiloxane            | 556-67-2   | Present | Active            | T     |
| Decamethylcyclopentasiloxane            | 541-02-6   | Present | Active            |       |

# SILANOL TERMINATED POLYDIMETHYLSILOXANE

## Safety Data Sheet

### 15.2. International regulations

#### CANADA

##### Silanol terminated polydimethylsiloxane (70131-67-8)

Listed on the Canadian DSL (Domestic Substances List)

##### Octamethylcyclotetrasiloxane (556-67-2)

Listed on the Canadian DSL (Domestic Substances List)

##### Decamethylcyclopentasiloxane (541-02-6)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

##### Octamethylcyclotetrasiloxane (556-67-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

##### Decamethylcyclopentasiloxane (541-02-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

##### Silanol terminated polydimethylsiloxane (70131-67-8)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on Thailand Existing Chemicals Inventory (DIW)  
Listed on the NCI (Vietnam - National Chemical Inventory)

##### Octamethylcyclotetrasiloxane (556-67-2)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing New Chemical Substances) inventory  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on CICR (Turkish Inventory and Control of Chemicals)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the NCI (Vietnam - National Chemical Inventory)



# SILANOL TERMINATED POLYDIMETHYLSILOXANE

## Safety Data Sheet

### Decamethylcyclopentasiloxane (541-02-6)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on the Japanese ENCS (Existing New Chemical Substances) inventory  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on CICR (Turkish Inventory and Control of Chemicals)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the NCI (Vietnam - National Chemical Inventory)  
Listed on Thailand Existing Chemicals Inventory (DIW)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16: Other information

Full text of H-phrases::

|      |   |
|------|---|
| H226 | Flammable liquid and vapor                          |
| H227 | Combustible liquid                                  |
| H302 | Harmful if swallowed                                |
| H361 | Suspected of damaging fertility or the unborn child |

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

Hazard Rating

Health

Flammability

Physical

: 1 Slight Hazard - Irritation or minor reversible injury possible  
: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)  
: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Prepared by safety and environmental affairs.

Issue date: 10/27/2014

Revision date: 02/27/2024

Version: 4.4

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.*

© 2023 Gelest Inc. Morrisville, PA 19067