

Safety Data Sheet ENEO3280
Date of issue: 29/08/2016 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Physical state : Liquid

Substance name : 1-OCTENE

Product code : ENEO3280

Formula : C8H16

Synonyms : n-OCTENE

CAPRYLENE

Chemical family : HYDROCARBON

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Chemical intermediate

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

GELEST INC.

Fritz-Klatte-Strasse 8 65933 Frankfurt

Germany

T +49 (0) 69 3535106-500 - F +49 (0) 69 3535106-501 - (M-F): 8:00 AM - 4:00 PM

info@gelestde.com - www.gelestde.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 Hazardous to the aquatic environment — Acute Hazard, Category 1 H400

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





SHS02

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H400 - Very toxic to aquatic life.

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Print date: 10/04/2019 EN (English) SDS ID: **ENEO3280** 1/9

Safety Data Sheet

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240 - Ground/bond container and receiving equipment.

P273 - Avoid release to the environment.

P391 - Collect spillage.

P370+P378 - In case of fire: Use water spray or fog, foam, carbon dioxide, dry chemical to

extinguish.

P233 - Keep container tightly closed.

Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. **Substances**

: Multi-constituent Substance type : 1-OCTENE Name CAS-No. : 111-66-0 EC-No. : 203-893-7

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1-Octene	(CAS-No.) 111-66-0 (EC-No.) 203-893-7	95 - 100	Flam. Liq. 2, H225 Aquatic Acute 1, H400
2-Ethylhexene	(CAS-No.) 1632-16-2 (EC-No.) 216-636-9	0 - 3	Flam. Liq. 2, H225 Skin Irrit. 2, H315

Full text of H-statements; see section 16

Mixtures 32

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical

advice.

First-aid measures after skin contact : Wash with plenty of water/.... Get medical advice/attention.

First-aid measures after eye contact Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : May cause mild skin irritation. Symptoms/effects after eye contact : May cause eye irritation. : May be harmful if swallowed. Symptoms/effects after ingestion

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. Water fog. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

: Highly flammable liquid and vapour. Irritating fumes and organic acid vapors may develop when Fire hazard

material is exposed to elevated temperatures or open flame.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Advice for firefighters

: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed Firefighting instructions

containers.

SDS ID: ENEO3280 Print date: 10/04/2019 EN (English) 2/9

Safety Data Sheet

Protection during firefighting

Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapour and mist.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Collect

spillage. Use only non-sparking tools.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapour and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent formation of vapour.

receiving equipment. Provide good ventilation in process area to prevent formation of vapour. Take precautionary measures against static discharge. Use only non-sparking tools.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof

electrical equipment.

Storage conditions : Keep container tightly closed. Keep in a cool place.

Incompatible materials : Oxidizing agent.

Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Chemical goggles. Contact lenses should not be worn

Skin and body protection:

Print date: 10/04/2019 EN (English) SDS ID: **ENEO3280** 3/9

Safety Data Sheet

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Clear liquid.Molecular mass: 112.21 g/molColour: No data available

Odour : strong.

Odour threshold : No data available

Refractive index : 1.409

pH : No data available

Relative evaporation rate (butylacetate=1) : ~ 1

Melting point : < -102 °C

Freezing point : No data available

Boiling point : 121 - 122 °C

Flash point : 21 °C

Auto-ignition temperature : 221 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour.

Vapour pressure : 13 mm Hg @ 20°C

Relative vapour density at 20 °C : 3.9
Relative density : 0.714
% Volatiles : 100 %

Solubility : Insoluble in water.
Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available

Explosive limits : 0.7 - 6.8 vol % (lower; upper)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Organic acid vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Print date: 10/04/2019 EN (English) SDS ID: **ENEO3280** 4/9

Safety Data Sheet

1-Octene (111-66-0)		
LD50 oral rat	> 5000 mg/kg ; >10,000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat (ppm)	8050 ppm/4h	
ATE CLP (gases)	8050 ppmv/4h	
ATE CLP (vapours)	40.2 mg/l/4h	
2-Ethylhexene (1632-16-2)		
LD50 intraperitioneal mouse	100 mg/kg	
LC50 inhalation rat (ppm)	4000 ppm/4h	
ATE CLP (gases)	4000 ppmv/4h	

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified

Ames test (histidine reversion) is negative, i.e not a mutagen

Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : May cause mild skin irritation.

Symptoms/effects after eye contact : May cause eye irritation.

Symptoms/effects after ingestion : May be harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life.

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Not classified

1-Octene (111-66-0)		
LC50 fish 1	1 mg/l	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

1-Octene (111-66-0)	
Log Pow	4.57 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Incinerate. Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

In accordance with ADR / RID / IMDG / IATA / ADN

Print date: 10/04/2019 EN (English) SDS ID: **ENEO3280** 5/9

Safety Data Sheet

14.1.	UN number	
UN-No.	(ADR)	
UN-No. (IMDG)		

UN-No. (IATA) : 3295 UN-No. (ADN) : 3295 UN-No. (RID) : 3295

14.2. UN proper shipping name

Proper Shipping Name (ADR) : HYDROCARBONS, LIQUID, N.O.S.
Proper Shipping Name (IMDG) : HYDROCARBONS, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Hydrocarbons, liquid, n.o.s.

Proper Shipping Name (ADN) : HYDROCARBONS, LIQUID, N.O.S.
Proper Shipping Name (RID) : HYDROCARBONS, LIQUID, N.O.S.

Transport document description (ADR) : UN 3295 HYDROCARBONS, LIQUID, N.O.S. (1-OCTENE), 3, II, (D/E), ENVIRONMENTALLY

HAZARDOUS

32953295

Transport document description (IMDG) : UN 3295 HYDROCARBONS, LIQUID, N.O.S. (1-OCTENE), 3, II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 3295 Hydrocarbons, liquid, n.o.s. (1-OCTENE), 3, II, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 3295 HYDROCARBONS, LIQUID, N.O.S. (1-OCTENE), 3, II, ENVIRONMENTALLY

HAZARDOUS

Transport document description (RID) : UN 3295 HYDROCARBONS, LIQUID, N.O.S. (1-OCTENE), 3, II, ENVIRONMENTALLY

HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3

Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3

Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3



ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



Safety Data Sheet

RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 640C
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T7

(ADR)

Portable tank and bulk container special : TP1, TP8, TP28

provisions (ADR)

Tank code (ADR) : L1.5BN

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

Orange plates :

33 3295

Tunnel restriction code (ADR) : D/E EAC code : 3YE

- Transport by sea

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire): F-EEmS-No. (Spillage): S-DStowage category (IMDG): B

- Air transport

PCA Excepted quantities (IATA) : E2

Print date: 10/04/2019 EN (English) SDS ID: **ENEO3280** 7/9

Safety Data Sheet

PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A224 ERG code (IATA) : 3H

- Inland waterway transport

Number of blue cones/lights (ADN)

Classification code (ADN) : F1
Special provisions (ADN) : 640C
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EX, A

- Rail transport

Ventilation (ADN)

Classification code (RID) : F1
Special provisions (RID) : 640C
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions : T7

RID)

Portable tank and bulk container special : TP1, TP8, TP28

provisions (RID)

Tank codes for RID tanks (RID) : L1.5BN

Transport category (RID) : 2

Colis express (express parcels) (RID) : CE7

Hazard identification number (RID) : 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: VE01

: 1

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

1-OCTENE is not on the REACH Candidate List

1-OCTENE is not on the REACH Annex XIV List

1-OCTENE is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

1-OCTENE is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

% Volatiles : 100 %

15.1.2. National regulations

Immission Control Act - 12.BImSchV

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (KBwS-Beschluss; ID No. 480)

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : 1-OCTENE is listed SZW-lijst van mutagene stoffen : The substance is not listed

Print date: 10/04/2019 EN (English) SDS ID: **ENEO3280** 8/9

Safety Data Sheet

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: The substance is not listed

Denmark

Class for fire hazard : Class I-1 Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable liquids

must be followed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor

Other information

: Prepared by safety and environmental affairs.

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H225	Highly flammable liquid and vapour.	
H315	Causes skin irritation.	
H400	Very toxic to aquatic life.	

SDS EU (REACH Annex II) - Custom

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067

Print date: 10/04/2019 EN (English) SDS ID: **ENEO3280** 9/9