

**HM 4072 ANTIMICROBIAL**

Safety Data Sheet HM4072

Issue date: 19/03/2014

Revision date: 30/06/2021

Version: 2.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Mixture
Physical state	: Liquid
Product name	: HM 4072 ANTIMICROBIAL
Product code	: HM4072
Formula	: C26H58ClNO3Si
Synonyms	: (TRIMETHOXYSILYLPROPYL)OCTADECYLDIMETHYLAMMONIUM CHLORIDE DIMETHYLOCTADECYL[3-(TRIMETHOXYSILYL)PROPYL]AMMONIUM CHLORIDE OCTADECYLDIMETHYL(3-TRIMETHOXYSILYLPROPYL)AMMONIUM CHLORIDE, 72% in methanol
Chemical family	: ORGANOMETHOXYSILANE

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Use of the substance/mixture : Antimicrobial product

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet**GELEST, INC.**11 East Steel Road
Morrisville, PA 19067**USA**

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com**GELEST INC.**Fritz-Klatte-Strasse 8
65933 Frankfurt**Germany**

T +49 (0) 69 3535106-500 - F +49 (0) 69 3535106-501 - (M-F): 8:00 AM - 4:00 PM

info@gelestde.com - www.gelestde.com**1.4. Emergency telephone number**

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Flammable liquids, Category 2	H225
Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 4	H312
Acute toxicity (inhalation:vapour) Category 4	H332
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity — single exposure, Category 1	H370
Full text of H-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

HM 4072 ANTIMICROBIAL

Safety Data Sheet

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

GHS08

Signal word (CLP) :

Danger

Hazardous ingredients :

Methanol

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.
H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H370 - Causes damage to organs.

Precautionary statements (CLP) :

P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240 - Ground/bond container and receiving equipment.
P260 - Do not breathe vapours.
P264 - Wash hands thoroughly after handling.
P308+P311 - IF exposed or concerned: Call a POISON CENTER.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Octadecyldimethyl(3-trimethoxysilylpropyl)ammonium chloride	(CAS-No.) 27668-52-6 (EC-No.) 248-595-8	67 – 87	Eye Irrit. 2, H319
Methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X	15 – 20	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 STOT SE 1, H370
3-Chloropropyltrimethoxysilane	(CAS-No.) 2530-87-2 (EC-No.) 219-787-9	7 – 13	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X	(3 ≤C < 10) STOT SE 2, H371 (10 ≤C < 100) STOT SE 1, H370

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general :

Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation :

Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact :

Remove/take off immediately all contaminated clothing. Wash with plenty of water/... If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact :

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

HM 4072 ANTIMICROBIAL

Safety Data Sheet

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes damage to organs.
Symptoms/effects after inhalation : Harmful if inhaled. Danger of serious damage to health by prolonged exposure through inhalation. Overexposure may cause: Cough. Headache. Nausea. Visual disturbances.
Symptoms/effects after skin contact : Harmful in contact with skin. Causes skin irritation. Repeated exposure to this material can result in absorption through skin causing significant health hazard.
Symptoms/effects after eye contact : Causes serious eye damage.
Symptoms/effects after ingestion : Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard. Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness. Onset of symptoms may be delayed up to 48 hours.
Chronic symptoms : Methanol may affect the central nervous system resulting in persistent or recurring headaches or impaired vision.

4.3. Indication of any immediate medical attention and special treatment needed

NOTE TO PHYSICIAN: The combination of visual disturbances, metabolic acidosis and formic acid in urine is evidence of methanol poisoning. The therapeutic intravenous administration of ethanol (10 mls/hour) allows methanol to be preferentially oxidized and reduces production of methanol metabolites. Acidosis must be treated with intravenous administration of sodium bicarbonate and methanol elimination may be increased by hemodialysis, as indicated. Treatment should be based on blood methanol levels and acid-base balance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.
Unsuitable extinguishing media : Do not use straight streams.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour. Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.
Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapour and mist.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.
Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Avoid breathing vapours. Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Use only non-sparking tools.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapour and mist. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use only outdoors or in a well-ventilated area. Use only non-sparking tools.

HM 4072 ANTIMICROBIAL

Safety Data Sheet

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.

Storage conditions : Keep container tightly closed. Keep in a cool place. Store locked up.

Incompatible materials : Acids. alcohols. Oxidizing agent. Peroxides.

Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Methanol (67-56-1)		
EU	IOEL TWA	260 mg/m ³
EU	IOEL TWA [ppm]	200 ppm
Austria	MAK (OEL TWA)	260 mg/m ³
Austria	MAK (OEL TWA) [ppm]	200 ppm
Austria	MAK (OEL STEL)	1040 mg/m ³
Austria	MAK (OEL STEL) [ppm]	800 ppm
Belgium	OEL TWA	266 mg/m ³
Belgium	OEL TWA [ppm]	200 ppm
Belgium	OEL STEL	333 mg/m ³
Belgium	OEL STEL [ppm]	250 ppm
Bulgaria	OEL TWA	260 mg/m ³
Bulgaria	OEL TWA [ppm]	200 ppm
Cyprus	OEL TWA	260 mg/m ³
Cyprus	OEL TWA [ppm]	200 ppm
France	VLE (OEL C/STEL)	1300 mg/m ³
France	VLE (OEL C/STEL) [ppm]	1000 ppm
France	VME (OEL TWA)	260 mg/m ³ (restrictive limit)
France	VME (OEL TWA) [ppm]	200 ppm (restrictive limit)
Germany	AGW (OEL TWA) [1]	270 mg/m ³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	AGW (OEL TWA) [2]	200 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	BLV	30 mg/l (Medium: urine - Time: end of shift - Parameter: Methanol) 30 mg/l (Medium: urine - Time: end of several shifts - Parameter: Methanol (for long-term exposures))
Gibraltar	OEL TWA	260 mg/m ³
Gibraltar	OEL TWA [ppm]	200 ppm
Greece	OEL TWA	260 mg/m ³
Greece	OEL TWA [ppm]	200 ppm
Greece	OEL STEL	325 mg/m ³
Greece	OEL STEL [ppm]	250 ppm
Italy - Portugal - USA ACGIH	ACGIH OEL TWA [ppm]	200 ppm
Italy - Portugal - USA ACGIH	ACGIH OEL STEL [ppm]	250 ppm
Italy	OEL TWA	260 mg/m ³
Italy	OEL TWA [ppm]	200 ppm
Latvia	OEL TWA	260 mg/m ³
Latvia	OEL TWA [ppm]	200 ppm
USA IDLH	IDLH [ppm]	6000 ppm
USA NIOSH	NIOSH REL TWA	260 mg/m ³
USA NIOSH	NIOSH REL TWA [ppm]	200 ppm
USA NIOSH	NIOSH REL STEL	325 mg/m ³

HM 4072 ANTIMICROBIAL

Safety Data Sheet

Methanol (67-56-1)		
USA NIOSH	NIOSH REL STEL [ppm]	250 ppm
USA OSHA	OSHA PEL TWA [1]	260 mg/m ³
USA OSHA	OSHA PEL TWA [2]	200 ppm
Spain	VLA-ED (OEL TWA) [1]	266 mg/m ³ (indicative limit value)
Spain	VLA-ED (OEL TWA) [2]	200 ppm (indicative limit value)
Switzerland	KZGW (OEL STEL)	1040 mg/m ³
Switzerland	KZGW (OEL STEL) [ppm]	800 ppm
Switzerland	MAK (OEL TWA) [1]	260 mg/m ³
Switzerland	MAK (OEL TWA) [2]	200 ppm
Netherlands	MAC-TGG (OEL TWA)	133 mg/m ³
Netherlands	MAC-TGG (OEL TWA) [ppm]	100 ppm
United Kingdom	WEL TWA (OEL TWA) [1]	266 mg/m ³
United Kingdom	WEL TWA (OEL TWA) [2]	200 ppm
United Kingdom	WEL STEL (OEL STEL)	333 mg/m ³
United Kingdom	WEL STEL (OEL STEL) [ppm]	250 ppm
Czech Republic	PEL (OEL TWA)	250 mg/m ³
Denmark	OEL TWA [1]	260 mg/m ³
Denmark	OEL TWA [2]	200 ppm
Finland	HTP (OEL TWA) [1]	270 mg/m ³
Finland	HTP (OEL TWA) [2]	200 ppm
Finland	HTP (OEL STEL)	330 mg/m ³
Finland	HTP (OEL STEL) [ppm]	250 ppm
Hungary	AK (OEL TWA)	260 mg/m ³
Ireland	OEL TWA [1]	260 mg/m ³
Ireland	OEL TWA [2]	200 ppm
Ireland	OEL STEL	780 mg/m ³ (calculated)
Ireland	OEL STEL [ppm]	600 ppm (calculated)
Lithuania	IPRV (OEL TWA)	260 mg/m ³
Lithuania	IPRV (OEL TWA) [ppm]	200 ppm
Malta	OEL TWA	260 mg/m ³
Malta	OEL TWA [ppm]	200 ppm
Norway	Grenseverdi (OEL TWA) [1]	130 mg/m ³
Norway	Grenseverdi (OEL TWA) [2]	100 ppm
Norway	Korttidsverdi (OEL STEL)	130 mg/m ³
Norway	Korttidsverdi (OEL STEL) [ppm]	100 ppm
Poland	NDS (OEL TWA)	100 mg/m ³
Poland	NDSch (OEL STEL)	300 mg/m ³
Romania	OEL TWA	260 mg/m ³
Romania	OEL TWA [ppm]	200 ppm
Romania	OEL STEL [ppm]	5 ppm
Slovakia	NPHV (OEL TWA) [1]	260 mg/m ³
Slovakia	NPHV (OEL TWA) [2]	200 ppm
Sweden	NGV (OEL TWA)	250 mg/m ³
Sweden	NGV (OEL TWA) [ppm]	200 ppm
Sweden	KTV (OEL STEL)	350 mg/m ³
Sweden	KTV (OEL STEL) [ppm]	250 ppm
Canada (Quebec)	VECD (OEL STEL)	328 mg/m ³
Canada (Quebec)	VECD (OEL STEL) [ppm]	250 ppm
Canada (Quebec)	VEMP (OEL TWA)	262 mg/m ³
Canada (Quebec)	VEMP (OEL TWA) [ppm]	200 ppm
Australia	OES TWA [1]	262 mg/m ³
Australia	OES TWA [2]	200 ppm

HM 4072 ANTIMICROBIAL

Safety Data Sheet

Methanol (67-56-1)		
Australia	OES STEL	328 mg/m ³
Australia	OES STEL [ppm]	250 ppm
Portugal	OEL TWA	260 mg/m ³ (indicative limit value)
Portugal	OEL TWA [ppm]	200 ppm (indicative limit value)
Portugal	OEL STEL [ppm]	250 ppm
Portugal	Chemical category	skin - potential for cutaneous exposure indicative limit value

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Chemical goggles or face shield. Contact lenses should not be worn

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor - amine gas (brown cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear to hazy, yellow to straw solution.
Molecular mass	: 496.29 g/mol
Colour	: No data available
Odour	: Amine-like.
Odour threshold	: No data available
Refractive index	: No additional information available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 68 °C (initial, methanol)
Flash point	: 15 °C
Auto-ignition temperature	: 230 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapour.
Vapour pressure	: 50 mm Hg @ 25°C
Relative vapour density at 20 °C	: No data available
Relative density	: 0.95
% Volatiles	: 28 %
Solubility	: Reacts with water. Dissolves.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 6 – 36.5 vol % (lower; upper)

HM 4072 ANTIMICROBIAL

Safety Data Sheet

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable when stored in sealed containers.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Heat. Sparks. Open flame.

10.5. Incompatible materials

Acids. alcohols. Oxidizing agent. Peroxides.

10.6. Hazardous decomposition products

Organic acid vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed or in contact with skin. Harmful in contact with skin or if inhaled. Harmful if inhaled.

HM 4072 ANTIMICROBIAL (27668-52-6)

ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	1500 mg/kg bodyweight
ATE CLP (vapours)	15 mg/l/4h

Methanol (67-56-1)

LC50 Inhalation - Rat [ppm]	22500 ppm (Exposure time: 8 h)
ATE CLP (oral)	100 mg/kg bodyweight
ATE CLP (dermal)	300 mg/kg bodyweight
ATE CLP (vapours)	3 mg/l/4h

3-Chloropropyltrimethoxysilane (2530-87-2)

LD50 oral rat	5628 mg/kg
LD50 dermal rabbit	2830 µl/kg

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified None of the components in this product at concentrations >0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.
Reproductive toxicity	: Not classified
STOT-single exposure	: Causes damage to organs.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: Harmful if inhaled. Danger of serious damage to health by prolonged exposure through inhalation. Overexposure may cause: Cough. Headache. Nausea. Visual disturbances.
Symptoms/effects after skin contact	: Harmful in contact with skin. Causes skin irritation. Repeated exposure to this material can result in absorption through skin causing significant health hazard.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard. Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness. Onset of symptoms may be delayed up to 48 hours.
Chronic symptoms	: Methanol may effect the central nervous system resulting in persistent or recurring headaches or impaired vision.

HM 4072 ANTIMICROBIAL

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Methanol (67-56-1)

LC50 - Fish [1]	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Methanol (67-56-1)

BCF - Fish [1]	< 10
Partition coefficient n-octanol/water (Log Pow)	-0.77

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.
Product/Packaging disposal recommendations : Incinerate. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Additional information : Handle empty containers with care because residual vapours are flammable. Improper disposal of pesticides or pesticide residues is a violation of US Federal law. Preferred option for disposal of waste pesticides is incineration at a licensed and permitted facility.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number

UN-No. (ADR) : 1230
UN-No. (IMDG) : 1230
UN-No. (IATA) : 1230
UN-No. (ADN) : 1230
UN-No. (RID) : 1230

14.2. UN proper shipping name

Proper Shipping Name (ADR) : METHANOL
Proper Shipping Name (IMDG) : METHANOL
Proper Shipping Name (IATA) : Methanol
Proper Shipping Name (ADN) : METHANOL
Proper Shipping Name (RID) : METHANOL
Transport document description (ADR) : UN 1230 METHANOL (METHANOL SOLUTION), 3 (6.1), II, (D/E)
Transport document description (IMDG) : UN 1230 METHANOL (METHANOL SOLUTION), 3 (6.1), II (12°C c.c.)
Transport document description (IATA) : UN 1230 Methanol (METHANOL SOLUTION), 3 (6.1), II
Transport document description (ADN) : UN 1230 METHANOL (METHANOL SOLUTION), 3 (6.1), II
Transport document description (RID) : UN 1230 METHANOL (METHANOL SOLUTION), 3 (6.1), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3 (6.1)

HM 4072 ANTIMICROBIAL

Safety Data Sheet

Danger labels (ADR) : 3, 6.1



IMDG

Transport hazard class(es) (IMDG) : 3 (6.1)

Danger labels (IMDG) : 3, 6.1



IATA

Transport hazard class(es) (IATA) : 3 (6.1)

Danger labels (IATA) : 3, 6.1



ADN

Transport hazard class(es) (ADN) : 3 (6.1)

Danger labels (ADN) : 3, 6.1



RID

Transport hazard class(es) (RID) : 3 (6.1)

Danger labels (RID) : 3, 6.1



14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

HM 4072 ANTIMICROBIAL

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: FT1
Special provisions (ADR)	: 279
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BH
Tank special provisions (ADR)	: TU15
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S2, S19
Hazard identification number (Kemler No.)	: 336
Orange plates	:

336

1230

Tunnel restriction code (ADR)	: D/E
EAC code	: •2WE
APP code	: A(fl)

- Transport by sea

Special provisions (IMDG)	: 279
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Flash point (IMDG)	: 12°C c.c.

- Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 352
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A104, A113
ERG code (IATA)	: 3L

- Inland waterway transport

Classification code (ADN)	: FT1
Special provisions (ADN)	: 279, 802
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T

HM 4072 ANTIMICROBIAL

Safety Data Sheet

Equipment required (ADN) : PP, EP, EX, TOX, A
Ventilation (ADN) : VE01, VE02
Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : FT1
Special provisions (RID) : 279
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001, IBC02
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions (RID) : TP2
Tank codes for RID tanks (RID) : L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 336

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no REACH Annex XIV substances

% Volatiles : 28 %

15.1.2. National regulations

Germany

Regulatory reference : Not classified according to Regulation Governing Systems for Handling Substances Hazardous to Waters (AwSV)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Methanol is listed

Denmark

Class for fire hazard : Class I-1

Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable liquids must be followed

HM 4072 ANTIMICROBIAL

Safety Data Sheet

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor

Other information : Prepared by safety and environmental affairs.

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H370	Causes damage to organs.
H371	May cause damage to organs.

SDS EU (REACH Annex II) - Custom

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2020 Gelest Inc. Morrisville, PA 19067