

**TRIS(DIMETHYLAMINO)GALLIUM**

Safety Data Sheet OMGA080

Date of issue: 14/07/2015

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Substance
Physical state	: Solid
Substance name	: TRIS(DIMETHYLAMINO)GALLIUM
Product code	: OMGA080
Formula	: C ₆ H ₁₈ N ₃ Ga
Synonyms	: GALLIUM III DIMETHYLAMIDE
Chemical family	: METAL ALKYL

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Use of the substance/mixture : Chemical intermediate

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet**GELEST, INC.**11 East Steel Road
Morrisville, PA 19067**USA**

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com**GELEST INC.**Fritz-Klatte-Strasse 8
65933 Frankfurt**Germany**

T +49 (0) 69 3535106-500 - F +49 (0) 69 3535106-501 - (M-F): 8:00 AM - 4:00 PM

info@gelestde.com - www.gelestde.com**1.4. Emergency telephone number**

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Flammable solids, Category 1	H228
Skin corrosion/irritation, Category 1B	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS02



GHS05



GHS07

Signal word (CLP)

: Danger

TRIS(DIMETHYLAMINO)GALLIUM

Safety Data Sheet

Hazard statements (CLP)	: H228 - Flammable solid. H314 - Causes severe skin burns and eye damage. H335 - May cause respiratory irritation.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical equipment. P260 - Do not breathe dust, vapours. P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type	: Mono-constituent
Name	: TRIS(DIMETHYLAMINO)GALLIUM
CAS-No.	: 57731-40-5

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tris(dimethylamino)gallium	(CAS-No.) 57731-40-5	> 95	Flam. Sol. 1, H228 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.
First-aid measures after skin contact	: Wash with plenty of water/.... Get immediate medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Get immediate medical advice/attention.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Direct respiratory contact is usually not possible, but will cause burns. Inhalation of combustion products can cause irritation.
Symptoms/effects after skin contact	: Causes (severe) skin burns.
Symptoms/effects after eye contact	: May cause severe burns.
Symptoms/effects after ingestion	: May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry chemical powder followed by sand or dolomite.
Unsuitable extinguishing media	: Water.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable solid.
Explosion hazard	: Container explosion may occur during fire conditions.

5.3. Advice for firefighters

Firefighting instructions	: If material is ignited, allow to burn. Exercise caution when fighting any chemical fire.
---------------------------	--

TRIS(DIMETHYLAMINO)GALLIUM

Safety Data Sheet

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapour and mist.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8). Do not allow contact with water. Eliminate every possible source of ignition. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Concentrate containment efforts to adjacent combustibles.

Methods for cleaning up : Cover with dry chemical extinguishing powder, lime, sand or soda ash. Do not use water. Remove combustible materials in the vicinity of the spill. Allow time for decomposition or fire to burn out, then sweep material and transfer to a suitable container for disposal.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Glove box or sealed system under inert atmosphere is required. Do not expose to moisture or air. Use only non-sparking tools. Avoid all eye and skin contact and do not breathe vapour and mist.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Laboratory and production areas must be equipped with fire-extinguishing media.

Storage conditions : Store in a closed container.

Information on mixed storage : Flammable and combustible materials should not be stored in or near working areas for pyrophorics.

Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Glove box or sealed system under inert atmosphere is required. Provide local exhaust or general room ventilation.

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Full face shield with chemical workers goggles. Contact lenses should not be worn

Skin and body protection:

Wear suitable protective clothing. Fire resistant laboratory jacket or apron should be worn.

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

TRIS(DIMETHYLAMINO)GALLIUM

Safety Data Sheet

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Fumes in air.
Molecular mass	: 201.95 g/mol
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
Refractive index	: No additional information available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 91 - 96 °C
Freezing point	: No data available
Boiling point	: 125 °C @0.01 mm Hg
Flash point	: 56 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapour.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: > 1
Relative density	: < 1
Solubility	: Reacts violently with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable solid.

10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere. Decomposes exothermically on contact with air.

10.3. Possibility of hazardous reactions

The product can generate small amounts of hydrogen when exposed to alkalis and protic materials such as water and alcohol.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Air. Water. Alkalis. Precious metals. Metal salts. Oxidizing agent. Bromine. Chlorine.

10.6. Hazardous decomposition products

Dimethylamine. Carbon monoxide. Organic acid vapors. Gallium oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

TRIS(DIMETHYLAMINO)GALLIUM

Safety Data Sheet

STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: Direct respiratory contact is usually not possible, but will cause burns. Inhalation of combustion products can cause irritation.
Symptoms/effects after skin contact	: Causes (severe) skin burns.
Symptoms/effects after eye contact	: May cause severe burns.
Symptoms/effects after ingestion	: May be harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations	: Do not dispose of waste into sewer.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 2925
UN-No. (IMDG)	: 2925
UN-No. (IATA)	: 2925
UN-No. (ADN)	: 2925
UN-No. (RID)	: 2925

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.
Proper Shipping Name (IMDG)	: FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.
Proper Shipping Name (IATA)	: Flammable solid, corrosive, organic, n.o.s.
Proper Shipping Name (ADN)	: FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.
Proper Shipping Name (RID)	: FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.
Transport document description (ADR)	: UN 2925 FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S. ((TRIS(DIMETHYLAMINO)GALLIUM)), 4.1 (8), III, (E)
Transport document description (IMDG)	: UN 2925 FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S. ((TRIS(DIMETHYLAMINO)GALLIUM)), 4.1 (8), III
Transport document description (IATA)	: UN 2925 Flammable solid, corrosive, organic, n.o.s. ((TRIS(DIMETHYLAMINO)GALLIUM)), 4.1, III
Transport document description (ADN)	: UN 2925 FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S. ((TRIS(DIMETHYLAMINO)GALLIUM)), 4.1 (8), III
Transport document description (RID)	: UN 2925 FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S. ((TRIS(DIMETHYLAMINO)GALLIUM)), 4.1 (8), III

TRIS(DIMETHYLAMINO)GALLIUM

Safety Data Sheet

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 4.1 (8)

Danger labels (ADR) : 4.1, 8



IMDG

Transport hazard class(es) (IMDG) : 4.1 (8)

Danger labels (IMDG) : 4.1, 8



IATA

Transport hazard class(es) (IATA) : 4.1 (8)

Hazard labels (IATA) : 4.1, 8



ADN

Transport hazard class(es) (ADN) : 4.1 (8)

Danger labels (ADN) : 4.1, 8



RID

Transport hazard class(es) (RID) : 4.1 (8)

Danger labels (RID) : 4.1, 8



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

TRIS(DIMETHYLAMINO)GALLIUM

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: FC1
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC06, R001
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Hazard identification number (Kemler No.)	: 48
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 1W

- Transport by sea

Special provisions (IMDG)	: 223, 274, 915
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002
IBC packing instructions (IMDG)	: IBC06
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-G
Stowage category (IMDG)	: D
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y442
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 446
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 449
CAO max net quantity (IATA)	: 100kg
Special provisions (IATA)	: A3
ERG code (IATA)	: 3C

- Inland waterway transport

Classification code (ADN)	: FC1
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: FC1
Special provisions (RID)	: 274

TRIS(DIMETHYLAMINO)GALLIUM

Safety Data Sheet

Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC06, R001
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W1
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 48

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

TRIS(DIMETHYLAMINO)GALLIUM is not on the REACH Candidate List

TRIS(DIMETHYLAMINO)GALLIUM is not on the REACH Annex XIV List

TRIS(DIMETHYLAMINO)GALLIUM is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

TRIS(DIMETHYLAMINO)GALLIUM is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

TRIS(DIMETHYLAMINO)GALLIUM

Safety Data Sheet

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor

Other information

: Prepared by safety and environmental affairs.

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Sol. 1	Flammable solids, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H228	Flammable solid.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

SDS EU (REACH Annex II) - Custom

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067

