

Safety Data Sheet SIC2295.5

Issue date: 01/05/2015 Revision date: 12/06/2023 Version: 2.1

## **SECTION 1: Identification**

## 1.1. Identification

Product name : ((CHLOROMETHYL)PHENYLETHYL)TRIMETHOXYSILANE

Product code : SIC2295.5
Product form : Substance
Physical state : Liquid

Formula : C12H19ClO3Si

Synonyms : [2-[3(OR4)-(CHLOROMETHYL)PHENYL]ETHYL]TRIMETHOXYSILANE;

(TRIMETHOXYSILYLETHYL)BENZYL CHLORIDE

Chemical family : ORGANOMETHOXYSILANE

#### 1.2. Recommended use and restrictions on use

Recommended use : Chemical intermediate

## 1.3. Supplier

#### GELEST, INC.

11 East Steel Road Morrisville, PA 19067

**USA** 

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

## 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

## SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Serious eye damage/eye irritation Category 2A H319 Causes serious eye irritation

Full text of H statements : see section 16

## 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H319 - Causes serious eye irritation

Precautionary statements (GHS US) : P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention.

## 2.3. Hazards not otherwise classified (HNOC)

No additional information available

Print date: 12/07/2023 EN (English US) SDS ID: **SIC2295.5** 1/7

Safety Data Sheet

## 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Substance type : Mono-constituent

Name : ((CHLOROMETHYL)PHENYLETHYL)TRIMETHOXYSILANE

CAS-No. : 68128-25-6

Name	Product identifier	%	GHS US classification
((Chloromethyl)phenylethyl)trimethoxysilane	CAS-No.: 68128-25-6	> 95	Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

## 3.2. Mixtures

Not applicable

## **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available

show packaging or label.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache. Nausea.

INduS

Symptoms/effects after skin contact : May cause skin irritation. Related benzyl chloride compounds can cause chemical rashes and

allergic reactions.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness. Onset of symptoms may be

delayed up to 48 hours.

Chronic symptoms : On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system. Methanol may effect the central nervous system resulting in

persistent or recurring headaches or impaired vision.

#### 4.3. Immediate medical attention and special treatment, if necessary

NOTE TO PHYSICIAN: This product reacts with water in the acid contents of the stomach to form methanol. The combination of visual disturbances, metabolic acidosis and formic acid in urine is evidence of methanol poisoning. The therapeutic intravenous administration of ethanol (10 mls/hour) allows methanol to be preferentially oxidized and reduces production of methanol metabolites. Acidosis must be treated with intravenous administration of sodium bicarbonate and methanol elimination may be increased by hemodialysis, as indicated. Treatment should be based on blood methanol levels and acid-base balance.

## **SECTION 5: Fire-fighting measures**

## 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Print date: 12/07/2023 EN (English US) SDS ID: **SIC2295.5** 2/7

Safety Data Sheet

## 5.2. Specific hazards arising from the chemical

Fire hazard : Irritating fumes and organic acid vapors may develop when material is exposed to elevated

temperatures or open flame.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid

all eye and skin contact and do not breathe vapor and mist.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean

: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal.

## 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Provide local exhaust or general room ventilation. Avoid all eye and skin contact and do not

breathe vapor and mist.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap

and water before eating, drinking or smoking and when leaving work.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Incompatible materials : Moisture. Water.

Storage area : Store in a well-ventilated place. Store away from heat.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

## 8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Print date: 12/07/2023 EN (English US) SDS ID: **SIC2295.5** 3/7

## Safety Data Sheet

#### Hand protection:

Neoprene or nitrile rubber gloves

#### Eye protection:

Chemical goggles or face shield. Contact lenses should not be worn

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.
Molecular mass : 274.82 g/mol
Color : Straw.
Odor : Mild.

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available

Freezing point : < 0 °C

Boiling point :  $115 \,^{\circ}\text{C}$  @  $1.5 \, \text{mm}$  Hg

Flash point : 130 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapor pressure : < 1 mm Hg @ 25°C

Relative vapor density at 20°C

Relative density : 1.09

Solubility : Insoluble in water. Reacts with water.

> 1

Partition coefficient n-octanol/water (Log Pow)

Partition coefficient n-octanol/water (Log Kow)

No data available
Viscosity, kinematic

Viscosity, dynamic

Explosive properties

Oxidizing properties

Explosion limits

No data available

No data available

No data available

No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable in sealed containers.

## 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating methanol. Non-hazardous polymerization/degradation may occur if undiluted product is heated above 150°C.

Print date: 12/07/2023 EN (English US) SDS ID: **SIC2295.5** 4/7

## Safety Data Sheet

#### 10.4. Conditions to avoid

Heat. Sparks. Open flame.

## 10.5. Incompatible materials

Moisture. Water.

#### 10.6. Hazardous decomposition products

Chlorinated hydrocarbons. Methanol. Organic acid vapors.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified
Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache.

Nausea.

Symptoms/effects after skin contact : May cause skin irritation. Related benzyl chloride compounds can cause chemical rashes and

allergic reactions.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes

nausea, vomiting, headache, visual effects including blindness. Onset of symptoms may be

delayed up to 48 hours.

Chronic symptoms : On contact with water this compound liberates methanol which is known to have a chronic effect

on the central nervous system. Methanol may effect the central nervous system resulting in

persistent or recurring headaches or impaired vision.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

No additional information available

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Print date: 12/07/2023 EN (English US) SDS ID: **SIC2295.5** 5/7

Safety Data Sheet

Effect on the ozone layer : No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Ecology - waste materials

Product/Packaging disposal recommendations

: May be incinerated. Dispose of contents/container to licensed waste disposal facility...

: Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG		IMDG	IATA		
14.1. UN number						
Not regulated for transport						
14.2. Proper Shipping Name						
Not applicable	Not applicable	Not applicable		Not applicable		
Transport document description						
Not applicable	Not applicable		Not applicable	Not applicable		
14.3. Transport hazard class(es	3)					
Not applicable	Not applicable		Not applicable	Not applicable		
14.4. Packing group						
Not applicable	Not applicable		Not applicable	Not applicable		
14.5. Environmental hazards						
Dangerous for the environment: No	Dangerous for the environment	t: No [	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No		
No supplementary information availab	ole					

## 14.6. Special precautions for user

DOT

No data available

**TDG** 

No data available

IMDG

No data available

**IATA** 

No data available

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Print date: 12/07/2023 EN (English US) SDS ID: **SIC2295.5** 6/7

## Safety Data Sheet

Name	CAS-No.	Listing	Commercial status	Flags
((Chloromethyl)phenylethyl)trimethoxysilane	68128-25-6	Present	Active	

## 15.2. International regulations

#### **CANADA**

#### ((Chloromethyl)phenylethyl)trimethoxysilane (68128-25-6)

Listed on the Canadian NDSL (Non-Domestic Substances List)

#### **EU-Regulations**

## ((Chloromethyl)phenylethyl)trimethoxysilane (68128-25-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### **National regulations**

#### ((Chloromethyl)phenylethyl)trimethoxysilane (68128-25-6)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## **SECTION 16: Other information**

Fi	ıll	text	∩f	H-i	nhr	ases::
	uII	ICYL	UΙ	1 1-1	וווט	ascs

H319 Causes serious eye irritation

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high

temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

Prepared by safety and environmental affairs.

Issue date: 01/05/2015 Revision date: 12/06/2023 Version: 2.1

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Print date: 12/07/2023 EN (English US) SDS ID: **SIC2295.5** 7/7