



2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet SIC2415.0

Date of issue: 11/07/2014

Revision date: 05/04/2019

Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Physical state	: Liquid
Product name	: 2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride
Product code	: SIC2415.0
Formula	: C ₈ H ₈ Cl ₄ O ₂ SSi
Synonyms	: TRICHLOROSILYLETHYLPHENYLSULFONYL CHLORIDE; P-[2-(TRICHLOROSILYL)ETHYL]BENZENESULPHONYL CHLORIDE
Chemical family	: CHLOROSILANE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Chemical intermediate

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

GELEST, INC.

11 East Steel Road
Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

GELEST INC.

Fritz-Klatte-Strasse 8
65933 Frankfurt

Germany

T +49 (0) 69 3535106-500 - F +49 (0) 69 3535106-501 - (M-F): 8:00 AM - 4:00 PM

info@gelestde.com - www.gelestde.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 1B	H314
Carcinogenicity, Category 2	H351
Reproductive toxicity, Category 2	H361
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Specific target organ toxicity — Repeated exposure, Category 2	H373
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazardous ingredients :

Trichlorosilylethylphenylsulfonyl chloride

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H336 - May cause drowsiness or dizziness.
H351 - Suspected of causing cancer.
H361 - Suspected of damaging fertility or the unborn child.
H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP) :

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P240 - Ground/bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting equipment.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Trichlorosilylethylphenylsulfonyl chloride	(CAS-No.) 79793-00-3 (EC-No.) 279-267-2	> 45	Skin Corr. 1B, H314 Eye Dam. 1, H318
Methylene chloride	(CAS-No.) 75-09-2 (EC-No.) 200-838-9 (EC Index-No.) 602-004-00-3	> 45	Acute Tox. 4 (Oral), H302 Carc. 2, H351

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general :

Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation :

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact :

Wash with plenty of water/.... Get immediate medical advice/attention.

First-aid measures after eye contact :

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion :

Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects :

Causes severe skin burns and eye damage. May cause cancer.

Symptoms/effects after inhalation :

May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache. Nausea.

Symptoms/effects after skin contact :

Causes (severe) skin burns.

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet

Symptoms/effects after eye contact : Causes serious eye damage.
Symptoms/effects after ingestion : May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Irritating fumes of hydrogen chloride and organic acid vapors may develop when material is exposed to water or open flame.

5.3. Advice for firefighters

Firefighting instructions : Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapour and mist.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing vapours.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide local exhaust or general room ventilation. Do not handle until all safety precautions have been read and understood. Avoid all eye and skin contact and do not breathe vapour and mist.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Incompatible materials : alcohols. Oxidizing agent. Moisture. Water :

Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Methylene chloride (75-09-2)		
Austria	MAK (mg/m ³)	175 mg/m ³
Austria	MAK (ppm)	50 ppm
Austria	MAK Short time value (mg/m ³)	700 mg/m ³
Austria	MAK Short time value (ppm)	200 ppm
Belgium	Limit value (mg/m ³)	177 mg/m ³
Belgium	Limit value (ppm)	50 ppm
Bulgaria	OEL TWA (mg/m ³)	100 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	517 mg/m ³
France	VLE (mg/m ³)	356 mg/m ³ (restrictive limit)
France	VLE (ppm)	100 ppm (restrictive limit)

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet

Methylene chloride (75-09-2)		
France	VME (mg/m ³)	178 mg/m ³ (restrictive limit)
France	VME (ppm)	50 ppm (restrictive limit)
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	260 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	75 ppm
Greece	OEL TWA (mg/m ³)	350 mg/m ³
Greece	OEL TWA (ppm)	100 ppm
Greece	OEL STEL (mg/m ³)	1750 mg/m ³
Greece	OEL STEL (ppm)	500 ppm
Italy - Portugal - USA ACGIH	ACGIH TWA (ppm)	50 ppm
Latvia	OEL TWA (mg/m ³)	120 mg/m ³
USA IDLH	US IDLH (ppm)	2300 ppm
USA OSHA	OSHA PEL (TWA) (ppm)	25 ppm
USA OSHA	OSHA PEL (STEL) (ppm)	125 ppm (see 29 CFR 1910.1052)
Spain	VLA-ED (mg/m ³)	177 mg/m ³ (manufacturing, commercialization, and use restrictions under REACH)
Spain	VLA-ED (ppm)	50 ppm (manufacturing, commercialization, and use restrictions under REACH)
Switzerland	MAK (mg/m ³)	180 mg/m ³
Switzerland	MAK (ppm)	50 ppm
United Kingdom	WEL TWA (mg/m ³)	350 mg/m ³
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m ³)	1060 mg/m ³
United Kingdom	WEL STEL (ppm)	300 ppm
Czech Republic	Expoziční limity (PEL) (mg/m ³)	200 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	122 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	35 ppm
Finland	HTP-arvo (8h) (mg/m ³)	350 mg/m ³
Finland	HTP-arvo (8h) (ppm)	100 ppm
Finland	HTP-arvo (15 min)	880 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	250 ppm
Hungary	AK-érték	10 mg/m ³
Hungary	CK-érték	10 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	174 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	50 ppm
Ireland	OEL (15 min ref) (mg/m ³)	550 mg/m ³
Ireland	OEL (15 min ref) (ppm)	150 ppm
Lithuania	IPRV (mg/m ³)	120 mg/m ³
Lithuania	IPRV (ppm)	35 ppm
Lithuania	TPRV (mg/m ³)	250 mg/m ³
Lithuania	TPRV (ppm)	70 ppm
Norway	Grenseverdier (AN) (mg/m ³)	50 mg/m ³
Norway	Grenseverdier (AN) (ppm)	15 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m ³)	50 mg/m ³
Norway	Grenseverdier (Korttidsverdi) (ppm)	15 ppm
Poland	NDS (mg/m ³)	88 mg/m ³
Romania	OEL TWA (mg/m ³)	174 mg/m ³
Romania	OEL TWA (ppm)	50 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	350 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	100 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	120 mg/m ³

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet

Methylene chloride (75-09-2)		
Sweden	nivågränsvärde (NVG) (ppm)	35 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	250 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	70 ppm
Canada (Quebec)	VEMP (mg/m ³)	174 mg/m ³
Canada (Quebec)	VEMP (ppm)	50 ppm
Australia	TWA (mg/m ³)	174 mg/m ³
Australia	TWA (ppm)	50 ppm
Portugal	OEL TWA (ppm)	50 ppm
Portugal	OEL chemical category (PT)	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Chemical goggles or face shield. Contact lenses should not be worn

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear liquid.
Molecular mass	: 338.11 g/mol
Colour	: Straw. Amber.
Odour	: Acrid.
Odour threshold	: No data available
Refractive index	: No additional information available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: < 0 °C
Boiling point	: 39 °C initial (methylene chloride)
Flash point	: No data available
Auto-ignition temperature	: 615 °C (methylene chloride)
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: ~ 380 mm Hg @ 22°C
Relative vapour density at 20 °C	: No data available
Relative density	: 1.37
% Volatiles	: > 50 %
Solubility	: Insoluble in water. Reacts with water.
Log Pow	: No data available
Log Kow	: No data available

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 15.5 - 66.4 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

alcohols. Amines. Oxidizing agent. Moisture. Water :

10.6. Hazardous decomposition products

Chlorinated hydrocarbons. Hydrogen chloride. Organic acid vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride (79793-00-3)

ATE CLP (oral)	500 mg/kg bodyweight
----------------	----------------------

Methylene chloride (75-09-2)

LD50 oral rat	1600 mg/kg
LC50 inhalation rat (mg/l)	53 mg/l (Exposure time: 6 h)
ATE CLP (oral)	1600 mg/kg bodyweight
ATE CLP (vapours)	53 mg/l/4h
ATE CLP (dust,mist)	53 mg/l/4h

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified Methylene chloride is an experimental mutagen.
Carcinogenicity	: Suspected of causing cancer. Methylene chloride is an experimental carcinogen.

Methylene chloride (75-09-2)

IARC group	2A - Probably carcinogenic to humans
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity, 3 - Reasonably anticipated to be Human Carcinogen

Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Harmful if swallowed.
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache. Nausea.
Symptoms/effects after skin contact	: Causes (severe) skin burns.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: May be harmful if swallowed.

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified
Chronic aquatic toxicity : Not classified

Methylene chloride (75-09-2)

LC50 fish 1	140.8 - 277.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	1532 - 1847 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	262 - 855 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	190 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Methylene chloride (75-09-2)

BCF fish 1	6.4 - 40
Log Pow	1.25

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : May be incinerated. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2987
UN-No. (IMDG) : 2987
UN-No. (IATA) : 2987
UN-No. (ADN) : 2987
UN-No. (RID) : 2987

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CHLOROSILANES, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG) : CHLOROSILANES, CORROSIVE, N.O.S.
Proper Shipping Name (IATA) : Chlorosilanes, corrosive, n.o.s.
Proper Shipping Name (ADN) : CHLOROSILANES, CORROSIVE, N.O.S.
Proper Shipping Name (RID) : CHLOROSILANES, CORROSIVE, N.O.S.
Transport document description (ADR) : UN 2987 CHLOROSILANES, CORROSIVE, N.O.S. (2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride), 8, II, (E)
Transport document description (IMDG) : UN 2987 CHLOROSILANES, CORROSIVE, N.O.S. (2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride), 8, II
Transport document description (IATA) : UN 2987 Chlorosilanes, corrosive, n.o.s. (2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride), 8, II
Transport document description (ADN) : UN 2987 CHLOROSILANES, CORROSIVE, N.O.S. (2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride), 8, II
Transport document description (RID) : UN 2987 CHLOROSILANES, CORROSIVE, N.O.S. (2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride), 8, II

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8

Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8

Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet

Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C3
Special provisions (ADR) : 548
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P010
Special packing provisions (ADR) : RR7
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T14
Portable tank and bulk container special provisions (ADR) : TP2, TP7, TP27
Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : X80
Orange plates :

X80

2987

Tunnel restriction code (ADR) : E
EAC code : 4W

- Transport by sea

Limited quantities (IMDG) : 0
Excepted quantities (IMDG) : E0
Packing instructions (IMDG) : P010
Tank instructions (IMDG) : T14
Tank special provisions (IMDG) : TP2, TP7, TP13, TP27
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : C
Stowage and handling (IMDG) : SW2
Properties and observations (IMDG) :

Colourless liquids with a pungent odour. Immiscible with water. React violently with water or steam, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolve toxic gases. In the presence of moisture, highly corrosive to most metals. Cause burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : 876
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A1
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C3
Special provisions (ADN) : 548
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet

Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C3
Special provisions (RID) : 548
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P010
Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T14
Portable tank and bulk container special provisions (RID) : TP2, TP7, TP27
Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : X80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

Contains no REACH Annex XIV substances

% Volatiles : > 50 %

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

2-(4-CHLOROSULFONYLPHENYL)ETHYLTRICHLOROSILANE, 50% in methylene chloride

Safety Data Sheet

SECTION 16: Other information

Abbreviations and acronyms:

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor

Other information : Prepared by safety and environmental affairs.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

SDS EU (REACH Annex II) - Custom

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067