

Safety Data Sheet SID4220.4

Date of issue: 01/11/2017 Revision date: 04/08/2019 Version: 1.1

### **SECTION 1: Identification**

### Identification

Product name : DIMETHYLSILA-11-CROWN-4, 95%

: SID4220.4 Product code Product form : Substance Physical state : Liquid Formula : C6H14O2Si

1,1-DIMETHYL-1,3,6,9,11-TETRAOXA-1-SILACYCLOUNDECANE Synonyms

2,2-DIMETHYL-1,3,6,9-TETRAOXA-2-SILACYCLOUNDECANE

Chemical family

#### Recommended use and restrictions on use 1.2.

Recommended use : Chemical intermediate

### Supplier

### **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

# **Emergency telephone number**

**Emergency number** : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

H227 Combustible liquid

# SECTION 2: Hazard(s) identification

### Classification of the substance or mixture

# **GHS-US** classification

Flammable liquids Category 4 Skin corrosion/irritation Category 2

H315 Causes skin irritation Serious eye damage/eye irritation Category 2A H319 Causes serious eye irritation

Full text of H statements : see section 16

#### GHS Label elements, including precautionary statements 2.2.

### **GHS US labeling**

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) H227 - Combustible liquid H315 - Causes skin irritation

H319 - Causes serious eye irritation

P280 - Wear protective gloves/protective clothing/eye protection/face protection. Precautionary statements (GHS US)

P210 - Keep away from heat, open flames, sparks. - No smoking.

P264 - Wash hands thoroughly after handling.

P302+P352 - If on skin: Wash with plenty of soap and water P332+P313 - If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention. P321 - Specific treatment (see first aid instructions on this label) P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use water spray or fog, foam, carbon dioxide, dry chemical to

extinguish.

P403+P235 - Keep in a cool place

P501 - Dispose of contents/container to licensed waste disposal facility.

# Hazards not otherwise classified (HNOC)

No additional information available

### **Unknown acute toxicity (GHS US)**

Not applicable

Print date: 04/11/2019 EN (English US) SDS ID: SID4220.4 Page 1

# Safety Data Sheet

# **SECTION 3: Composition/Information on ingredients**

### **Substances**

Substance type : Mono-constituent

DIMETHYLSILA-11-CROWN-4, 95% Name

CAS-No. 18339-94-1

Name	Product identifier	%	GHS-US classification
2,2-Dimethyl-1,3,6,9-tetraoxa-2-silacycloundecane	(CAS-No.) 18339-94-1	95 - 100	Flam. Liq. 4, H227 Skin Irrit. 2, H315
			Eye Irrit. 2A, H319

Full text of hazard classes and H-statements: see section 16

#### 3.2. **Mixtures**

Not applicable

# **SECTION 4: First-aid measures**

### **Description of first aid measures**

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek First-aid measures general

medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

First-aid measures after inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact Wash with plenty of soap and water. Get medical advice/attention.

First-aid measures after eye contact Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical advice/attention.

Never give anything by mouth to an unconscious person. Get medical advice/attention. First-aid measures after ingestion

### Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : Causes serious eye irritation. : No information available Symptoms/effects after ingestion

# Immediate medical attention and special treatment, if necessary

No additional information available

## **SECTION 5: Fire-fighting measures**

# Suitable (and unsuitable) extinguishing media

: Water spray. Water fog. Foam. Carbon dioxide. Dry chemical. Suitable extinguishing media

Unsuitable extinguishing media : None known.

# Specific hazards arising from the chemical

: Combustible liquid. Irritating fumes and organic acid vapors may develop when material is Fire hazard

exposed to elevated temperatures or open flame.

#### 5.3. Special protective equipment and precautions for fire-fighters

: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed Firefighting instructions

containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapor and mist.

### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

**Emergency procedures** : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

## **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Print date: 04/11/2019 EN (English US) SDS ID: SID4220.4 2/7

# Safety Data Sheet

### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Use only non-

sparking tools.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed : Keep away from heat, open flames, sparks. - No smoking.

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and

receiving equipment. Provide good ventilation in process area to prevent accumulation of

vapors. Use only non-sparking tools.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Keep in a cool place.

Incompatible materials : Oxidizing agent.

Storage area : Store in a well-ventilated place. Store away from heat.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

### 8.3. Individual protection measures/Personal protective equipment

# Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

### Hand protection:

Neoprene or nitrile rubber gloves

### Eye protection:

Chemical goggles. Contact lenses should not be worn

# Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Clear liquid.Molecular mass: 206.31 g/molColor: No data availableOdor: Characteristic.Odor threshold: No data available

Refractive index : 1.4487

pH : No data available

Relative evaporation rate (butyl acetate=1) : < 1
Melting point : < 0 °C

Freezing point : No data available
Boiling point : 96 °C @ 9 mm Hg

Print date: 04/11/2019 EN (English US) SDS ID: **SID4220.4** 3/7

# Safety Data Sheet

Flash point : 77 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Combustible liquid

Vapor pressure : < 0.1 mm Hg @ 25°C

Relative vapor density at 20 °C :  $\sim 7.5$ Relative density : 1.07 % Volatiles : 100 %

Solubility : Soluble in water. Reacts slowly with water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Material decomposes slowly in contact with moist air or with water liberating triethylenegycol.

## 10.4. Conditions to avoid

Heat. Open flame. Sparks.

## 10.5. Incompatible materials

Oxidizing agent.

# 10.6. Hazardous decomposition products

Organic acid vapors. Silicon dioxide. Triethyleneglycol.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

None of the components in this product at concentrations >0.1% are listed by IARC, NTP,

OSHA or ACGIH as a carcinogen.

Reproductive toxicity : Not classified

Triethylenegylcol have been reported to have teratogenic effects in laboratory tests.

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Note: The hydrolysis product of dimethylsila-11-crown-4 is triethylenegylcol.

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : No information available.

Print date: 04/11/2019 EN (English US) SDS ID: **SID4220.4** 4/7

# Safety Data Sheet

Reason for classification : Expert judgment

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on the ozone layer : No additional information available

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Incinerate. Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

### 14.1. UN number

DOT NA no. NA1993

## 14.2. UN proper shipping name

Transport document description : NA1993 Combustible liquid, n.o.s. (DIMETHYLSILA-11-CROWN-4), 3, III

Proper Shipping Name (DOT) : Combustible liquid, n.o.s.

(DIMETHYLSILA-11-CROWN-4)

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241
DOT Packaging Exceptions (49 CFR 173.xxx) : 150

DOT Symbols : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN

requiring a technical name

### 14.3. Additional information

Other information : This product is Combustible as defined by the US Department of Transportation (DOT). It is

regulated for transport in the US in container > 119 gallons (450 liters). The product is not

regulated for transport by the IATA, ADR/RID, ADNR or the IMDG regulations.

### Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

Print date: 04/11/2019 EN (English US) SDS ID: **SID4220.4** 5/7

# Safety Data Sheet

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

TSCA Exemption/Exclusion

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

### 2,2-Dimethyl-1,3,6,9-tetraoxa-2-silacycloundecane (18339-94-1)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

### **CANADA**

No additional information available

### **EU-Regulations**

### 2,2-Dimethyl-1,3,6,9-tetraoxa-2-silacycloundecane (18339-94-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: Other information**

### Full text of H-phrases::

 H227	Combustible liquid
 H315	Causes skin irritation
 H319	Causes serious eye irritation

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

### **Hazard Rating**

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F

but below 200 F. (Classes II & IIIA)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Prepared by safety and environmental affairs.

Date of issue: 01/11/2017 Revision date: 04/08/2019 Version: 1.1

SDS US (GHS HazCom 2012) - Custom


According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Print date: 04/11/2019 EN (English US) SDS ID: **SID4220.4** 6/7

Safety Data Sheet

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067



Print date: 04/11/2019 EN (English US) SDS ID: **SID4220.4** 7/7