

Safety Data Sheet SIM6493.2

Date of issue: 24/11/2014 Revision date: 28/05/2019 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Physical state : Liquid

Substance name : METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE, 92%

Product code : SIM6493.2 Formula : C10H21Cl3O4Si

Synonyms : A-(TRICHLOROSILYLPROPYL)-W-METHYLTRIETHYLENEOXIDE

1,1,1-TRICHLORO-5,8,11,14-TETRAOXA-1-SILAPENTADECANE 5,8,11,14-TETRAOXA-1-SILAPENTADECANE, 1,1,1-TRICHLORO-

Chemical family : ORGANOCHLOROSILANE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Chemical intermediate

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

GELEST INC.

Fritz-Klatte-Strasse 8 65933 Frankfurt

Germany

T +49 (0) 69 3535106-500 - F +49 (0) 69 3535106-501 - (M-F): 8:00 AM - 4:00 PM

info@gelestde.com - www.gelestde.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1B H314
Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Print date: 28/05/2019 EN (English) SDS ID: **SIM6493.2** 1/9

Safety Data Sheet

P260 - Do not breathe vapours.

P264 - Wash hands thoroughly after handling.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substance type : Mono-constituent

: METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE, 92% Name

CAS-No. : 228700-87-6

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Methoxytriethyleneoxypropyltrichlorosilane	(CAS-No.) 228700-87-6	92 - 100	Skin Corr. 1B, H314 Eye Dam. 1, H318

Full text of H-statements: see section 16

3.2. **Mixtures**

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general

Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

First-aid measures after skin contact

Wash with plenty of water/.... Get immediate medical advice/attention.

First-aid measures after eye contact

Immediately flush eves thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion Never give anything by mouth to an unconscious person. Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms/effects

: Causes severe skin burns and eye damage.

Symptoms/effects after inhalation

May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache.

Nausea.

Symptoms/effects after skin contact Causes (severe) skin burns. Symptoms/effects after eye contact : Causes serious eye damage. Symptoms/effects after ingestion : May be harmful if swallowed.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Water.

5.2 Special hazards arising from the substance or mixture

Fire hazard

: Irritating fumes of hydrochloric acid and organic acid vapors may develop when material is exposed to water or open flame.

5.3. Advice for firefighters

Firefighting instructions

Protection during firefighting

: Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces. Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapour and mist.

Print date: 28/05/2019 EN (English) SDS ID: SIM6493.2 2/9

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapour and mist. Provide good ventilation in

process area to prevent formation of vapour.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store locked up.

Incompatible materials : Acids. alcohols. Oxidizing agent.

Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Impervious gloves such as neoprene or nitrile rubber gloves

Eye protection:

Goggles. Contact lenses should not be worn

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, use full face NIOSH-certified respirator with APF of 50; organic vapor/acid gas (yellow cartridge) is recommended, if air-purifying respirator selected.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.

Print date: 28/05/2019 EN (English) SDS ID: SIM6493.2 3/9

Safety Data Sheet

Molecular mass : 339.71 g/mol

Colour : Colorless to dark straw.

Odour : Acrid. Similar to hydrogen chloride.

Odour threshold : No data available

Refractive index : No additional information available

pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available

Freezing point : < 20 °C

Boiling point : 148 °C @ 0.3 mm Hg

Flash point : $> 65 \, ^{\circ}\text{C}$

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : < 0.1 mm Hg @ 25°C

Relative vapour density at 20 $^{\circ}$ C : > 1 Relative density : 1.034

Solubility : Insoluble in water. Reacts with water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Acids. alcohols. Oxidizing agent.

10.6. Hazardous decomposition products

Hydrogen chloride. Organic acid vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

None of the components in this product at concentrations >0.1% are listed by IARC, NTP,

OSHA or ACGIH as a carcinogen.

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Print date: 28/05/2019 EN (English) SDS ID: SIM6493.2 4/9

Safety Data Sheet

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache.

Nausea.

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

Reason for classification : Expert judgment

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : May be incinerated. Dispose in a safe manner in accordance with local/national regulations.

Dispose of contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 2987

 UN-No. (IMDG)
 : 2987

 UN-No. (IATA)
 : 2987

 UN-No. (ADN)
 : 2987

 UN-No. (RID)
 : 2987

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CHLOROSILANES, CORROSIVE, N.O.S.

Proper Shipping Name (IMDG) : CHLOROSILANES, CORROSIVE, N.O.S.

Proper Shipping Name (IATA) : Chlorosilanes, corrosive, n.o.s.

Proper Shipping Name (ADN) : CHLOROSILANES, CORROSIVE, N.O.S. Proper Shipping Name (RID) : CHLOROSILANES, CORROSIVE, N.O.S.

Transport document description (ADR) : UN 2987 CHLOROSILANES, CORROSIVE, N.O.S.

(METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE), 8, II, (E)

Transport document description (IMDG) : UN 2987 CHLOROSILANES, CORROSIVE, N.O.S.

(METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE), 8, II

Transport document description (IATA) : UN 2987 Chlorosilanes, corrosive, n.o.s.

(METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE), 8, II

Transport document description (ADN) : UN 2987 CHLOROSILANES, CORROSIVE, N.O.S.

(METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE), 8, II

Transport document description (RID) : UN 2987 CHLOROSILANES, CORROSIVE, N.O.S.

(METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE), 8, II

14.3. Transport hazard class(es)

ADR

Print date: 28/05/2019 EN (English) SDS ID: SIM6493.2 5/9

Safety Data Sheet

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

Print date: 28/05/2019 EN (English) SDS ID: **SIM6493.2** 6/9

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

: C3 Classification code (ADR) Special provisions (ADR) : 548 Limited quantities (ADR) : 0 Excepted quantities (ADR) : E0 Packing instructions (ADR) : P010 : RR7 Special packing provisions (ADR) Mixed packing provisions (ADR) : MP15 Portable tank and bulk container instructions : T14

(ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : X80

Orange plates

X80 2987

: TP2, TP7, TP27

Tunnel restriction code (ADR) : E EAC code : 4W

- Transport by sea

 Limited quantities (IMDG)
 : 0

 Excepted quantities (IMDG)
 : E0

 Packing instructions (IMDG)
 : P010

 Tank instructions (IMDG)
 : T14

Tank special provisions (IMDG) : TP2, TP7, TP13, TP27

EmS-No. (Fire): F-AEmS-No. (Spillage): S-BStowage category (IMDG): CStowage and handling (IMDG): SW2

Properties and observations (IMDG) : Colourless liquid

Colourless liquids with a pungent odour. Immiscible with water. React violently with water or steam, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolve toxic gases. In the presence of moisture, highly corrosive to most metals. Cause burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Forbidden PCA limited quantity max net quantity (IATA) : Forbidden PCA packing instructions (IATA) : Forbidden PCA max net quantity (IATA) : Forbidden CAO packing instructions (IATA) : 876 CAO max net quantity (IATA) : 30L Special provisions (IATA) : A1 : 8L ERG code (IATA)

- Inland waterway transport

Classification code (ADN) : C3

Special provisions (ADN) : 548

Limited quantities (ADN) : 0

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C3
Special provisions (RID) : 548

Print date: 28/05/2019 EN (English) SDS ID: SIM6493.2 7/9

Safety Data Sheet

Limited quantities (RID) : 0

Excepted quantities (RID) : E0

Packing instructions (RID) : P010

Mixed packing provisions (RID) : MP15

Portable tank and bulk container instructions : T14

(RID)

Portable tank and bulk container special

provisions (RID)

: TP2, TP7, TP27

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : X80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE, 92% is not on the REACH Candidate List

METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE, 92% is not on the REACH Annex XIV List

METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE, 92% is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN

PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE, 92% is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BlmSchV

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de voortplanting : The substance is not listed giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor

Other information : Prepared by safety and environmental affairs.

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B

Print date: 28/05/2019 EN (English) SDS ID: SIM6493.2 8/9


Safety Data Sheet

П		
	H314	Causes severe skin burns and eye damage.
	H318	Causes serious eye damage.

SDS EU (REACH Annex II) - Custom

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067



Print date: 28/05/2019 EN (English) SDS ID: **SIM6493.2** 9/9



11 E. Steel Road Morrisville, PA 19067

215-547-1015 phone 215-547-2484 fax www.gelest.com

NOTICE OF TSCA USE RESTRICTIONS AND REQUIRED CONTROLS FOR SIM6493.2 METHOXYTRIETHYLENEOXYPROPYLTRICHLOROSILANE, 92%

Dear Customer:

The chemical product purchased, SIM6493.2 has been granted a Low Volume Exemption by the U.S. Environmental Protection Agency (EPA) under the Toxic Substances Control Act (TSCA) regulations (40 CFR 723.50). Any manufacturer or processor who intends to use this chemical substance for commercial purposes must comply with the specific use restrictions and controls specified as follows:

USE OF THIS CHEMICAL SUBSTANCE IS RESTRICTED TO: Hydrophilic coating

CONTROLS: Workers must use personal protection equipment to limit dermal and inhalation exposures as described in Section 8: Exposure Controls/Personal Protection of the Safety Data Sheet (SDS). These exposure controls include:

Hand protection: Impervious gloves (neoprene or nitrile rubber gloves) Eye Protection: Chemical goggles. Contact lenses should not be worn.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Air-purifying respirator with organic vapor/acid gas cartridge.

WASTE DISPOSAL: Customer must rinse containers with solvent prior to disposal. Residues and wash solvents must be containerized for off-site disposal by incineration at licensed waste disposal facility. Do not release to publicly owned treatment works (POTW) via sewer or to surface waters.

If you have questions or need more information related to allowable use of this substance, contact Gelest Regulatory Affairs at 215-547-1015.

Best Regards,

Gelest, Inc.
Regulatory Affairs Department