

Safety Data Sheet SIM6558.0
Date of issue: 02/10/2016 Version: 1.0

SECTION 1: Identification

1.1. Identification

Product name : METHYLTRIFLUOROSILANE

Product code : SIM6558.0
Product form : Substance
Physical state : Gas
Formula : CH3F3Si

Synonyms : TRIFLUOROSILYLMETHANE; TRIFLUOROMETHYLSILANE

Chemical family : ORGANOFLUOROSILANE

1.2. Recommended use and restrictions on use

Recommended use : Chemical intermediate

1.3. Supplier

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Flammable gases Category 1 H220 Extremely flammable gas

Gases under pressure Compressed gas H280 Contains gas under pressure; may explode if heated

Acute toxicity (inhalation:gas) Category 3 H331 Toxic if inhaled

Skin corrosion/irritation Category 1B H314 Causes severe skin burns and eye damage

Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)









Signal word (GHS US) : Danger

Hazard statements (GHS US) : H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

Precautionary statements (GHS US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P210 - Keep away from heat, open flames, sparks. - No smoking.

P260 - Do not breathe gas.

P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area.

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P321 - Specific treatment (see first aid instructions on this label)

P363 - Wash contaminated clothing before reuse.

P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 - Eliminate all ignition sources if safe to do so.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

Safety Data Sheet

P410+P403 - Protect from sunlight. Store in a well-ventilated place. P501 - Dispose of contents/container to licensed waste disposal facility.

Hazards not otherwise classified (HNOC)

Other hazards not contributing to the classification

Hydrogen fluoride may be formed by reaction with water and moisture in air. The US OSHA PEL (TWA) for hydrogen fluoride is 3 ppm.

Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

Substance type : Mono-constituent

: METHYLTRIFLUOROSILANE Name

CAS-No. : 373-74-0

Name	Product identifier	%	GHS-US classification
Methyltrifluorosilane	(CAS-No.) 373-74-0	97 - 100	Flam. Gas 1, H220 Press. Gas (Comp.), H280 Acute Tox. 3 (Inhalation), H331 Skin Corr. 18, H314 Eve Dam. 1. H318

Full text of hazard classes and H-statements : see section 16

Mixtures

Not applicable

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general

Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice

First-aid measures after skin contact

Flush with water, then wash with saturated solution of sodium carbonate or 3% aqueous

ammonia. Get immediate medical advice/attention.

First-aid measures after eye contact

First-aid measures after ingestion

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

Most important symptoms and effects (acute and delayed)

Symptoms/effects

: Causes severe skin burns and eye damage.

Symptoms/effects after inhalation

Toxic if inhaled. May cause irritation to the respiratory tract.

Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion

Causes (severe) skin burns. Causes serious eye damage. May be harmful if swallowed.

Immediate medical attention and special treatment, if necessary

NOTE TO PHYSICIAN: Under conditions of severe skin exposure, therapies with calcium gluconate injections similar to that recommended hydrofluoric acid contact may be considered.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Water spray. Alcohol-resistant foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Do not use straight streams.

5.2. Specific hazards arising from the chemical

Fire hazard

: Flammable gas. Irritating fumes of hydrogen fluoride and organic acid vapors may develop when material is exposed to water or open flame.

Explosion hazard : Contains gas under pressure; may explode if heated.

Special protective equipment and precautions for fire-fighters

Firefighting instructions

: Exercise caution when fighting any chemical fire. Eliminate all ignition sources if safe to do so. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Use water spray to cool

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid contact with skin and eyes. Do not breathe gas.

Print date: 04/11/2019 EN (English US) SDS ID: SIM6558.0 2/7

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe gas. Use only outdoors or in a well-ventilated

area.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Keep in a cool place. Protect from sunlight. Store in a well-

ventilated place. Store locked up.

Incompatible materials : Acids. Alcohols. Moisture. Oxidizing agent. Water.

Storage area : Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Methyltrifluorosilane (373-74-0)				
OSHA	OSHA PEL (TWA) (mg/m³)		2.5 mg/m³ for fluoride	

8.2. Appropriate engineering controls

Appropriate engineering controls : Handle in an enclosing hood with exhaust ventilation.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Chemical goggles or face shield. Contact lenses should not be worn

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

Print date: 04/11/2019 EN (English US) SDS ID: SIM6558.0 3/7

Safety Data Sheet

Melting point

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Compressed gas or liquid.

Molecular mass : 100.11 g/mol
Color : No data available
Odor : Acrid. Hydrogen fluoride.

Odor threshold : No data available
Refractive index : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available

: No data available

Freezing point : -73 °C Boiling point : -30 °C Flash point : <0 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable gas

Vapor pressure : > 3 mm Hg @ 20°C

Relative vapor density at 20 $^{\circ}$ C : > 1 Relative density : > 1 % Volatiles : 100 $^{\circ}$

Solubility : Reacts with water. No data available Log Pow Log Kow No data available No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosive** properties No data available No data available Oxidizing properties : No data available **Explosion limits**

9.2. Other information

Gas group : Compressed gas

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

10.3. Possibility of hazardous reactions

Reacts with water and moisture in air liberating hydrogen fluoride.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Acids. Alcohols. Moisture. Oxidizing agent. Water.

10.6. Hazardous decomposition products

Hydrogen fluoride. Organic acid vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

METHYLTRIFLUOROSILANE (373-74-0)		
ATE US (gases)	700 ppmV/4h	
Methyltrifluorosilane (373-74-0)		
ATE US (gases)	700 ppmV/4h	
ATE US (vapors)	3 mg/l/4h	
ATE US (dust, mist)	0.5 mg/l/4h	

Print date: 04/11/2019 EN (English US) SDS ID: **SIM6558.0** 4/7

Safety Data Sheet

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : Toxic if inhaled. May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

Reason for classification : Expert judgment

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on the ozone layer : No additional information available

Effect on global warming : No known effects from this product.

GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No.(DOT) : 3305 DOT NA no. UN3305

14.2. UN proper shipping name

Transport document description : UN3305 Compressed gas, toxic, flammable, corrosive, n.o.s. (Inhalation Hazard Zone C), 2.3

(2.1;8)

Proper Shipping Name (DOT) : Compressed gas, toxic, flammable, corrosive, n.o.s.

Inhalation Hazard Zone C

Class (DOT) : 2.3 - Class 2.3 - Poisonous gas 49 CFR 173.115

Print date: 04/11/2019 EN (English US) SDS ID: SIM6558.0 5/7

Safety Data Sheet

Hazard labels (DOT) : 2.3 - Poison gas

2.1 - Flammable gas

8 - Corrosive







DOT Packaging Non Bulk (49 CFR 173.xxx) : 192
DOT Packaging Bulk (49 CFR 173.xxx) : 245
DOT Packaging Exceptions (49 CFR 173.xxx) : None

DOT Symbols : G - Identifies PSN requiring a technical name,I - Proper shipping name appropriate for

international and domestic transportation

14.3. Additional information

Emergency Response Guide (ERG) Number : 119

Other information : No supplementary information available.

Transport by sea

DOT Vessel Stowage Location : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel

carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger

vessels in which the limiting number of passengers is exceeded.

DOT Vessel Stowage Other : 17 - Segregation same as for flammable gases but "away from" dangerous when wet,40 - Stow

"clear of living quarters"

Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : Forbidden

CFR 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

Methyltrifluorosilane (373-74-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Methyltrifluorosilane (373-74-0)

Listed on the Canadian NDSL (Non-Domestic Substances List)

EU-Regulations

Methyltrifluorosilane (373-74-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases::

H220	Extremely flammable gas
H280	Contains gas under pressure; may explode if heated
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H331	Toxic if inhaled

Print date: 04/11/2019 EN (English US) SDS ID: **SIM6558.0** 6/7

Safety Data Sheet

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

Hazard Rating

Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability

: 4 Severe Hazard - Flammable gases, or very volatile flammable liquids with flash points below 73 F, and boiling points below 100 F. Materials may ignite spontaneously with air. (Class IA)

Physical

: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

Prepared by safety and environmental affairs.

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067

Print date: 04/11/2019 EN (English US) SDS ID: **SIM6558.0** 7/7