

Safety Data Sheet SIP6912.0

Date of issue: 11/11/2015 Revision date: 08/04/2019 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance Physical state : Liquid

: n-PROPYLMETHYLDICHLOROSILANE Substance name

Product code · SIP6912.0 Formula C4H10Cl2Si

: DICHLOROMETHYL-n-PROPYLSILANE Synonyms

Chemical family : ORGANOCHLOROSILANE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Use of the substance/mixture : Chemical intermediate

Uses advised against 1.2.2.

No additional information available

1.3. Details of the supplier of the safety data sheet

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

GELEST INC.

Fritz-Klatte-Strasse 8 65933 Frankfurt

Germany

T +49 (0) 69 3535106-500 - F +49 (0) 69 3535106-501 - (M-F): 8:00 AM - 4:00 PM

info@gelestde.com - www.gelestde.com

Emergency telephone number

: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International) **Emergency number**

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226 Skin corrosion/irritation, Category 1B H314 Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Label elements 2.2.

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02 GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H314 - Causes severe skin burns and eye damage.

SDS ID: SIP6912.0 Print date: 11/04/2019 EN (English) 1/9

Safety Data Sheet

Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 - Ground/bond container and receiving equipment.

P260 - Do not breathe vapours.

P264 - Wash hands thoroughly after handling.

P310 - Immediately call a POISON CENTER or doctor/physician

EUH-statements : EUH014 - Reacts violently with water.

2.3. Other hazards

Other hazards not contributing to the classification

 Hydrogen chloride may be formed by reaction with water and moisture in air. The US OSHA PEL (TWA) for hydrogen chloride is 5 ppm.

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type : Mono-constituent

Name : n-PROPYLMETHYLDICHLOROSILANE

CAS-No. : 4518-94-9 EC-No. : 224-843-0

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
n-Propylmethyldichlorosilane	(CAS-No.) 4518-94-9 (EC-No.) 224-843-0	95 - 100	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical

advice.

First-aid measures after skin contact

: Wash with plenty of water/.... Get immediate medical advice/attention.

First-aid measures after eye contact

: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion

Never give anything by mouth to an unconscious person. Get medical advice/attention if you

feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.
Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Water fog. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Irritating fumes of hydrogen chloride and organic acid vapors

may develop when material is exposed to water or open flame.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Print date: 11/04/2019 EN (English) SDS ID: SIP6912.0 2/9

Safety Data Sheet

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapour and mist.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal. Use only non-sparking tools.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapour and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent formation of vapour.

Take precautionary measures against static discharge. Use only non-sparking tools.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof

electrical equipment.

Storage conditions : Keep container tightly closed. Keep in a cool place. Store locked up.

Incompatible materials : Alkalis. Oxidizing agent.

Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Print date: 11/04/2019 EN (English) SDS ID: SIP6912.0 3/9

Safety Data Sheet

Chemical goggles or face shield. Contact lenses should not be worn

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear liquid.

Molecular mass : 157.11 g/mol

Colour : No data available

Odour : Acrid. Similar to hydrogen chloride.

Odour threshold : No data available

Refractive index : 1.425

pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available

Freezing point : < 0 °C Boiling point : 125 °C Flash point : 27 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour.

Vapour pressure : No data available

Relative vapour density at 20 °C : > 1 Relative density : 1.027 % Volatiles : > 95 %

Solubility : Insoluble in water. Reacts with water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : 0.8 cSt @ 20°C
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Alkalis. Oxidizing agent.

10.6. Hazardous decomposition products

Carbon monoxide. Formaldehyde. Hydrogen chloride. Organic acid vapors. Silicon dioxide.

Print date: 11/04/2019 EN (English) SDS ID: SIP6912.0 4/9

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes (severe) skin burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : May be harmful if swallowed.

Reason for classification : Expert judgment

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2986 UN-No. (IMDG) : 2986 UN-No. (IATA) : 2986 UN-No. (ADN) : 2986 UN-No. (RID) : 2986

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S. Proper Shipping Name (IMDG) : CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S.

Proper Shipping Name (IATA) : Chlorosilanes, corrosive, flammable, n.o.s.

Print date: 11/04/2019 EN (English) SDS ID: SIP6912.0 5/9

Safety Data Sheet

Proper Shipping Name (ADN) : CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S.

Proper Shipping Name (RID) : CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S.

Transport document description (ADR) : UN 2986 CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S. (n-

PROPYLMETHYLDICHLOROSILANE), 8 (3), II, (D/E)

Transport document description (IMDG) : UN 2986 CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S. (n-

PROPYLMETHYLDICHLOROSILANE), 8 (3), II

Transport document description (IATA) : UN 2986 Chlorosilanes, corrosive, flammable, n.o.s. (n-PROPYLMETHYLDICHLOROSILANE),

8 (3), II

Transport document description (ADN) : UN 2986 CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S. (n-

PROPYLMETHYLDICHLOROSILANE), 8 (3), II

Transport document description (RID) : UN 2986 CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S. (n-

PROPYLMETHYLDICHLOROSILANE), 8 (3), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8 (3)
Danger labels (ADR) : 8, 3



IMDG

Transport hazard class(es) (IMDG) : 8 (3)
Danger labels (IMDG) : 8, 3



IATA

Transport hazard class(es) (IATA) : 8 (3)
Hazard labels (IATA) : 8, 3



ADN

Transport hazard class(es) (ADN) : 8 (3)
Danger labels (ADN) : 8, 3



RID

Transport hazard class(es) (RID) : 8 (3)
Danger labels (RID) : 8, 3



Print date: 11/04/2019 EN (English) SDS ID: SIP6912.0 6/9

Safety Data Sheet

14.4. Packing group

 Packing group (ADR)
 : II

 Packing group (IMDG)
 : II

 Packing group (IATA)
 : II

 Packing group (ADN)
 : II

 Packing group (RID)
 : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : CF1
Special provisions (ADR) : 548
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P010
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions : T14

(ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : L4BN

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation : S2

(ADR)

Hazard identification number (Kemler No.)

Orange plates

X83 X83 2986

: TP2, TP7, TP27

Tunnel restriction code (ADR) : D/E EAC code : 4W APP code : A(fl)

- Transport by sea

Limited quantities (IMDG) : 0

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P010

Tank instructions (IMDG) : T14

Tank special provisions (IMDG) : TP2, TP7, TP13, TP27

EmS-No. (Fire): F-EEmS-No. (Spillage): S-CStowage category (IMDG): CStowage and handling (IMDG): SW2

Properties and observations (IMDG) : Colourless, flammable liquids with a pungent odour. Immiscible with water. React violently with water or steam, evolving hydrogen chloride, an irritating and corrosive gas apparent as white

fumes. When involved in a fire, evolve toxic gas. In the presence of moisture, highly corrosive

to most metals. Cause burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden

PCA limited quantity max net quantity (IATA) : Forbidden

PCA packing instructions (IATA) : Forbidden

PCA max net quantity (IATA) : Forbidden

CAO packing instructions (IATA) : 876

Print date: 11/04/2019 EN (English) SDS ID: SIP6912.0 7/9

Safety Data Sheet

CAO max net quantity (IATA) : 30L Special provisions (IATA) : A1 ERG code (IATA) : 8F

- Inland waterway transport

: CF1 Classification code (ADN) Special provisions (ADN) : 548 Limited quantities (ADN) : 0 Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EP, EX, A

Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : CF1 Special provisions (RID) : 548 Limited quantities (RID) : 0 Excepted quantities (RID) : E0 Packing instructions (RID) : P010 Mixed packing provisions (RID) : MP15 Portable tank and bulk container instructions : T14

Portable tank and bulk container special

provisions (RID)

: TP2, TP7, TP27

Tank codes for RID tanks (RID) : L4BN Transport category (RID) : 2 Colis express (express parcels) (RID) : CF6 Hazard identification number (RID) : X83

Transport in bulk according to Annex II of Marpol and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations 15.1.1.

No REACH Annex XVII restrictions

n-PROPYLMETHYLDICHLOROSILANE is not on the REACH Candidate List

n-PROPYLMETHYLDICHLOROSILANE is not on the REACH Annex XIV List

n-PROPYLMETHYLDICHLOROSILANE is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

n-PROPYLMETHYLDICHLOROSILANE is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

% Volatiles : > 95 %

National regulations 15.1.2.

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to VwVwS,

Annex 1 or 2; ID No. 557)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de voortplanting : The substance is not listed giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: The substance is not listed

Print date: 11/04/2019 EN (English) SDS ID: SIP6912.0 8/9

Safety Data Sheet

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H226;H314>; Emergency management guidelines for the storage of flammable liquids

must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor

Other information

: Prepared by safety and environmental affairs.

Full text of H- and EUH-statements:

Tail toxt of TT and Lott otatomorito.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
EUH014	Reacts violently with water.

SDS EU (REACH Annex II) - Custom

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067

Print date: 11/04/2019 EN (English) SDS ID: SIP6912.0 9/9