

**BIS(TRI-n-BUTYL TIN)OXIDE**

Safety Data Sheet SNB1800

Date of issue: 06/08/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Substance
Physical state	: Liquid
Substance name	: BIS(TRI-n-BUTYL TIN)OXIDE
Product code	: SNB1800
Formula	: C ₂₄ H ₅₄ O ₂ Sn ₂
Synonyms	: HEXABUTYLDISTANNOXANE; TRIBUTYL TIN OXIDE; OXYBIS(TRIBUTYL TIN)
Chemical family	: ORGANOTIN

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Use of the substance/mixture : Chemical intermediate

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet**GELEST, INC.**11 East Steel Road
Morrisville, PA 19067**USA**

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com**GELEST INC.**Fritz-Klatte-Strasse 8
65933 Frankfurt**Germany**

T +49 (0) 69 3535106-500 - F +49 (0) 69 3535106-501 - (M-F): 8:00 AM - 4:00 PM

info@gelestde.com - www.gelestde.com**1.4. Emergency telephone number**

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Acute toxicity (oral), Category 3	H301
Acute toxicity (dermal), Category 3	H311
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Specific target organ toxicity — Repeated exposure, Category 1	H372
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

BIS(TRI-n-BUTYL TIN)OXIDE

Safety Data Sheet

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazard statements (CLP) :

H301+H311 - Toxic if swallowed or in contact with skin
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.
H372 - Causes damage to organs through prolonged or repeated exposure.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P260 - Do not breathe mist.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P312 - Call a doctor if you feel unwell.

2.3. Other hazards

This substance/mixture meets the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains PBT substances \geq 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type :

Mono-constituent

Name :

BIS(TRI-n-BUTYL TIN)OXIDE

CAS-No. :

56-35-9

EC-No. :

200-268-0

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(tributyltin) oxide substance listed as REACH Candidate (Bis(tributyltin)oxide (TBTO))	(CAS-No.) 56-35-9 (EC-No.) 200-268-0	> 95	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 1, H372 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general :

Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation :

Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact :

Wash with plenty of water/.... Get medical advice/attention.

First-aid measures after eye contact :

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion :

Never give anything by mouth to an unconscious person. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation :

May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache. Nausea.

BIS(TRI-n-BUTYLTIN)OXIDE

Safety Data Sheet

Symptoms/effects after skin contact	: Causes skin irritation. Harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physician: Application of corticosteroid creams has been effective in treating severe skin irritation. If blisters develop, they may require abrasion to promote healing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Foam. Water spray.
Unsuitable extinguishing media	: None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.
-------------	---

5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapour and mist.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear protective equipment as described in Section 8.
Emergency procedures	: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	--

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal.
-------------------------	---

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapour and mist. Use only outdoors or in a well-ventilated area. The use of this material for bioactive purposes is prohibited.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container tightly closed. Keep away from food.
Storage area	: Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Bis(tributyltin) oxide (56-35-9)		
Austria	MAK (mg/m ³)	0.05 mg/m ³
Austria	MAK (ppm)	0.002 ppm
Austria	MAK Short time value (mg/m ³)	0.2 mg/m ³
Austria	MAK Short time value (ppm)	0.008 ppm
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m ³)	0.1 mg/m ³ as tin (skin)
USA OSHA	OSHA PEL (TWA) (mg/m ³)	0.1 mg/m ³ as tin

BIS(TRI-n-BUTYL TIN)OXIDE

Safety Data Sheet

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Neoprene or nitrile rubber gloves

Eye protection:

Chemical goggles. Contact lenses should not be worn

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified dust and mist (orange cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear liquid.
Molecular mass	: 596.08 g/mol
Colour	: Clear to pale yellow.
Odour	: No data available
Odour threshold	: No data available
Refractive index	: 1.4864
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: -45 °C
Boiling point	: 180 °C @ 2 mm Hg
Flash point	: 168 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 1.1×10^{-5} mm Hg @ 20°C
Relative vapour density at 20 °C	: No data available
Relative density	: 1.17
% Volatiles	: < 2 %
Solubility	: Water: < 0.1 %
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 4.8 cSt @ 25°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable.

BIS(TRI-n-BUTYL TIN)OXIDE

Safety Data Sheet

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Organic acid vapors. Tin oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Toxic if swallowed. Toxic in contact with skin.

BIS(TRI-n-BUTYL TIN)OXIDE (56-35-9)

ATE CLP (oral)	155.789 mg/kg bodyweight
ATE CLP (dermal)	636.842 mg/kg bodyweight

Bis(tributyltin) oxide (56-35-9)

LD50 oral rat	148 - 234 mg/kg
LD50 dermal rat	605 mg/kg
LC50 inhalation rat (mg/l)	64 µL/m ³ (Exposure time: 4 h)
LCLo inhalation rat	200 mg/m ³ guinea pig
ATE CLP (oral)	148 mg/kg bodyweight
ATE CLP (dermal)	605 mg/kg bodyweight

Skin corrosion/irritation	: Causes skin irritation. Skin irritation score = 75/110 (severely irritating)
Serious eye damage/irritation	: Causes serious eye irritation. Eye irritation score = 3/8 (slightly to moderately irritating)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache. Nausea.
Symptoms/effects after skin contact	: Causes skin irritation. Harmful in contact with skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: This material is acutely toxic to aquatic life if released to open waters.
Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

Bis(tributyltin) oxide (56-35-9)

LC50 fish 1	0.0024 - 0.003 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	0.0046 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	0.0046 - 0.0069 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 2	0.0036 - 0.0052 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Bis(tributyltin) oxide (56-35-9)

Log Pow	3.2
---------	-----

BIS(TRI-n-BUTYLTIN)OXIDE

Safety Data Sheet

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

BIS(TRI-n-BUTYLTIN)OXIDE (56-35-9)

This substance/mixture meets the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

Bis(tributyltin) oxide (56-35-9)

This substance/mixture meets the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Waste treatment methods : Do not contaminate by cleaning of equipment or disposal of wastes.
- Product/Packaging disposal recommendations : Dispose of solid materials or residues at a licensed site. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
- Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

- UN-No. (ADR) : 2788
- UN-No. (IMDG) : 2788
- UN-No. (IATA) : 2788
- UN-No. (ADN) : 2788
- UN-No. (RID) : 2788

14.2. UN proper shipping name

- Proper Shipping Name (ADR) : ORGANOTIN COMPOUND, LIQUID, N.O.S.
- Proper Shipping Name (IMDG) : ORGANOTIN COMPOUND, LIQUID, N.O.S.
- Proper Shipping Name (IATA) : Organotin compound, liquid, n.o.s.
- Proper Shipping Name (ADN) : ORGANOTIN COMPOUND, LIQUID, N.O.S.
- Proper Shipping Name (RID) : ORGANOTIN COMPOUND, LIQUID, N.O.S.
- Transport document description (ADR) : UN 2788 ORGANOTIN COMPOUND, LIQUID, N.O.S. (BIS(TRI-n-BUTYLTIN)OXIDE), 6.1, III, (E), ENVIRONMENTALLY HAZARDOUS
- Transport document description (IMDG) : UN 2788 ORGANOTIN COMPOUND, LIQUID, N.O.S. (BIS(TRI-n-BUTYLTIN)OXIDE), 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
- Transport document description (IATA) : UN 2788 Organotin compound, liquid, n.o.s. (BIS(TRI-n-BUTYLTIN)OXIDE), 6.1, III, ENVIRONMENTALLY HAZARDOUS
- Transport document description (ADN) : UN 2788 ORGANOTIN COMPOUND, LIQUID, N.O.S. (BIS(TRI-n-BUTYLTIN)OXIDE), 6.1, III, ENVIRONMENTALLY HAZARDOUS
- Transport document description (RID) : UN 2788 ORGANOTIN COMPOUND, LIQUID, N.O.S. (BIS(TRI-n-BUTYLTIN)OXIDE), 6.1, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

- Transport hazard class(es) (ADR) : 6.1
- Danger labels (ADR) : 6.1



IMDG

- Transport hazard class(es) (IMDG) : 6.1

BIS(TRI-n-BUTYL TIN)OXIDE

Safety Data Sheet

Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1

Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1

Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1

Danger labels (RID) : 6.1



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T3

Special provisions (ADR) : 43, 274

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

BIS(TRI-n-BUTYL TIN)OXIDE

Safety Data Sheet

Portable tank and bulk container special provisions (ADR)	: TP2, TP28
Tank code (ADR)	: L4BH
Tank special provisions (ADR)	: TU15, TE19
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S9
Hazard identification number (Kemler No.)	: 60
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B

- Transport by sea

Special provisions (IMDG)	: 43, 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: A wide variety of toxic liquids. Toxic if swallowed, by skin contact or by inhalation.

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y642
PCA limited quantity max net quantity (IATA)	: 2L
PCA packing instructions (IATA)	: 655
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 663
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A4, A6
ERG code (IATA)	: 6L

- Inland waterway transport

Classification code (ADN)	: T3
Special provisions (ADN)	: 43, 274, 802
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: T3
Special provisions (RID)	: 43, 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001

BIS(TRI-n-BUTYLTIN)OXIDE

Safety Data Sheet

Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2, TP28
Tank codes for RID tanks (RID)	: L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 60

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Bis(tributyltin)oxide (TBTO) is on the REACH Candidate List

Contains a substance on the REACH candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: Bis(tributyltin)oxide (TBTO) (EC 200-268-0, CAS 56-35-9)

BIS(TRI-n-BUTYLTIN)OXIDE is not on the REACH Annex XIV List

All tributyltin compounds, including: Tributyltin oxide is subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

BIS(TRI-n-BUTYLTIN)OXIDE is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

% Volatiles : < 2 %

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to VwVwS, Annex 1 or 2; ID No. 502)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

BIS(TRI-n-BUTYL TIN)OXIDE

Safety Data Sheet

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor

Other information : Prepared by safety and environmental affairs.

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II) - Custom

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2019 Gelest Inc. Morrisville, PA 19067