

**DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95****Safety Data Sheet SND2900**

Issue date: 08/08/2016

Revision date: 14/03/2022

Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Substance
Physical state	: Solid
Substance name	: DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95
Product code	: SND2900
Formula	: C ₂₄ H ₄₈ O ₄ Sn
Synonyms	: DIBUTYLTINDIOCTOATE STANNANE, DIBUTYLBIS[(2-ETHYL-1-OXOHEXYL)OXY]- DIBUTYLTIN DI-2-ETHYLHEXANOATE HEXANOIC ACID, 2-ETHYL-, 1,1'-(DIBUTYLSTANNYLENE) ESTER
Chemical family	: ORGANOTIN

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Use of the substance/mixture : Chemical intermediate

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet**GELEST, INC.**

11 East Steel Road
Morrisville, PA 19067
USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com**GELEST INC.**

Fritz-Klatte-Strasse 8
65933 Frankfurt
Germany

T +49 (0) 69 3535106-500 - F +49 (0) 69 3535106-501 - (M-F): 8:00 AM - 4:00 PM

info@gelestde.com - www.gelest.com**1.4. Emergency telephone number**

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Acute toxicity (oral), Category 3	H301
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

Safety Data Sheet

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS06

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H301 - Toxic if swallowed.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P330 - Rinse mouth.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER.
P501 - Dispose of contents/container to licensed waste disposal facility..

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type

: Multi-constituent

Name

: DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

CAS-No.

: 2781-10-4

EC-No.

: 220-481-2

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Di-n-butylbis(2-ethylhexanoate)tin	(CAS-No.) 2781-10-4 (EC-No.) 220-481-2	95 – 100	Acute Tox. 3 (Oral), H301 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Other Organotins		0 – 5	Not classified

Full text of H- and EUH-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact

: Wash with plenty of water/.... Get medical advice/attention.

First-aid measures after eye contact

: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion

: Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: May cause irritation to the respiratory tract.

DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

Safety Data Sheet

Symptoms/effects after skin contact	: Causes skin irritation. May be harmful in contact with skin. Organotin may be absorbed through the skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physician: Application of corticosteroid creams has been effective in treating severe skin irritation. If blisters develop, they may require abrasion to promote healing.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.
Unsuitable extinguishing media	: Do not use straight streams.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.
-------------	---

5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid contact with skin and eyes. Do not breathe dust.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear protective equipment as described in Section 8.
Emergency procedures	: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	--

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes. Do not breathe dust. Avoid dust formation. Provide local exhaust or general room ventilation to minimize exposure to dust.
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container tightly closed. Store locked up.
Incompatible materials	: Bases. Reducing agents.
Storage area	: Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Other Organotins

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA	0.1 mg/m ³ as tin
---------------	------------------------------

Di-n-butylbis(2-ethylhexanoate)tin (2781-10-4)

USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA	0.1 mg/m ³ as tin
---------------	------------------------------

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Handle in an enclosing hood with exhaust ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles. Contact lenses should not be worn

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Neoprene or nitrile rubber gloves

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified dust and mist (orange cartridge) respirator.

DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

Safety Data Sheet

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Waxy. Flakes.
Molecular mass	: 519.34 g/mol
Colour	: White.
Odour	: characteristic.
Odour threshold	: No data available
Refractive index	: 1.4653
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 54 – 60 °C
Freezing point	: No data available
Boiling point	: 215 – 220 °C @ 2 mm Hg
Flash point	: > 110 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 1.07
Solubility	: Insoluble, reacts slowly.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Reacts with moisture in air and water, slowly releasing butanol and dibutyltin oxide. Direct sunlight causes degradation to an inorganic tin salt.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Bases. Reducing agents.

10.6. Hazardous decomposition products

Organic acid vapors. Tin oxides.

DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Toxic if swallowed.

DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95 (2781-10-4)

ATE CLP (oral)	125 mg/kg bodyweight
----------------	----------------------

Di-n-butylbis(2-ethylhexanoate)tin (2781-10-4)

LD50 oral rat	125 mg/kg 136 mg/kg
---------------	---------------------

LD50 dermal rabbit	> 2000 mg/kg
--------------------	--------------

ATE CLP (oral)	125 mg/kg bodyweight
----------------	----------------------

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes skin irritation. May be harmful in contact with skin. Organotins may be absorbed through the skin.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

Reason for classification : Expert judgment

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

Safety Data Sheet

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility..
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number

UN-No. (ADR)	: 3146
UN-No. (IMDG)	: 3146
UN-No. (IATA)	: 3146
UN-No. (ADN)	: 3146
UN-No. (RID)	: 3146

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ORGANOTIN COMPOUND, SOLID, N.O.S.
Proper Shipping Name (IMDG)	: ORGANOTIN COMPOUND, SOLID, N.O.S.
Proper Shipping Name (IATA)	: Organotin compound, solid, n.o.s.
Proper Shipping Name (ADN)	: ORGANOTIN COMPOUND, SOLID, N.O.S.
Proper Shipping Name (RID)	: ORGANOTIN COMPOUND, SOLID, N.O.S.
Transport document description (ADR)	: UN 3146 ORGANOTIN COMPOUND, SOLID, N.O.S. (DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN), 6.1, III, (E)
Transport document description (IMDG)	: UN 3146 ORGANOTIN COMPOUND, SOLID, N.O.S. (DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN), 6.1, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3146 Organotin compound, solid, n.o.s. (DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN), 6.1, III
Transport document description (ADN)	: UN 3146 ORGANOTIN COMPOUND, SOLID, N.O.S. (DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN), 6.1, III
Transport document description (RID)	: UN 3146 ORGANOTIN COMPOUND, SOLID, N.O.S. (DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN), 6.1, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1
Danger labels (ADR)	: 6.1
	:



IMDG

Transport hazard class(es) (IMDG)	: 6.1
Danger labels (IMDG)	: 6.1
	:



IATA

Transport hazard class(es) (IATA)	: 6.1
Danger labels (IATA)	: 6.1
	:



DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

Safety Data Sheet

ADN

Transport hazard class(es) (ADN) : 6.1
Danger labels (ADN) : 6.1
:



RID

Transport hazard class(es) (RID) : 6.1
Danger labels (RID) : 6.1
:



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III


14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : Yes (IMDG only)
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : T3
Special provisions (ADR) : 43, 274
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P002, IBC08, LP02, R001
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T1
Portable tank and bulk container special provisions (ADR) : TP33
Tank code (ADR) : SGAH, L4BH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP7
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28
Special provisions for carriage - Operation (ADR) : S9
Hazard identification number (Kemler No.) : 60
Orange plates :



Tunnel restriction code (ADR) : E
EAC code : 2X

Transport by sea

Special provisions (IMDG) : 43, 223, 274
Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1

DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

Safety Data Sheet

Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: A wide variety of toxic solids. Toxic if swallowed, by skin contact or by inhalation.

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y645
PCA limited quantity max net quantity (IATA)	: 10kg
PCA packing instructions (IATA)	: 670
PCA max net quantity (IATA)	: 100kg
CAO packing instructions (IATA)	: 677
CAO max net quantity (IATA)	: 200kg
Special provisions (IATA)	: A3, A4, A6
ERG code (IATA)	: 6L

Inland waterway transport

Classification code (ADN)	: T3
Special provisions (ADN)	: 43, 274, 802
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: T3
Special provisions (RID)	: 43, 274
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: B3
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAH, L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP7
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 60

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

20. Organostannic compounds	Other Organotins ; Di-n-butylbis(2-ethylhexanoate)tin
-----------------------------	---

POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Listed on the PIC list (Regulation EU 649/2012): dibutyltin bis(2-ethylhexanoate)

Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

VOC Directive (2004/42)

VOC content : No additional information available

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to VwVwS, Annex 1 or 2; ID No. 2011).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : The substance is not listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95 is listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95 is listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Switzerland

Storage class (LK) : LK 6.1 - Toxic materials

15.2. Chemical safety assessment

No additional information available

DI-n-BUTYLBIS(2-ETHYLHEXANOATE)TIN, tech-95

Safety Data Sheet

SECTION 16: Other information

Abbreviations and acronyms:

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor

Other information

: Prepared by safety and environmental affairs.

Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

SDS EU (REACH Annex II) - Custom v22 Test

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2020 Gelest Inc. Morrisville, PA 19067