



## Contents

<b>Version 17.1 2018-05-22</b> .....	2
<b>Version 16.11.0.0 2017-08-1</b> .....	2
<b>Version 16.10 2017-04-28</b> .....	2
<b>Version 15.10 2016-02-22</b> .....	3
<b>Version 14.10 2014-12-18</b> .....	3



## GV-Center V2, GV-Center V2 Pro, GV-Dispatch Server & GV-Vital Sign Monitor Version History

### Version 17.1 2018-05-22

**New:**

- Support for GPU decoding on the 8th Generation Coffee Lake platform
- Minimum duration that a Video Lost event must be persist for GV-Center V2 to be notified by alarm

### Version 16.11.0.0 2017-08-1

**New:**

- Support for GPU decoding on the 7th Generation Kaby Lake platform

### Version 16.10 2017-04-28

**New:**

For GV-Center V2, GV-Center V2 Pro & GV-Dispatch Server

- H.265 GPU decoding for live view and playback

For GV-Vital Sign Monitor

- H.265 GPU decoding for playback
- E-mail alert support upon video resumption added to the notification settings of GV-Vital Sign Monitor



## Version 15.10 2016-02-22

### New:

- Support for Windows 10
- Support for H.265 codec
- New image orientation options for corridor scenes (supported GV-IP Cameras only)

## Version 14.10 2014-12-18

### New:

- Support for GV-VMS V14.10
- Support for Windows 8.1 and Windows Server 2012 R2

### Fixed:

#### For GV-Center V2 & GV-Center V2 Pro

- Possible system unresponsiveness when an IP device subscriber reconnects to Center V2 repeatedly
- Display of incorrect host information when a number of subscribers are disconnected

#### For GV-Dispatch Server

- Possible system unresponsiveness when a number of Center V2 hosts are disconnected

#### For GV-Vital Sign Monitor

- Display of incorrect host information when a number of subscribers are disconnected

### Improved:

#### For GV-Center V2, GV-Center V2 Pro, GV-Dispatch Server & GV-Vital Sign Monitor

- User interface of Remote E-Map where camera and I/O icons are renewed
- User interface of Authentication Server where camera and I/O icons are renewed:
  - the settings of an existing user account can be applied to another user account or all other user accounts
  - the settings of a client can be applied to all the other clients of the same user account



- Other changes made to Authentication Server:
  - ID and password verification for account login which is now case-sensitive
  - Support for exporting account settings
  - Login failover by allowing GV-VMS to log in with a last login account created in Authentication Center even when connection with Authentication Server fails

For GV-Dispatch Server & GV-Vital Sign Monitor only

- Procedure for changing any account's password where password verification is no longer needed when logging in with an administrator account on Authentication Server