

GENERAL INDUSTRY

Vibra-TITE® MP-55420

Structural Methacrylate Adhesive

Vibra-TITE MP-55420 is a high-performance, two-part methacrylate adhesive engineered to bond a wide range of plastics, metals, and composite assemblies. It offers outstanding bond strength, is extremely durable, and has excellent impact and weathering properties. Vibra-TITE MP-55420 greatly increases the reliability of finished assemblies with its exceptional flexibility, ability to withstand extreme temperature fluctuations and thermal cycling, and resistance to a wide range of chemicals and environmental conditions.

PRODUCT BENEFITS

- · No Surface Preparation Required
- · Excellent Adhesion Properties
- Excellent Strength to Metals, E-Coat,
 Thermoplastics, Thermosets, and Engineering Plastics
- Excellent Impact Resistance
- Suitable for Easy Manual and Pneumatic Dispensing
- · Excellent Thermal Performance

- 100% Reactive
- Room Temperature Cure
- 10:1 meter-mix product for ease of application
- Use on as received metal surfaces including aluminum, stainless and plated steels and forms tough, high strength bonds without surface preparation
- · Longer open time

COMPATIBLE SUBSTRATES & SURFACES

- Acrylic
- Acrylonitrile Butadiene Styrene (ABS)
- Aluminum
- · Composites
- Metal
- Nylon

- Plastics
- Polycarbonate (PC)
- Polyvinyl Chloride (PVC)
- · Stainless Steel
- Steel
- Vinyl

For more information about our company, visit www.hbfuller.com.



KEY BENEFITS



No Surface Preparation Required



Excellent Impact Resistance



100% Reactive

THE H.B. FULLER DIFFERENCE

Technical Support Speed of response, problem solving, testing capabilities

Supply chain
Speed of service (Made to stock)

Consistent high quality

IMPORTANT: Information, specifications, procedures and recommendations provided ("information") are based on our experience and we believe this to be accurate. No representation, guarantee or warranty is made as to the accuracy or completeness of the information or that use of the product will avoid losses or damages or give desired results. It is user's sole responsibility to test and determine the suitability of any product for the intended use. Tests should be repeated if materials or conditions change in any way. The user is advised to review the specific context of the intended use to determine whether the user's intended use violates any law or infringes upon any patent(s). No employee, distributor or agent has any right to change these facts and offer a guarantee of performance.

Unless otherwise noted, trademarks are property of H.B. Fuller Company or one of its affiliated entities.