

PROTECT SERIES

COMMERCIAL DOOR & STOREFRONT SYSTEM



Approved for use in Miami-Dade HVHZ Zones
Florida Building Code Approved
Product Approval Number: FL29960 | FL30015




PROTECT SERIES

COMMERCIAL DOOR & STOREFRONT SYSTEM

PROTECT SERIES | Commercial door & storefront system is an impact resistant system that combines a contemporary and modern design with high performance. These systems have been tested and approved for the Florida Building Code including the HVHZ zone (Miami-Dade County), one of the most stringent requirements in the nation.

MAXIMUM SPECIFICATIONS

 System	 Max. frame width	 Max. frame height	 Frame thickness	 Max. # of panels	 Max. P.S.F
Commercial door	Single: 43" Double 80"	120"	4-3/16"	2	+140 / -140
Commercial storefront	57"	144"	3"	Unlimited	+90 / -180

For installations in Florida, please see the Florida Product for FL29960 | FL30015 usage and limitations.

CHARACTERISTICS



Extrusions
High grade aluminum alloy 6063-T6



Substrate approved application
Pored concrete, wood, metal and concrete block








Finishes
The highest quality of coating: Kynar AAMA 2605, Powder AAMA 2603 y 2604 and anodized 15um



Aesthetics
Custom muntins, simulated divided lites and mid-rails available

SIMPLE DESIGN PRESSURE OVERVIEW

 System	 Frame width	 Max. frame height	 P.S.F	 Glazing
---	--	---	--	--

Commercial door	41"	72-1/2"	+72 / -72	7/16"
	41"	72-1/2"	+72 / -72	9/16"
	36"	61-3/8"	+120 / -120	1-3/16"
	36"	61-3/8"	+90 / -180	1-5/16"


✓ For more details please see our Florida Product Approval FL29960

Commercial storefront	57"	144"	+66 / -66	7/16"
	57"	144"	+90 / -180	9/16"
	57"	144"	+66 / -66	1-3/16"
	57"	144"	+90 / -180	1-5/16"


✓ For more details please see our Florida Product Approval FL30015

CONFIGURATIONS DESIGN STYLES


Double or single door




Double or single door with transoms




Double or single door with storefront



Double or single door with storefront





✓ Other configurations, please check our product approval numbers (NOA)




Extrude Hinge



3 Point lock
Active Handle




GLASS TINT OPTIONS



✓ Turtle glass available

ALUMINUM FINISHES OPTIONS



✓ Other available finishes,
please consult with our sales team



Approved for use in HVHZ Zones (Miami-Dade) | Florida Building Code Approved
Product Approval Number:

Commercial Door FL29960

Performance Commercial Outswing Entrance Door Large and Small Missile

Storefront FL30015

Performance Storefront System with Large and Small Missile Laminated and Insulated Glass

OTHER PRODUCTS OF THE SERIES



Standard sliding glass door



Reinforced sliding glass door



Residential door



Fixed glass wall



Horizontal roller



Fixed, Casement & Awning window



Single hung window



Fixed glass window



www.alumina.com

COLOMBIA

Yumbo - Valle

Cra 32 N° 11-101 Tel: (+57 2) 651 0400

Itagüí - Antioquia

Cra 64A N° 33-40 Tel: (+57 4) 370 5600

Bogotá - DC

Cra 23 N° 87-66 Tel: (+57 1) 795 3410

USA

Miami - Florida

Miami Industrial Logistics Center

15002 NW 107th Ave. Suite 1 Hialeah Gardens, FL 33018

Tel: (+1) 305 444 1198

ECUADOR

Quito - Ecuador

Av. 6 de diciembre N° 51-53

Jose Rafael Bustamante

Tel: (+593 2) 240 1958